NOTICE TO AUTHORIZED USERS OF AWARD #23295 - Furniture, All Types (Except Hospital Room and Patient Handling)

This pricelist/catalog **may** contain items that are not within the Scope of the Contract Award and/or not within this Contractors approved furniture Categories. All Authorized Users are strongly encouraged to review the Scope of the Award and the Contractors Category Matrix prior to selecting items for purchase under the Contract. Per Solicitation Section 4.5 (D) - Procurement Instructions for Authorized Users: When placing orders under this Award, the Authorized User should follow and be familiar with the terms and conditions governing the Contract and are responsible for determining that the product(s) they intend to purchase fit within the scope of the Award.

References to other government contracts that may be included in a Contractor's pricelist/catalog, including any additional terms or conditions, are void under the OGS Award and should be disregarded. Only OGS' Terms and Conditions, including those within a Contractor's posted Contractor Information and Supplemental Information sheet, are valid under the Contract.

Additionally, Authorized Users are reminded that where discrepancies exist between Price List documents, the lowest price shall prevail (see Section 5.3 Price).

All orders must be placed with the Contractor, or the Contractor's OGS approved Authorized Reseller listed on the OGS website under the Award. Orders placed with a reseller not approved by OGS are not considered contract orders and therefore are not subject to the same terms and conditions of the OGS Award.

Authorized Users should contact the OGS Contract Manager listed on the Award with any questions pertaining to this pricelist/ catalog.

NYS Price List Effective 4/16/26

PRICE BOOK

04/2026

NYS CONTRACT

OFGO

STUDIO

CONTENTS

DESKING & WORKSTATIONS

Modern 5
My Zone 123
Novelle 155
Pulse Digital Lock 162
Savoy 207
Accessories & Electrics 264

PRIVACY & DESKING ADD-ONS

PanelX 275
Extend 308
Privacy On Demand 314
PanelX Partition 318
Workway Planters 322

SIT TO STAND

Index 425
Savoy 209

LOCKERS

Workway Lockers 336

TABLES - TRAINING, MEETING, BAR, & CAFE

Let's Meet 435
Let's Meet Media 443
Trello 447
Versatility 452
Vita & Pull Up 458
CTX 465
Sommet 493
My Zone 150

TABLES - CONFERENCE

Modern 113
My Zone 150
CTX 475
Sommet 495

RECEPTION

Introduce 499
Arrive 508

CONTENTS

STUDY CARRELS

Carol 528

COLLABORATIVE & LOUNGE SEATING

Unify 536
Invite 569
Vibe 574
Beatbox 578
Crosby 587
Liberty 589
Infinity 592
Remington 597
Ciao 601
Nuevo 601
Jazz 604
Tribute 607
Modena 612
Vintage 612
Denver 613
Waterfall 614
Portico 615
Throw Pillows 616

TABLES - OCCASIONAL

Pull Up 464
Vita 458
CTX 482
Sommet 496
Infinity 596
Unify 564
Nuevo 603
Remington 600
Denver 613
Vibe 576

OFFICE & MULTI-PURPOSE SEATING

Stax 618
Kolby 621

QUICKSHIP

Quickship (QS) 627

DESKING



MODERN

PRICE BOOK

OFGO

STUDIO

DESKS / RETURNS / CREDENZAS / BRIDGE TOPS

Desks (bow front) 14
Desks (rectangular) 15-16
Returns 17-18
Bridge Tops 18
Credenzas 19-22

DESK SHELLS

Desk Shells (recessed) 23
Desk Shells (rectangular) 24-27
Desk Shells (joining) 28
Desk Shells (transition) 29-30

CORNER UNITS / SHAPED TABLES

5 Sided Corner Units 31-32
6 Sided Corner Units 33
Extended Corner Units 34-42
Shaped Tables 43-58

HUTCHES / TACKBOARDS / OVERHEAD CABINETS

Hutches 59-62
Hutches (with organizer) 63-64
Corner Hutches 65
Hutch Tackboards 66
Overhead Cabinets 67-68
Overhead Cabinets (with organizer) 69-70
Tackboards 71-76
Hutch Cabinets 77

LATERAL FILES / CABINETS

Multifunctional Cabinets 78
Lateral Files 79-80
Bookcase Cabinets 81
Storage Cabinets 82-84
Mini Cabinets 85
Combination Cabinets 86-93
Side Bookcase Cabinets 94
Wardrobe Cabinets 95-96
Personal Wardrobe Cabinets 97-100
No Top Cabinets 101-104
Worksurfaces (for no top cabinets) 105
Corner Cabinets 106

PEDESTALS / BOOKCASES / DESK ORGANIZERS

Pedestals 107-109
Bookcases 110-112

TABLES / BASES / CONFERENCE ACCESSORIES

Conference Tables 113-116
Round & Square Tables 117
Conference / Meeting Tops 118
Conference / Meeting Bases 119-120
Buffet Cabinets & Conference Add Ons 121
Desk Organizers & End Tables 122

Worksurfaces and Side Panels (Gables)

- Worksurface and side panels are 1" (25 mm) thick, solid core, 45 lbs/ft³ density particle board, finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.
- Worksurfaces are edged on all four sides.
- Worksurfaces and side panels are edged with 1.5mm thick edges, improving user comfort and product durability.
- Side panels edged on bottom for additional strength and to seal out moisture.
- Side panels include height adjustable floor levelers; floor levelers offer additional space between side panels and floor, minimizing moisture damage from floor.
- Floor levelers have square bodies with rounded bottoms and are height adjustable from 5/8" (16 mm) to 1-5/8" (41 mm) high.
- Underside of worksurfaces on desk shells and corner units are pre-drilled with positioning pilot holes to accept PanelX above worsurface divider panels.

Back Panels

- Back panels are 5/8" (16 mm) thick, solid core, 45 lbs/ft³ density particle board, finished on both sides with thermofused laminate.
- Full height back panels standard on desks with box/box/file or file/file pedestals.
- 18" height back panels available on desks with box/file pedestals.
- Full height or 12" height back panels available on desk shells, extended corner units, and shaped tables.
- Flush back panels standard on returns and connecting tops.
- Flush back panels standard on 20" (508 mm), 24" (610 mm), and 30" (762 mm) deep desk shells, corner units, and extended corner units.
- Recessed 6" (152 mm) back panels standard on 30" (762 mm) deep assembled desks.
- Recessed 12" (305 mm) back panels standard on 36" (914 mm) deep assembled desks.
- Full height back panels standard on 36" (914 mm), 42" (1067 mm), and 48" (1219 mm) high hutches.

Pedestals and Drawers

- Drawer fronts are 5/8" (16 mm) thick, solid core particle board, finished on both sides with thermofused laminate.
- Drawer fronts have 1.5mm thick edging on all four sides.
- Five sided drawer construction offers strength and durability.
- Interior drawer construction is made with 1/2" (13 mm) black laminate sides, back and front, and 1/8" (3mm) black hardboard bottom.
- Pedestals standard with side pull out drawers or pull handles.
- Lateral file drawers open with front pull handles.
- Box drawers, file drawers, and lateral file drawers operate with full extension ball bearing suspension slides for smooth and quiet operation.
- Box drawers are mounted on full suspension slides with 100 lbs / 45 kg weight capacity.
- File drawers are mounted on full suspension slides with 100 lbs / 45 kg weight capacity.
- Lateral file drawers are mounted on full suspension slides with 150 lbs / 68 kg weight capacity.
- Pedestal Box drawers standard with molded plastic pencil tray (one per unit).
- File drawers and lateral file drawers include file supports, accepting front-to-back letter and side-to-side legal filing.
- File drawers and lateral file drawers, optional file supports available for side-to-side letter filing.

Doors

- Laminated doors are 5/8" (16 mm) thick, solid core particle board finished on both sides with thermofused laminate.
- Laminated doors have 1.5mm thick edging on all four sides.
- Frosted Acrylic doors are assembled in a silver framed exterior with frosted acrylic interior.
- Cabinet doors open with pull handles.
- Hutch doors open with overhang (located on bottom door edge). Optional pull handles available, see pull handle specifications page.
- Cabinet doors operate on easy closing hinges.
- 71in/1803mm, 77in/1956mm and 83in/2108mm height cabinets, pull handles are placed at matching height to 65in/1651mm height cabinets.

Edges
- All edges are scuff resistant.
- Edges are applied to components using state-of-the-art automated machinery.
- All components standard with matching edging.

Locks
- Locks standard with interchangeable lock core.
- Locks standard with collapsible key, preventing damage to key.
- Lock core can be changed, allowing multiple units to be keyed alike or allowing multiple units in a common area to be keyed differently (100 different cores available).
- Locks standard on box/file pedestals.
- Locks standard on box/box/file pedestals.
- Locks standard on file/file pedestals.
- Locking doors are standard on selected laminate door cabinets.
- Locks standard on 2 drawer, 3 drawer, 4 drawer, and 5 drawer lateral files.
- Identical lock numbers are automatically supplied on the same unit.
- Core removable key available, master key available.
- Large or Express Program orders may include repitition of same key numbers as locks are randomly installed, unless otherwise specified.
- Optional locks available on laminate and glazed hutch doors, which are standard non-locking.
- Optional locks available on mini-storage cabinets and selected mini-lateral files.
- Optional locks available on glazed cabinet doors, which are standard non-locking.
- Optional locks available on 6in/152mm wide personal wardrobe tower doors.
- Optional locks available on cabinet doors with door overhang.

Hutches
- Hutches mount onto base units without mechanical fasteners; two sided tape or "Velcro" strips are provided, allowing installer to attach hutches to base units.

Grommets
- Grommets standard on all returns, connecting tops, corner units, extended corner units, and selected shaped worksurfaces.
- Optional factory installed grommets available for all worksurface and side panels (gables).
- For specific products that require a second grommet location, see page "grommet placement options".

Power/Data Modules
- Optional power/data module can be installed on any worksurface.

Packaging
- Units packaged using corrugated cartons; or shrink wrap and cardboard protectors.
- Worksurface edges and corners reinforced with edge and corner protectors.
- Wood-strapping supports the bottom portion of assembled units.

Thicknesses (Thermofused Laminate - TFL)

Worksurfaces:	1" (25 mm) thick.
Side Panels (Gables):	1" (25 mm) thick.
Back Panels:	5/8" (16 mm) thick.
Drawer Fronts:	5/8" (16 mm) thick.
Doors:	5/8" (16 mm) thick.

Thicknesses (High Pressure - HPL)

HPL option available on worksurfaces.

High pressure worksurfaces standard with high pressure laminate on top and brown backer on bottom.

Add 1/16" (1.6 mm) to overall worksurface thickness.

Industry Standards
- Components meet ANSI/BIFMA standards.

Size, Thickness, & Weight
- Widths, depths, heights, volumes, weights, and laminate/edge thicknesses are nominal and not exact.
- Heights include floor levelers (some exceptions apply).


Note: We are constantly upgrading our products, visit ofgo.com for the most up-to-date product specifications available.

Power/Data Modules are compact workplace accessories that provide convenient power and data distribution.

Item Codes: M1 (Black) and M3 (Silver)

- 2 simplexes.
- 15 amp cord.
- 2 voice/data ports.
- Voice/data adapter kit standard, accepts couplers and jacks.
- UL listed.
- Worksurface cut-outs included in standard locations.
- Power/Data modules may be ordered on all worksurfaces.
- 10 foot black cord included.
- Power/Data modules are available in standard worksurface locations (shown below).
- Power/Data modules may be placed in custom locations, a drawing is required indicating exact vertical and horizontal locations for the center of the cut-out.





One voice/data kit is supplied with each power/data module.

Adapters made to accept most couplers and jacks.

TOP Power Position Codes


Black (M1)

M1LL - Left/Left User Side
M1LC - Left/Center User Side
M1CC - Center/Center User Side
M1RC - Right/Center User Side
M1RR - Right/Right User Side

Silver (M3)


M3LL - Left/Left User Side
M3LC - Left/Center User Side
M3CC - Center/Center User Side
M3RC - Right/Center User Side
M3RR - Right/Right User Side

Desk Shells



*Cut out placed on user side of back panel.

Extended Corner Units



Recessed TOP Power Position Codes

Black (M1)

M1LL10 - Left/Left User Side (10" Inward)
M1LC10 - Left/Center User Side (10" Inward)
M1CC10 - Center/Center User Side (10" Inward)
M1RC10 - Right/Center User Side (10" Inward)
M1RR10 - Right/Right User Side (10" Inward)


M1LL16 - Left/Left User Side (16" Inward)
M1LC16 - Left/Center User Side (16" Inward)
M1CC16 - Center/Center User Side (16" Inward)
M1RC16 - Right/Center User Side (16" Inward)
M1RR16 - Right/Right User Side (16" Inward)

Silver (M3)


M3LL10 - Left/Left User Side (10" Inward)
M3LC10 - Left/Center User Side (10" Inward)
M3CC10 - Center/Center User Side (10" Inward)
M3RC10 - Right/Center User Side (10" Inward)
M3RR10 - Right/Right User Side (10" Inward)

M3LL16 - Left/Left User Side (16" Inward)
M3LC16 - Left/Center User Side (16" Inward)
M3CC16 - Center/Center User Side (16" Inward)
M3RC16 - Right/Center User Side (16" Inward)
M3RR16 - Right/Right User Side (16" Inward)


Desks with 6" Recessed Back



Desks with 12" Recessed Back



Extended Corner Units with 6" Recessed Back



GROMMET PLACEMENT OPTIONS

- Additional grommets available in standard locations (see below).
- Add **G1**_ _ for black grommet or **G3**_ _ for silver grommet to the end of product code to add optional grommet - **add $42 list.**
- Grommets may be placed in custom locations, a drawing is required indicating exact locations.
- For units that include standard grommets, to replace black grommet with silver grommet add G3 to end of product code.



G1 Black Grommet (standard)



G3 Silver Grommet (optional)

TOP Grommet Position Codes


Black Grommet (G1)
G1LL - Left/Left User Side
G1LC - Left/Center User Side
G1CC - Center/Center User Side
G1RC - Right/Center User Side
G1RR - Right/Right User Side

Silver Grommet (G3)
G3LL - Left/Left User Side
G3LC - Left/Center User Side
G3CC - Center/Center User Side
G3RC - Right/Center User Side
G3RR - Right/Right User Side

Note:
G1CC is standard on Desk Shells 24" to 48"W.


G1LL/G1RR is standard on Desk Shells 54" or larger.

Desk Shells (with flush back panel)



*Cut out placed on user side of back panel.

Extended Corner Units (with flush back panel)



Recessed TOP Grommet Position Codes


Black Grommet (G1)
G1LL10 - Left/Left User Side (10" Inward)
G1LC10 - Left/Center User Side (10" Inward)
G1CC10 - Center/Center User Side (10" Inward)
G1RC10 - Right/Center User Side (10" Inward)
G1RR10 - Right/Right User Side (10" Inward)

G1LL16 - Left/Left User Side (16" Inward)
G1LC16 - Left/Center User Side (16" Inward)
G1CC16 - Center/Center User Side (16" Inward)
G1RC16 - Right/Center User Side (16" Inward)
G1RR16 - Right/Right User Side (16" Inward)


Silver Grommet (G3)
G3LL10 - Left/Left User Side (10" Inward)
G3LC10 - Left/Center User Side (10" Inward)
G3CC10 - Center/Center User Side (10" Inward)
G3RC10 - Right/Center User Side (10" Inward)
G3RR10 - Right/Right User Side (10" Inward)

G3LL16 - Left/Left User Side (16" Inward)
G3LC16 - Left/Center User Side (16" Inward)
G3CC16 - Center/Center User Side (16" Inward)
G3RC16 - Right/Center User Side (16" Inward)
G3RR16 - Right/Right User Side (16" Inward)


Desks with 6" Recessed Back



Desks with 12" Recessed Back



Extended Corner Units with 6" Recessed Back




Note: On Double Pedestal desks the use of the following grommet positions are not avaiable as pedestals will be in the way: G1LL10/G3LL10, G1RR10/G3RR10, G1LL16/ G3LL16, and G1RR16/G3RR16.

SIDE GABLE Grommet Position Codes

Black Grommet (G1)
G1LU - Top of Left Side Panel
G1LD - Bottom of Left Side Panel
G1RU - Top of Right Side Panel
G1RD - Bottom of Right Side Panel


Silver Grommet (G3)
G3LU - Top of Left Side Panel
G3LD - Bottom of Left Side Panel
G3RU - Top of Right Side Panel
G3RD - Bottom of Right Side Panel



BACK PANEL Grommet Position Codes

Black Grommet (G1)
G1KL - Top Left of Back Panel
G1KC - Top Center of Back Panel
G1KR - Top Right of Back Panel

Silver Grommet (G3)
G3KL - Top Left of Back Panel
G3KC - Top Center of Back Panel
G3KR - Top Right of Back Panel



MADE TO MEASURE AT NO UPCHARGE PROGRAM

The Made-To-Measure program offers furniture customized to suit your space at no additional upcharge.
Example: 72" x 36" can be ordered as 68" x 33", use price of 72" x 36" (next size up in the price list).

How the Made-To-Measure program works:
1. Select any standard applicable unit from our price list.
2. Re-size the unit to your required specification.
3. Select the "next size up" standard unit in our price list, this is your list price. "No additional upcharge will apply".
4. Specify product as "Special Size".

The Made-To-Measure program is limited to desk shells, assembled desks, returns, and open center credenzas.
For additional custom products please contact your customer service representative for pricing.

HIGH PRESSURE LAMINATE WORKSURFACE PROGRAM

To specify high pressure laminate top surface add prefix HP2 to product code.
i.e. change MO3624-LF-2F-P1-CO to HP2 -MO3624-LF-2F-P1-CO.

HPL Finishes
- Available in select standard OFGO finishes. To order non-standard colors, please contact OFGO.
- High pressure laminate available on top surfaces only and is standard with 1.5mm or 2mm edging.

A minimum total order size of $25,000 LIST is required to allow for use of HPL on a Purchase Order. Projects can contain a mix of product solutions but must be $25,000 LIST or more in total to allow for HPL on any item within that Purchase Order.

ADD to List Price		DEPTH					
		20"	24"	30"	36"	42"	48"
WIDTH	18"	+65	+78	+98	+117	+137	+156
	20"	+72	+87	+109	+130	+152	+174
	24"	+87	+104	+130	+156	+182	+208
	30"	+109	+130	+163	+195	+228	+260
	36"	+130	+156	+195	+234	+273	+313
	42"	+152	+182	+228	+273	+319	+365
	48"	+174	+208	+260	+313	+365	+417
	54"	+195	+234	+293	+352	+410	+469
	60"	+217	+260	+326	+391	+456	+521
	66"	+239	+287	+358	+430	+501	+573
	72"	+260	+313	+391	+469	+547	+625
	78"	+282	+339	+423	+508	+593	+677
	84"	+304	+365	+456	+547	+638	+729
	96"	+347	+417	+521	+625	+729	+833

How the HPL program works:

1. Select a unit from our price list and determine the size of the worksurface.
2. Find the HPL upcharge list price in table.
3. Add the HPL upcharge list to the standard unit's list price.

Example:
Item Code: MO6030-D-BBF-FF
Worksurface Size: 60" wide x 30" deep
Standard List Price: $1737
HPL upcharge list price: $326
HPL List price = $1737 + $326 = $2063 LIST
Order as HP2-MO6030-D-BBF-FF ($2063 LIST)

Note: color variations may occur between Thermofused Laminate and High Pressure laminate.
High pressure laminate orders require additional delivery time. Contact OFGO customer service for scheduling.

OPTIONAL LOCKS

- Locks are standard with interchangeable lock cores and collapsible keys.

Optional Hutch Locks
- Add L1Q1 for black lock or L3Q1 for silver lock to end of product code for a hutch requiring one lock - add $78 list.
- Add L1Q2 for black locks or L3Q2 for silver locks to end of product code for a hutch requiring two locks - add $156 list
- Note: 24in/610mm to 48in/1219mm wide hutches require one lock, and 54in/1372mm to 84in/2134mm require two locks.


Black Lock
(standard)


Silver Lock
(optional)

Two-Tone Program:

Units may be ordered with one-tone or two-tone color, you may select one color for worksurfaces and another color for bases.
You may also select an additional color for door and drawer fronts.

To specify one-tone or two-tone color:

- First code denotes the worksurface color, second code denotes the base/drawer/door/shelf color.
- To order one-tone color units, specify worksurface and base code jointly.
  i.e. LE - Linea Espresso top with Linea Espresso base.
- To order two-tone color units, specify worksurface and base code separately.
  i.e. LE/TW - Linea Espresso top with True White base and fronts.

Note: to order a different color on drawer/door fronts then the selected base color you must specifically note this on your PO.

Available Laminate Finishes:

We are constantly upgrading our products, visit ofgo.com for the most up-to-date laminate finishes available.

Available Pull Handles:



P1 Pull Handle
Black Nickel Finish
(Standard)



P3 Pull Handle
Silver Finish



P5 Pull Handle
Black Finish



P9 Pull Handle
Brushed Nickel Finish



P6 Pull Handle
Silver Finish



P12 Pull Handle
Silver Finish



P25 Pull Handle
Black Finish



P23 Pull Handle
Silver Finish











P7 Pull Handle
Brushed Nickel Finish

Items that are avaiable with pull handles will be processed with P1 handles unless otherwise specified.
To select an alternative handle style, replace P1 in the item code with an alternative handle style code.
i.e. change MO3620-SC-P1 to MO3620-SC-P3

Assembled desks, credenzas, pedestals, hutches, extended corner units, visual presentation cabinets, and select cabinets with doors are not standard with pull handles.






To add additional pull handles to units, add handle style (e.g. P1) and quantity (e.g. Q3) to end of product code.
Example: To include P1 handles on a box box file pedestal add P1Q3 to end of product code.
Add $21 list for each additional pull handle.

Note: We are constantly upgrading our products, visit ofgo.com for the most up-to-date pull handles available.

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Double Pedestal Desk Bow Front Top Full Back Panel 2 Box Drawers 3 File Drawers Shipped Assembled	MO6636-BW-D-BBF-FF	66	36	29	2171	304	44
		MO7236-BW-D-BBF-FF	72	36	29	2189	310	49
								
	Double Pedestal Desk Bow Front Top Full Back Panel 2 Box Drawers 2 File Drawers	MO6636-BW-D-BF-BF-FP	66	36	29	1764	264	44
		MO7236-BW-D-BF-BF-FP	72	36	29	1781	270	49
								
	Left Pedestal Desk Bow Front Top Full Back Panel 2 Box Drawers 1 File Drawer Shipped Assembled	MO6636-BW-L-BBF	66	36	29	1695	239	44
		MO7236-BW-L-BBF	72	36	29	1711	245	49
								
	Right Pedestal Desk Bow Front Top Full Back Panel 2 Box Drawers 1 File Drawer Shipped Assembled	MO6636-BW-R-BBF	66	36	29	1695	239	44
		MO7236-BW-R-BBF	72	36	29	1711	245	49
								

Notes:







- Optional Pull Handles Available. See Page 13.
- Back panel is recessed 12" on 36" deep desks.
- Unit is not standard with grommets. See page 10 for add-on grommet options.
- For units up to 60" Wide, the grain direction on the back panel runs vertically.
- For units greater than 60" Wide, the grain direction on the back panel runs horizontally.

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Double Pedestal Desk	MO6030-D-BBF-FF	60	30	29	1798	270	34
	Rectangular Top	MO6630-D-BBF-FF	66	30	29	1905	280	37
	Full Back Panel	MO7230-D-BBF-FF	72	30	29	1973	301	40
	2 Box Drawers	MO7236-D-BBF-FF	72	36	29	2103	320	49
	3 File Drawers							
	Shipped Assembled							
	Double Pedestal Desk	MO6030-D-BF-BF-FP	60	30	29	1283	230	34
	Rectangular Top	MO6630-D-BF-BF-FP	66	30	29	1486	240	37
	Full Back Panel	MO7230-D-BF-BF-FP	72	30	29	1568	261	40
	2 Box Drawers	MO7236-D-BF-BF-FP	72	36	29	1660	280	49
	2 File Drawers							
	Shipped Assembled							
	Double Pedestal Desk	MO6030-D-BF-BF	60	30	29	1271	220	34
	Rectangular Top	MO6630-D-BF-BF	66	30	29	1475	230	37
	3/4 Back Panel	MO7230-D-BF-BF	72	30	29	1557	251	40
	2 Box Drawers	MO7236-D-BF-BF	72	36	29	1649	270	49
	2 File Drawers							
	Shipped Assembled							
	Left Pedestal Desk	MO4830-L-BBF	48	30	29	1229	185	27
	Rectangular Top	MO6030-L-BBF	60	30	29	1319	205	34
	Full Back Panel	MO6630-L-BBF	66	30	29	1488	215	37
	2 Box Drawers	MO7230-L-BBF	72	30	29	1531	236	40
	1 File Drawer	MO7236-L-BBF	72	36	29	1619	255	49
	Shipped Assembled							
	Right Pedestal Desk	MO4830-R-BBF	48	30	29	1229	185	27
	Rectangular Top	MO6030-R-BBF	60	30	29	1319	205	34
	Full Back Panel	MO6630-R-BBF	66	30	29	1488	215	37
	2 Box Drawers	MO7230-R-BBF	72	30	29	1531	236	40
	1 File Drawer	MO7236-R-BBF	72	36	29	1619	255	49
	Shipped Assembled							





Note: Back panel is recessed 4" on 24" deep desks, 6" on 30" deep desks, and 12" on 36" deep desks.
Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.
Note: See page 10 for add-on grommet options and page 13 for optional pull handles.

RECTANGULAR DESKS

MODERN SERIES


		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Left Pedestal Desk	MO4830-L-FF	48	30	29	1229	185	27
	Rectangular Top	MO6030-L-FF	60	30	29	1319	205	34
	Full Back Panel	MO6630-L-FF	66	30	29	1488	215	37
	2 File Drawers	MO7230-L-FF	72	30	29	1531	236	40
		MO7236-L-FF	72	36	29	1619	255	49
			Shipped Assembled					
	Right Pedestal Desk	MO4830-R-FF	48	30	29	1229	185	27
	Rectangular Top	MO6030-R-FF	60	30	29	1319	205	34
	Full Back Panel	MO6630-R-FF	66	30	29	1488	215	37
	2 File Drawers	MO7230-R-FF	72	30	29	1531	236	40
		MO7236-R-FF	72	36	29	1619	255	49
			Shipped Assembled					
	Left Pedestal Desk	MO4830-L-BF-FP	48	30	29	1013	165	27
	Rectangular Top	MO6030-L-BF-FP	60	30	29	1102	185	34
	Full Back Panel	MO6630-L-BF-FP	66	30	29	1274	195	37
	1 Box Drawer	MO7230-L-BF-FP	72	30	29	1314	216	40
	1 File Drawer	MO7236-L-BF-FP	72	36	29	1423	235	49
			Shipped Assembled					
	Right Pedestal Desk	MO4830-R-BF-FP	48	30	29	1013	165	27
	Rectangular Top	MO6030-R-BF-FP	60	30	29	1102	185	34
	Full Back Panel	MO6630-R-BF-FP	66	30	29	1274	195	37
	1 Box Drawer	MO7230-R-BF-FP	72	30	29	1314	216	40
	1 File Drawer	MO7236-R-BF-FP	72	36	29	1423	235	49
			Shipped Assembled					
	Left Pedestal Desk	MO4824-L-BF	48	24	29	924	145	22
	Rectangular Top	MO4830-L-BF	48	30	29	1000	155	27
	3/4 Back Panel	MO6030-L-BF	60	30	29	1091	175	34
	1 Box Drawer	MO6630-L-BF	66	30	29	1263	185	37
	1 File Drawer	MO7230-L-BF	72	30	29	1302	206	40
		MO7236-L-BF	72	36	29	1411	225	49
			Shipped Assembled					
	Right Pedestal Desk	MO4824-R-BF	48	24	29	924	145	22
	Rectangular Top	MO4830-R-BF	48	30	29	1000	155	27
	3/4 Back Panel	MO6030-R-BF	60	30	29	1091	175	34
	1 Box Drawer	MO6630-R-BF	66	30	29	1263	185	37
	1 File Drawer	MO7230-R-BF	72	30	29	1302	206	40
		MO7236-R-BF	72	36	29	1411	225	49
			Shipped Assembled					

Note: Back panel is recessed 4" on 24" deep desks, 6" on 30" deep desks, and 12" on 36" deep desks.
Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.
Note: See page 10 for add-on grommet options and page 13 for optional pull handles.


		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Left Pedestal	MO4220-LR-BBF	42	20	29	1048	135	17
	Flush Height Return	MO3024-LR-BBF	30	24	29	1031	125	14
	2 Box Drawers	MO3624-LR-BBF	36	24	29	1055	135	17
	1 File Drawer	MO4224-LR-BBF	42	24	29	1077	145	20
	Full Back Panel	MO4824-LR-BBF	48	24	29	1099	155	23
	Grommet on Top							
					Shipped Assembled			
	Right Pedestal	MO4220-RR-BBF	42	20	29	1048	135	17
	Flush Height Return	MO3024-RR-BBF	30	24	29	1031	125	14
	2 Box Drawers	MO3624-RR-BBF	36	24	29	1055	135	17
	1 File Drawer	MO4224-RR-BBF	42	24	29	1077	145	20
	Full Back Panel	MO4824-RR-BBF	48	24	29	1099	155	23
	Grommet on Top							
					Shipped Assembled			
	Left Pedestal	MO4220-LR-FF	42	20	29	1048	135	17
	Flush Height Return	MO3024-LR-FF	30	24	29	1031	125	14
	2 File Drawers	MO3624-LR-FF	36	24	29	1055	135	17
	Full Back Panel	MO4224-LR-FF	42	24	29	1077	145	20
	Grommet on Top	MO4824-LR-FF	48	24	29	1099	155	23
					Shipped Assembled			
	Right Pedestal	MO4220-RR-FF	42	20	29	1048	135	17
	Flush Height Return	MO3024-RR-FF	30	24	29	1031	125	14
	2 File Drawers	MO3624-RR-FF	36	24	29	1055	135	17
	Full Back Panel	MO4224-RR-FF	42	24	29	1077	145	20
	Grommet on Top	MO4824-RR-FF	48	24	29	1099	155	23
					Shipped Assembled			

HALF BACK PANEL OPTION:


To order with 12" High Half Back Panel Add -HP to end of product code.




Ex. MO4224-LR-BBF-HP



Ex. MO4224-RR-BBF-HP









Ex. MO4224-LR-FF-HP




Ex. MO4224-RR-FF-HP

Optional Pull Handles Available. See Page 13 in Front Specifications.

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Left Pedestal	MO4220-LR-BF	42	20	29	890	115	17
	Flush Height Return	MO3024-LR-BF	30	24	29	861	105	14
	1 Box Drawer	MO3624-LR-BF	36	24	29	890	115	17
	1 File Drawer	MO4224-LR-BF	42	24	29	910	125	20
	Full Back Panel	MO4824-LR-BF	48	24	29	929	135	23
	Grommet on Top							
					Shipped Assembled			
	Right Pedestal	MO4220-RR-BF	42	20	29	890	115	17
	Flush Height Return	MO3024-RR-BF	30	24	29	861	105	14
	1 Box Drawer	MO3624-RR-BF	36	24	29	890	115	17
	1 File Drawer	MO4224-RR-BF	42	24	29	910	125	20
	Full Back Panel	MO4824-RR-BF	48	24	29	929	135	23
	Grommet on Top							
					Shipped Assembled			
	Left Return (Open)	MO4220-LR-OP	42	20	29	528	70	2
	Flush Height Return	MO3024-LR-OP	30	24	29	532	60	2
	Full Back Panel	MO3624-LR-OP	36	24	29	550	70	2
	Grommet on Top	MO4224-LR-OP	42	24	29	564	80	2
		MO4824-LR-OP	48	24	29	587	90	3
					RTA - Shipped Ready To Assemble			
	Right Return (Open)	MO4220-RR-OP	42	20	29	528	70	2
	Flush Height Return	MO3024-RR-OP	30	24	29	532	60	2
	Full Back Panel	MO3624-RR-OP	36	24	29	550	70	2
	Grommet on Top	MO4224-RR-OP	42	24	29	564	80	2
		MO4824-RR-OP	48	24	29	587	90	3
					RTA - Shipped Ready To Assemble			
	20" 	MO3020-CT	30	20	29	415	50	2
		MO3620-CT	36	20	29	436	55	2
		MO4220-CT	42	20	29	452	65	2
		MO4820-CT	48	20	29	474	75	2
	24" 	MO3024-CT	30	24	29	415	50	2
		MO3624-CT	36	24	29	436	55	2
Flush Bridge		MO4224-CT	42	24	29	452	65	2
Grommet on Top		MO4824-CT	48	24	29	474	75	2
RTA - Shipped Ready to Assemble								
	20" 	MO3020-CT-BG	30	20	1	204	18	1
		MO3620-CT-BG	36	20	1	244	22	1
		MO4220-CT-BG	42	20	1	285	25	1
		MO4820-CT-BG	48	20	1	324	30	1
	24" 	MO3024-CT-BG	30	24	1	244	18	1
		MO3624-CT-BG	36	24	1	292	22	1
Bridge Top		MO4224-CT-BG	42	24	1	341	25	1
Open Back		MO4824-CT-BG	48	24	1	387	30	1
Grommet on Top								


Optional Pull Handles Available. See Page 13 in Front Specifications.



Double Pedestal Credenza
Full Back Panel
2 Box Drawers
3 File Drawers

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO6620-D-BBF-FF	66	20	29	1702	240	25
MO7220-D-BBF-FF	72	20	29	1734	250	28
MO6624-D-BBF-FF	66	24	29	1757	250	30
MO7224-D-BBF-FF	72	24	29	1814	260	33


Shipped Assembled



Double Pedestal Credenza
Full Back Panel
2 Box Drawers
2 File Drawers

MO6620-D-BF-BF-FP	66	20	29	1331	200	25
MO7220-D-BF-BF-FP	72	20	29	1354	210	28
MO6624-D-BF-BF-FP	66	24	29	1365	210	30
MO7224-D-BF-BF-FP	72	24	29	1415	220	33

Shipped Assembled




Double Pedestal Credenza
3/4 Back Panel
2 Box Drawers
2 File Drawers

MO6620-D-BF-BF	66	20	29	1319	190	25
MO7220-D-BF-BF	72	20	29	1341	200	28
MO6624-D-BF-BF	66	24	29	1354	200	30
MO7224-D-BF-BF	72	24	29	1401	210	33

Shipped Assembled

Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.


Note: Optional Pull Handles Available. See Page 13 in Front Specifications.



Left Pedestal Credenza
Full Back Panel
1 Box Drawer
1 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO6020-L-BF-FP	60	20	29	1124	165	23
MO6620-L-BF-FP	66	20	29	1165	175	25
MO7220-L-BF-FP	72	20	29	1196	185	28
MO6024-L-BF-FP	60	24	29	1178	175	27
MO6624-L-BF-FP	66	24	29	1196	185	30
MO7224-L-BF-FP	72	24	29	1240	195	33


Shipped Assembled



Right Pedestal Credenza
Full Back Panel
1 Box Drawer
1 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO6020-R-BF-FP	60	20	29	1124	165	23
MO6620-R-BF-FP	66	20	29	1165	175	25
MO7220-R-BF-FP	72	20	29	1196	185	28
MO6024-R-BF-FP	60	24	29	1178	175	27
MO6624-R-BF-FP	66	24	29	1196	185	30
MO7224-R-BF-FP	72	24	29	1240	195	33


Shipped Assembled



Left Pedestal Credenza
3/4 Back Panel
1 Box Drawer
1 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO6020-L-BF	60	20	29	1112	155	23
MO6620-L-BF	66	20	29	1154	165	25
MO7220-L-BF	72	20	29	1184	175	28
MO6024-L-BF	60	24	29	1165	165	27
MO6624-L-BF	66	24	29	1184	175	30
MO7224-L-BF	72	24	29	1229	185	33


Shipped Assembled



Right Pedestal Credenza
3/4 Back Panel
1 Box Drawer
1 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO6020-R-BF	60	20	29	1112	155	23
MO6620-R-BF	66	20	29	1154	165	25
MO7220-R-BF	72	20	29	1184	175	28
MO6024-R-BF	60	24	29	1165	165	27
MO6624-R-BF	66	24	29	1184	175	30
MO7224-R-BF	72	24	29	1229	185	33

Shipped Assembled




Left Pedestal Credenza
Full Back Panel
2 Box Drawers
1 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO6020-L-BBF	60	20	29	1337	185	23
MO6620-L-BBF	66	20	29	1379	195	25
MO7220-L-BBF	72	20	29	1414	205	28
MO6024-L-BBF	60	24	29	1392	195	27
MO6624-L-BBF	66	24	29	1437	205	30
MO7224-L-BBF	72	24	29	1453	215	33

Shipped Assembled

Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.


Note: Optional Pull Handles Available. See Page 13 in Front Specifications.



Right Pedestal Credenza
Full Back Panel
2 Box Drawers
1 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO6020-R-BBF	60	20	29	1337	185	23
MO6620-R-BBF	66	20	29	1379	195	25
MO7220-R-BBF	72	20	29	1414	205	28
MO6024-R-BBF	60	24	29	1392	195	27
MO6624-R-BBF	66	24	29	1437	205	30
MO7224-R-BBF	72	24	29	1453	215	33


Shipped Assembled



Left Pedestal Credenza
Full Back Panel
2 File Drawers

MO6020-L-FF	60	20	29	1337	185	23
MO6620-L-FF	66	20	29	1379	195	25
MO7220-L-FF	72	20	29	1414	205	28
MO6024-L-FF	60	24	29	1392	195	27
MO6624-L-FF	66	24	29	1437	205	30
MO7224-L-FF	72	24	29	1453	215	33


Shipped Assembled



Right Pedestal Credenza
Full Back Panel
2 File Drawers

MO6020-R-FF	60	20	29	1337	185	23
MO6620-R-FF	66	20	29	1379	195	25
MO7220-R-FF	72	20	29	1414	205	28
MO6024-R-FF	60	24	29	1392	195	27
MO6624-R-FF	66	24	29	1437	205	30
MO7224-R-FF	72	24	29	1453	215	33

Shipped Assembled




Left Storage Cabinet Credenza

36" Wide Storage Cabinet on Left

One Adjustable Shelf in Storage Cabinet

MO6620-CL-SC-P1	66	20	29	1430	172	25
MO7220-CL-SC-P1	72	20	29	1447	182	28
MO6624-CL-SC-P1	66	24	29	1447	182	30
MO7224-CL-SC-P1	72	24	29	1466	192	33

Shipped Assembled



Right Storage Cabinet Credenza

36" Wide Storage Cabinet on Right






One Adjustable Shelf in Storage Cabinet

MO6620-CR-SC-P1	66	20	29	1430	172	25
MO7220-CR-SC-P1	72	20	29	1447	182	28
MO6624-CR-SC-P1	66	24	29	1447	182	30
MO7224-CR-SC-P1	72	24	29	1466	192	33

Shipped Assembled


Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.


Note: Optional Pull Handles Available. See Page 13 in Front Specifications.

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Left Lateral File Credenza 36" Wide Lateral File Drawers on Left	MO6620-L-LF-P1	66	20	29	1527	202	25
		MO7220-L-LF-P1	72	20	29	1544	212	28
		MO6624-L-LF-P1	66	24	29	1544	212	30
		MO7224-L-LF-P1	72	24	29	1563	222	33
		Shipped Assembled						
	Right Lateral File Credenza 36" Wide Lateral File Drawers on Right	MO6620-R-LF-P1	66	20	29	1527	202	25
		MO7220-R-LF-P1	72	20	29	1544	212	28
		MO6624-R-LF-P1	66	24	29	1544	212	30
		MO7224-R-LF-P1	72	24	29	1563	222	33
		Shipped Assembled						
	Double Lateral File Credenza	MO6020-LF-LF-P1	60	20	29	2132	252	23
		MO7220-LF-LF-P1	72	20	29	2183	272	28
		MO6024-LF-LF-P1	60	24	29	2161	262	27
		MO7224-LF-LF-P1	72	24	29	2235	282	33
		Shipped Assembled						
	Double Storage Cabinet Credenza One Adjustable Shelf in each Storage Cabinet	MO6020-CD-SC-SC-P1	60	20	29	1695	206	23
		MO7220-CD-SC-SC-P1	72	20	29	1732	216	28
		MO6024-CD-SC-SC-P1	60	24	29	1711	216	27
		MO7224-CD-SC-SC-P1	72	24	29	1748	226	33
		Shipped Assembled						
	Lateral File Storage Credenza One Adjustable Shelf in Storage Cabinet	MO6020-CD-LF-SC-P1	60	20	29	1905	232	23
		MO7220-CD-LF-SC-P1	72	20	29	1938	242	28
		MO6024-CD-LF-SC-P1	60	24	29	1956	242	27
		MO7224-CD-LF-SC-P1	72	24	29	2011	252	33
		Shipped Assembled						


Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.

Note: Optional Pull Handles Available. See Page 13 in Front Specifications.






Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO4830-S-GG-FP	48	30	29	722	112	3
MO5430-S-GG-FP	54	30	29	755	117	4
MO6030-S-GG-FP	60	30	29	788	121	4
MO6630-S-GG-FP	66	30	29	820	125	4
MO7230-S-GG-FP	72	30	29	853	130	5
MO7830-S-GG-FP	78	30	29	1094	135	5
MO8430-S-GG-FP	84	30	29	1176	140	5




MO6636-S-GG-FP	66	36	29	913	162	5
MO7236-S-GG-FP	72	36	29	945	180	6
MO7836-S-GG-FP	78	36	29	1189	190	6
MO8436-S-GG-FP	84	36	29	1269	200	6

Rectangular Top
Freestanding
Full Back Panel (FP)
Recessed Back Panel

RTA - Shipped Ready to Assemble






MO6636-BW-S-GG-FP	66	36	29	1001	162	5
MO7236-BW-S-GG-FP	72	36	29	1035	180	6
MO7836-BW-S-GG-FP	78	36	29	1277	190	6
MO8436-BW-S-GG-FP	84	36	29	1358	200	6

Bow Front Top
Freestanding
Full Back Panel (FP)
Recessed Back Panel

RTA - Shipped Ready to Assemble

Notes:
- For units up to 60" Wide, the grain direction on the back panel runs vertically.
- For units greater than 60" Wide, the grain direction on the back panel runs horizontally.
- Optional 35.5", 47.5" and 59.5" wide surface reinforcement stiffener sold separately:


  Item codes:
  AC36-STFR ($105 List)
  AC48-STFR ($117 List)
  AC60-STFR ($134 List)



Ex. MO7236-S-GG-HP

HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.




Ex. MO7236-BW-S-GG-HP

Optional Grommets Available. See Page 10 in Front Specifications.

DESK SHELL - FREESTANDING (WW)

MODERN SERIES



Freestanding Desk Shell
Rectangular Top
Two full side panels
Full Back Panel (FP)

20" 

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO2420-S-WW-FP	24	20	29	492	72	2
MO3020-S-WW-FP	30	20	29	524	74	2
MO3620-S-WW-FP	36	20	29	558	77	2
MO4220-S-WW-FP	42	20	29	590	80	3
MO4820-S-WW-FP	48	20	29	620	82	3
MO5420-S-WW-FP	54	20	29	654	85	4
MO6020-S-WW-FP	60	20	29	685	88	4
MO6620-S-WW-FP	66	20	29	721	90	4
MO7220-S-WW-FP	72	20	29	753	93	5
MO7820-S-WW-FP	78	20	29	997	96	5
MO8420-S-WW-FP	84	20	29	1078	99	5

24" 

MO2424-S-WW-FP	24	24	29	524	83	2
MO3024-S-WW-FP	30	24	29	557	87	2
MO3624-S-WW-FP	36	24	29	590	90	2
MO4224-S-WW-FP	42	24	29	620	94	3
MO4824-S-WW-FP	48	24	29	654	97	3
MO5424-S-WW-FP	54	24	29	685	101	4
MO6024-S-WW-FP	60	24	29	719	104	4
MO6624-S-WW-FP	66	24	29	753	108	4
MO7224-S-WW-FP	72	24	29	785	111	5
MO7824-S-WW-FP	78	24	29	1031	115	5
MO8424-S-WW-FP	84	24	29	1112	118	5
MO9624-S-WW-FP	96	24	29	1267	123	6

30" 

MO2430-S-WW-FP	24	30	29	609	95	2
MO3030-S-WW-FP	30	30	29	640	99	2
MO3630-S-WW-FP	36	30	29	673	103	2
MO4230-S-WW-FP	42	30	29	703	108	3
MO4830-S-WW-FP	48	30	29	738	112	3
MO5430-S-WW-FP	54	30	29	771	117	4
MO6030-S-WW-FP	60	30	29	803	121	4
MO6630-S-WW-FP	66	30	29	834	125	4
MO7230-S-WW-FP	72	30	29	868	130	5
MO7830-S-WW-FP	78	30	29	1112	135	5
MO8430-S-WW-FP	84	30	29	1193	140	5
MO9630-S-WW-FP	96	30	29	1349	145	6

Notes:

Optional 35.5", 47.5" and 59.5" wide surface reinforcement stiffener sold separately.

Item codes:
AC36-STFR ($105 List)
AC48-STFR ($117 List)
AC60-STFR ($134 List)


24" to 48" wide desk shells include one grommet.

54" to 84" wide desk shells include two grommets.

RTA - Shipped Ready to Assemble

For units up to 60" Wide, the grain direction on the back panel runs vertically.

For units greater than 60" Wide, the grain direction on the back panel runs horizontally.




HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.

Ex. MO2424-S-WW-HP

DESK SHELL - RIGHT CONNECTING (WH)

MODERN SERIES



Right Connecting Desk Shell
Rectangular Top
Full side panel on left
Connecting side panel on right
Full Back Panel (FP)
Interchangeable side panels

20" 

24" 

30" 

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO2420-S-WH-FP	24	20	29	492	64	2
MO3020-S-WH-FP	30	20	29	524	66	2
MO3620-S-WH-FP	36	20	29	558	69	2
MO4220-S-WH-FP	42	20	29	590	72	3
MO4820-S-WH-FP	48	20	29	620	74	3
MO5420-S-WH-FP	54	20	29	654	77	4
MO6020-S-WH-FP	60	20	29	685	80	4
MO6620-S-WH-FP	66	20	29	721	82	4
MO7220-S-WH-FP	72	20	29	753	85	5
MO7820-S-WH-FP	78	20	29	997	88	5
MO8420-S-WH-FP	84	20	29	1078	91	5
MO2424-S-WH-FP	24	24	29	524	75	2
MO3024-S-WH-FP	30	24	29	557	79	2
MO3624-S-WH-FP	36	24	29	590	82	2
MO4224-S-WH-FP	42	24	29	620	86	3
MO4824-S-WH-FP	48	24	29	654	89	3
MO5424-S-WH-FP	54	24	29	685	93	4
MO6024-S-WH-FP	60	24	29	719	96	4
MO6624-S-WH-FP	66	24	29	753	100	4
MO7224-S-WH-FP	72	24	29	785	103	5
MO7824-S-WH-FP	78	24	29	1031	107	5
MO8424-S-WH-FP	84	24	29	1112	111	5
MO2430-S-WH-FP	24	30	29	609	83	2
MO3030-S-WH-FP	30	30	29	640	87	2
MO3630-S-WH-FP	36	30	29	673	91	2
MO4230-S-WH-FP	42	30	29	703	96	3
MO4830-S-WH-FP	48	30	29	738	100	3
MO5430-S-WH-FP	54	30	29	771	105	4
MO6030-S-WH-FP	60	30	29	803	109	4
MO6630-S-WH-FP	66	30	29	834	113	4
MO7230-S-WH-FP	72	30	29	868	118	5
MO7830-S-WH-FP	78	30	29	1112	123	5
MO8430-S-WH-FP	84	30	29	1193	128	5

Notes:
Optional 35.5", 47.5" and 59.5" wide surface reinforcement stiffener sold separately.

Item codes:
AC36-STFR ($105 List)
AC48-STFR ($117 List)
AC60-STFR ($134 List)


24" to 48" wide desk shells include one grommet.

54" to 84" wide desk shells include two grommets.

RTA - Shipped Ready to Assemble

For units up to 60" Wide, the grain direction on the back panel runs vertically.

For units greater than 60" Wide, the grain direction on the back panel runs horizontally.




HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.

Ex. MO2424-S-WH-HP

DESK SHELL - LEFT CONNECTING (HW)









Left Connecting Desk Shell
Rectangular Top
Connecting side panel on left
Full side panel on right
Full Back Panel (FP)
Interchangeable side panels

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO2420-S-HW-FP	24	20	29	492	64	2
MO3020-S-HW-FP	30	20	29	524	66	2
MO3620-S-HW-FP	36	20	29	558	69	2
MO4220-S-HW-FP	42	20	29	590	72	3
MO4820-S-HW-FP	48	20	29	620	74	3
MO5420-S-HW-FP	54	20	29	654	77	4
MO6020-S-HW-FP	60	20	29	685	80	4
MO6620-S-HW-FP	66	20	29	721	82	4
MO7220-S-HW-FP	72	20	29	753	85	5
MO7820-S-HW-FP	78	20	29	997	88	5
MO8420-S-HW-FP	84	20	29	1078	91	5
MO2424-S-HW-FP	24	24	29	524	75	2
MO3024-S-HW-FP	30	24	29	557	79	2
MO3624-S-HW-FP	36	24	29	590	82	2
MO4224-S-HW-FP	42	24	29	620	86	3
MO4824-S-HW-FP	48	24	29	654	89	3
MO5424-S-HW-FP	54	24	29	685	93	4
MO6024-S-HW-FP	60	24	29	719	96	4
MO6624-S-HW-FP	66	24	29	753	100	4
MO7224-S-HW-FP	72	24	29	785	103	5
MO7824-S-HW-FP	78	24	29	1031	107	5
MO8424-S-HW-FP	84	24	29	1112	111	5
MO2430-S-HW-FP	24	30	29	609	83	2
MO3030-S-HW-FP	30	30	29	640	87	2
MO3630-S-HW-FP	36	30	29	673	91	2
MO4230-S-HW-FP	42	30	29	703	96	3
MO4830-S-HW-FP	48	30	29	738	100	3
MO5430-S-HW-FP	54	30	29	771	105	4
MO6030-S-HW-FP	60	30	29	803	109	4
MO6630-S-HW-FP	66	30	29	834	113	4
MO7230-S-HW-FP	72	30	29	868	118	5
MO7830-S-HW-FP	78	30	29	1112	123	5
MO8430-S-HW-FP	84	30	29	1193	128	5

Notes:
Optional 35.5", 47.5" and 59.5" wide surface reinforcement stiffener sold separately.

Item codes:
AC36-STFR ($105 List)
AC48-STFR ($117 List)
AC60-STFR ($134 List)


24" to 48" wide desk shells include one grommet.

54" to 84" wide desk shells include two grommets.

RTA - Shipped Ready to Assemble

For units up to 60" Wide, the grain direction on the back panel runs vertically.

For units greater than 60" Wide, the grain direction on the back panel runs horizontally.




HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.

Ex. MO2424-S-HW-HP

DESK SHELL - CENTER CONNECTING (HH)

MODERN SERIES



Center Connecting Desk Shell
Rectangular Top
Two connecting side panels
Full Back Panel (FP)

20"



Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO2420-S-HH-FP	24	20	29	492	56	2
MO3020-S-HH-FP	30	20	29	524	58	2
MO3620-S-HH-FP	36	20	29	558	61	2
MO4220-S-HH-FP	42	20	29	590	64	3
MO4820-S-HH-FP	48	20	29	620	66	3
MO5420-S-HH-FP	54	20	29	654	69	4
MO6020-S-HH-FP	60	20	29	685	72	4
MO6620-S-HH-FP	66	20	29	721	74	4
MO7220-S-HH-FP	72	20	29	753	77	5
MO7820-S-HH-FP	78	20	29	997	80	5
MO8420-S-HH-FP	84	20	29	1078	83	5

24"



MO2424-S-HH-FP	24	24	29	524	67	2
MO3024-S-HH-FP	30	24	29	557	71	2
MO3624-S-HH-FP	36	24	29	590	74	2
MO4224-S-HH-FP	42	24	29	620	79	3
MO4824-S-HH-FP	48	24	29	654	81	3
MO5424-S-HH-FP	54	24	29	685	85	4
MO6024-S-HH-FP	60	24	29	719	88	4
MO6624-S-HH-FP	66	24	29	753	92	4
MO7224-S-HH-FP	72	24	29	785	95	5
MO7824-S-HH-FP	78	24	29	1031	98	5
MO8424-S-HH-FP	84	24	29	1112	101	5

30"



MO2430-S-HH-FP	24	30	29	609	71	2
MO3030-S-HH-FP	30	30	29	640	75	2
MO3630-S-HH-FP	36	30	29	673	80	2
MO4230-S-HH-FP	42	30	29	703	84	3
MO4830-S-HH-FP	48	30	29	738	88	3
MO5430-S-HH-FP	54	30	29	771	93	4
MO6030-S-HH-FP	60	30	29	803	97	4
MO6630-S-HH-FP	66	30	29	834	102	4
MO7230-S-HH-FP	72	30	29	868	106	5
MO7830-S-HH-FP	78	30	29	1112	107	5
MO8430-S-HH-FP	84	30	29	1193	111	5

Notes:
Optional 35.5", 47.5" and 59.5" wide surface reinforcement stiffener sold separately.

Item codes:
AC36-STFR ($105 List)
AC48-STFR ($117 List)
AC60-STFR ($134 List)


24" to 48" wide desk shells include one grommet.

54" to 84" wide desk shells include two grommets.

RTA - Shipped Ready to Assemble

For units up to 60" Wide, the grain direction on the back panel runs vertically.

For units greater than 60" Wide, the grain direction on the back panel runs horizontally.



HALF BACK PANEL OPTION:


To order with 12" High Half Back Panel change FP to HP in product code.

Ex. MO2424-S-HH-HP

DESK SHELLS - JOINING (LJ) (RJ)

MODERN SERIES


LEFT JOINING (LJ)



Freestanding Desk Shell
Rectangular Top
Two full side panels
Connecting panel on front left
Full Back Panel (FP)
Interchangeable connecting panel
RTA - Shipped Ready to Assemble

	Model No.	W	D	H	Price	LB	FT³
20"	MO6020-S-WW-FP-LJ	60	20	29	768	88	4
	MO6620-S-WW-FP-LJ	66	20	29	803	90	4
	MO7220-S-WW-FP-LJ	72	20	29	834	93	5
	MO7820-S-WW-FP-LJ	78	20	29	1078	96	5
	MO8420-S-WW-FP-LJ	84	20	29	1158	99	5
24"	MO6024-S-WW-FP-LJ	60	24	29	801	104	4
	MO6624-S-WW-FP-LJ	66	24	29	834	108	4
	MO7224-S-WW-FP-LJ	72	24	29	868	111	5
	MO7824-S-WW-FP-LJ	78	24	29	1112	115	5
	MO8424-S-WW-FP-LJ	84	24	29	1193	118	5
30"	MO6030-S-WW-FP-LJ	60	30	29	884	121	4
	MO6630-S-WW-FP-LJ	66	30	29	916	125	4
	MO7230-S-WW-FP-LJ	72	30	29	949	130	5
	MO7830-S-WW-FP-LJ	78	30	29	1193	135	5
	MO8430-S-WW-FP-LJ	84	30	29	1271	140	5

RIGHT JOINING (RJ)




Freestanding Desk Shell
Rectangular Top
Two full side panels
Connecting panel on front right
Full Back Panel (FP)
Interchangeable connecting panel
RTA - Shipped Ready to Assemble

	Model No.	W	D	H	Price	LB	FT³
20"	MO6020-S-WW-FP-RJ	60	20	29	768	88	4
	MO6620-S-WW-FP-RJ	66	20	29	803	90	4
	MO7220-S-WW-FP-RJ	72	20	29	834	93	5
	MO7820-S-WW-FP-RJ	78	20	29	1078	96	5
	MO8420-S-WW-FP-RJ	84	20	29	1158	99	5
24"	MO6024-S-WW-FP-RJ	60	24	29	801	104	4
	MO6624-S-WW-FP-RJ	66	24	29	834	108	4
	MO7224-S-WW-FP-RJ	72	24	29	868	111	5
	MO7824-S-WW-FP-RJ	78	24	29	1112	115	5
	MO8424-S-WW-FP-RJ	84	24	29	1193	118	5
30"	MO6030-S-WW-FP-RJ	60	30	29	884	121	4
	MO6630-S-WW-FP-RJ	66	30	29	916	125	4
	MO7230-S-WW-FP-RJ	72	30	29	949	130	5
	MO7830-S-WW-FP-RJ	78	30	29	1193	135	5
	MO8430-S-WW-FP-RJ	84	30	29	1271	140	5

Notes:


- 60" to 84" wide desk shells include two grommets.
- For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.
- For units greater than 60" Wide, the grain direction on the back panel runs horizontally.
- Optional 35.5", 47.5" and 59.5" wide surface reinforcement stiffener sold separately.
  Item codes: AC36-STFR ($105 List), AC48-STFR ($117 List), AC60-STFR ($134 List)



Ex. MO6024-S-WW-HP-LJ


HALF BACK PANEL OPTION:


To order with 12" High Half Back Panel change FP to HP in product code.




Ex. MO6024-S-WW-HP-RJ

RIGHT CONNECTING (WH)






Right Conecting Desk Shell
Angled Corner Top
Full side panel on left
Connecting side panel on right
Full Back Panel (FP)
RTA - Shipped Ready to Assemble
*Pedestal does not fit under 30" wide Transition Desk Shell




	Model No.	W	D	H	Price	LB	FT³
*	MO302420-L-TA-WH-FP	30	24	29	640	79	2
	MO362420-L-TA-WH-FP	36	24	29	673	82	2
	MO422420-L-TA-WH-FP	42	24	29	703	86	3
	MO482420-L-TA-WH-FP	48	24	29	738	89	3
	MO542420-L-TA-WH-FP	54	24	29	771	93	4
	MO602420-L-TA-WH-FP	60	24	29	803	96	4
	MO662420-L-TA-WH-FP	66	24	29	834	100	4
	MO722420-L-TA-WH-FP	72	24	29	868	103	5
*	MO303024-L-TA-WH-FP	30	30	29	719	87	2
	MO363024-L-TA-WH-FP	36	30	29	753	91	2
	MO423024-L-TA-WH-FP	42	30	29	785	96	3
	MO483024-L-TA-WH-FP	48	30	29	819	100	3
	MO543024-L-TA-WH-FP	54	30	29	852	105	4
	MO603024-L-TA-WH-FP	60	30	29	884	109	4
	MO663024-L-TA-WH-FP	66	30	29	917	114	4
	MO723024-L-TA-WH-FP	72	30	29	950	118	5


For units up to 60" Wide, the grain direction on the back panel runs vertically.
For units greater than 60" Wide, the grain direction on the back panel runs horizontally.

LEFT CONNECTING (HW)






Left Connecting Desk Shell
Angled Corner Top
Connecting side panel on left
Full side panel on right
Full Back Panel (FP)
RTA - Shipped Ready to Assemble
*Pedestal does not fit under 30" wide Transition Desk Shell



	Model No.	W	D	H	Price	LB	FT³
*	MO302420-R-TA-HW-FP	30	24	29	640	79	2
	MO362420-R-TA-HW-FP	36	24	29	673	82	2
	MO422420-R-TA-HW-FP	42	24	29	703	86	3
	MO482420-R-TA-HW-FP	48	24	29	738	89	3
	MO542420-R-TA-HW-FP	54	24	29	771	93	4
	MO602420-R-TA-HW-FP	60	24	29	803	96	4
	MO662420-R-TA-HW-FP	66	24	29	834	100	4
	MO722420-R-TA-HW-FP	72	24	29	868	103	5
*	MO303024-R-TA-HW-FP	30	30	29	719	87	2
	MO363024-R-TA-HW-FP	36	30	29	753	91	2
	MO423024-R-TA-HW-FP	42	30	29	785	96	3
	MO483024-R-TA-HW-FP	48	30	29	819	100	3
	MO543024-R-TA-HW-FP	54	30	29	852	105	4
	MO603024-R-TA-HW-FP	60	30	29	884	109	4
	MO663024-R-TA-HW-FP	66	30	29	917	114	4
	MO723024-R-TA-HW-FP	72	30	29	950	118	5


For units up to 60" Wide, the grain direction on the back panel runs vertically.
For units greater than 60" Wide, the grain direction on the back panel runs horizontally.



Ex. MO302420-L-TA-WH-HP

HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.



Ex. MO302420-R-TA-HW-HP


Notes:


30" to 48" wide desk shells include one grommet. 54" to 72" wide desk shells include two grommets.

Optional 35.5", 47.5" and 59.5" wide surface reinforcement stiffener sold separately.

Item codes:
AC36-STFR ($105 List)
AC48-STFR ($117 List)
AC60-STFR ($134 List)

CENTER CONNECTING (HH)







Center Connecting Desk Shell
Left Extension
Angled Corner Top
Two connecting side panels
Full Back Panel (FP)
RTA - Shipped Ready to Assemble
*Pedestal does not fit under 30" wide Transition Desk Shell

	Model No.	W	D	H	Price	LB	FT³
*	MO302420-L-TA-HH-FP	30	24	29	640	79	2
	MO362420-L-TA-HH-FP	36	24	29	673	82	2
	MO422420-L-TA-HH-FP	42	24	29	703	86	3
	MO482420-L-TA-HH-FP	48	24	29	738	89	3
	MO542420-L-TA-HH-FP	54	24	29	771	93	4
	MO602420-L-TA-HH-FP	60	24	29	803	96	4
	MO662420-L-TA-HH-FP	66	24	29	834	100	4
	MO722420-L-TA-HH-FP	72	24	29	868	103	5
*	MO303024-L-TA-HH-FP	30	30	29	719	87	2
	MO363024-L-TA-HH-FP	36	30	29	753	91	2
	MO423024-L-TA-HH-FP	42	30	29	785	96	3
	MO483024-L-TA-HH-FP	48	30	29	819	100	3
	MO543024-L-TA-HH-FP	54	30	29	852	105	4
	MO603024-L-TA-HH-FP	60	30	29	884	109	4
	MO663024-L-TA-HH-FP	66	30	29	917	114	4
	MO723024-L-TA-HH-FP	72	30	29	950	118	5

For units up to 60" Wide, the grain direction on the back panel runs vertically.
For units greater than 60" Wide, the grain direction on the back panel runs horizontally.

CENTER CONNECTING (HH)






Center Connecting Desk Shell
Right Extension
Angled Corner Top
Two connecting side panels
Full Back Panel (FP)
RTA - Shipped Ready to Assemble
*Pedestal does not fit under 30" wide Transition Desk Shell

	Model No.	W	D	H	Price	LB	FT³
*	MO302420-R-TA-HH-FP	30	24	29	640	79	2
	MO362420-R-TA-HH-FP	36	24	29	673	82	2
	MO422420-R-TA-HH-FP	42	24	29	703	86	3
	MO482420-R-TA-HH-FP	48	24	29	738	89	3
	MO542420-R-TA-HH-FP	54	24	29	771	93	4
	MO602420-R-TA-HH-FP	60	24	29	803	96	4
	MO662420-R-TA-HH-FP	66	24	29	834	100	4
	MO722420-R-TA-HH-FP	72	24	29	868	103	5
*	MO303024-R-TA-HH-FP	30	30	29	719	87	2
	MO363024-R-TA-HH-FP	36	30	29	753	91	2
	MO423024-R-TA-HH-FP	42	30	29	785	96	3
	MO483024-R-TA-HH-FP	48	30	29	819	100	3
	MO543024-R-TA-HH-FP	54	30	29	852	105	4
	MO603024-R-TA-HH-FP	60	30	29	884	109	4
	MO663024-R-TA-HH-FP	66	30	29	917	114	4
	MO723024-R-TA-HH-FP	72	30	29	950	118	5


For units up to 60" Wide, the grain direction on the back panel runs vertically.
For units greater than 60" Wide, the grain direction on the back panel runs horizontally.



Ex. MO302420-L-TA-HH-HP

HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.



Ex. MO302420-R-TA-HH-HP


Notes:

30" to 48" wide desk shells include one grommet. 54" to 72" wide desk shells include two grommets.

Optional 35.5", 47.5" and 59.5" wide surface reinforcement stiffener sold separately.

Item codes:
AC36-STFR ($105 List)
AC48-STFR ($117 List)
AC60-STFR ($134 List)


CENTER CONNECTING (HH)



Curved Corner Unit
Full Back Panels
Two connecting side panels
Grommet on Top
RTA - Shipped Ready to Assemble

	Keyboard Opening	Model No.	W	D	H	Price	LB	FT³
20" / * / 20"	(*23")	MO363620-CCC-HH	36	36	29	861	96	3
	(*31")	MO424220-CCC-HH	42	42	29	877	106	4
	(*40")	MO484820-CCC-HH	48	48	29	932	116	5
24" / * / 24"	(*17")	MO363624-CCC-HH	36	36	29	877	96	3
	(*25")	MO424224-CCC-HH	42	42	29	894	106	4
	(*34")	MO484824-CCC-HH	48	48	29	947	116	5
30" / * / 30"	(*17")	MO424230-CCC-HH	42	42	29	908	116	4
	(*25")	MO484830-CCC-HH	48	48	29	963	124	5


RIGHT CONNECTING (EH)



Curved Corner Unit
Full Back Panels
Narrow side panel on left
Connecting side panel on right
Grommet on Top
RTA - Shipped Ready to Assemble

	Keyboard Opening	Model No.	W	D	H	Price	LB	FT³
20" / * / 20"	(*23")	MO363620-CCC-EH	36	36	29	861	96	3
	(*31")	MO424220-CCC-EH	42	42	29	877	106	4
	(*40")	MO484820-CCC-EH	48	48	29	932	116	5
24" / * / 24"	(*17")	MO363624-CCC-EH	36	36	29	877	96	3
	(*25")	MO424224-CCC-EH	42	42	29	894	106	4
	(*34")	MO484824-CCC-EH	48	48	29	947	116	5
30" / * / 30"	(*17")	MO424230-CCC-EH	42	42	29	908	116	4
	(*25")	MO484830-CCC-EH	48	48	29	963	124	5


LEFT CONNECTING (HE)



Curved Corner Unit
Full Back Panels
Connecting side panel on left
Narrow side panel on right
Grommet on Top
RTA - Shipped Ready to Assemble

	Keyboard Opening	Model No.	W	D	H	Price	LB	FT³
20" / * / 20"	(*23")	MO363620-CCC-HE	36	36	29	861	96	3
	(*31")	MO424220-CCC-HE	42	42	29	877	106	4
	(*40")	MO484820-CCC-HE	48	48	29	932	116	5
24" / * / 24"	(*17")	MO363624-CCC-HE	36	36	29	877	96	3
	(*25")	MO424224-CCC-HE	42	42	29	894	106	4
	(*34")	MO484824-CCC-HE	48	48	29	947	116	5
30" / * / 30"	(*17")	MO424230-CCC-HE	42	42	29	908	116	4
	(*25")	MO484830-CCC-HE	48	48	29	963	124	5


CENTER CONNECTING (HH)



Angled Corner Unit
Full Back Panels
Two connecting side panels
Grommet on Top
RTA - Shipped Ready to Assemble

	Keyboard Opening	Model No.	W	D	H	Price	LB	FT³
20" / * / 20"	(*23")	MO363620-CCA-HH	36	36	29	861	96	3
	(*31")	MO424220-CCA-HH	42	42	29	877	106	4
	(*40")	MO484820-CCA-HH	48	48	29	932	116	5
24" / * / 24"	(*17")	MO363624-CCA-HH	36	36	29	877	96	3
	(*25")	MO424224-CCA-HH	42	42	29	894	106	4
	(*34")	MO484824-CCA-HH	48	48	29	947	116	5
30" / * / 30"	(*17")	MO424230-CCA-HH	42	42	29	908	116	4
	(*25")	MO484830-CCA-HH	48	48	29	963	124	5


RIGHT CONNECTING (EH)



Angled Corner Unit
Full Back Panels
Narrow side panel on left
Connecting side panel on right
Grommet on Top
RTA - Shipped Ready to Assemble


	Keyboard Opening	Model No.	W	D	H	Price	LB	FT³
20" / * / 20"	(*23")	MO363620-CCA-EH	36	36	29	861	96	3
	(*31")	MO424220-CCA-EH	42	42	29	877	106	4
	(*40")	MO484820-CCA-EH	48	48	29	932	116	5
24" / * / 24"	(*17")	MO363624-CCA-EH	36	36	29	877	96	3
	(*25")	MO424224-CCA-EH	42	42	29	894	106	4
	(*34")	MO484824-CCA-EH	48	48	29	947	116	5
30" / * / 30"	(*17")	MO424230-CCA-EH	42	42	29	908	116	4
	(*25")	MO484830-CCA-EH	48	48	29	963	124	5

LEFT CONNECTING (HE)





Angled Corner Unit
Full Back Panels
Connecting side panel on left
Narrow side panel on right
Grommet on Top
RTA - Shipped Ready to Assemble

	Keyboard Opening	Model No.	W	D	H	Price	LB	FT³
20" / * / 20"	(*23")	MO363620-CCA-HE	36	36	29	861	96	3
	(*31")	MO424220-CCA-HE	42	42	29	877	106	4
	(*40")	MO484820-CCA-HE	48	48	29	932	116	5
24" / * / 24"	(*17")	MO363624-CCA-HE	36	36	29	877	96	3
	(*25")	MO424224-CCA-HE	42	42	29	894	106	4
	(*34")	MO484824-CCA-HE	48	48	29	947	116	5
30" / * / 30"	(*17")	MO424230-CCA-HE	42	42	29	908	116	4
	(*25")	MO484830-CCA-HE	48	48	29	963	124	5


	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
CENTER CONNECTING (HH)							
	MO424224-XCC-HH	42	42	29	876	106	4

Six Sided Corner Unit
Radius Top
Two connecting side panels
Full Back Panels
Grommet on Top
RTA - Shipped Ready to Assemble



	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
CENTER CONNECTING (HH)							
	MO424224-XCA-HH	42	42	29	876	106	4


Six Sided Corner Unit
Angled Top
Two connecting side panels
Full Back Panels
Grommet on Top
RTA - Shipped Ready to Assemble




EXTENDED CORNER UNITS (radius top) (ECC)


MODERN SERIES

LEFT EXTENDING TOP






Model No.	W	D	H	Price	LB	FT³
MO603620-L-OP-ECC-WH-FP	60	36	29	1126	153	5
MO663620-L-OP-ECC-WH-FP	66	36	29	1145	163	5
MO723620-L-OP-ECC-WH-FP	72	36	29	1164	173	6
MO783620-L-OP-ECC-WH-FP	78	36	29	1406	183	6
MO843620-L-OP-ECC-WH-FP	84	36	29	1486	193	7



Model No.	W	D	H	Price	LB	FT³
MO603624-L-OP-ECC-WH-FP	60	36	29	1126	153	5
MO663624-L-OP-ECC-WH-FP	66	36	29	1145	163	5
MO723624-L-OP-ECC-WH-FP	72	36	29	1164	173	6
MO783624-L-OP-ECC-WH-FP	78	36	29	1406	183	6
MO843624-L-OP-ECC-WH-FP	84	36	29	1486	193	7





Model No.	W	D	H	Price	LB	FT³
MO604224-L-OP-ECC-WH-FP	60	42	29	1225	163	6
MO664224-L-OP-ECC-WH-FP	66	42	29	1242	173	6
MO724224-L-OP-ECC-WH-FP	72	42	29	1262	183	7
MO784224-L-OP-ECC-WH-FP	78	42	29	1505	193	7
MO844224-L-OP-ECC-WH-FP	84	42	29	1585	203	8

Radius Shaped Top
Connecting panel on front right
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.

RIGHT EXTENDING TOP






Model No.	W	D	H	Price	LB	FT³
MO603620-R-OP-ECC-HW-FP	60	36	29	1126	153	5
MO663620-R-OP-ECC-HW-FP	66	36	29	1145	163	5
MO723620-R-OP-ECC-HW-FP	72	36	29	1164	173	6
MO783620-R-OP-ECC-HW-FP	78	36	29	1406	183	6
MO843620-R-OP-ECC-HW-FP	84	36	29	1486	193	7




Model No.	W	D	H	Price	LB	FT³
MO603624-R-OP-ECC-HW-FP	60	36	29	1126	153	5
MO663624-R-OP-ECC-HW-FP	66	36	29	1145	163	5
MO723624-R-OP-ECC-HW-FP	72	36	29	1164	173	6
MO783624-R-OP-ECC-HW-FP	78	36	29	1406	183	6
MO843624-R-OP-ECC-HW-FP	84	36	29	1486	193	7



Model No.	W	D	H	Price	LB	FT³
MO604224-R-OP-ECC-HW-FP	60	42	29	1225	163	6
MO664224-R-OP-ECC-HW-FP	66	42	29	1242	173	6
MO724224-R-OP-ECC-HW-FP	72	42	29	1262	183	7
MO784224-R-OP-ECC-HW-FP	78	42	29	1505	193	7
MO844224-R-OP-ECC-HW-FP	84	42	29	1585	203	8

Radius Shaped Top
Connecting panel on front left
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.



Ex. MO724224-L-OP-ECC-WH-HP

HALF BACK PANEL OPTION:


To order with 12" High Half Back Panel change FP to HP in product code.




Ex. MO724224-R-OP-ECC-HW-HP


EXTENDED CORNER UNITS (radius top) (ECC)

LEFT CENTER EXTENDING TOP






Model No.	W	D	H	Price	LB	FT³
MO603620-L-OP-ECC-HH-FP	60	36	29	1126	153	5
MO663620-L-OP-ECC-HH-FP	66	36	29	1145	163	5
MO723620-L-OP-ECC-HH-FP	72	36	29	1164	173	6
MO783620-L-OP-ECC-HH-FP	78	36	29	1406	183	6
MO843620-L-OP-ECC-HH-FP	84	36	29	1486	193	7



Model No.	W	D	H	Price	LB	FT³
MO603624-L-OP-ECC-HH-FP	60	36	29	1126	153	5
MO663624-L-OP-ECC-HH-FP	66	36	29	1145	163	5
MO723624-L-OP-ECC-HH-FP	72	36	29	1164	173	6
MO783624-L-OP-ECC-HH-FP	78	36	29	1406	183	6
MO843624-L-OP-ECC-HH-FP	84	36	29	1486	193	7


Radius Shaped Top
Two connecting side panels
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.




Model No.	W	D	H	Price	LB	FT³
MO604224-L-OP-ECC-HH-FP	60	42	29	1225	163	6
MO664224-L-OP-ECC-HH-FP	66	42	29	1242	173	6
MO724224-L-OP-ECC-HH-FP	72	42	29	1262	183	7
MO784224-L-OP-ECC-HH-FP	78	42	29	1505	193	7
MO844224-L-OP-ECC-HH-FP	84	42	29	1585	203	8

RIGHT CENTER EXTENDING TOP






Model No.	W	D	H	Price	LB	FT³
MO603620-R-OP-ECC-HH-FP	60	36	29	1126	153	5
MO663620-R-OP-ECC-HH-FP	66	36	29	1145	163	5
MO723620-R-OP-ECC-HH-FP	72	36	29	1164	173	6
MO783620-R-OP-ECC-HH-FP	78	36	29	1406	183	6
MO843620-R-OP-ECC-HH-FP	84	36	29	1486	193	7




Model No.	W	D	H	Price	LB	FT³
MO603624-R-OP-ECC-HH-FP	60	36	29	1126	153	5
MO663624-R-OP-ECC-HH-FP	66	36	29	1145	163	5
MO723624-R-OP-ECC-HH-FP	72	36	29	1164	173	6
MO783624-R-OP-ECC-HH-FP	78	36	29	1406	183	6
MO843624-R-OP-ECC-HH-FP	84	36	29	1486	193	7

Radius Shaped Top
Two connecting side panels
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble

For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.




Model No.	W	D	H	Price	LB	FT³
MO604224-R-OP-ECC-HH-FP	60	42	29	1225	163	6
MO664224-R-OP-ECC-HH-FP	66	42	29	1242	173	6
MO724224-R-OP-ECC-HH-FP	72	42	29	1262	183	7
MO784224-R-OP-ECC-HH-FP	78	42	29	1505	193	7
MO844224-R-OP-ECC-HH-FP	84	42	29	1585	203	8



Ex. MO724224-L-OP-ECC-HH-HP

HALF BACK PANEL OPTION:


To order with 12" High Half Back Panel change FP to HP in product code.





Ex. MO724224-R-OP-ECC-HH-HP


EXTENDED CORNER UNITS (angled top) (ECA)

LEFT EXTENDING TOP











Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO603620-L-OP-ECA-WH-FP	60	36	29	1126	153	5
MO663620-L-OP-ECA-WH-FP	66	36	29	1145	163	5
MO723620-L-OP-ECA-WH-FP	72	36	29	1164	173	6
MO783620-L-OP-ECA-WH-FP	78	36	29	1406	183	6
MO843620-L-OP-ECA-WH-FP	84	36	29	1486	193	7
MO603624-L-OP-ECA-WH-FP	60	36	29	1126	153	5
MO663624-L-OP-ECA-WH-FP	66	36	29	1145	163	5
MO723624-L-OP-ECA-WH-FP	72	36	29	1164	173	6
MO783624-L-OP-ECA-WH-FP	78	36	29	1406	183	6
MO843624-L-OP-ECA-WH-FP	84	36	29	1486	193	7
MO604224-L-OP-ECA-WH-FP	60	42	29	1225	163	6
MO664224-L-OP-ECA-WH-FP	66	42	29	1242	173	6
MO724224-L-OP-ECA-WH-FP	72	42	29	1262	183	7
MO784224-L-OP-ECA-WH-FP	78	42	29	1505	193	7
MO844224-L-OP-ECA-WH-FP	84	42	29	1585	203	8


Angled Shaped Top
Connecting panel on front right
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.

RIGHT EXTENDING TOP










Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO603620-R-OP-ECA-HW-FP	60	36	29	1126	153	5
MO663620-R-OP-ECA-HW-FP	66	36	29	1145	163	5
MO723620-R-OP-ECA-HW-FP	72	36	29	1164	173	6
MO783620-R-OP-ECA-HW-FP	78	36	29	1406	183	6
MO843620-R-OP-ECA-HW-FP	84	36	29	1486	193	7
MO603624-R-OP-ECA-HW-FP	60	36	29	1126	153	5
MO663624-R-OP-ECA-HW-FP	66	36	29	1145	163	5
MO723624-R-OP-ECA-HW-FP	72	36	29	1164	173	6
MO783624-R-OP-ECA-HW-FP	78	36	29	1406	183	6
MO843624-R-OP-ECA-HW-FP	84	36	29	1486	193	7
MO604224-R-OP-ECA-HW-FP	60	42	29	1225	163	6
MO664224-R-OP-ECA-HW-FP	66	42	29	1242	173	6
MO724224-R-OP-ECA-HW-FP	72	42	29	1262	183	7
MO784224-R-OP-ECA-HW-FP	78	42	29	1505	193	7
MO844224-R-OP-ECA-HW-FP	84	42	29	1585	203	8

Angled Shaped Top
Connecting panel on front left
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.



Ex. MO724224-L-OP-ECA-WH-HP

HALF BACK PANEL OPTION:


To order with 12" High Half Back Panel change FP to HP in product code.




Ex. MO724224-R-OP-ECA-HW-HP


EXTENDED CORNER UNITS (angled top) (ECA)

LEFT CENTER EXTENDING TOP






Model No.	W	D	H	Price	LB	FT³
MO603620-L-OP-ECA-HH-FP	60	36	29	1126	153	5
MO663620-L-OP-ECA-HH-FP	66	36	29	1145	163	5
MO723620-L-OP-ECA-HH-FP	72	36	29	1164	173	6
MO783620-L-OP-ECA-HH-FP	78	36	29	1406	183	6
MO843620-L-OP-ECA-HH-FP	84	36	29	1486	193	7



Model No.	W	D	H	Price	LB	FT³
MO603624-L-OP-ECA-HH-FP	60	36	29	1126	153	5
MO663624-L-OP-ECA-HH-FP	66	36	29	1145	163	5
MO723624-L-OP-ECA-HH-FP	72	36	29	1164	173	6
MO783624-L-OP-ECA-HH-FP	78	36	29	1406	183	6
MO843624-L-OP-ECA-HH-FP	84	36	29	1486	193	7


Angled Shaped Top
Two connecting side panels
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.




Model No.	W	D	H	Price	LB	FT³
MO604224-L-OP-ECA-HH-FP	60	42	29	1225	163	6
MO664224-L-OP-ECA-HH-FP	66	42	29	1242	173	6
MO724224-L-OP-ECA-HH-FP	72	42	29	1262	183	7
MO784224-L-OP-ECA-HH-FP	78	42	29	1505	193	7
MO844224-L-OP-ECA-HH-FP	84	42	29	1585	203	8

RIGHT CENTER EXTENDING TOP






Model No.	W	D	H	Price	LB	FT³
MO603620-R-OP-ECA-HH-FP	60	36	29	1126	153	5
MO663620-R-OP-ECA-HH-FP	66	36	29	1145	163	5
MO723620-R-OP-ECA-HH-FP	72	36	29	1164	173	6
MO783620-R-OP-ECA-HH-FP	78	36	29	1406	183	6
MO843620-R-OP-ECA-HH-FP	84	36	29	1486	193	7




Model No.	W	D	H	Price	LB	FT³
MO603624-R-OP-ECA-HH-FP	60	36	29	1126	153	5
MO663624-R-OP-ECA-HH-FP	66	36	29	1145	163	5
MO723624-R-OP-ECA-HH-FP	72	36	29	1164	173	6
MO783624-R-OP-ECA-HH-FP	78	36	29	1406	183	6
MO843624-R-OP-ECA-HH-FP	84	36	29	1486	193	7

Angled Shaped Top
Two connecting side panels
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble

For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.




Model No.	W	D	H	Price	LB	FT³
MO604224-R-OP-ECA-HH-FP	60	42	29	1225	163	6
MO664224-R-OP-ECA-HH-FP	66	42	29	1242	173	6
MO724224-R-OP-ECA-HH-FP	72	42	29	1262	183	7
MO784224-R-OP-ECA-HH-FP	78	42	29	1505	193	7
MO844224-R-OP-ECA-HH-FP	84	42	29	1585	203	8



Ex. MO724224-L-OP-ECA-HH-HP

HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.





Ex. MO724224-R-OP-ECA-HH-HP

EXTENDED CORNER UNITS - 30" DEEP (radius top) (ETC)

MODERN SERIES

LEFT EXTENDING TOP - 30" DEEP







Radius Shaped Top
Connecting panel on front right
Full Back Panel (FP)
Grommet on Top

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO604224-L-OP-ETC-WH-FP	60	42	29	1304	163	6
MO664224-L-OP-ETC-WH-FP	66	42	29	1325	173	6
MO724224-L-OP-ETC-WH-FP	72	42	29	1340	183	7
MO784224-L-OP-ETC-WH-FP	78	42	29	1585	193	7
MO844224-L-OP-ETC-WH-FP	84	42	29	1668	203	8

RTA - Shipped Ready to Assemble

RIGHT EXTENDING TOP - 30" DEEP







Radius Shaped Top
Connecting panel on front left
Full Back Panel (FP)
Grommet on Top

MO604224-R-OP-ETC-HW-FP	60	42	29	1304	163	6
MO664224-R-OP-ETC-HW-FP	66	42	29	1325	173	6
MO724224-R-OP-ETC-HW-FP	72	42	29	1340	183	7
MO784224-R-OP-ETC-HW-FP	78	42	29	1585	193	7
MO844224-R-OP-ETC-HW-FP	84	42	29	1668	203	8

RTA - Shipped Ready to Assemble

LEFT CENTER EXTENDING TOP - 30" DEEP







Radius Shaped Top
Two connecting panels
Full Back Panel (FP)
Grommet on Top

MO604224-L-OP-ETC-HH-FP	60	42	29	1304	163	6
MO664224-L-OP-ETC-HH-FP	66	42	29	1325	173	6
MO724224-L-OP-ETC-HH-FP	72	42	29	1340	183	7
MO784224-L-OP-ETC-HH-FP	78	42	29	1585	193	7
MO844224-L-OP-ETC-HH-FP	84	42	29	1668	203	8

RTA - Shipped Ready to Assemble

RIGHT CENTER EXTENDING TOP - 30" DEEP






Radius Shaped Top
Two connecting panels
Full Back Panel (FP)
Grommet on Top

MO604224-R-OP-ETC-HH-FP	60	42	29	1304	163	6
MO664224-R-OP-ETC-HH-FP	66	42	29	1325	173	6
MO724224-R-OP-ETC-HH-FP	72	42	29	1340	183	7
MO784224-R-OP-ETC-HH-FP	78	42	29	1585	193	7
MO844224-R-OP-ETC-HH-FP	84	42	29	1668	203	8


RTA - Shipped Ready to Assemble



Ex. MO724224-L-OP-ETC-WH-HP
MO724224-R-OP-ETC-HW-HP

HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.




Ex. MO724224-L-OP-ETC-HH-HP
MO724224-R-OP-ETC-HH-HP


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.

EXTENDED CORNER UNITS - 30" DEEP (angled top) (ETA)

MODERN SERIES

LEFT EXTENDING TOP - 30" DEEP







Angled Shaped Top
Connecting panel on front right
Full Back Panel (FP)
Grommet on Top

Model No.	W	D	H	Price	LB	FT³
MO604224-L-OP-ETA-WH-FP	60	42	29	1304	163	6
MO664224-L-OP-ETA-WH-FP	66	42	29	1325	173	6
MO724224-L-OP-ETA-WH-FP	72	42	29	1340	183	7
MO784224-L-OP-ETA-WH-FP	78	42	29	1585	193	7
MO844224-L-OP-ETA-WH-FP	84	42	29	1668	203	8

RTA - Shipped Ready to Assemble

RIGHT EXTENDING TOP - 30" DEEP







Angled Shaped Top
Connecting panel on front left
Full Back Panel (FP)
Grommet on Top

Model No.	W	D	H	Price	LB	FT³
MO604224-R-OP-ETA-HW-FP	60	42	29	1304	163	6
MO664224-R-OP-ETA-HW-FP	66	42	29	1325	173	6
MO724224-R-OP-ETA-HW-FP	72	42	29	1340	183	7
MO784224-R-OP-ETA-HW-FP	78	42	29	1585	193	7
MO844224-R-OP-ETA-HW-FP	84	42	29	1668	203	8

RTA - Shipped Ready to Assemble

LEFT CENTER EXTENDING TOP - 30" DEEP







Angled Shaped Top
Two connecting panels
Full Back Panel (FP)
Grommet on Top

Model No.	W	D	H	Price	LB	FT³
MO604224-L-OP-ETA-HH-FP	60	42	29	1304	163	6
MO664224-L-OP-ETA-HH-FP	66	42	29	1325	173	6
MO724224-L-OP-ETA-HH-FP	72	42	29	1340	183	7
MO784224-L-OP-ETA-HH-FP	78	42	29	1585	193	7
MO844224-L-OP-ETA-HH-FP	84	42	29	1668	203	8

RTA - Shipped Ready to Assemble

RIGHT CENTER EXTENDING TOP - 30" DEEP





Angled Shaped Top
Two connecting panels
Full Back Panel (FP)
Grommet on Top

Model No.	W	D	H	Price	LB	FT³
MO604224-R-OP-ETA-HH-FP	60	42	29	1304	163	6
MO664224-R-OP-ETA-HH-FP	66	42	29	1325	173	6
MO724224-R-OP-ETA-HH-FP	72	42	29	1340	183	7
MO784224-R-OP-ETA-HH-FP	78	42	29	1585	193	7
MO844224-R-OP-ETA-HH-FP	84	42	29	1668	203	8


RTA - Shipped Ready to Assemble



Ex. MO724224-L-OP-ETA-WH-HP
MO724224-R-OP-ETA-HW-HP

HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.



Ex. MO724224-R-OP-ETA-HH-HP
MO724224-R-OP-ETA-HH-HP


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.


RECESSED EXTENDED CORNER UNITS - 30" DEEP (EGC)


MODERN SERIES

(radius top)

LEFT EXTENDING TOP - 30" DEEP









Radius Shaped Top
Connecting panel on front right
Recessed Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble


For units 60" wide or below, the grain direction on the back panel runs vertically.
For units greater than 60" wide, the grain direction on the back panel runs horizontally.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO604224-L-OP-EGC-GH-FP	60	42	29	1304	163	6
MO664224-L-OP-EGC-GH-FP	66	42	29	1325	173	6
MO724224-L-OP-EGC-GH-FP	72	42	29	1340	183	7
MO784224-L-OP-EGC-GH-FP	78	42	29	1585	193	7
MO844224-L-OP-EGC-GH-FP	84	42	29	1668	203	8

RIGHT EXTENDING TOP - 30" DEEP








Radius Shaped Top
Connecting panel on front left
Recessed Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble

For units 60" wide or below, the grain direction on the back panel runs vertically.
For units greater than 60" wide, the grain direction on the back panel runs horizontally.

MO604224-R-OP-EGC-HG-FP	60	42	29	1304	163	6
MO664224-R-OP-EGC-HG-FP	66	42	29	1325	173	6
MO724224-R-OP-EGC-HG-FP	72	42	29	1340	183	7
MO784224-R-OP-EGC-HG-FP	78	42	29	1585	193	7
MO844224-R-OP-EGC-HG-FP	84	42	29	1668	203	8



HALF BACK PANEL OPTION:

To order with 12" High Half Back
Panel change FP to HP in product code.


Ex. MO724224-L-OP-EGC-GH-HP
Ex. MO724224-R-OP-EGC-HG-HP


RECESSED EXTENDED CORNER UNITS - 30" DEEP (EGA)

MODERN SERIES

(angled top)


LEFT EXTENDING TOP - 30" DEEP






Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO604224-L-OP-EGA-GH-FP	60	42	29	1304	163	6
MO664224-L-OP-EGA-GH-FP	66	42	29	1325	173	6
MO724224-L-OP-EGA-GH-FP	72	42	29	1340	183	7
MO784224-L-OP-EGA-GH-FP	78	42	29	1585	193	7
MO844224-L-OP-EGA-GH-FP	84	42	29	1668	203	8


Angled Shaped Top
Connecting panel on front right
Recessed Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble



For units 60" wide or below, the grain direction on the back panel runs vertically.
For units greater than 60" wide, the grain direction on the back panel runs horizontally.


RIGHT EXTENDING TOP - 30" DEEP







MO604224-R-OP-EGA-HG-FP	60	42	29	1304	163	6
MO664224-R-OP-EGA-HG-FP	66	42	29	1325	173	6
MO724224-R-OP-EGA-HG-FP	72	42	29	1340	183	7
MO784224-R-OP-EGA-HG-FP	78	42	29	1585	193	7
MO844224-R-OP-EGA-HG-FP	84	42	29	1668	203	8

Angled Shaped Top
Connecting panel on front left
Recessed Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble



For units 60" wide or below, the grain direction on the back panel runs vertically.
For units greater than 60" wide, the grain direction on the back panel runs horizontally.





HALF BACK PANEL OPTION:


To order with 12" High Half Back
Panel change FP to HP in product code.


Ex. MO724224-L-OP-EGA-GH-HP
MO724224-R-OP-EGA-HG-HP

EXTENDED CORNER UNITS (radius top) (ECC)


MODERN SERIES

LEFT EXTENDING TOP






Model No.	W	D	H	Price	LB	FT³
MO603620-L-OP-ECC-WH-FP	60	36	29	1126	153	5
MO663620-L-OP-ECC-WH-FP	66	36	29	1145	163	5
MO723620-L-OP-ECC-WH-FP	72	36	29	1164	173	6
MO783620-L-OP-ECC-WH-FP	78	36	29	1406	183	6
MO843620-L-OP-ECC-WH-FP	84	36	29	1486	193	7



Model No.	W	D	H	Price	LB	FT³
MO603624-L-OP-ECC-WH-FP	60	36	29	1126	153	5
MO663624-L-OP-ECC-WH-FP	66	36	29	1145	163	5
MO723624-L-OP-ECC-WH-FP	72	36	29	1164	173	6
MO783624-L-OP-ECC-WH-FP	78	36	29	1406	183	6
MO843624-L-OP-ECC-WH-FP	84	36	29	1486	193	7





Model No.	W	D	H	Price	LB	FT³
MO604224-L-OP-ECC-WH-FP	60	42	29	1225	163	6
MO664224-L-OP-ECC-WH-FP	66	42	29	1242	173	6
MO724224-L-OP-ECC-WH-FP	72	42	29	1262	183	7
MO784224-L-OP-ECC-WH-FP	78	42	29	1505	193	7
MO844224-L-OP-ECC-WH-FP	84	42	29	1585	203	8

Radius Shaped Top
Connecting panel on front right
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.

RIGHT EXTENDING TOP






Model No.	W	D	H	Price	LB	FT³
MO603620-R-OP-ECC-HW-FP	60	36	29	1126	153	5
MO663620-R-OP-ECC-HW-FP	66	36	29	1145	163	5
MO723620-R-OP-ECC-HW-FP	72	36	29	1164	173	6
MO783620-R-OP-ECC-HW-FP	78	36	29	1406	183	6
MO843620-R-OP-ECC-HW-FP	84	36	29	1486	193	7




Model No.	W	D	H	Price	LB	FT³
MO603624-R-OP-ECC-HW-FP	60	36	29	1126	153	5
MO663624-R-OP-ECC-HW-FP	66	36	29	1145	163	5
MO723624-R-OP-ECC-HW-FP	72	36	29	1164	173	6
MO783624-R-OP-ECC-HW-FP	78	36	29	1406	183	6
MO843624-R-OP-ECC-HW-FP	84	36	29	1486	193	7



Model No.	W	D	H	Price	LB	FT³
MO604224-R-OP-ECC-HW-FP	60	42	29	1225	163	6
MO664224-R-OP-ECC-HW-FP	66	42	29	1242	173	6
MO724224-R-OP-ECC-HW-FP	72	42	29	1262	183	7
MO784224-R-OP-ECC-HW-FP	78	42	29	1505	193	7
MO844224-R-OP-ECC-HW-FP	84	42	29	1585	203	8

Radius Shaped Top
Connecting panel on front left
Full Back Panel (FP)
Grommet on Top
RTA - Shipped Ready to Assemble


For units 60" wide or below, the grain direction on the back panel runs vertically. For units greater than 60" wide, the grain direction on the back panel runs horizontally.



Ex. MO724224-L-OP-ECC-WH-HP


HALF BACK PANEL OPTION:

To order with 12" High Half Back Panel change FP to HP in product code.




Ex. MO724224-R-OP-ECC-HW-HP

LEFT EXTENDING TOP



"N" Top
T Gable
Grommet on Top
"U" Leg

RTA - Shipped Ready To Assemble




*Unit is not designed to be used as freestanding.

Model No.	W	D	H	Price	LB	FT³
MO6024-L-NT-TG-U☐	60	24	29	1094	75	4.75
MO6624-L-NT-TG-U☐	66	24	29	1136	80	5
MO7224-L-NT-TG-U☐	72	24	29	1176	88	5.75
MO6030-L-NT-TG-U☐	60	30	29	1215	80	5.75
MO6630-L-NT-TG-U☐	66	30	29	1258	85	6
MO7230-L-NT-TG-U☐	72	30	29	1296	90	6.25
MO7236-L-NT-TG-U☐	72	36	29	1419	98	7.5


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

RIGHT EXTENDING TOP



"N" Top
T Gable
Grommet on Top
"U" Leg

RTA - Shipped Ready To Assemble




*Unit is not designed to be used as freestanding.

Model No.	W	D	H	Price	LB	FT³
MO6024-R-NT-TG-U☐	60	24	29	1094	75	4.75
MO6624-R-NT-TG-U☐	66	24	29	1136	80	5
MO7224-R-NT-TG-U☐	72	24	29	1176	88	5.75
MO6030-R-NT-TG-U☐	60	30	29	1215	80	5.75
MO6630-R-NT-TG-U☐	66	30	29	1258	85	6
MO7230-R-NT-TG-U☐	72	30	29	1296	90	6.25
MO7236-R-NT-TG-U☐	72	36	29	1419	98	7.5


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

LEFT EXTENDING TOP



"N" Top
1 connecting side panel
1 narrow side panel
Grommet on Top
"U" Leg


RTA - Shipped Ready To Assemble



Model No.	W	D	H	Price	LB	FT³
MO6024-L-NT-EH-U☐	60	24	29	1094	75	4.75
MO6624-L-NT-EH-U☐	66	24	29	1136	80	5
MO7224-L-NT-EH-U☐	72	24	29	1176	88	5.75
MO6030-L-NT-EH-U☐	60	30	29	1215	80	5.75
MO6630-L-NT-EH-U☐	66	30	29	1258	85	6
MO7230-L-NT-EH-U☐	72	30	29	1296	90	6.25
MO7236-L-NT-EH-U☐	72	36	29	1419	98	7.5


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

RIGHT EXTENDING TOP



"N" Top
1 connecting side panel
1 narrow side panel
Grommet on Top
"U" Leg


RTA - Shipped Ready To Assemble



Model No.	W	D	H	Price	LB	FT³
MO6024-R-NT-HE-U☐	60	24	29	1094	75	4.75
MO6624-R-NT-HE-U☐	66	24	29	1136	80	5
MO7224-R-NT-HE-U☐	72	24	29	1176	88	5.75
MO6030-R-NT-HE-U☐	60	30	29	1215	80	5.75
MO6630-R-NT-HE-U☐	66	30	29	1258	85	6
MO7230-R-NT-HE-U☐	72	30	29	1296	90	6.25
MO7236-R-NT-HE-U☐	72	36	29	1419	98	7.5


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

CENTER EXTENDING TOP



"N" Top
2 connecting side panels
Grommet on Top
"U" Leg

RTA - Shipped Ready To Assemble



Model No.	W	D	H	Price	LB	FT³
MO6024-NT-HH-U☐	60	24	29	1094	75	4.75
MO6624-NT-HH-U☐	66	24	29	1136	80	5
MO7224-NT-HH-U☐	72	24	29	1176	88	5.75
MO6030-NT-HH-U☐	60	30	29	1215	80	5.75
MO6630-NT-HH-U☐	66	30	29	1258	85	6
MO7230-NT-HH-U☐	72	30	29	1296	90	6.25
MO7236-NT-HH-U☐	72	36	29	1419	98	7.5

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

PENINSULA TOP



"N" Shaped Top
Peninsula
"U" Leg
*Not Freestanding

RTA - Shipped Ready To Assemble



MO3024-NT-U☐	30	24	29	611	22	1
MO3624-NT-U☐	36	24	29	648	26	1
MO4224-NT-U☐	42	24	29	690	30	1.25
MO4824-NT-U☐	48	24	29	731	34	1.5
MO5424-NT-U☐	54	24	29	771	38	1.75
MO6024-NT-U☐	60	24	29	810	42	2
MO6624-NT-U☐	66	24	29	852	46	2
MO7224-NT-U☐	72	24	29	891	50	2.25
MO3630-NT-U☐	36	30	29	731	36	1.5
MO4230-NT-U☐	42	30	29	771	40	1.75
MO4830-NT-U☐	48	30	29	810	44	1.75
MO5430-NT-U☐	54	30	29	852	48	2
MO6030-NT-U☐	60	30	29	891	52	2.25
MO6630-NT-U☐	66	30	29	933	56	2.5
MO7230-NT-U☐	72	30	29	974	60	2.75
MO7236-NT-U☐	72	36	29	1056	64	3

Optional 35.5", 47.5" and 59.5" wide surface reinforcement stiffener sold separately.

Item codes:
AC36-STFR ($105 List)
AC48-STFR ($117 List)
AC60-STFR ($134 List)









☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

*Unit is not designed to be used as freestanding.

***Unit is not designed to be used as freestanding.**

"N" SHAPED TABLES

STEP 2 Select Base Model No.

*Images shown with C1 base selection	W	D	H	**STEP 1** Select Top Model No.	3" Column Black Finish **C1**	3" Column Silver Finish **C3**	2" Square Black Finish **QR1**	2" Square Silver Finish **QR3**	lbs	ft³
Left Extending Top										
	60	24	29	MO6024-L-NT-TG-☐☐	891	891	953	953	75	4
	66	24	29	MO6624-L-NT-TG-☐☐	933	933	995	995	80	4
	72	24	29	MO7224-L-NT-TG-☐☐	974	974	1035	1035	88	5
	60	30	29	MO6030-L-NT-TG-☐☐	974	974	1035	1035	80	4
	66	30	29	MO6630-L-NT-TG-☐☐	1013	1013	1075	1075	85	4
	72	30	29	MO7230-L-NT-TG-☐☐	1056	1056	1116	1116	90	5
"N" Top T Gable Grommet on Top 	72	36	29	MO7236-L-NT-TG-☐☐ (36" deep units include 2 post legs)	1092	1092	1152	1152	98	6
Right Extending Top										
	60	24	29	MO6024-R-NT-TG-☐☐	891	891	953	953	75	4
	66	24	29	MO6624-R-NT-TG-☐☐	933	933	995	995	80	4
	72	24	29	MO7224-R-NT-TG-☐☐	974	974	1035	1035	88	5
	60	30	29	MO6030-R-NT-TG-☐☐	974	974	1035	1035	80	4
	66	30	29	MO6630-R-NT-TG-☐☐	1013	1013	1075	1075	85	4
	72	30	29	MO7230-R-NT-TG-☐☐	1056	1056	1116	1116	90	5
"N" Top T Gable Grommet on Top 	72	36	29	MO7236-R-NT-TG-☐☐ (36" deep units include 2 post legs)	1092	1092	1152	1152	98	6
Left Extending Top										
	60	24	29	MO6024-L-NT-PG-HP-☐☐	891	891	953	953	75	4
	66	24	29	MO6624-L-NT-PG-HP-☐☐	933	933	995	995	80	4
	72	24	29	MO7224-L-NT-PG-HP-☐☐	974	974	1035	1035	88	5
	60	30	29	MO6030-L-NT-PG-HP-☐☐	974	974	1035	1035	80	4
	66	30	29	MO6630-L-NT-PG-HP-☐☐	1013	1013	1075	1075	85	4
"N" Top 12"H Modesty Panel Grommet on Top 	72	30	29	MO7230-L-NT-PG-HP-☐☐ *Available with optional End Gable.	1056	1056	1116	1116	90	5
Right Extending Top										
	60	24	29	MO6024-R-NT-PG-HP-☐☐	891	891	953	953	75	4
	66	24	29	MO6624-R-NT-PG-HP-☐☐	933	933	995	995	80	4
	72	24	29	MO7224-R-NT-PG-HP-☐☐	974	974	1035	1035	88	5
	60	30	29	MO6030-R-NT-PG-HP-☐☐	974	974	1035	1035	80	4
	66	30	29	MO6630-R-NT-PG-HP-☐☐	1013	1013	1075	1075	85	4
"N" Top 12"H Modesty Panel Grommet on Top 	72	30	29	MO7230-R-NT-PG-HP-☐☐ *Available with optional End Gable.	1056	1056	1116	1116	90	5

Items above are Shipped RTA (Ready To Assemble)

How To Order:

Ex: MO6024-R-NT-TG-C1

STEP 1 Select top model number (ex. MO6024-R-NT-TG- ☐☐)









STEP 2 Fill in ☐☐ with base code (ex. C1)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"N" SHAPED TABLES

STEP 2 Select Base Model No.

*Images shown with C1 base selection	W	D	H	STEP 1 Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top										
	60	24	29	MO6024-L-NT-PG-FP-☐☐	891	891	953	953	75	4
	66	24	29	MO6624-L-NT-PG-FP-☐☐	933	933	995	995	80	4
	72	24	29	MO7224-L-NT-PG-FP-☐☐	974	974	1035	1035	88	5
	60	30	29	MO6030-L-NT-PG-FP-☐☐	974	974	1035	1035	80	4
	66	30	29	MO6630-L-NT-PG-FP-☐☐	1013	1013	1075	1075	85	4
"N" Top Full Modesty Panel Grommet on Top 	72	30	29	MO7230-L-NT-PG-FP-☐☐	1056	1056	1116	1116	90	5
	*Available with optional End Gable.									
Right Extending Top										
	60	24	29	MO6024-R-NT-PG-FP-☐☐	891	891	953	953	75	4
	66	24	29	MO6624-R-NT-PG-FP-☐☐	933	933	995	995	80	4
	72	24	29	MO7224-R-NT-PG-FP-☐☐	974	974	1035	1035	88	5
	60	30	29	MO6030-R-NT-PG-FP-☐☐	974	974	1035	1035	80	4
	66	30	29	MO6630-R-NT-PG-FP-☐☐	1013	1013	1075	1075	85	4
"N" Top Full Modesty Panel Grommet on Top 	72	30	29	MO7230-R-NT-PG-FP-☐☐	1056	1056	1116	1116	90	5
	*Available with optional End Gable.									
Left Extending Top										
	60	24	29	MO6024-L-NT-EH-☐☐	891	891	953	953	75	4
	66	24	29	MO6624-L-NT-EH-☐☐	933	933	995	995	80	4
	72	24	29	MO7224-L-NT-EH-☐☐	974	974	1035	1035	88	5
	60	30	29	MO6030-L-NT-EH-☐☐	974	974	1035	1035	80	4
	66	30	29	MO6630-L-NT-EH-☐☐	1013	1013	1075	1075	85	4
	72	30	29	MO7230-L-NT-EH-☐☐	1056	1056	1116	1116	90	5
"N" Top 1 narrow side panel 1 connecting side panel Grommet on Top 	72	36	29	MO7236-L-NT-EH-☐☐ (36" deep units include 2 post legs)	1092	1092	1152	1152	98	6
Right Extending Top										
	60	24	29	MO6024-R-NT-HE-☐☐	891	891	953	953	75	4
	66	24	29	MO6624-R-NT-HE-☐☐	933	933	995	995	80	4
	72	24	29	MO7224-R-NT-HE-☐☐	974	974	1035	1035	88	5
	60	30	29	MO6030-R-NT-HE-☐☐	974	974	1035	1035	80	4
	66	30	29	MO6630-R-NT-HE-☐☐	1013	1013	1075	1075	85	4
	72	30	29	MO7230-R-NT-HE-☐☐	1056	1056	1116	1116	90	5
"N" Top 1 narrow side panel 1 connecting side panel Grommet on Top 	72	36	29	MO7236-R-NT-HE-☐☐ (36" deep units include 2 post legs)	1092	1092	1152	1152	98	6

Items above are Shipped RTA (Ready To Assemble)

How To Order:

Ex: MO6024-R-NT-PG-FP-C1

STEP 1 Select top model number (ex. MO6024-R-NT-PG-FP- ☐☐)



STEP 2 Fill in ☐☐ with base code (ex. C1)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"N" SHAPED TABLES

STEP 2 Select Base Model No.

*Images shown with C1 base selection	W	D	H	**STEP 1** Select Top Model No.	3" Column Black Finish **C1**	3" Column Silver Finish **C3**	2" Square Black Finish **QR1**	2" Square Silver Finish **QR3**	lbs	ft³
Center Extending Top										
	60	24	29	MO6024-NT-HH-□□	891	891	953	953	75	4
	66	24	29	MO6624-NT-HH-□□	933	933	995	995	80	4
	72	24	29	MO7224-NT-HH-□□	974	974	1035	1035	88	5
	60	30	29	MO6030-NT-HH-□□	974	974	1035	1035	80	4
	66	30	29	MO6630-NT-HH-□□	1013	1013	1075	1075	85	4
	72	30	29	MO7230-NT-HH-□□	1056	1056	1116	1116	90	5
"N" Top 2 connecting side panels Grommet on Top 	72	36	29	MO7236-NT-HH-□□ (36" deep units include 2 post legs)	1092	1092	1152	1152	98	6
Peninsula Top										
	30	24	29	MO3024-NT-□□	406	406	468	468	22	1
	36	24	29	MO3624-NT-□□	446	446	506	506	26	1
	42	24	29	MO4224-NT-□□	486	486	550	550	30	1.3
	48	24	29	MO4824-NT-□□	527	527	588	588	34	1.5
	54	24	29	MO5424-NT-□□	566	566	629	629	38	1.8
	60	24	29	MO6024-NT-□□	611	611	672	672	42	2
	66	24	29	MO6624-NT-□□	648	648	710	710	46	2
	72	24	29	MO7224-NT-□□	690	690	750	750	50	2.3
"N" Top Peninsula 	36	30	29	MO3630-NT-□□	486	486	550	550	36	1.5
	42	30	29	MO4230-NT-□□	527	527	588	588	40	1.8
	48	30	29	MO4830-NT-□□	566	566	629	629	44	1.8
	54	30	29	MO5430-NT-□□	611	611	672	672	48	2
	60	30	29	MO6030-NT-□□	648	648	710	710	52	2.3
	66	30	29	MO6630-NT-□□	690	690	750	750	56	2.5
	72	30	29	MO7230-NT-□□	731	731	792	792	60	2.8

How To Order:

Ex: MO6024-NT-HH-C1

STEP 1 Select top model number (ex. MO6024-NT-HH-□□)

STEP 2 Fill in □□ with base code (ex. C1)

Items above are Shipped RTA (Ready To Assemble)









These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"D" SHAPED TABLES

STEP 2 Select Base Model No.

STEP 1

*Images shown with C1 base selection	W	D	H	Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top										
	60	24	29	MO6024-L-DT-TG-☐☐	841	841	904	904	75	4
	66	24	29	MO6624-L-DT-TG-☐☐	878	878	940	940	80	4
	72	24	29	MO7224-L-DT-TG-☐☐	934	934	996	996	88	5
	60	30	29	MO6030-L-DT-TG-☐☐	884	884	945	945	80	4
	66	30	29	MO6630-L-DT-TG-☐☐	914	914	976	976	85	4
	72	30	29	MO7230-L-DT-TG-☐☐	971	971	1033	1033	90	5
"D" Top T Gable Grommet on Top 	72	36	29	MO7236-L-DT-TG-☐☐ (36" deep units include 2 post legs)	1010	1010	1070	1070	98	6
Right Extending Top										
	60	24	29	MO6024-R-DT-TG-☐☐	841	841	904	904	75	4
	66	24	29	MO6624-R-DT-TG-☐☐	878	878	940	940	80	4
	72	24	29	MO7224-R-DT-TG-☐☐	934	934	996	996	88	5
	60	30	29	MO6030-R-DT-TG-☐☐	884	884	945	945	80	4
	66	30	29	MO6630-R-DT-TG-☐☐	914	914	976	976	85	4
	72	30	29	MO7230-R-DT-TG-☐☐	971	971	1033	1033	90	5
"D" Top T Gable Grommet on Top 	72	36	29	MO7236-R-DT-TG-☐☐ (36" deep units include 2 post legs)	1010	1010	1070	1070	98	6
Left Extending Top										
	60	24	29	MO6024-L-DT-PG-HP-☐☐	841	841	904	904	75	4
	66	24	29	MO6624-L-DT-PG-HP-☐☐	878	878	940	940	80	4
	72	24	29	MO7224-L-DT-PG-HP-☐☐	934	934	996	996	88	5
	60	30	29	MO6030-L-DT-PG-HP-☐☐	884	884	945	945	80	4
	66	30	29	MO6630-L-DT-PG-HP-☐☐	914	914	976	976	85	4
	72	30	29	MO7230-L-DT-PG-HP-☐☐	971	971	1033	1033	90	5
"D" Top Grommet on Top 12" High Half Modesty Panel 	*Available with optional End Gable.									
Right Extending Top										
	60	24	29	MO6024-R-DT-PG-HP-☐☐	841	841	904	904	75	4
	66	24	29	MO6624-R-DT-PG-HP-☐☐	878	878	940	940	80	4
	72	24	29	MO7224-R-DT-PG-HP-☐☐	934	934	996	996	88	5
	60	30	29	MO6030-R-DT-PG-HP-☐☐	884	884	945	945	80	4
	66	30	29	MO6630-R-DT-PG-HP-☐☐	914	914	976	976	85	4
	72	30	29	MO7230-R-DT-PG-HP-☐☐	971	971	1033	1033	90	5
"D" Top Grommet on Top 12" High Half Modesty Panel 	*Available with optional End Gable.									

Items above are Shipped RTA (Ready To Assemble)

How To Order:

Ex: MO6024-R-DT-TG-C1

STEP 1 Select top model number (ex. MO6024-R-DT-TG- ☐☐)

STEP 2 Fill in ☐☐ with base code (ex. C1)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"D" SHAPED TABLES

STEP 2 Select Base Model No.

*Images shown with C1 base selection

STEP 1

W	D	H	Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top									
60	24	29	MO6024-L-DT-PG-FP-☐☐	841	841	904	904	75	4
66	24	29	MO6624-L-DT-PG-FP-☐☐	878	878	940	940	80	4
72	24	29	MO7224-L-DT-PG-FP-☐☐	934	934	996	996	88	5
60	30	29	MO6030-L-DT-PG-FP-☐☐	884	884	945	945	80	4
66	30	29	MO6630-L-DT-PG-FP-☐☐	914	914	976	976	85	4
72	30	29	MO7230-L-DT-PG-FP-☐☐	971	971	1033	1033	90	5
Right Extending Top									
60	24	29	MO6024-R-DT-PG-FP-☐☐	841	841	904	904	75	4
66	24	29	MO6624-R-DT-PG-FP-☐☐	878	878	940	940	80	4
72	24	29	MO7224-R-DT-PG-FP-☐☐	934	934	996	996	88	5
60	30	29	MO6030-R-DT-PG-FP-☐☐	884	884	945	945	80	4
66	30	29	MO6630-R-DT-PG-FP-☐☐	914	914	976	976	85	4
72	30	29	MO7230-R-DT-PG-FP-☐☐	971	971	1033	1033	90	5

"D" Top
Full Modesty Panel
Grommet on Top

*Available with optional End Gable.

W	D	H	Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top									
60	24	29	MO6024-L-DT-EH-☐☐	841	841	904	904	75	4
66	24	29	MO6624-L-DT-EH-☐☐	878	878	940	940	80	4
72	24	29	MO7224-L-DT-EH-☐☐	934	934	996	996	88	5
60	30	29	MO6030-L-DT-EH-☐☐	884	884	945	945	80	4
66	30	29	MO6630-L-DT-EH-☐☐	914	914	976	976	85	4
72	30	29	MO7230-L-DT-EH-☐☐	971	971	1033	1033	90	5
72	36	29	MO7236-L-DT-EH-☐☐ (36" deep units include 2 post legs)	1010	1010	1070	1070	98	6
Right Extending Top									
60	24	29	MO6024-R-DT-HE-☐☐	841	841	904	904	75	4
66	24	29	MO6624-R-DT-HE-☐☐	878	878	940	940	80	4
72	24	29	MO7224-R-DT-HE-☐☐	934	934	996	996	88	5
60	30	29	MO6030-R-DT-HE-☐☐	884	884	945	945	80	4
66	30	29	MO6630-R-DT-HE-☐☐	914	914	976	976	85	4
72	30	29	MO7230-R-DT-HE-☐☐	971	971	1033	1033	90	5
72	36	29	MO7236-R-DT-HE-☐☐ (36" deep units include 2 post legs)	1010	1010	1070	1070	98	6

"D" Top
1 narrow side panel
1 connecting side panel
Grommet on Top

Items above are Shipped RTA (Ready To Assemble)

How To Order:

Ex: MO6024-R-DT-PG-FP-C1

STEP 1 Select top model number (ex. MO6024-R-DT-PG-FP- ☐☐)

STEP 2 Fill in ☐☐ with base code (ex. C1)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"D" SHAPED TABLES

STEP 2 Select Base Model No.

*Images shown with C1 base selection

STEP 1

W	D	H	Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Center Extending Top									
60	24	29	MO6024-DT-HH-☐☐	841	841	904	904	75	4
66	24	29	MO6624-DT-HH-☐☐	878	878	940	940	80	4
72	24	29	MO7224-DT-HH-☐☐	934	934	996	996	88	5
60	30	29	MO6030-DT-HH-☐☐	884	884	945	945	80	4
66	30	29	MO6630-DT-HH-☐☐	914	914	976	976	85	4
72	30	29	MO7230-DT-HH-☐☐	971	971	1033	1033	90	5
72	36	29	MO7236-DT-HH-☐☐ (36" deep units include 2 post legs)	1010	1010	1070	1070	98	6
Peninsula Top									
30	24	29	MO3024-DT-☐☐	446	446	506	506	22	1
36	24	29	MO3624-DT-☐☐	486	486	550	550	26	1
42	24	29	MO4224-DT-☐☐	527	527	588	588	30	1.3
48	24	29	MO4824-DT-☐☐	566	566	629	629	34	1.5
54	24	29	MO5424-DT-☐☐	611	611	672	672	38	1.8
60	24	29	MO6024-DT-☐☐	648	648	710	710	42	2
66	24	29	MO6624-DT-☐☐	690	690	750	750	46	2
72	24	29	MO7224-DT-☐☐	731	731	792	792	50	2.3
36	30	29	MO3630-DT-☐☐	527	527	588	588	36	1.5
42	30	29	MO4230-DT-☐☐	566	566	588	588	40	1.8
48	30	29	MO4830-DT-☐☐	611	611	588	588	44	1.8
54	30	29	MO5430-DT-☐☐	648	648	588	588	48	2
60	30	29	MO6030-DT-☐☐	690	690	588	588	52	2.3
66	30	29	MO6630-DT-☐☐	731	731	588	588	56	2.5
72	30	29	MO7230-DT-☐☐	771	771	588	588	60	2.8
Peninsula Top									
48	24	29	MO4824-HT-☐☐	566	566	629	629	35	2

"D" Top
2 connecting side panels
Grommet on Top

"D" Top
Peninsula

"H" Shaped Top
Peninsula

How To Order:

Ex: MO6024-DT-HH-C1

STEP 1 Select top model number (ex. MO6024-DT-HH- ☐☐)

STEP 2 Fill in ☐☐ with base code (ex. C1)













Items above are Shipped RTA (Ready To Assemble)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"J" SHAPED TABLES

STEP 2 Select Base Model No.

*Images shown with C1 base selection	W	D	H	STEP 1 Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top										
 "J" Top T Gable Grommet on Top	72	36	29	MO7230-L-JT-TG-□□ 	1210	1210	1271	1271	85	6
Right Extending Top										
 "J" Top T Gable Grommet on Top	72	36	29	MO7230-R-JT-TG-□□ 	1210	1210	1271	1271	85	6
Left Extending Top										
 "J" Top 12" High Half Modesty Panel Grommet on Top	72	36	29	MO7230-L-JT-PG-HP-□□ 	1210	1210	1271	1271	110	6
Right Extending Top										
 "J" Top 12" High Half Modesty Panel Grommet on Top	72	36	29	MO7230-R-JT-PG-HP-□□ 	1210	1210	1271	1271	110	6
Left Extending Top										
 "J" Top Full Modesty Panel Grommet on Top	72	36	29	MO7230-L-JT-PG-FP-□□ 	1210	1210	1271	1271	110	6
Right Extending Top										
 "J" Top Full Modesty Panel Grommet on Top	72	36	29	MO7230-R-JT-PG-FP-□□ 	1210	1210	1271	1271	110	6

How To Order:

Ex: MO6024-R-JT-PG-FP-C1

STEP 1 Select top model number (ex. MO6024-R-JT-PG-FP- □□)

STEP 2 Fill in □□ with base code (ex. C1)









Items above are Shipped RTA (Ready To Assemble)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"L" SHAPED TABLES (CURVED)

STEP 2 Select Base Model No.

*Images shown with C1 base selection	W	D	H	STEP 1 Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top										
	66	36	29	MO6636-L-LT-TG-□□	1193	1193	1255	1255	85	6
	72	36	29	MO7236-L-LT-TG-□□	1210	1210	1271	1271	90	6
	66	42	29	MO6642-L-LT-TG-□□	1292	1292	1354	1354	90	7
	72	42	29	MO7242-L-LT-TG-□□	1310	1310	1371	1371	95	7
"L" Top (Curved) T Gable Grommet on Top 	Note: 36" deep units have 24" deep radius end 42" deep units have 30"deep radius end									
Right Extending Top										
	66	36	29	MO6636-R-LT-TG-□□	1193	1193	1255	1255	85	6
	72	36	29	MO7236-R-LT-TG-□□	1210	1210	1271	1271	90	6
	66	42	29	MO6642-R-LT-TG-□□	1292	1292	1354	1354	90	7
	72	42	29	MO7242-R-LT-TG-□□	1310	1310	1371	1371	95	7
"L" Top (Curved) T Gable Grommet on Top 	Note: 36" deep units have 24" deep radius end 42" deep units have 30"deep radius end									
Left Extending Top										
	66	36	29	MO6636-L-LT-PG-HP-□□	1193	1193	1255	1255	110	6
	72	36	29	MO7236-L-LT-PG-HP-□□	1210	1210	1271	1271	115	6
	66	42	29	MO6642-L-LT-PG-HP-□□	1292	1292	1354	1354	115	7
	72	42	29	MO7242-L-LT-PG-HP-□□	1310	1310	1371	1371	120	7
"L" Top (Curved) 12" High Half Modesty Panel Grommet on Top 	Note: 36" deep units have 24" deep radius end 42" deep units have 30"deep radius end *Available with optional end gable.									
Right Extending Top										
	66	36	29	MO6636-R-LT-PG-HP-□□	1193	1193	1255	1255	110	6
	72	36	29	MO7236-R-LT-PG-HP-□□	1210	1210	1271	1271	115	6
	66	42	29	MO6642-R-LT-PG-HP-□□	1292	1292	1354	1354	115	7
	72	42	29	MO7242-R-LT-PG-HP-□□	1310	1310	1371	1371	120	7
"L" Top (Curved) 12" High Half Modesty Panel Grommet on Top 	Note: 36" deep units have 24" deep radius end 42" deep units have 30"deep radius end *Available with optional end gable.									

How To Order:

Ex: MO6024-R-LT-TG-C1

STEP 1 Select top model number (ex. MO6024-R-LT-TG- □□)

STEP 2 Fill in □□ with base code (ex. C1)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble


"L" SHAPED TABLES (CURVED)

STEP 2 Select Base Model No.


*Images shown with C1 base selection

STEP 1

W	D	H	Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top									
66	36	29	MO6636-L-LT-PG-FP-☐☐	1193	1193	1255	1255	110	6
72	36	29	MO7236-L-LT-PG-FP-☐☐	1210	1210	1271	1271	115	6
66	42	29	MO6642-L-LT-PG-FP-☐☐	1292	1292	1354	1354	115	7
72	42	29	MO7242-L-LT-PG-FP-☐☐	1310	1310	1371	1371	120	7




"L" Top (Curved)
Full Modesty Panel
Grommet on Top




Note: 36" deep units have 24" deep radius end
42" deep units have 30"deep radius end

*Available with optional end gable.

W	D	H	Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Right Extending Top									
66	36	29	MO6636-R-LT-PG-FP-☐☐	1193	1193	1255	1255	110	6
72	36	29	MO7236-R-LT-PG-FP-☐☐	1210	1210	1271	1271	115	6
66	42	29	MO6642-R-LT-PG-FP-☐☐	1292	1292	1354	1354	115	7
72	42	29	MO7242-R-LT-PG-FP-☐☐	1310	1310	1371	1371	120	7



"L" Top (Curved)
Full Modesty Panel
Grommet on Top



Note: 36" deep units have 24" deep radius end
42" deep units have 30"deep radius end

*Available with optional end gable.

How To Order:

Ex: MO6024-R-LT-PG-FP-C1

STEP 1 Select top model number (ex. MO6024-R-LT-PG-FP-☐☐)









STEP 2 Fill in ☐☐ with base code (ex. C1)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"L" SHAPED TABLES (ANGLED)

STEP 2 Select Base Model No.

*Images shown with C1 base selection	W	D	H	STEP 1 Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top										
	66	36	29	MO6636-L-LA-TG-☐☐	1193	1193	1255	1255	85	6
	72	36	29	MO7236-L-LA-TG-☐☐	1210	1210	1271	1271	90	6
	66	42	29	MO6642-L-LA-TG-☐☐	1292	1292	1354	1354	90	7
	72	42	29	MO7242-L-LA-TG-☐☐	1310	1310	1371	1371	95	7
"L" Top (Angled) T Gable Grommet on Top 	Note: 36" deep units have 24" deep radius end 42" deep units have 30"deep radius end									
Right Extending Top										
	66	36	29	MO6636-R-LA-TG-☐☐	1193	1193	1255	1255	85	6
	72	36	29	MO7236-R-LA-TG-☐☐	1210	1210	1271	1271	90	6
	66	42	29	MO6642-R-LA-TG-☐☐	1292	1292	1354	1354	90	7
	72	42	29	MO7242-R-LA-TG-☐☐	1310	1310	1371	1371	95	7
"L" Top (Angled) T Gable Grommet on Top 	Note: 36" deep units have 24" deep radius end 42" deep units have 30"deep radius end									
Left Extending Top										
	66	36	29	MO6636-L-LA-PG-HP-☐☐	1193	1193	1255	1255	110	6
	72	36	29	MO7236-L-LA-PG-HP-☐☐	1210	1210	1271	1271	115	6
	66	42	29	MO6642-L-LA-PG-HP-☐☐	1292	1292	1354	1354	115	7
	72	42	29	MO7242-L-LA-PG-HP-☐☐	1310	1310	1371	1371	120	7
"L" Top (Angled) 12" High Half Modesty Panel Grommet on Top 	Note: 36" deep units have 24" deep radius end 42" deep units have 30"deep radius end *Available with optional end gable.									
Right Extending Top										
	66	36	29	MO6636-R-LA-PG-HP-☐☐	1193	1193	1255	1255	110	6
	72	36	29	MO7236-R-LA-PG-HP-☐☐	1210	1210	1271	1271	115	6
	66	42	29	MO6642-R-LA-PG-HP-☐☐	1292	1292	1354	1354	115	7
	72	42	29	MO7242-R-LA-PG-HP-☐☐	1310	1310	1371	1371	120	7
"L" Top (Angled) 12" High Half Modesty Panel Grommet on Top 	Note: 36" deep units have 24" deep radius end 42" deep units have 30"deep radius end *Available with optional end gable.									

How To Order:

Ex: MO6024-R-LA-TG-C1

STEP 1 Select top model number (ex. MO6024-R-LA-TG- ☐☐)

STEP 2 Fill in ☐☐ with base code (ex. C1)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble


"L" SHAPED TABLES (ANGLED)

STEP 2 Select Base Model No.


*Images shown with C1 base selection

STEP 1

W	D	H	Select Top Model No.	3" Column Black Finish **C1**	3" Column Silver Finish **C3**	2" Square Black Finish **QR1**	2" Square Silver Finish **QR3**	lbs	ft³
Left Extending Top									
66	36	29	MO6636-L-LA-PG-FP-☐☐	1193	1193	1255	1255	110	6
72	36	29	MO7236-L-LA-PG-FP-☐☐	1210	1210	1271	1271	115	6
66	42	29	MO6642-L-LA-PG-FP-☐☐	1292	1292	1354	1354	115	7
72	42	29	MO7242-L-LA-PG-FP-☐☐	1310	1310	1371	1371	120	7




"L" Top (Angled)
Full Modesty Panel
Grommet on Top




Note: 36" deep units have 24" deep radius end
42" deep units have 30"deep radius end

*Available with optional end gable.

W	D	H	Select Top Model No.	3" Column Black Finish **C1**	3" Column Silver Finish **C3**	2" Square Black Finish **QR1**	2" Square Silver Finish **QR3**	lbs	ft³
Right Extending Top									
66	36	29	MO6636-R-LA-PG-FP-☐☐	1193	1193	1255	1255	110	6
72	36	29	MO7236-R-LA-PG-FP-☐☐	1210	1210	1271	1271	115	6
66	42	29	MO6642-R-LA-PG-FP-☐☐	1292	1292	1354	1354	115	7
72	42	29	MO7242-R-LA-PG-FP-☐☐	1310	1310	1371	1371	120	7



"L" Top (Angled)
Full Modesty Panel
Grommet on Top



Note: 36" deep units have 24" deep radius end
42" deep units have 30"deep radius end

*Available with optional end gable.

How To Order:

Ex: MO6024-R-LA-PG-FP-C1

STEP 1 Select top model number (ex. MO6024-R-LA-PG-FP-☐☐)













STEP 2 Fill in ☐☐ with base code (ex. C1)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"P" SHAPED TABLES

STEP 2 Select Base Model No.

*Images shown with C1 base selection	W	D	H	STEP 1 Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top										
 *Shipped with 2 Post Legs	66	36	29	MO6630-L-PT-TG-□□	1193	1193	1255	1255	85	6
	72	36	29	MO7230-L-PT-TG-□□	1210	1210	1271	1271	90	6
"P" Top T Gable Grommet on Top										
Right Extending Top										
 *Shipped with 2 Post Legs	66	36	29	MO6630-R-PT-TG-□□	1193	1193	1255	1255	85	6
	72	36	29	MO7230-R-PT-TG-□□	1210	1210	1271	1271	90	6
"P" Top T Gable Grommet on Top										
Left Extending Top										
 *Shipped with 2 Post Legs	66	36	29	MO6630-L-PT-PG-HP-□□	1193	1193	1255	1255	110	6
	72	36	29	MO7230-L-PT-PG-HP-□□	1210	1210	1271	1271	115	6
"P" Top 12" High Half Modesty Panel Grommet on Top										
Right Extending Top										
 *Shipped with 2 Post Legs	66	36	29	MO6630-R-PT-PG-HP-□□	1193	1193	1255	1255	110	6
	72	36	29	MO7230-R-PT-PG-HP-□□	1210	1210	1271	1271	115	6
"P" Top 12" High Half Modesty Panel Grommet on Top										
Left Extending Top										
 *Shipped with 2 Post Legs	66	36	29	MO6630-L-PT-PG-FP-□□	1193	1193	1255	1255	110	6
	72	36	29	MO7230-L-PT-PG-FP-□□	1210	1210	1271	1271	115	6
"P" Top Full Modesty Panel Grommet on Top										
Right Extending Top										
 *Shipped with 2 Post Legs	66	36	29	MO6630-R-PT-PG-FP-□□	1193	1193	1255	1255	110	6
	72	36	29	MO7230-R-PT-PG-FP-□□	1210	1210	1271	1271	115	6
"P" Top Full Modesty Panel Grommet on Top										

How To Order:

Ex: MO6024-R-PT-PG-FP-C1

STEP 1 Select top model number (ex. MO6024-R-PT-PG-FP- □□)

STEP 2 Fill in □□ with base code (ex. C1)













Items above are Shipped RTA (Ready To Assemble)

These units are not designed to be used as freestanding.

All units are RTA - Shipped Ready To Assemble

"F" SHAPED TABLES

STEP 2 Select Base Model No.

*Images shown with C1 base selection	W	D	H	STEP 1 Select Top Model No.	3" Column Black Finish C1	3" Column Silver Finish C3	2" Square Black Finish QR1	2" Square Silver Finish QR3	lbs	ft³
Left Extending Top										
 "F" Top T Gable Grommet on Top	72	42	29	MO7236-L-FT-TG-□□ 	1310	1310	1371	1371	90	6
Right Extending Top										
 "F" Top T Gable Grommet on Top	72	42	29	MO7236-R-FT-TG-□□ 	1310	1310	1371	1371	90	6
Left Extending Top										
 "F" Top 12" High Half Modesty Panel Grommet on Top	72	42	29	MO7236-L-FT-PG-HP-□□ 	1310	1310	1371	1371	100	6
Right Extending Top										
 "F" Top 12" High Half Modesty Panel Grommet on Top	72	42	29	MO7236-R-FT-PG-HP-□□ 	1310	1310	1371	1371	100	6
Left Extending Top										
 "F" Top Full Modesty Panel Grommet on Top	72	42	29	MO7236-L-FT-PG-FP-□□ 	1310	1310	1371	1371	100	6
Right Extending Top										
 "F" Top Full Modesty Panel Grommet on Top	72	42	29	MO7236-R-FT-PG-FP-□□ 	1310	1310	1371	1371	100	6

How To Order:

Ex: MO6024-R-PT-PG-FP-C1









STEP 1 Select top model number (ex. MO6024-R-PT-PG-FP- □□)

STEP 2 Fill in □□ with base code (ex. C1)


Items above are Shipped RTA (Ready To Assemble)

These units are not designed to be used as freestanding.


All units are RTA - Shipped Ready To Assemble

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
LEFT EXTENDING TOP								
	"R" Top (Curved)	MO664224-L-RT-GG-FP	66	48	29	1372	173	6.5
	Recessed Modesty Panel	MO724224-L-RT-GG-FP	72	48	29	1392	183	7
	Full Modesty Panel	MO784224-L-RT-GG-FP	78	48	29	1633	193	7.5
	Grommet on Top	MO844224-L-RT-GG-FP	84	48	29	1715	203	8
		RTA - Shipped Ready To Assemble						
RIGHT EXTENDING TOP								
	"R" Top (Curved)	MO664224-R-RT-GG-FP	66	48	29	1372	173	6.5
	Recessed Modesty Panel	MO724224-R-RT-GG-FP	72	48	29	1392	183	7
	Full Modesty Panel	MO784224-R-RT-GG-FP	78	48	29	1633	193	7.5
	Grommet on Top	MO844224-R-RT-GG-FP	84	48	29	1715	203	8
		RTA - Shipped Ready To Assemble						
LEFT EXTENDING TOP								
	"R" Top (Angled)	MO664224-L-RA-GG-FP	66	48	29	1372	173	6.5
	Recessed Modesty Panel	MO724224-L-RA-GG-FP	72	48	29	1392	183	7
	Full Modesty Panel	MO784224-L-RA-GG-FP	78	48	29	1633	193	7.5
	Grommet on Top	MO844224-L-RA-GG-FP	84	48	29	1715	203	8
		RTA - Shipped Ready To Assemble						
RIGHT EXTENDING TOP								
	"R" Top (Angled)	MO664224-R-RA-GG-FP	66	48	29	1372	173	6.5
	Recessed Modesty Panel	MO724224-R-RA-GG-FP	72	48	29	1392	183	7
	Full Modesty Panel	MO784224-R-RA-GG-FP	78	48	29	1633	193	7.5
	Grommet on Top	MO844224-R-RA-GG-FP	84	48	29	1715	203	8
		RTA - Shipped Ready To Assemble						

HINGED DOOR



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**

36" High Hutch has a 20" clearance from worksurface.

42" High Hutch has a 26" clearance from worksurface.


*Optional pull handles and locks available.

Shipped Assembled.


☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241536-HT-H☐-AS	24	15	36	781	1146	80	9
MO301536-HT-H☐-AS	30	15	36	817	1180	90	11
MO361536-HT-H☐-AS	36	15	36	852	1215	100	13
MO421536-HT-H☐-AS	42	15	36	923	1255	114	15
MO481536-HT-H☐-AS	48	15	36	1016	1564	124	17
MO541536-HT-H☐-AS	54	15	36	1092	1783	138	19
MO601536-HT-H☐-AS	60	15	36	1152	1818	148	22
MO661536-HT-H☐-AS	66	15	36	1185	1855	158	24
MO721536-HT-H☐-AS	72	15	36	1223	1891	168	26
MO781536-HT-H☐-AS	78	15	36	1384	2053	178	28
MO841536-HT-H☐-AS	84	15	36	1545	2215	188	30
MO241542-HT-H☐-AS	24	15	42	944	1307	86	10
MO301542-HT-H☐-AS	30	15	42	978	1342	96	13
MO361542-HT-H☐-AS	36	15	42	1013	1379	106	15
MO421542-HT-H☐-AS	42	15	42	1052	1417	123	18
MO481542-HT-H☐-AS	48	15	42	1178	1727	133	20
MO541542-HT-H☐-AS	54	15	42	1215	1944	148	23
MO601542-HT-H☐-AS	60	15	42	1255	1981	159	25
MO661542-HT-H☐-AS	66	15	42	1290	2016	170	28
MO721542-HT-H☐-AS	72	15	42	1325	2053	180	30
MO781542-HT-H☐-AS	78	15	42	1545	2215	190	32
MO841542-HT-H☐-AS	84	15	42	1710	2376	200	35

HINGED DOOR
RIGHT CONNECTING



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**



36" High Hutch has a 20" clearance from worksurface.

42" High Hutch has a 26" clearance from worksurface.

*Optional pull handles and locks available.

Shipped Assembled.

☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241536-HT-H☐-WH-AS	24	15	36	873	1237	80	9
MO301536-HT-H☐-WH-AS	30	15	36	908	1272	90	11
MO361536-HT-H☐-WH-AS	36	15	36	944	1307	100	13
MO421536-HT-H☐-WH-AS	42	15	36	979	1342	114	15
MO481536-HT-H☐-WH-AS	48	15	36	1110	1654	124	17
MO541536-HT-H☐-WH-AS	54	15	36	1146	1875	138	19
MO601536-HT-H☐-WH-AS	60	15	36	1180	1912	148	22
MO661536-HT-H☐-WH-AS	66	15	36	1216	1947	158	24
MO721536-HT-H☐-WH-AS	72	15	36	1256	1982	168	26
MO241542-HT-H☐-WH-AS	24	15	42	1035	1400	86	10
MO301542-HT-H☐-WH-AS	30	15	42	1071	1437	96	13
MO361542-HT-H☐-WH-AS	36	15	42	1106	1471	106	15
MO421542-HT-H☐-WH-AS	42	15	42	1143	1505	123	18
MO481542-HT-H☐-WH-AS	48	15	42	1270	1817	133	20
MO541542-HT-H☐-WH-AS	54	15	42	1307	2036	148	23
MO601542-HT-H☐-WH-AS	60	15	42	1342	2074	159	25
MO661542-HT-H☐-WH-AS	66	15	42	1380	2108	170	28
MO721542-HT-H☐-WH-AS	72	15	42	1418	2143	180	30


*Optional Pull Handles:

24 to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
54" to 84" wide hutch: Add P☐Q4 to end of product code. Add $84 List.
P☐= Specify pull handle style, for optional handle styles see page 13.


Optional Locks Available.
See Page 11.

All Hutches are Standard with Wire Access Punch Outs.

HINGED DOOR
LEFT CONNECTING



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**



36" High Hutch has a 20" clearance from worksurface.

42" High Hutch has a 26" clearance from worksurface.


*Optional pull handles and locks available.

Shipped Assembled.


☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO241536-HT-H☐-HW-AS	24	15	36	873	1237	80	9
MO301536-HT-H☐-HW-AS	30	15	36	908	1272	90	11
MO361536-HT-H☐-HW-AS	36	15	36	944	1307	100	13
MO421536-HT-H☐-HW-AS	42	15	36	979	1342	114	15
MO481536-HT-H☐-HW-AS	48	15	36	1110	1654	124	17
MO541536-HT-H☐-HW-AS	54	15	36	1146	1875	138	19
MO601536-HT-H☐-HW-AS	60	15	36	1180	1912	148	22
MO661536-HT-H☐-HW-AS	66	15	36	1216	1947	158	24
MO721536-HT-H☐-HW-AS	72	15	36	1256	1982	168	26
MO241542-HT-H☐-HW-AS	24	15	42	1035	1400	86	10
MO301542-HT-H☐-HW-AS	30	15	42	1071	1437	96	13
MO361542-HT-H☐-HW-AS	36	15	42	1106	1471	106	15
MO421542-HT-H☐-HW-AS	42	15	42	1143	1505	123	18
MO481542-HT-H☐-HW-AS	48	15	42	1270	1817	133	20
MO541542-HT-H☐-HW-AS	54	15	42	1307	2036	148	23
MO601542-HT-H☐-HW-AS	60	15	42	1342	2074	159	25
MO661542-HT-H☐-HW-AS	66	15	42	1380	2108	170	28
MO721542-HT-H☐-HW-AS	72	15	42	1418	2143	180	30

HINGED DOOR
CENTER CONNECTING



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**



36" High Hutch has a 20" clearance from worksurface.

42" High Hutch has a 26" clearance from worksurface.

*Optional pull handles and locks available.

Shipped Assembled.

☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO241536-HT-H☐-HH-AS	24	15	36	963	1327	80	9
MO301536-HT-H☐-HH-AS	30	15	36	998	1362	90	11
MO361536-HT-H☐-HH-AS	36	15	36	1033	1398	100	13
MO421536-HT-H☐-HH-AS	42	15	36	1071	1433	114	15
MO481536-HT-H☐-HH-AS	48	15	36	1200	1744	124	17
MO541536-HT-H☐-HH-AS	54	15	36	1236	1965	138	19
MO601536-HT-H☐-HH-AS	60	15	36	1271	2001	148	22
MO661536-HT-H☐-HH-AS	66	15	36	1307	2036	158	24
MO721536-HT-H☐-HH-AS	72	15	36	1342	2074	168	26
MO241542-HT-H☐-HH-AS	24	15	42	1124	1489	86	10
MO301542-HT-H☐-HH-AS	30	15	42	1162	1524	96	13
MO361542-HT-H☐-HH-AS	36	15	42	1196	1562	106	15
MO421542-HT-H☐-HH-AS	42	15	42	1234	1596	123	18
MO481542-HT-H☐-HH-AS	48	15	42	1360	1909	133	20
MO541542-HT-H☐-HH-AS	54	15	42	1398	2128	148	23
MO601542-HT-H☐-HH-AS	60	15	42	1433	2162	159	25
MO661542-HT-H☐-HH-AS	66	15	42	1471	2198	170	28
MO721542-HT-H☐-HH-AS	72	15	42	1505	2236	180	30


*Optional Pull Handles:

24 to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
54" to 84" wide hutch: Add P☐Q4 to end of product code. Add $84 List.
P☐= Specify pull handle style, for optional handle styles see page 13.


Optional Locks Available.
See Page 11.

All Hutches are Standard with Wire Access Punch Outs.

SLIDING DOOR



Laminate Doors = G**D**



Frosted Acrylic Doors = G**Z**

36" High Hutch has a 20" clearance from worksurface.

42" High Hutch has a 26" clearance from worksurface.


Standard with silver knobs. Optional push lock available in silver only.

Shipped Assembled.


☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO361536-HT-G☐-AS	36	15	36	1013	1379	100	13
MO421536-HT-G☐-AS	42	15	36	1085	1417	114	15
MO481536-HT-G☐-AS	48	15	36	1178	1727	124	17
MO541536-HT-G☐-AS	54	15	36	1253	1944	138	19
MO601536-HT-G☐-AS	60	15	36	1313	1981	148	22
MO661536-HT-G☐-AS	66	15	36	1349	2016	158	24
MO721536-HT-G☐-AS	72	15	36	1385	2053	168	26
MO361542-HT-G☐-AS	36	15	42	1176	1540	106	15
MO421542-HT-G☐-AS	42	15	42	1211	1578	123	18
MO481542-HT-G☐-AS	48	15	42	1339	1888	133	20
MO541542-HT-G☐-AS	54	15	42	1379	2107	148	23
MO601542-HT-G☐-AS	60	15	42	1417	2142	159	25
MO661542-HT-G☐-AS	66	15	42	1451	2179	170	28
MO721542-HT-G☐-AS	72	15	42	1486	2215	180	30

LONG HINGED DOORS



Laminate Doors = L**D**



Frosted Acrylic Doors = L**Z**

48" High Hutch has a 20" Clearance from worksurface.

*Optional pull handles and locks available.


Shipped Assembled.

☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO301548-HT-L☐-AS	30	15	48	1463	1829	117	15
MO361548-HT-L☐-AS	36	15	48	1500	1863	129	17
MO421548-HT-L☐-AS	42	15	48	1556	1902	141	20
MO481548-HT-L☐-AS	48	15	48	1713	2213	154	23
MO541548-HT-L☐-AS	54	15	48	1762	2432	167	26
MO601548-HT-L☐-AS	60	15	48	1834	2468	179	29
MO661548-HT-L☐-AS	66	15	48	1872	2502	192	31
MO721548-HT-L☐-AS	72	15	48	1933	2538	204	34
MO781548-HT-L☐-AS	78	15	48	2093	2702	214	37
MO841548-HT-L☐-AS	84	15	48	2279	2862	224	40

Adjustable shelf in hutch allows for 12" opening, suitable for binders

LONG OPEN



48" High Hutch has a 20" Clearance from worksurface.

Shipped Assembled.

Model No.	W	D	H	OPEN $	LB	FT³
MO301548-HT-LO-AS	30	15	48	1303	108	15
MO361548-HT-LO-AS	36	15	48	1336	120	17
MO421548-HT-LO-AS	42	15	48	1394	132	20
MO481548-HT-LO-AS	48	15	48	1551	144	23
MO541548-HT-LO-AS	54	15	48	1600	156	26
MO601548-HT-LO-AS	60	15	48	1674	168	29
MO661548-HT-LO-AS	66	15	48	1711	180	31
MO721548-HT-LO-AS	72	15	48	1769	192	34
MO781548-HT-LO-AS	78	15	48	1933	204	37
MO841548-HT-LO-AS	84	15	48	2117	216	40

Adjustable shelf in hutch allows for 12" opening, suitable for binders


*Optional Pull Handles for Hinged Doors:

24 to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
54" to 84" wide hutch: Add P☐Q4 to end of product code. Add $84 List.
P☐= Specify pull handle style, for optional handle styles see page 13.

Optional Locks Available.
See Page 11.

All Hutches are Standard with Wire Access Punch Outs.

FLIP UP DOOR



Laminate Doors = U**D**


36" High Hutch has a 20" clearance from worksurface.
42" High Hutch has a 26" Clearance from worksurface.

*Optional locks available.

Shipped Assembled.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO241536-HT-UD-AS	24	15	36	840	80	9
MO301536-HT-UD-AS	30	15	36	878	90	11
MO361536-HT-UD-AS	36	15	36	911	100	13
MO421536-HT-UD-AS	42	15	36	947	114	15
MO481536-HT-UD-AS	48	15	36	1076	124	17
MO541536-HT-UD-AS	54	15	36	1115	138	19
MO601536-HT-UD-AS	60	15	36	1152	148	22
MO661536-HT-UD-AS	66	15	36	1185	158	24
MO721536-HT-UD-AS	72	15	36	1223	168	26
MO241542-HT-UD-AS	24	15	42	1003	86	10
MO301542-HT-UD-AS	30	15	42	1039	96	13
MO361542-HT-UD-AS	36	15	42	1072	106	15
MO421542-HT-UD-AS	42	15	42	1111	123	18
MO481542-HT-UD-AS	48	15	42	1238	133	20
MO541542-HT-UD-AS	54	15	42	1274	148	23
MO601542-HT-UD-AS	60	15	42	1314	159	25
MO661542-HT-UD-AS	66	15	42	1350	170	28
MO721542-HT-UD-AS	72	15	42	1384	180	30

OPEN



36" High Hutch has a 20" clearance from worksurface.
42" High Hutch has a 26" Clearance from worksurface.


Shipped Assembled.

MO241536-HT-OP-AS	24	15	36	618	70	9
MO301536-HT-OP-AS	30	15	36	654	80	11
MO361536-HT-OP-AS	36	15	36	690	90	13
MO421536-HT-OP-AS	42	15	36	726	100	15
MO481536-HT-OP-AS	48	15	36	855	110	17
MO541536-HT-OP-AS	54	15	36	891	120	19
MO601536-HT-OP-AS	60	15	36	930	130	22
MO661536-HT-OP-AS	66	15	36	965	138	24
MO721536-HT-OP-AS	72	15	36	1000	148	26
MO781536-HT-OP-AS	78	15	36	1164	158	28
MO841536-HT-OP-AS	84	15	36	1325	168	30
MO241542-HT-OP-AS	24	15	42	781	76	10
MO301542-HT-OP-AS	30	15	42	817	86	13
MO361542-HT-OP-AS	36	15	42	852	96	15
MO421542-HT-OP-AS	42	15	42	887	109	18
MO481542-HT-OP-AS	48	15	42	1016	119	20
MO541542-HT-OP-AS	54	15	42	1056	128	23
MO601542-HT-OP-AS	60	15	42	1092	141	25
MO661542-HT-OP-AS	66	15	42	1126	150	28
MO721542-HT-OP-AS	72	15	42	1164	160	30
MO781542-HT-OP-AS	78	15	42	1325	170	32
MO841542-HT-OP-AS	84	15	42	1486	180	35


*For optional locks see page 11.

Note: All Hutches are Standard with Wire Access Punch Outs.

HINGED DOOR
LAMINATE ORGANIZER SHELF



Laminate Doors = H**D**




Frosted Acylic Doors = H**Z**

36" High Hutch has a 16" clearance from worksurface.
42" High Hutch has a 22" clearance from worksurface.
*Optional pull handles and locks available.
Shipped Assembled.


☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241536-HT-H☐-LS-AS	24	15	36	979	1349	92	9
MO301536-HT-H☐-LS-AS	30	15	36	1016	1381	102	11
MO361536-HT-H☐-LS-AS	36	15	36	1076	1419	112	13
MO421536-HT-H☐-LS-AS	42	15	36	1127	1454	130	15
MO481536-HT-H☐-LS-AS	48	15	36	1271	1783	140	17
MO541536-HT-H☐-LS-AS	54	15	36	1326	2017	158	19
MO601536-HT-H☐-LS-AS	60	15	36	1410	2054	168	22
MO661536-HT-H☐-LS-AS	66	15	36	1465	2109	180	24
MO721536-HT-H☐-LS-AS	72	15	36	1514	2148	192	26
MO781536-HT-H☐-LS-AS	78	15	36	1676	2309	202	28
MO841536-HT-H☐-LS-AS	84	15	36	1836	2471	212	30
MO241542-HT-H☐-LS-AS	24	15	42	1143	1509	98	10
MO301542-HT-H☐-LS-AS	30	15	42	1178	1543	108	13
MO361542-HT-H☐-LS-AS	36	15	42	1236	1580	118	15
MO421542-HT-H☐-LS-AS	42	15	42	1291	1617	139	18
MO481542-HT-H☐-LS-AS	48	15	42	1433	1944	149	20
MO541542-HT-H☐-LS-AS	54	15	42	1488	2180	168	23
MO601542-HT-H☐-LS-AS	60	15	42	1572	2216	179	25
MO661542-HT-H☐-LS-AS	66	15	42	1629	2272	192	28
MO721542-HT-H☐-LS-AS	72	15	42	1676	2309	204	30
MO781542-HT-H☐-LS-AS	78	15	42	1836	2471	214	32
MO841542-HT-H☐-LS-AS	84	15	42	2001	2632	224	35

SLIDING DOOR
LAMINATE ORGANIZER SHELF



Laminate Doors = G**D**



Frosted Acylic Doors = G**Z**

36" High Hutch has a 16" clearance from worksurface.
42" High Hutch has a 22" clearance from worksurface.
Standard with silver knobs. Optional push lock available in silver only.
Shipped Assembled.

☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door


Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO361536-HT-G☐-LS-AS	36	15	36	1238	1580	112	13
MO421536-HT-G☐-LS-AS	42	15	36	1290	1617	130	15
MO481536-HT-G☐-LS-AS	48	15	36	1432	1944	140	17
MO541536-HT-G☐-LS-AS	54	15	36	1488	2180	158	19
MO601536-HT-G☐-LS-AS	60	15	36	1572	2216	168	22
MO661536-HT-G☐-LS-AS	66	15	36	1626	2272	180	24
MO721536-HT-G☐-LS-AS	72	15	36	1676	2309	192	26
MO361542-HT-G☐-LS-AS	36	15	42	1402	1741	118	15
MO421542-HT-G☐-LS-AS	42	15	42	1451	1780	139	18
MO481542-HT-G☐-LS-AS	48	15	42	1597	2107	149	20
MO541542-HT-G☐-LS-AS	54	15	42	1651	2343	168	23
MO601542-HT-G☐-LS-AS	60	15	42	1734	2377	179	25
MO661542-HT-G☐-LS-AS	66	15	42	1788	2434	192	28
MO721542-HT-G☐-LS-AS	72	15	42	1836	2471	204	30

*Optional Pull Handles for Hinged Door Hutches:
24" to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
54" to 84" wide hutch: Add P☐Q4 to end of product code. Add $84 List.
P☐= Specify pull handle style, for optional handle styles see page 13.

Optional Locks Available.
See Page 11.

All Hutches are Standard with Wire Access Punch Outs.

FLIP UP DOOR
LAMINATE ORGANIZER SHELF



Laminate Doors = U**D**


36" High Hutch has a 16" clearance from worksurface.
42" High Hutch has a 22" clearance from worksurface.

*Optional locks available.

Shipped Assembled.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO241536-HT-UD-LS-AS	24	15	36	1040	92	9
MO301536-HT-UD-LS-AS	30	15	36	1076	102	11
MO361536-HT-UD-LS-AS	36	15	36	1135	112	13
MO421536-HT-UD-LS-AS	42	15	36	1152	130	15
MO481536-HT-UD-LS-AS	48	15	36	1331	140	17
MO541536-HT-UD-LS-AS	54	15	36	1351	158	19
MO601536-HT-UD-LS-AS	60	15	36	1410	168	22
MO661536-HT-UD-LS-AS	66	15	36	1465	180	24
MO721536-HT-UD-LS-AS	72	15	36	1514	192	26
MO241542-HT-UD-LS-AS	24	15	42	1203	98	10
MO301542-HT-UD-LS-AS	30	15	42	1238	108	13
MO361542-HT-UD-LS-AS	36	15	42	1295	118	15
MO421542-HT-UD-LS-AS	42	15	42	1314	139	18
MO481542-HT-UD-LS-AS	48	15	42	1495	149	20
MO541542-HT-UD-LS-AS	54	15	42	1512	168	23
MO601542-HT-UD-LS-AS	60	15	42	1572	179	25
MO661542-HT-UD-LS-AS	66	15	42	1629	192	28
MO721542-HT-UD-LS-AS	72	15	42	1676	204	30

OPEN



36" High Hutch has a 16" clearance from worksurface.
42" High Hutch has a 22" clearance from worksurface.


Shipped Assembled.

MO241536-HT-OP-LS-AS	24	15	36	817	82	9
MO301536-HT-OP-LS-AS	30	15	36	854	92	11
MO361536-HT-OP-LS-AS	36	15	36	914	102	13
MO421536-HT-OP-LS-AS	42	15	36	930	116	15
MO481536-HT-OP-LS-AS	48	15	36	1110	126	17
MO541536-HT-OP-LS-AS	54	15	36	1126	140	19
MO601536-HT-OP-LS-AS	60	15	36	1189	150	22
MO661536-HT-OP-LS-AS	66	15	36	1243	160	24
MO721536-HT-OP-LS-AS	72	15	36	1291	172	26
MO781536-HT-OP-LS-AS	78	15	36	1455	182	28
MO841536-HT-OP-LS-AS	84	15	36	1615	192	30
MO241542-HT-OP-LS-AS	24	15	42	979	88	10
MO301542-HT-OP-LS-AS	30	15	42	1016	98	13
MO361542-HT-OP-LS-AS	36	15	42	1074	108	15
MO421542-HT-OP-LS-AS	42	15	42	1127	125	18
MO481542-HT-OP-LS-AS	48	15	42	1272	135	20
MO541542-HT-OP-LS-AS	54	15	42	1329	148	23
MO601542-HT-OP-LS-AS	60	15	42	1409	161	25
MO661542-HT-OP-LS-AS	66	15	42	1465	172	28
MO721542-HT-OP-LS-AS	72	15	42	1515	184	30
MO781542-HT-OP-LS-AS	78	15	42	1615	196	32
MO841542-HT-OP-LS-AS	84	15	42	1779	209	35


*For optional locks see page 11.

Note: All Hutches are Standard with Wire Access Punch Outs.

CENTER CONNECTING



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**

36" High Hutch has a 20" clearance from worksurface.


☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO363636-C-HT-H☐-HH-AS	36	36	36	1696	2073	137	32
MO424236-C-HT-H☐-HH-AS	42	42	36	1895	2276	157	43
MO484836-C-HT-H☐-HH-AS	48	48	36	2083	2464	177	55




Shipped Assembled.

RIGHT CONNECTING



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**

36" High Hutch has a 20" clearance from worksurface.


☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO363636-C-HT-H☐-WH-AS	36	36	36	1696	2073	137	32
MO424236-C-HT-H☐-WH-AS	42	42	36	1895	2276	157	43
MO484836-C-HT-H☐-WH-AS	48	48	36	2083	2464	177	55




Shipped Assembled.

LEFT CONNECTING



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**

36" High Hutch has a 20" clearance from worksurface.


☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO363636-C-HT-H☐-HW-AS	36	36	36	1696	2073	137	32
MO424236-C-HT-H☐-HW-AS	42	42	36	1895	2276	157	43
MO484836-C-HT-H☐-HW-AS	48	48	36	2083	2464	177	55




Shipped Assembled.

FREESTANDING



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**

36" High Hutch has a 20" clearance from worksurface.

☐ = Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO363636-C-HT-H☐-AS	36	36	36	1600	1980	137	32
MO424236-C-HT-H☐-AS	42	42	36	1802	2178	157	43
MO484836-C-HT-H☐-AS	48	48	36	1991	2368	177	55


Shipped Assembled.

Optional Pull Handles

36" to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
P☐ = Specify pull handle style, for optional handle styles see page 13.

Optional Locks Available.
See Page 11.

All Hutches are Standard with Wire Access Punch Outs.



14.25" High Tackboard


Upholstered on One Side

Fits into 16" Hutch Open Space

3/8" Space Between Tackboard and Back of Hutch Allows for Wire Access.

Grade 3 - Standard
Grade 4 - Add $32
Grade 5 - Add $63
Grade 6 - Add $95
Grade 7 - Add $126

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
TB2215	22	1	14.25	324	5	0.5
TB2815	28	1	14.25	332	6	0.5
TB3415	34	1	14.25	342	7	0.5
TB4015	40	1	14.25	352	8	0.5
TB4615	46	1	14.25	361	9	0.5
TB5215	52	1	14.25	372	10	0.5
TB5815	58	1	14.25	380	11	0.5
TB6415	64	1	14.25	387	12	0.5
TB7015	70	1	14.25	400	14	0.5
TB7615	76	1	14.25	411	15	0.5
TB8215	82	1	14.25	426	16	0.5



19.25" High Tackboard


Upholstered on One Side

Fits into 20" Hutch Open Space

3/8" Space Between Tackboard and Back of Hutch Allows for Wire Access.

Grade 3 - Standard
Grade 4 - Add $32
Grade 5 - Add $63
Grade 6 - Add $95
Grade 7 - Add $126

TB2219	22	1	19.25	342	5	0.5
TB2819	28	1	19.25	347	6	0.5
TB3419	34	1	19.25	357	7	0.5
TB4019	40	1	19.25	367	8	0.5
TB4619	46	1	19.25	379	9	0.5
TB5219	52	1	19.25	387	10	0.5
TB5819	58	1	19.25	398	11	0.5
TB6419	64	1	19.25	406	12	0.5
TB7019	70	1	19.25	415	14	0.5
TB7619	76	1	19.25	427	15	0.5
TB8219	82	1	19.25	443	16	0.5



20.25" High Tackboard


Upholstered on One Side

Fits into 22" Hutch Open Space

3/8" Space Between Tackboard and Back of Hutch Allows for Wire Access.

Grade 3 - Standard
Grade 4 - Add $32
Grade 5 - Add $63
Grade 6 - Add $95
Grade 7 - Add $126

TB2221	22	1	20.25	375	5	0.5
TB2821	28	1	20.25	381	6	0.5
TB3421	34	1	20.25	398	7	0.5
TB4021	40	1	20.25	406	8	0.5
TB4621	46	1	20.25	415	9	0.5
TB5221	52	1	20.25	424	10	0.5
TB5821	58	1	20.25	435	11	0.5
TB6421	64	1	20.25	445	12	0.5
TB7021	70	1	20.25	452	14	0.5
TB7621	76	1	20.25	465	16	0.5
TB8221	82	1	20.25	480	18	0.5



25.25" High Tackboard

Upholstered on One Side


Fits into 26" Hutch Open Space

3/8" Space Between Tackboard and Back of Hutch Allows for Wire Access.


Grade 3 - Standard
Grade 4 - Add $32
Grade 5 - Add $63
Grade 6 - Add $95
Grade 7 - Add $126

TB2225	22	1	25.25	406	5	0.5
TB2825	28	1	25.25	414	6	0.5
TB3425	34	1	25.25	428	7	0.5
TB4025	40	1	25.25	438	8	0.5
TB4625	46	1	25.25	448	9	0.5
TB5225	52	1	25.25	457	10	0.5
TB5825	58	1	25.25	467	11	0.5
TB6425	64	1	25.25	477	12	0.5
TB7025	70	1	25.25	484	14	0.5
TB7625	76	1	25.25	499	16	0.5
TB8225	82	1	25.25	512	18	0.5

HINGED DOORS



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**

☐ = Specify door type: [D] Laminate Door
[Z] Frosted Acrylic Door


Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241515-WM-HT-H☐-AS	24	15	15	737	1081	50	5
MO301515-WM-HT-H☐-AS	30	15	15	771	1113	58	6
MO361515-WM-HT-H☐-AS	36	15	15	803	1147	65	7
MO421515-WM-HT-H☐-AS	42	15	15	837	1183	72	8
MO481515-WM-HT-H☐-AS	48	15	15	958	1476	79	9
MO541515-WM-HT-H☐-AS	54	15	15	996	1683	103	10
MO601515-WM-HT-H☐-AS	60	15	15	1030	1716	110	11
MO661515-WM-HT-H☐-AS	66	15	15	1062	1749	117	12
MO721515-WM-HT-H☐-AS	72	15	15	1099	1783	125	13

*Optional pull handles and locks available.


"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.

Shipped Assembled

SLIDING DOORS



Laminate Doors = G**D**



Frosted Acrylic Doors = G**Z**

☐ = Specify door type: [D] Laminate Door
[Z] Frosted Acrylic Door


MO361515-WM-HT-G☐-AS	36	15	15	954	1301	65	7
MO421515-WM-HT-G☐-AS	42	15	15	992	1336	72	8
MO481515-WM-HT-G☐-AS	48	15	15	1111	1630	79	9
MO541515-WM-HT-G☐-AS	54	15	15	1147	1834	103	10
MO601515-WM-HT-G☐-AS	60	15	15	1183	1868	110	11
MO661515-WM-HT-G☐-AS	66	15	15	1216	1902	117	12
MO721515-WM-HT-G☐-AS	72	15	15	1249	1938	125	13

Standard with knobs. Optional locks available.

"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.

Shipped Assembled

OPEN



				OPEN			
MO241515-WM-HT-OP-AS	24	15	15	584		30	5
MO301515-WM-HT-OP-AS	30	15	15	617		38	6
MO361515-WM-HT-OP-AS	36	15	15	650		45	7
MO421515-WM-HT-OP-AS	42	15	15	684		52	8
MO481515-WM-HT-OP-AS	48	15	15	806		59	9
MO541515-WM-HT-OP-AS	54	15	15	840		83	10
MO601515-WM-HT-OP-AS	60	15	15	878		90	11
MO661515-WM-HT-OP-AS	66	15	15	910		97	12
MO721515-WM-HT-OP-AS	72	15	15	944		105	13


"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.

Shipped Assembled

*Optional Pull Handles:
24" to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
54" to 72" wide hutch: Add P☐Q4 to end of product code. Add $84 List.
P☐= Specify pull handle style, for optional handle styles see page 13.

Optional Locks Available.
See Page 11.

FLIP UP DOORS



Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241515-WM-HT-UD-AS	24	15	15	737		50	5
MO301515-WM-HT-UD-AS	30	15	15	771		58	6
MO361515-WM-HT-UD-AS	36	15	15	803		65	7
MO421515-WM-HT-UD-AS	42	15	15	837		72	8
MO481515-WM-HT-UD-AS	48	15	15	958		79	9
MO541515-WM-HT-UD-AS	54	15	15	996		103	10
MO601515-WM-HT-UD-AS	60	15	15	1030		110	11
MO661515-WM-HT-UD-AS	66	15	15	1062		117	12
MO721515-WM-HT-UD-AS	72	15	15	1099		125	13


Optional locks available.

"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.


Shipped Assembled

LONG HINGED DOORS

☐ = Specify door type: [D] Laminate Door
[Z] Frosted Acrylic Door



Laminate Doors = L**D**



Frosted Acrylic Doors = L**Z**

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241528-WM-HT-L☐-AS	24	15	28	1350	1692	90	8
MO301528-WM-HT-L☐-AS	30	15	28	1381	1724	98	9
MO361528-WM-HT-L☐-AS	36	15	28	1416	1758	105	11
MO421528-WM-HT-L☐-AS	42	15	28	1450	1795	112	13
MO481528-WM-HT-L☐-AS	48	15	28	1569	2088	119	15
MO541528-WM-HT-L☐-AS	54	15	28	1606	2295	143	17
MO601528-WM-HT-L☐-AS	60	15	28	1640	2329	150	18
MO661528-WM-HT-L☐-AS	66	15	28	1675	2360	157	20
MO721528-WM-HT-L☐-AS	72	15	28	1711	2395	165	22


Contains one adjustable shelf.

*Optional pull handles and locks available.

"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.

Shipped Assembled

LONG OPEN



Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241528-WM-HT-LO-AS	24	15	28	1195		55	8
MO301528-WM-HT-LO-AS	30	15	28	1230		63	9
MO361528-WM-HT-LO-AS	36	15	28	1261		70	11
MO421528-WM-HT-LO-AS	42	15	28	1297		77	13
MO481528-WM-HT-LO-AS	48	15	28	1418		84	15
MO541528-WM-HT-LO-AS	54	15	28	1453		108	17
MO601528-WM-HT-LO-AS	60	15	28	1488		115	18
MO661528-WM-HT-LO-AS	66	15	28	1522		122	20
MO721528-WM-HT-LO-AS	72	15	28	1556		130	22

Contains one adjustable shelf.

"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.


Shipped Assembled

*Optional Pull Handles:


24" to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
54" to 72" wide hutch: Add P☐Q4 to end of product code. Add $84 List.
P☐= Specify pull handle style, for optional handle styles see page 13.

Optional Locks Available.
See Page 11.

HINGED DOORS
LAMINATE ORGANIZER SHELF



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**

☐ = **Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door**


Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241520-WM-HT-H☐-LS-AS	24	15	20	924	1271	50	6
MO301520-WM-HT-H☐-LS-AS	30	15	20	958	1303	58	7
MO361520-WM-HT-H☐-LS-AS	36	15	20	993	1338	65	8
MO421520-WM-HT-H☐-LS-AS	42	15	20	1030	1372	72	10
MO481520-WM-HT-H☐-LS-AS	48	15	20	1165	1683	79	11
MO541520-WM-HT-H☐-LS-AS	54	15	20	1217	1903	103	12
MO601520-WM-HT-H☐-LS-AS	60	15	20	1250	1939	110	13
MO661520-WM-HT-H☐-LS-AS	66	15	20	1303	1990	117	15
MO721520-WM-HT-H☐-LS-AS	72	15	20	1338	2025	125	16

*Optional pull handles and locks available.


"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.

Shipped Assembled

SLIDING DOORS
LAMINATE ORGANIZER SHELF



Laminate Doors = G**D**



Frosted Acrylic Doors = G**Z**

☐ = **Specify door type: [D] Laminate Door [Z] Frosted Acrylic Door**


Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO361520-WM-HT-G☐-LS-AS	36	15	20	1143	1490	65	8
MO421520-WM-HT-G☐-LS-AS	42	15	20	1183	1525	72	10
MO481520-WM-HT-G☐-LS-AS	48	15	20	1319	1834	79	11
MO541520-WM-HT-G☐-LS-AS	54	15	20	1370	2057	103	12
MO601520-WM-HT-G☐-LS-AS	60	15	20	1403	2092	110	13
MO661520-WM-HT-G☐-LS-AS	66	15	20	1456	2143	117	15
MO721520-WM-HT-G☐-LS-AS	72	15	20	1490	2178	125	16

Standard with knobs. Optional locks available.

"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.

Shipped Assembled

OPEN
LAMINATE ORGANIZER SHELF



Model No.	W	D	H	OPEN	LB	FT³
MO241520-WM-HT-OP-LS-AS	24	15	20	773	30	6
MO301520-WM-HT-OP-LS-AS	30	15	20	806	38	7
MO361520-WM-HT-OP-LS-AS	36	15	20	838	45	8
MO421520-WM-HT-OP-LS-AS	42	15	20	878	52	10
MO481520-WM-HT-OP-LS-AS	48	15	20	1014	59	11
MO541520-WM-HT-OP-LS-AS	54	15	20	1064	83	12
MO601520-WM-HT-OP-LS-AS	60	15	20	1100	90	13
MO661520-WM-HT-OP-LS-AS	66	15	20	1153	97	15
MO721520-WM-HT-OP-LS-AS	72	15	20	1185	105	16

"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.


Shipped Assembled

*Optional Pull Handles:

24" to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
54" to 72" wide hutch: Add P☐Q4 to end of product code. Add $84 List.
P☐= Specify pull handle style, for optional handle styles see page 13.

Optional Locks Available.
See Page 11.

FLIP UP DOORS
LAMINATE ORGANIZER SHELF



Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241520-WM-HT-UD-LS-AS	24	15	20	924		50	6
MO301520-WM-HT-UD-LS-AS	30	15	20	958		58	7
MO361520-WM-HT-UD-LS-AS	36	15	20	993		65	8
MO421520-WM-HT-UD-LS-AS	42	15	20	1030		72	10
MO481520-WM-HT-UD-LS-AS	48	15	20	1165		79	11
MO541520-WM-HT-UD-LS-AS	54	15	20	1217		103	12
MO601520-WM-HT-UD-LS-AS	60	15	20	1250		110	13
MO661520-WM-HT-UD-LS-AS	66	15	20	1303		117	15
MO721520-WM-HT-UD-LS-AS	72	15	20	1338		125	16


Optional locks available.

"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.


Shipped Assembled

LONG HINGED DOORS
LAMINATE ORGANIZER SHELF

☐ = Specify door type: [D] Laminate Door
[Z] Frosted Acrylic Door



Laminate Doors = L**D**



Frosted Acrylic Doors = L**Z**

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO241533-WM-HT-L☐-LS-AS	24	15	33	1536	1882	90	9
MO301533-WM-HT-L☐-LS-AS	30	15	33	1569	1916	98	11
MO361533-WM-HT-L☐-LS-AS	36	15	33	1604	1950	105	13
MO421533-WM-HT-L☐-LS-AS	42	15	33	1640	1984	112	15
MO481533-WM-HT-L☐-LS-AS	48	15	33	1778	2295	119	17
MO541533-WM-HT-L☐-LS-AS	54	15	33	1830	2514	143	19
MO601533-WM-HT-L☐-LS-AS	60	15	33	1862	2551	150	21
MO661533-WM-HT-L☐-LS-AS	66	15	33	1916	2602	157	23
MO721533-WM-HT-L☐-LS-AS	72	15	33	1950	2637	165	25


Contains one adjustable shelf.

*Optional pull handles and locks available.

"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.

Shipped Assembled

LONG OPEN
LAMINATE ORGANIZER SHELF



Model No.	W	D	H	OPEN	LB	FT³
MO241533-WM-HT-LO-LS-AS	24	15	33	1383	55	9
MO301533-WM-HT-LO-LS-AS	30	15	33	1418	63	11
MO361533-WM-HT-LO-LS-AS	36	15	33	1451	70	13
MO421533-WM-HT-LO-LS-AS	42	15	33	1488	77	15
MO481533-WM-HT-LO-LS-AS	48	15	33	1626	84	17
MO541533-WM-HT-LO-LS-AS	54	15	33	1676	108	19
MO601533-WM-HT-LO-LS-AS	60	15	33	1712	115	21
MO661533-WM-HT-LO-LS-AS	66	15	33	1764	122	23
MO721533-WM-HT-LO-LS-AS	72	15	33	1798	130	25

Contains one adjustable shelf.


"Z" mounting brackets are included.
Hardware to attach "Z" brackets to wall to be provided by installer.

Shipped Assembled

*Optional Pull Handles:

24" to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
54" to 72" wide hutch: Add P☐Q4 to end of product code. Add $84 List.
P☐= Specify pull handle style, for optional handle styles see page 13.

Optional Locks Available.
See Page 11.



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2412-ST	24	12	339	371	402	434	465	1
TW3012-ST	30	12	356	388	419	451	482	1
TW3612-ST	36	12	375	407	438	470	501	1.25
TW4212-ST	42	12	389	421	452	484	515	1.5
TW4812-ST	48	12	407	439	470	502	533	1.5
TW5412-ST	54	12	423	455	486	518	549	1.75
TW6012-ST	60	12	442	474	505	537	568	2
TW6612-ST	66	12	457	489	520	552	583	2
TW7212-ST	72	12	475	507	538	570	601	2.25
TW7812-ST	78	12	492	524	555	587	618	2.5
TW8412-ST	84	12	510	542	573	605	636	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2415-ST	24	15	341	373	404	436	467	1
TW3015-ST	30	15	358	390	421	453	484	1
TW3615-ST	36	15	374	406	437	469	500	1.25
TW4215-ST	42	15	391	423	454	486	517	1.5
TW4815-ST	48	15	407	439	470	502	533	1.5
TW5415-ST	54	15	426	458	489	521	552	1.75
TW6015-ST	60	15	441	473	504	536	567	2
TW6615-ST	66	15	459	491	522	554	585	2
TW7215-ST	72	15	476	508	539	571	602	2.25
TW7815-ST	78	15	494	526	557	589	620	2.5
TW8415-ST	84	15	509	541	572	604	635	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2416-ST	24	16	341	373	404	436	467	1
TW3016-ST	30	16	358	390	421	453	484	1
TW3616-ST	36	16	374	406	437	469	500	1.25
TW4216-ST	42	16	391	423	454	486	517	1.5
TW4816-ST	48	16	407	439	470	502	533	1.5
TW5416-ST	54	16	426	458	489	521	552	1.75
TW6016-ST	60	16	441	473	504	536	567	2
TW6616-ST	66	16	459	491	522	554	585	2
TW7216-ST	72	16	476	508	539	571	602	2.25
TW7816-ST	78	16	494	526	557	589	620	2.5
TW8416-ST	84	16	509	541	572	604	635	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2417-ST	24	17	349	381	412	444	475	1
TW3017-ST	30	17	366	398	429	461	492	1
TW3617-ST	36	17	382	414	445	477	508	1.25
TW4217-ST	42	17	400	432	463	495	526	1.5
TW4817-ST	48	17	415	447	478	510	541	1.5
TW5417-ST	54	17	435	467	498	530	561	1.75
TW6017-ST	60	17	449	481	512	544	575	2
TW6617-ST	66	17	467	499	530	562	593	2
TW7217-ST	72	17	484	516	547	579	610	2.25
TW7817-ST	78	17	502	534	565	597	628	2.5
TW8417-ST	84	17	518	550	581	613	644	2.5


Notes:

- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2418-ST	24	18	356	388	419	451	482	1
TW3018-ST	30	18	375	407	438	470	501	1
TW3618-ST	36	18	389	421	452	484	515	1.25
TW4218-ST	42	18	407	439	470	502	533	1.5
TW4818-ST	48	18	423	455	486	518	549	1.5
TW5418-ST	54	18	442	474	505	537	568	1.75
TW6018-ST	60	18	457	489	520	552	583	2
TW6618-ST	66	18	475	507	538	570	601	2
TW7218-ST	72	18	492	524	555	587	618	2.25
TW7818-ST	78	18	510	542	573	605	636	2.5
TW8418-ST	84	18	526	558	589	621	652	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2419-ST	24	19	356	388	419	451	482	1
TW3019-ST	30	19	375	407	438	470	501	1
TW3619-ST	36	19	389	421	452	484	515	1.25
TW4219-ST	42	19	407	439	470	502	533	1.5
TW4819-ST	48	19	423	455	486	518	549	1.5
TW5419-ST	54	19	442	474	505	537	568	1.75
TW6019-ST	60	19	457	489	520	552	583	2
TW6619-ST	66	19	475	507	538	570	601	2
TW7219-ST	72	19	492	524	555	587	618	2.25
TW7819-ST	78	19	510	542	573	605	636	2.5
TW8419-ST	84	19	526	558	589	621	652	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2420-ST	24	20	356	388	419	451	482	1
TW3020-ST	30	20	375	407	438	470	501	1
TW3620-ST	36	20	389	421	452	484	515	1.25
TW4220-ST	42	20	407	439	470	502	533	1.5
TW4820-ST	48	20	423	455	486	518	549	1.5
TW5420-ST	54	20	442	474	505	537	568	1.75
TW6020-ST	60	20	457	489	520	552	583	2
TW6620-ST	66	20	475	507	538	570	601	2
TW7220-ST	72	20	492	524	555	587	618	2.25
TW7820-ST	78	20	510	542	573	605	636	2.5
TW8420-ST	84	20	526	558	589	621	652	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2421-ST	24	21	372	404	435	467	498	1
TW3021-ST	30	21	386	418	449	481	512	1
TW3621-ST	36	21	404	436	467	499	530	1.25
TW4221-ST	42	21	420	452	483	515	546	1.5
TW4821-ST	48	21	439	471	502	534	565	1.5
TW5421-ST	54	21	454	486	517	549	580	1.75
TW6021-ST	60	21	472	504	535	567	598	2
TW6621-ST	66	21	489	521	552	584	615	2
TW7221-ST	72	21	507	539	570	602	633	2.25
TW7821-ST	78	21	522	554	585	617	648	2.5
TW8421-ST	84	21	538	570	601	633	664	2.5


Notes:

- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2422-ST	24	22	375	407	438	470	501	1
TW3022-ST	30	22	389	421	452	484	515	1
TW3622-ST	36	22	407	439	470	502	533	1.25
TW4222-ST	42	22	423	455	486	518	549	1.5
TW4822-ST	48	22	442	474	505	537	568	1.5
TW5422-ST	54	22	457	489	520	552	583	1.75
TW6022-ST	60	22	475	507	538	570	601	2
TW6622-ST	66	22	492	524	555	587	618	2
TW7222-ST	72	22	510	542	573	605	636	2.25
TW7822-ST	78	22	526	558	589	621	652	2.5
TW8422-ST	84	22	541	573	604	636	667	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2423-ST	24	23	375	407	438	470	501	1
TW3023-ST	30	23	389	421	452	484	515	1
TW3623-ST	36	23	407	439	470	502	533	1.25
TW4232-ST	42	23	423	455	486	518	549	1.5
TW4823-ST	48	23	442	474	505	537	568	1.5
TW5423-ST	54	23	457	489	520	552	583	1.75
TW6023-ST	60	23	475	507	538	570	601	2
TW6623-ST	66	23	492	524	555	587	618	2
TW7232-ST	72	23	510	542	573	605	636	2.25
TW7823-ST	78	23	526	558	589	621	652	2.5
TW8423-ST	84	23	541	573	604	636	667	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2424-ST	24	24	375	407	438	470	501	1
TW3024-ST	30	24	389	421	452	484	515	1
TW3624-ST	36	24	407	439	470	502	533	1.25
TW4224-ST	42	24	423	455	486	518	549	1.5
TW4824-ST	48	24	442	474	505	537	568	1.5
TW5424-ST	54	24	457	489	520	552	583	1.75
TW6024-ST	60	24	475	507	538	570	601	2
TW6624-ST	66	24	492	524	555	587	618	2
TW7224-ST	72	24	510	542	573	605	636	2.25
TW7824-ST	78	24	526	558	589	621	652	2.5
TW8424-ST	84	24	541	573	604	636	667	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2425-ST	24	25	376	408	439	471	502	1
TW3025-ST	30	25	391	423	454	486	517	1
TW3625-ST	36	25	408	440	471	503	534	1.25
TW4225-ST	42	25	424	456	487	519	550	1.5
TW4825-ST	48	25	443	475	506	538	569	1.5
TW5425-ST	54	25	459	491	522	554	585	1.75
TW6025-ST	60	25	476	508	539	571	602	2
TW6625-ST	66	25	493	525	556	588	619	2
TW7225-ST	72	25	511	543	574	606	637	2.25
TW7825-ST	78	25	527	559	590	622	653	2.5
TW8425-ST	84	25	542	574	605	637	668	2.5


Notes:

- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2426-ST	24	26	378	410	441	473	504	1
TW3026-ST	30	26	393	425	456	488	519	1
TW3626-ST	36	26	410	442	473	505	536	1.25
TW4226-ST	42	26	426	458	489	521	552	1.5
TW4826-ST	48	26	446	478	509	541	572	1.5
TW5426-ST	54	26	461	493	524	556	587	1.75
TW6026-ST	60	26	478	510	541	573	604	2
TW6626-ST	66	26	495	527	558	590	621	2
TW7226-ST	72	26	513	545	576	608	639	2.25
TW7826-ST	78	26	529	561	592	624	655	2.5
TW8426-ST	84	26	544	576	607	639	670	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2427-ST	24	27	381	413	444	476	507	1
TW3027-ST	30	27	396	428	459	491	522	1
TW3627-ST	36	27	413	445	476	508	539	1.25
TW4227-ST	42	27	430	462	493	525	556	1.5
TW4827-ST	48	27	449	481	512	544	575	1.5
TW5427-ST	54	27	464	496	527	559	590	1.75
TW6027-ST	60	27	481	513	544	576	607	2
TW6627-ST	66	27	499	531	562	594	625	2
TW7227-ST	72	27	516	548	579	611	642	2.25
TW7827-ST	78	27	532	564	595	627	658	2.5
TW8427-ST	84	27	548	580	611	643	674	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2428-ST	24	28	425	457	488	520	551	1
TW3028-ST	30	28	442	474	505	537	568	1
TW3628-ST	36	28	460	492	523	555	586	1.25
TW4228-ST	42	28	478	510	541	573	604	1.5
TW4828-ST	48	28	493	525	556	588	619	1.5
TW5428-ST	54	28	509	541	572	604	635	1.75
TW6028-ST	60	28	527	559	590	622	653	2
TW6628-ST	66	28	545	577	608	640	671	2
TW7228-ST	72	28	560	592	623	655	686	2.25
TW7828-ST	78	28	580	612	643	675	706	2.5
TW8428-ST	84	28	593	625	656	688	719	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2429-ST	24	29	442	474	505	537	568	1
TW2929-ST	30	29	459	491	522	554	585	1
TW3629-ST	36	29	476	508	539	571	602	1
TW4229-ST	42	29	495	527	558	590	621	1.25
TW4829-ST	48	29	509	541	572	604	635	1.5
TW5429-ST	54	29	526	558	589	621	652	1.5
TW6029-ST	60	29	543	575	606	638	669	1.75
TW6629-ST	66	29	562	594	625	657	688	2
TW7229-ST	72	29	576	608	639	671	702	2
TW7829-ST	78	29	596	628	659	691	722	2.25
TW8429-ST	84	29	610	642	673	705	736	2.5


Notes:

- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2430-ST	24	30	457	489	520	552	583	1
TW3030-ST	30	30	475	507	538	570	601	1
TW3630-ST	36	30	492	524	555	587	618	1
TW4230-ST	42	30	510	542	573	605	636	1.25
TW4830-ST	48	30	526	558	589	621	652	1.5
TW5430-ST	54	30	541	573	604	636	667	1.5
TW6030-ST	60	30	559	591	622	654	685	1.75
TW6630-ST	66	30	578	610	641	673	704	2
TW7230-ST	72	30	592	624	655	687	718	2
TW7830-ST	78	30	612	644	675	707	738	2.25
TW8430-ST	84	30	625	657	688	720	751	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2431-ST	24	31	459	491	522	554	585	1
TW3031-ST	30	31	476	508	539	571	602	1
TW3631-ST	36	31	493	525	556	588	619	1
TW4231-ST	42	31	511	543	574	606	637	1.25
TW4831-ST	48	31	527	559	590	622	653	1.5
TW5431-ST	54	31	542	574	605	637	668	1.5
TW6031-ST	60	31	560	592	623	655	686	1.75
TW6631-ST	66	31	580	612	643	675	706	2
TW7231-ST	72	31	593	625	656	688	719	2
TW7831-ST	78	31	613	645	676	708	739	2.25
TW8431-ST	84	31	626	658	689	721	752	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2433-ST	24	33	463	495	526	558	589	1
TW3033-ST	30	33	480	512	543	575	606	1
TW3633-ST	36	33	497	529	560	592	623	1
TW4233-ST	42	33	515	547	578	610	641	1.25
TW4833-ST	48	33	531	563	594	626	657	1.5
TW5433-ST	54	33	546	578	609	641	672	1.5
TW6033-ST	60	33	564	596	627	659	690	1.75
TW6633-ST	66	33	584	616	647	679	710	2
TW7233-ST	72	33	597	629	660	692	723	2
TW7833-ST	78	33	617	649	680	712	743	2.25
TW8433-ST	84	33	630	662	693	725	756	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2434-ST	24	34	466	498	529	561	592	1
TW3034-ST	30	34	483	515	546	578	609	1
TW3634-ST	36	34	501	533	564	596	627	1
TW4234-ST	42	34	519	551	582	614	645	1.25
TW4834-ST	48	34	534	566	597	629	660	1.5
TW5434-ST	54	34	550	582	613	645	676	1.5
TW6034-ST	60	34	567	599	630	662	693	1.75
TW6634-ST	66	34	587	619	650	682	713	2
TW7234-ST	72	34	600	632	663	695	726	2
TW7834-ST	78	34	620	652	683	715	746	2.25
TW8434-ST	84	34	634	666	697	729	760	2.5


Notes:

- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.



Wall Mounted Tackboard


Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2435-ST	24	35	526	558	589	621	652	1
TW3035-ST	30	35	543	575	606	638	669	1
TW3535-ST	36	35	562	594	625	657	688	1
TW4235-ST	42	35	576	608	639	671	702	1.25
TW4835-ST	48	35	596	628	659	691	722	1.5
TW5435-ST	54	35	610	642	673	705	736	1.5
TW6035-ST	60	35	627	659	690	722	753	1.75
TW6635-ST	66	35	645	677	708	740	771	2
TW7235-ST	72	35	661	693	724	756	787	2
TW7835-ST	78	35	679	711	742	774	805	2.25
TW8435-ST	84	35	697	729	760	792	823	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2436-ST	24	36	541	573	604	636	667	1
TW3036-ST	30	36	559	591	622	654	685	1
TW3636-ST	36	36	578	610	641	673	704	1
TW4236-ST	42	36	592	624	655	687	718	1.25
TW4836-ST	48	36	612	644	675	707	738	1.5
TW5436-ST	54	36	625	657	688	720	751	1.5
TW6036-ST	60	36	643	675	706	738	769	1.75
TW6636-ST	66	36	660	692	723	755	786	2
TW7236-ST	72	36	677	709	740	772	803	2
TW7836-ST	78	36	694	726	757	789	820	2.25
TW8436-ST	84	36	712	744	775	807	838	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2439-ST	24	39	563	595	626	658	689	1
TW3039-ST	30	39	581	613	644	676	707	1
TW3639-ST	36	39	599	631	662	694	725	1
TW4239-ST	42	39	614	646	677	709	740	1.25
TW4839-ST	48	39	633	665	696	728	759	1.5
TW5439-ST	54	39	647	679	710	742	773	1.5
TW6039-ST	60	39	664	696	727	759	790	1.75
TW6639-ST	66	39	681	713	744	776	807	2
TW7239-ST	72	39	699	731	762	794	825	2
TW7839-ST	78	39	716	748	779	811	842	2.25
TW8439-ST	84	39	734	766	797	829	860	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2440-ST	24	40	566	598	629	661	692	1
TW3040-ST	30	40	584	616	647	679	710	1
TW3640-ST	36	40	602	634	665	697	728	1
TW4240-ST	42	40	617	649	680	712	743	1.25
TW4840-ST	48	40	637	669	700	732	763	1.5
TW5440-ST	54	40	650	682	713	745	776	1.5
TW6040-ST	60	40	668	700	731	763	794	1.75
TW6640-ST	66	40	684	716	747	779	810	2
TW7240-ST	72	40	702	734	765	797	828	2
TW7840-ST	78	40	719	751	782	814	845	2.25
TW8440-ST	84	40	737	769	800	832	863	2.5

Notes:

- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

What to Specify When Ordering:


1) Specify fabric selection when ordering.



	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Open Hutch Cabinet	MO241536-HC-OP	24	15	36	714	70	12
2 Adjustable Shelves	MO301536-HC-OP	30	15	36	750	80	15
	MO361536-HC-OP	36	15	36	788	90	18

Hutch cabinets are mountable over floor standing units

Shipped Assembled



Hutch Cabinet							
2 Hinged Doors (non-locking)	MO241536-HC-HD-P1	24	15	36	864	80	12
Laminate Doors	MO301536-HC-HD-P1	30	15	36	900	90	15
2 Adjustable Shelves	MO361536-HC-HD-P1	36	15	36	934	100	18
Optional Lock Available See Front Specifications.							

Hutch cabinets are mountable over floor standing units


Shipped Assembled



Hutch Cabinet							
2 Hinged Doors (non-locking)	MO241536-HC-HZ-P1	24	15	36	1411	80	12
Frosted Actylic Doors	MO301536-HC-HZ-P1	30	15	36	1445	90	15
2 Adjustable Shelves	MO361536-HC-HZ-P1	36	15	36	1478	100	18
Optional Lock Available See Front Specifications.							


Hutch cabinets are mountable over floor standing units

Shipped Assembled



Hutch cabinets are stackable over floor standing units.

P1 pull handles are standard.
For optional handle styles see page 13.




Multifunctional Cabinet
1 Lateral File Drawer
2 Box Drawers*

1 Hinged Door
Mini Storage Cabinet

*Pencil tray not included


Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO302029-ML-HD-BB-P1	30	20	29	1430	136	11
MO362029-ML-HD-BB-P1	36	20	29	1446	146	14
MO302429-ML-HD-BB-P1	30	24	29	1469	146	13
MO362429-ML-HD-BB-P1	36	24	29	1485	156	17



Multifunctional Cabinet
1 Lateral File Drawer
1 File Drawer
2 Box Drawers
*Pencil tray not included
Shipped Assembled

MO302029-ML-F-BB-P1	30	20	29	1592	146	11
MO362029-ML-F-BB-P1	36	20	29	1608	156	14
MO302429-ML-F-BB-P1	30	24	29	1630	156	13
MO362429-ML-F-BB-P1	36	24	29	1648	166	17




Multifunctional Cabinet
1 Lateral File Drawer
1 File Drawer

1 Hinged Door
Mini Storage Cabinet

Shipped Assembled

MO302029-ML-HD-F-P1	30	20	29	1430	136	11
MO362029-ML-HD-F-P1	36	20	29	1446	146	14
MO302429-ML-HD-F-P1	30	24	29	1469	146	13
MO362429-ML-HD-F-P1	36	24	29	1485	156	17

P1 pull handles are standard.
For optional handle styles see page 13.



Lateral File
2 File Drawers
Mechanical interlock allows only one drawer to open at a time
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242029-LF-2F-P1	24	20	29	985	116	10
MO302029-LF-2F-P1	30	20	29	1023	126	12
MO362029-LF-2F-P1	36	20	29	1057	136	14
MO242429-LF-2F-P1	24	24	29	1026	126	11
MO302429-LF-2F-P1	30	24	29	1060	136	14
MO362429-LF-2F-P1	36	24	29	1130	146	17

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom.
Optional drawer bottom reinforcement avaiable.



Lateral File
3 File Drawers
Mechanical interlock allows only one drawer to open at a time
Shipped Assembled

MO242042-LF-3F-P1	24	20	41	1556	175	13
MO302042-LF-3F-P1	30	20	41	1589	185	16
MO362042-LF-3F-P1	36	20	41	1631	195	20
MO242442-LF-3F-P1	24	24	41	1599	186	16
MO302442-LF-3F-P1	30	24	41	1634	196	19
MO362442-LF-3F-P1	36	24	41	1701	206	23

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom.
Optional drawer bottom reinforcement avaiable.



Lateral File
4 File Drawers
Mechanical interlock allows only one drawer to open at a time
Shipped Assembled

MO242054-LF-4F-P1	24	20	53	2159	224	17
MO302054-LF-4F-P1	30	20	53	2189	234	21
MO362054-LF-4F-P1	36	20	53	2218	244	25
MO242454-LF-4F-P1	24	24	53	2191	236	20
MO302454-LF-4F-P1	30	24	53	2222	246	25
MO362454-LF-4F-P1	36	24	53	2330	256	29

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom.
Optional drawer bottom reinforcement avaiable.




Lateral File
5 File Drawers
Mechanical interlock allows only one drawer to open at a time
Shipped Assembled

MO242066-LF-5F-P1	24	20	65	3023	274	20
MO302066-LF-5F-P1	30	20	65	3056	284	25
MO362066-LF-5F-P1	36	20	65	3089	294	30
MO242466-LF-5F-P1	24	24	65	3059	286	24
MO302466-LF-5F-P1	30	24	65	3093	296	30
MO362466-LF-5F-P1	36	24	65	3126	306	36

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom.
Optional drawer bottom reinforcement avaiable.

P1 pull handles are standard.
For optional handle styles see page 13.



4 Lateral File Drawers

12" High Open Compartment on 65" High Lateral File

18" High Open Compartment on 71" High Lateral File


Mechanical interlock allows only one drawer to open at a time.

Shipped Assembled

P1 pull handles are standard.
For optional handle styles see page 13.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242066-LF-4F-OP-P1	24	20	65	2353	269	20
MO302066-LF-4F-OP-P1	30	20	65	2389	279	25
MO362066-LF-4F-OP-P1	36	20	65	2419	289	30
MO242072-LF-4F-OP-P1	24	20	71	2518	279	22
MO302072-LF-4F-OP-P1	30	20	71	2553	290	28
MO362072-LF-4F-OP-P1	36	20	71	2583	301	33
MO242466-LF-4F-OP-P1	24	24	65	2391	281	24
MO302466-LF-4F-OP-P1	30	24	65	2424	291	30
MO362466-LF-4F-OP-P1	36	24	65	2517	301	36
MO242472-LF-4F-OP-P1	24	24	71	2555	292	27
MO302472-LF-4F-OP-P1	30	24	71	2586	303	33
MO362472-LF-4F-OP-P1	36	24	71	2643	315	39

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom. Optional drawer bottom reinforcement avaiable.



Drawer Bottom Reinforcement


For use in lateral file drawer bottoms

Standard in Black Finish


AC24-BM	20	15	0.25	61	0.5	0.05
AC30-BM	26	15	0.25	63	0.5	0.05
AC36-BM	32	15	0.25	66	0.5	0.05

BOOKCASE CABINET


MODERN SERIES



29" High




Boockcase Cabinet
Shipped Assembled




29" High Cabinets Include 1 Adjustable Shelf
53" High Cabinets Include 3 Adjustable Shelves
65" to 71" High Cabinets Include 4 Adjustable Shelves
77" High Cabinets Include 1 Fixed Shelf and 3 Adjustable Shelves
83" High Cabinets Include 1 Fixed Shelf and 4 Adjustable Shelves
Shipped Assembled


	Model No.	W	D	H	Price	LB	FT³
20"	MO242029-BO	24	20	29	710	87	9
	MO302029-BO	30	20	29	741	95	11
	MO362029-BO	36	20	29	771	103	14
24"	MO242429-BO	24	24	29	745	89	11
	MO302429-BO	30	24	29	775	98	14
	MO362429-BO	36	24	29	804	106	17
20"	MO182054-BO	18	20	53	925	123	13
	MO242054-BO	24	20	53	957	133	17
	MO302054-BO	30	20	53	1021	156	21
	MO362054-BO	36	20	53	1052	166	25
24"	MO182454-BO	18	24	53	959	135	15
	MO242454-BO	24	24	53	992	145	20
	MO302454-BO	30	24	53	1054	168	24
	MO362454-BO	36	24	53	1083	178	29
20"	MO182066-BO	18	20	65	1081	143	16
	MO242066-BO	24	20	65	1111	153	20
	MO302066-BO	30	20	65	1174	176	25
	MO362066-BO	36	20	65	1204	186	30
24"	MO182466-BO	18	24	65	1113	155	19
	MO242466-BO	24	24	65	1143	165	24
	MO302466-BO	30	24	65	1211	188	30
	MO362466-BO	36	24	65	1240	198	36
20"	MO182072-BO	18	20	71	1236	152	17
	MO242072-BO	24	20	71	1265	163	22
	MO302072-BO	30	20	71	1329	187	28
	MO362072-BO	36	20	71	1358	198	33
24"	MO182472-BO	18	24	71	1271	165	20
	MO242472-BO	24	24	71	1301	176	27
	MO302472-BO	30	24	71	1363	200	33
	MO362472-BO	36	24	71	1394	212	39
20"	MO182078-BO	18	20	77	1389	162	20
	MO242078-BO	24	20	77	1419	166	26
	MO302078-BO	30	20	77	1481	197	33
	MO362078-BO	36	20	77	1512	208	39
24"	MO182478-BO	18	24	77	1423	175	25
	MO242478-BO	24	24	77	1453	186	31
	MO302478-BO	30	24	77	1515	210	39
	MO362478-BO	36	24	77	1549	222	46
20"	MO182084-BO	18	20	83	1540	172	22
	MO242084-BO	24	20	83	1573	177	28
	MO302084-BO	30	20	83	1634	207	35
	MO362084-BO	36	20	83	1664	318	42
24"	MO182484-BO	18	24	83	1577	185	26
	MO242484-BO	24	24	83	1606	196	34
	MO302484-BO	30	24	83	1668	220	41
	MO362484-BO	36	24	83	1698	232	49





Cabinet Shelf

fits 18"w x 20"d cabinet	AC1618-CAB-SH	16	18	.625	77	5	0.5
fits 24"w x 20"d cabinet	AC2218-CAB-SH	22	18	.625	85	6	0.5
fits 30"w x 20"d cabinet	AC2818-CAB-SH	28	18	.625	91	8	0.5
fits 36"w x 20"d cabinet	AC3418-CAB-SH	34	18	.625	102	10	0.5
fits 18"w x 24"d cabinet	AC1622-CAB-SH	16	22	.625	111	6	0.5
fits 24"w x 24"d cabinet	AC2222-CAB-SH	22	22	.625	118	8	0.5
fits 30"w x 24"d cabinet	AC2822-CAB-SH	28	22	.625	127	10	0.5
fits 36"w x 24"d cabinet	AC3422-CAB-SH	34	22	.625	136	12	0.5










Laminate Doors = S**C**
(locking)


Frosted Acrylic Doors = S**Z**
(non-locking)


Model No.	W	D	H	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door							
MO302029-S☐-P1	30	20	29	812	1021	97	11
MO362029-S☐-P1	36	20	29	877	1045	107	14
MO302429-S☐-P1	30	24	29	876	1054	107	13
MO362429-S☐-P1	36	24	29	954	1077	117	17
MO302036-S☐-P1	30	20	35	1023	1199	112	14
MO362036-S☐-P1	36	20	35	1070	1229	120	16
MO302436-S☐-P1	30	24	35	1069	1233	122	16
MO362436-S☐-P1	36	24	35	1122	1262	132	19
MO302042-S☐-P1	30	20	41	1065	1329	130	16
MO362042-S☐-P1	36	20	41	1103	1358	142	20
MO302442-S☐-P1	30	24	41	1101	1363	140	19
MO362442-S☐-P1	36	24	41	1136	1394	152	23
MO302054-S☐-P1	30	20	53	1478	2335	180	21
MO362054-S☐-P1	36	20	53	1509	2367	190	25
MO302454-S☐-P1	30	24	53	1514	2372	192	24
MO362454-S☐-P1	36	24	53	1544	2404	202	29
MO302066-S☐-P1	30	20	65	1633	2491	210	25
MO362066-S☐-P1	36	20	65	1663	2521	220	30
MO302466-S☐-P1	30	24	65	1668	2527	222	30
MO362466-S☐-P1	36	24	65	1698	2559	232	36
MO302072-S☐-P1	30	20	71	1785	2644	221	28
MO362072-S☐-P1	36	20	71	1817	2675	232	33
MO302472-S☐-P1	30	24	71	1825	2683	234	33
MO362472-S☐-P1	36	24	71	1855	2714	246	39
MO302078-S☐-P1	30	20	77	1940	2799	231	33
MO362078-S☐-P1	36	20	77	1971	2829	242	39
MO302478-S☐-P1	30	24	77	1976	2833	244	39
MO362478-S☐-P1	36	24	77	2008	2864	256	46
MO302084-S☐-P1	30	20	83	2093	2952	241	35
MO362084-S☐-P1	36	20	83	2123	2983	252	42
MO302484-S☐-P1	30	24	83	2130	2988	254	41
MO362484-S☐-P1	36	24	83	2160	3019	266	49


Double Hinged Doors
29" High Cabinets Include 1 Adjustable Shelf
35 to 41" High Cabinets Include 2 Adjustable Shelves
53" High Cabinets Include 3 Adjustable Shelves
65" to 71" High Cabinets Include 4 Adjustable Shelves
77" High Cabinets Include 1 Fixed Shelf and 3 Adjustable Shelves
83" High Cabinets Include 1 Fixed Shelf and 4 Adjustable Shelves
Shipped Assembled

P1 pull handles are standard.
For optional handle styles see page 13, **For optional locks see page 11.**









Laminate Door = S**C**
(locking)

Frosted Acrylic Door = S**Z**
(non-locking)


1 Hinged Door (Door Opens to the Left)
29" High Cabinets Include 1 Adjustable Shelf
35 to 41" High Cabinets Include 2 Adjustable Shelves
53" High Cabinets Include 3 Adjustable Shelves
65" to 71" High Cabinets Include 4 Adjustable Shelves
77" High Cabinets Include 1 Fixed Shelf and 3 Adjustable Shelves
83" High Cabinets Include 1 Fixed Shelf and 4 Adjustable Shelves
Shipped Assembled


☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door


Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO242029-L-S☐-P1	24	20	29	727	987	87	10
MO242429-L-S☐-P1	24	24	29	760	1015	97	11
MO242036-L-S☐-P1	24	20	35	884	1135	102	11
MO242436-L-S☐-P1	24	24	35	917	1169	112	13
MO182042-L-S☐-P1	18	20	41	1004	1265	106	10
MO242042-L-S☐-P1	24	20	41	1035	1297	118	13
MO182442-L-S☐-P1	18	24	41	1038	1301	116	12
MO242442-L-S☐-P1	24	24	41	1071	1333	128	15
MO122054-L-S☐-P1	12	20	53	1356	1784	103	9
MO182054-L-S☐-P1	18	20	53	1387	1814	113	13
MO242054-L-S☐-P1	24	20	53	1418	1846	123	17
MO122454-L-S☐-P1	12	24	53	1391	1822	115	10
MO182454-L-S☐-P1	18	24	53	1420	1853	125	15
MO242454-L-S☐-P1	24	24	53	1451	1882	135	20
MO122066-L-S☐-P1	12	20	65	1510	1940	133	11
MO182066-L-S☐-P1	18	20	65	1540	1971	143	16
MO242066-L-S☐-P1	24	20	65	1573	2002	153	20
MO122466-L-S☐-P1	12	24	65	1544	1975	145	13
MO182466-L-S☐-P1	18	24	65	1577	2006	155	19
MO242466-L-S☐-P1	24	24	65	1606	2036	165	24
MO122072-L-S☐-P1	12	20	71	1664	2096	141	12
MO182072-L-S☐-P1	18	20	71	1694	2128	152	17
MO242072-L-S☐-P1	24	20	71	1724	2157	163	22
MO122472-L-S☐-P1	12	24	71	1698	2130	154	14
MO182472-L-S☐-P1	18	24	71	1729	2160	165	20
MO242472-L-S☐-P1	24	24	71	1760	2190	176	27
MO122078-L-S☐-P1	12	20	77	1817	2248	151	14
MO182078-L-S☐-P1	18	20	77	1849	2279	162	20
MO242078-L-S☐-P1	24	20	77	1880	2309	173	26
MO122478-L-S☐-P1	12	24	77	1854	2281	164	17
MO182478-L-S☐-P1	18	24	77	1883	2312	175	25
MO242478-L-S☐-P1	24	24	77	1914	2342	186	31
MO122084-L-S☐-P1	12	20	83	1971	2400	161	15
MO182084-L-S☐-P1	18	20	83	2002	2433	172	22
MO242084-L-S☐-P1	24	20	83	2033	2463	183	28
MO122484-L-S☐-P1	12	24	83	2006	2436	174	18
MO182484-L-S☐-P1	18	24	83	2036	2465	185	26
MO242484-L-S☐-P1	24	24	83	2067	2496	196	34

P1 pull handles are standard.
For optional handle styles see page 13, **For optional locks see page 11.**









Laminate Door = S**C**
(locking)

Frosted Acrylic Door = S**Z**
(non-locking)

1 Hinged Door (Door Opens to the Right)
29" High Cabinets Include 1 Adjustable Shelf
35 to 41" High Cabinets Include 2 Adjustable Shelves
53" High Cabinets Include 3 Adjustable Shelves
65" to 71" High Cabinets Include 4 Adjustable Shelves
77" High Cabinets Include 1 Fixed Shelf and 3 Adjustable Shelves
83" High Cabinets Include 1 Fixed Shelf and 4 Adjustable Shelves
Shipped Assembled

☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO242029-R-S☐-P1	24	20	29	727	987	87	10
MO242429-R-S☐-P1	24	24	29	760	1015	97	11
MO242036-R-S☐-P1	24	20	35	884	1135	102	11
MO242436-R-S☐-P1	24	24	35	917	1169	112	13
MO182042-R-S☐-P1	18	20	41	1004	1265	106	10
MO242042-R-S☐-P1	24	20	41	1035	1297	118	13
MO182442-R-S☐-P1	18	24	41	1038	1301	116	12
MO242442-R-S☐-P1	24	24	41	1071	1333	128	15
MO122054-R-S☐-P1	12	20	53	1356	1784	103	9
MO182054-R-S☐-P1	18	20	53	1387	1814	113	13
MO242054-R-S☐-P1	24	20	53	1418	1846	123	17
MO122454-R-S☐-P1	12	24	53	1391	1822	115	10
MO182454-R-S☐-P1	18	24	53	1420	1853	125	15
MO242454-R-S☐-P1	24	24	53	1451	1882	135	20
MO122066-R-S☐-P1	12	20	65	1510	1940	133	11
MO182066-R-S☐-P1	18	20	65	1540	1971	143	16
MO242066-R-S☐-P1	24	20	65	1573	2002	153	20
MO122466-R-S☐-P1	12	24	65	1544	1975	145	13
MO182466-R-S☐-P1	18	24	65	1577	2006	155	19
MO242466-R-S☐-P1	24	24	65	1606	2036	165	24
MO122072-R-S☐-P1	12	20	71	1664	2096	141	12
MO182072-R-S☐-P1	18	20	71	1694	2128	152	17
MO242072-R-S☐-P1	24	20	71	1724	2157	163	22
MO122472-R-S☐-P1	12	24	71	1698	2130	154	14
MO182472-R-S☐-P1	18	24	71	1729	2160	165	20
MO242472-R-S☐-P1	24	24	71	1760	2190	176	27
MO122078-R-S☐-P1	12	20	77	1817	2248	151	14
MO182078-R-S☐-P1	18	20	77	1849	2279	162	20
MO242078-R-S☐-P1	24	20	77	1880	2309	173	26
MO122478-R-S☐-P1	12	24	77	1854	2281	164	17
MO182478-R-S☐-P1	18	24	77	1883	2312	175	25
MO242478-R-S☐-P1	24	24	77	1914	2342	186	31
MO122084-R-S☐-P1	12	20	83	1971	2400	161	15
MO182084-R-S☐-P1	18	20	83	2002	2433	172	22
MO242084-R-S☐-P1	24	20	83	2033	2463	183	28
MO122484-R-S☐-P1	12	24	83	2006	2436	174	18
MO182484-R-S☐-P1	18	24	83	2036	2465	185	26
MO242484-R-S☐-P1	24	24	83	2067	2496	196	34

P1 pull handles are standard.
For optional handle styles see page 13, **For optional locks see page 11.**




Mini Lateral File
1 File Drawer
Non-Locking
Shipped Assembled

Model No.	W	D	H	Price	LB	FT³
MO242017-ML-P1	24	20	17	660	95	6
MO302017-ML-P1	30	20	17	697	100	7
MO362017-ML-P1	36	20	17	731	105	8
MO242417-ML-P1	24	24	17	677	105	7
MO302417-ML-P1	30	24	17	712	110	8
MO362417-ML-P1	36	24	17	745	115	10




Mini Storage Cabinet
2 Hinged Doors
Non-Locking
Shipped Assembled

Model No.	W	D	H	Price	LB	FT³
MO302017-MC-P1	30	20	17	613	95	7
MO362017-MC-P1	36	20	17	645	100	8
MO302417-MC-P1	30	24	17	625	105	8
MO362417-MC-P1	36	24	17	660	110	10



Mini Open Storage
Shipped Assembled


Model No.	W	D	H	Price	LB	FT³
MO242017-OP	24	20	17	442	80	6
MO302017-OP	30	20	17	475	85	7
MO362017-OP	36	20	17	510	90	8
MO242417-OP	24	24	17	457	90	7
MO302417-OP	30	24	17	492	95	8
MO362417-OP	36	24	17	526	100	10



Mini Lateral File
1 File Drawer
Upholstered Seat Cushion
Non-Locking
Shipped Assembled

Model No.	W	D	H	Price	LB	FT³
MO242017-ML-SE-P1	24	20	18¼	1035	95	6
MO302017-ML-SE-P1	30	20	18¼	1067	100	7
MO362017-ML-SE-P1	36	20	18¼	1102	105	8
MO242417-ML-SE-P1	24	24	18¼	1052	105	7
MO302417-ML-SE-P1	30	24	18¼	1084	110	8
MO362417-ML-SE-P1	36	24	18¼	1120	115	10


* Prices are based on Grade 3 textiles.



Mini Storage Cabinet
2 Hinged Doors
Upholstered Seat Cushion
Non-Locking
Shipped Assembled

Model No.	W	D	H	Price	LB	FT³
MO302017-MC-SE-P1	30	20	18¼	981	95	7
MO362017-MC-SE-P1	36	20	18¼	1016	100	8
MO302417-MC-SE-P1	30	24	18¼	1000	105	8
MO362417-MC-SE-P1	36	24	18¼	1033	110	10

* Prices are based on Grade 3 textiles.



Mini Open Storage
Upholstered Seat Cushion
Shipped Assembled

Model No.	W	D	H	Price	LB	FT³
MO242017-OP-SE	24	20	18¼	814	80	6
MO302017-OP-SE	30	20	18¼	846	85	7
MO362017-OP-SE	36	20	18¼	883	90	8
MO242417-OP-SE	24	24	18¼	831	90	7
MO302417-OP-SE	30	24	18¼	863	95	8
MO362417-OP-SE	36	24	18¼	898	100	10

* Prices are based on Grade 3 textiles.

***Note: Prices based on seat cushions upholstered in OFGO Grade 3 textiles.**


Other OFGO textile grades are available:

Grade 4 - Add $32 List **Grade 6 - Add $53 List**

Grade 5 - Add $42 List **Grade 7 - Add $63 List**

P1 pull handles are standard.
For optional handle styles see page 13.


Optional Locks Available. See Page 11.



Lateral File Cabinet
1 Lateral File Drawer
12" High Open Compartment

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242029-ML-OP-P1	24	20	29	833	110	10
MO302029-ML-OP-P1	30	20	29	868	120	11
MO362029-ML-OP-P1	36	20	29	903	130	14
MO242429-ML-OP-P1	24	24	29	871	120	11
MO302429-ML-OP-P1	30	24	29	905	130	13
MO362429-ML-OP-P1	36	24	29	939	140	17

Shipped Assembled



Mini Storage Cabinet
2 Hinged Doors
Non locking
12" High Open Compartment

MO242029-MC-OP-P1	24	20	29	814	92	10
MO302029-MC-OP-P1	30	20	29	831	102	11
MO362029-MC-OP-P1	36	20	29	863	112	14
MO242429-MC-OP-P1	24	24	29	852	102	11
MO302429-MC-OP-P1	30	24	29	868	112	13
MO362429-MC-OP-P1	36	24	29	903	122	17


Shipped Assembled



Lateral File Cabinet
2 Lateral File Drawers
12" High Open Compartment

MO242042-LF-2F-OP-P1	24	20	41	1419	146	13
MO302042-LF-2F-OP-P1	30	20	41	1452	168	16
MO362042-LF-2F-OP-P1	36	20	41	1498	180	20
MO242442-LF-2F-OP-P1	24	24	41	1456	166	15
MO302442-LF-2F-OP-P1	30	24	41	1507	168	19
MO362442-LF-2F-OP-P1	36	24	41	1569	190	23

Shipped Assembled




Storage Cabinet
2 Hinged Doors
1 Adjustable Shelf
12" High Open Compartment


MO302042-SC-OP-P1	30	20	41	1170	130	16
MO362042-SC-OP-P1	36	20	41	1207	142	20
MO302442-SC-OP-P1	30	24	41	1241	140	19
MO362442-SC-OP-P1	36	24	41	1284	152	23

Shipped Assembled

P1 pull handles are standard.
For optional handle styles see page 13.



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

1 Hinged Door (Door Opens to the Left)

1 File Drawer (locking)

2 Box Drawers (locking)

53" High Cabinet Includes 1 Adjustable Shelf


65" to 71" High Cabinets Include 2 Adjustable Shelves

77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves


Shipped Assembled

☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO182054-L-BBF-S☐-P1	18	20	53	1589	1846	132	13
MO182066-L-BBF-S☐-P1	18	20	65	1743	2002	162	16
MO182072-L-BBF-S☐-P1	18	20	71	1896	2157	171	17
MO182078-L-BBF-S☐-P1	18	20	77	2051	2309	181	20
MO182084-L-BBF-S☐-P1	18	20	83	2202	2463	191	22
MO182454-L-BBF-S☐-P1	18	24	53	1625	1882	144	15
MO182466-L-BBF-S☐-P1	18	24	65	1778	2036	174	19
MO182472-L-BBF-S☐-P1	18	24	71	1933	2190	184	20
MO182478-L-BBF-S☐-P1	18	24	77	2084	2342	194	25
MO182484-L-BBF-S☐-P1	18	24	83	2239	2496	204	26
MO242054-L-BBLF-S☐-P1	24	20	53	1619	1877	142	17
MO242066-L-BBLF-S☐-P1	24	20	65	1775	2033	172	20
MO242072-L-BBLF-S☐-P1	24	20	71	1929	2188	182	22
MO242078-L-BBLF-S☐-P1	24	20	77	2080	2340	192	26
MO242084-L-BBLF-S☐-P1	24	20	83	2236	2493	202	28
MO242454-L-BBLF-S☐-P1	24	24	53	1656	1913	154	20
MO242466-L-BBLF-S☐-P1	24	24	65	1808	2067	184	24
MO242472-L-BBLF-S☐-P1	24	24	71	1962	2219	195	27
MO242478-L-BBLF-S☐-P1	24	24	77	2117	2374	205	31
MO242484-L-BBLF-S☐-P1	24	24	83	2269	2527	215	34



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

1 Hinged Door (Door Opens to the Right)

1 File Drawer (locking)

2 Box Drawers (locking)

53" High Cabinet Includes 1 Adjustable Shelf

65" to 71" High Cabinets Include 2 Adjustable Shelves

77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves


Shipped Assembled

☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door


Model No.	W	D	H	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO182054-R-BBF-S☐-P1	18	20	53	1589	1846	132	13
MO182066-R-BBF-S☐-P1	18	20	65	1743	2002	162	16
MO182072-R-BBF-S☐-P1	18	20	71	1896	2157	171	17
MO182078-R-BBF-S☐-P1	18	20	77	2051	2309	181	20
MO182084-R-BBF-S☐-P1	18	20	83	2202	2463	191	22
MO182454-R-BBF-S☐-P1	18	24	53	1625	1882	144	15
MO182466-R-BBF-S☐-P1	18	24	65	1778	2036	174	19
MO182472-R-BBF-S☐-P1	18	24	71	1933	2190	184	20
MO182478-R-BBF-S☐-P1	18	24	77	2084	2342	194	25
MO182484-R-BBF-S☐-P1	18	24	83	2239	2496	204	26
MO242054-R-BBLF-S☐-P1	24	20	53	1619	1877	142	17
MO242066-R-BBLF-S☐-P1	24	20	65	1775	2033	172	20
MO242072-R-BBLF-S☐-P1	24	20	71	1929	2188	182	22
MO242078-R-BBLF-S☐-P1	24	20	77	2080	2340	192	26
MO242084-R-BBLF-S☐-P1	24	20	83	2236	2493	202	28
MO242454-R-BBLF-S☐-P1	24	24	53	1656	1913	154	20
MO242466-R-BBLF-S☐-P1	24	24	65	1808	2067	184	24
MO242472-R-BBLF-S☐-P1	24	24	71	1962	2219	195	27
MO242478-R-BBLF-S☐-P1	24	24	77	2117	2374	205	31
MO242484-R-BBLF-S☐-P1	24	24	83	2269	2527	215	34

P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

1 Hinged Door (Door Opens to the Left)

2 File Drawers (locking)

53" High Cabinet Includes 1 Adjustable Shelf


65" to 71" High Cabinets Include 2 Adjustable Shelves

77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves


Shipped Assembled

☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO182054-L-FF-S☐-P1	18	20	53	1589	1846	133	13
MO182066-L-FF-S☐-P1	18	20	65	1743	2002	163	16
MO182072-L-FF-S☐-P1	18	20	71	1896	2157	172	17
MO182078-L-FF-S☐-P1	18	20	77	2051	2309	181	20
MO182084-L-FF-S☐-P1	18	20	83	2202	2463	191	22
MO182454-L-FF-S☐-P1	18	24	53	1625	1882	145	15
MO182466-L-FF-S☐-P1	18	24	65	1778	2036	175	19
MO182472-L-FF-S☐-P1	18	24	71	1933	2190	185	20
MO182478-L-FF-S☐-P1	18	24	77	2084	2342	194	25
MO182484-L-FF-S☐-P1	18	24	83	2239	2496	204	26
MO242054-L-LF-S☐-P1	24	20	53	1619	1877	143	17
MO242066-L-LF-S☐-P1	24	20	65	1775	2033	173	20
MO242072-L-LF-S☐-P1	24	20	71	1929	2188	183	22
MO242078-L-LF-S☐-P1	24	20	77	2080	2340	192	26
MO242084-L-LF-S☐-P1	24	20	83	2236	2493	202	28
MO242454-L-LF-S☐-P1	24	24	53	1656	1913	155	20
MO242466-L-LF-S☐-P1	24	24	65	1808	2067	185	24
MO242472-L-LF-S☐-P1	24	24	71	1962	2219	196	27
MO242478-L-LF-S☐-P1	24	24	77	2117	2374	205	31
MO242484-L-LF-S☐-P1	24	24	83	2269	2527	215	34



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

1 Hinged Door (Door Opens to the Right)

2 File Drawers (locking)

53" High Cabinet Includes 1 Adjustable Shelf

65" to 71" High Cabinets Include 2 Adjustable Shelves

77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves

Shipped Assembled

☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door


MO182054-R-FF-S☐-P1	18	20	53	1589	1846	133	13
MO182066-R-FF-S☐-P1	18	20	65	1743	2002	163	16
MO182072-R-FF-S☐-P1	18	20	71	1896	2157	172	17
MO182078-R-FF-S☐-P1	18	20	77	2051	2309	181	20
MO182084-R-FF-S☐-P1	18	20	83	2202	2463	191	22
MO182454-R-FF-S☐-P1	18	24	53	1625	1882	145	15
MO182466-R-FF-S☐-P1	18	24	65	1778	2036	175	19
MO182472-R-FF-S☐-P1	18	24	71	1933	2190	185	20
MO182478-R-FF-S☐-P1	18	24	77	2084	2342	194	25
MO182484-R-FF-S☐-P1	18	24	83	2239	2496	204	26
MO242054-R-LF-S☐-P1	24	20	53	1619	1877	143	17
MO242066-R-LF-S☐-P1	24	20	65	1775	2033	173	20
MO242072-R-LF-S☐-P1	24	20	71	1929	2188	183	22
MO242078-R-LF-S☐-P1	24	20	77	2080	2340	192	26
MO242084-R-LF-S☐-P1	24	20	83	2236	2493	202	28
MO242454-R-LF-S☐-P1	24	24	53	1656	1913	155	20
MO242466-R-LF-S☐-P1	24	24	65	1808	2067	185	24
MO242472-R-LF-S☐-P1	24	24	71	1962	2219	196	27
MO242478-R-LF-S☐-P1	24	24	77	2117	2374	205	31
MO242484-R-LF-S☐-P1	24	24	83	2269	2527	215	34

P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

1 Hinged Door (Door Opens to the Left)
3 File Drawers (locking)
65" to 71" High Cabinets Include 1 Adjustable Shelf
77" High Cabinets Include 1 Fixed Shelf
83" High Cabinets Include 1 Fixed and 1 Adjustable Shelf
Mechanical interlock allows only one drawer to open at a time
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO182066-L-LF-3F-S☐-P1	18	20	65	2253	2509	170	16
MO182072-L-LF-3F-S☐-P1	18	20	71	2409	2663	179	17
MO182078-L-LF-3F-S☐-P1	18	20	77	2560	2818	188	20
MO182084-L-LF-3F-S☐-P1	18	20	83	2714	2968	198	22
MO182466-L-LF-3F-S☐-P1	18	24	65	2287	2541	182	19
MO182472-L-LF-3F-S☐-P1	18	24	71	2441	2696	192	20
MO182478-L-LF-3F-S☐-P1	18	24	77	2594	2850	201	25
MO182484-L-LF-3F-S☐-P1	18	24	83	2747	3003	211	26
MO242066-L-LF-3F-S☐-P1	24	20	65	2282	2539	180	20
MO242072-L-LF-3F-S☐-P1	24	20	71	2438	2694	190	22
MO242078-L-LF-3F-S☐-P1	24	20	77	2591	2848	200	26
MO242084-L-LF-3F-S☐-P1	24	20	83	2743	2999	210	28
MO242466-L-LF-3F-S☐-P1	24	24	65	2318	2574	192	24
MO242472-L-LF-3F-S☐-P1	24	24	71	2472	2728	203	27
MO242478-L-LF-3F-S☐-P1	24	24	77	2623	2882	213	31
MO242484-L-LF-3F-S☐-P1	24	24	83	2776	3035	223	34



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)


1 Hinged Door (Door Opens to the Right)
3 File Drawers (locking)
65" to 71" High Cabinets Include 1 Adjustable Shelf
77" High Cabinets Include 1 Fixed Shelf
83" High Cabinets Include 1 Fixed and 1 Adjustable Shelf
Mechanical interlock allows only one drawer to open at a time
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

MO182066-R-LF-3F-S☐-P1	18	20	65	2253	2509	170	16
MO182072-R-LF-3F-S☐-P1	18	20	71	2409	2663	179	17
MO182078-R-LF-3F-S☐-P1	18	20	77	2560	2818	188	20
MO182084-R-LF-3F-S☐-P1	18	20	83	2714	2968	198	22
MO182466-R-LF-3F-S☐-P1	18	24	65	2287	2541	182	19
MO182472-R-LF-3F-S☐-P1	18	24	71	2441	2696	192	20
MO182478-R-LF-3F-S☐-P1	18	24	77	2594	2850	201	25
MO182484-R-LF-3F-S☐-P1	18	24	83	2747	3003	211	26
MO242066-R-LF-3F-S☐-P1	24	20	65	2282	2539	180	20
MO242072-R-LF-3F-S☐-P1	24	20	71	2438	2694	190	22
MO242078-R-LF-3F-S☐-P1	24	20	77	2591	2848	200	26
MO242084-R-LF-3F-S☐-P1	24	20	83	2743	2999	210	28
MO242466-R-LF-3F-S☐-P1	24	24	65	2318	2574	192	24
MO242472-R-LF-3F-S☐-P1	24	24	71	2472	2728	203	27
MO242478-R-LF-3F-S☐-P1	24	24	77	2623	2882	213	31
MO242484-R-LF-3F-S☐-P1	24	24	83	2776	3035	223	34


P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.



2 Box Drawers
1 File Drawer
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 3 Adjustable Shelves
Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO182054-BBF-BC-P1	18	20	53	1433	132	13
MO182066-BBF-BC-P1	18	20	65	1589	162	16
MO182072-BBF-BC-P1	18	20	71	1743	171	17
MO182078-BBF-BC-P1	18	20	77	1895	181	20
MO182084-BBF-BC-P1	18	20	83	2049	191	22
MO182454-BBF-BC-P1	18	24	53	1470	144	15
MO182466-BBF-BC-P1	18	24	65	1625	174	19
MO182472-BBF-BC-P1	18	24	71	1778	184	20
MO182478-BBF-BC-P1	18	24	77	1931	194	25
MO182484-BBF-BC-P1	18	24	83	2083	204	26
MO242054-BBLF-BC-P1	24	20	53	1463	142	17
MO242066-BBLF-BC-P1	24	20	65	1619	172	20
MO242072-BBLF-BC-P1	24	20	71	1775	182	22
MO242078-BBLF-BC-P1	24	20	77	1926	192	26
MO242084-BBLF-BC-P1	24	20	83	2079	202	28
MO242454-BBLF-BC-P1	24	24	53	1501	154	20
MO242466-BBLF-BC-P1	24	24	65	1656	184	24
MO242472-BBLF-BC-P1	24	24	71	1808	195	27
MO242478-BBLF-BC-P1	24	24	77	1961	205	31
MO242484-BBLF-BC-P1	24	24	83	2116	215	34



2 File Drawers
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 3 Adjustable Shelves
Shipped Assembled


MO182054-FF-BC-P1	18	20	53	1433	133	13
MO182066-FF-BC-P1	18	20	65	1589	163	16
MO182072-FF-BC-P1	18	20	71	1743	172	17
MO182078-FF-BC-P1	18	20	77	1895	181	20
MO182084-FF-BC-P1	18	20	83	2049	191	22
MO182454-FF-BC-P1	18	24	53	1470	145	15
MO182466-FF-BC-P1	18	24	65	1625	175	19
MO182472-FF-BC-P1	18	24	71	1778	185	20
MO182478-FF-BC-P1	18	24	77	1931	194	25
MO182484-FF-BC-P1	18	24	83	2083	204	26
MO242054-LF-BC-P1	24	20	53	1463	143	17
MO242066-LF-BC-P1	24	20	65	1619	173	20
MO242072-LF-BC-P1	24	20	71	1775	183	22
MO242078-LF-BC-P1	24	20	77	1926	192	26
MO242084-LF-BC-P1	24	20	83	2079	202	28
MO242454-LF-BC-P1	24	24	53	1501	155	20
MO242466-LF-BC-P1	24	24	65	1656	185	24
MO242472-LF-BC-P1	24	24	71	1808	196	27
MO242478-LF-BC-P1	24	24	77	1961	205	31
MO242484-LF-BC-P1	24	24	83	2116	215	34

P1 pull handles are standard.
For optional handle styles see page 13.



53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 3 Adjustable Shelves
2 Lateral File Drawers
Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO302066-LF-BC-P1	30	20	65	1743	232	25
MO362066-LF-BC-P1	36	20	65	1823	242	30
MO302466-LF-BC-P1	30	24	65	1839	244	30
MO362466-LF-BC-P1	36	24	65	1920	254	36
MO302072-LF-BC-P1	30	20	71	1893	243	28
MO362072-LF-BC-P1	36	20	71	1962	254	33
MO302472-LF-BC-P1	30	24	71	1993	256	33
MO362472-LF-BC-P1	36	24	71	2062	268	39
MO302078-LF-BC-P1	30	20	77	2152	262	33
MO362078-LF-BC-P1	36	20	77	2185	273	39
MO302478-LF-BC-P1	30	24	77	2191	275	39
MO362478-LF-BC-P1	36	24	77	2272	287	46
MO302084-LF-BC-P1	30	20	83	2313	272	35
MO362084-LF-BC-P1	36	20	83	2345	283	42
MO302484-LF-BC-P1	30	24	83	2354	285	41
MO362484-LF-BC-P1	36	24	83	2421	297	49




Double Hinged Doors on Bottom (with 1 Adjustable Shelf)
53" High Cabinet Includes 1 Adjustable Shelf on Top
65" to 71" High Cabinets Include 2 Adjustable Shelves on Top
77" to 83" High Cabinets Include 3 Adjustable Shelves on Top
Shipped Assembled

MO302054-SC-BO-P1	30	20	53	1383	171	21
MO362054-SC-BO-P1	36	20	53	1478	181	25
MO302454-SC-BO-P1	30	24	53	1481	183	24
MO362454-SC-BO-P1	36	24	53	1562	193	29
MO302066-SC-BO-P1	30	20	65	1549	201	25
MO362066-SC-BO-P1	36	20	65	1583	211	30
MO302466-SC-BO-P1	30	24	65	1609	213	30
MO362466-SC-BO-P1	36	24	65	1724	223	36
MO302072-SC-BO-P1	30	20	71	1614	212	28
MO362072-SC-BO-P1	36	20	71	1646	223	33
MO302472-SC-BO-P1	30	24	71	1770	225	33
MO362472-SC-BO-P1	36	24	71	1818	237	39
MO302078-SC-BO-P1	30	20	77	1971	223	33
MO362078-SC-BO-P1	36	20	77	2004	233	39
MO302478-SC-BO-P1	30	24	77	2008	235	39
MO362478-SC-BO-P1	36	24	77	2088	247	46
MO302084-SC-BO-P1	30	20	83	2131	233	35
MO362084-SC-BO-P1	36	20	83	2190	243	42
MO302484-SC-BO-P1	30	24	83	2170	245	41
MO362484-SC-BO-P1	36	24	83	2250	257	49

P1 pull handles are standard.
For optional handle styles see page 13.



Laminate Door = S**C**
(locking)




Frosted Acrylic Door = S**Z**
(non-locking)


Double Hinged Doors
2 Lateral File Drawers
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 fixed and 2 Adjustable Shelves
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO302054-LF-S☐-P1	30	20	53	1764	2295	223	21
MO362054-LF-S☐-P1	36	20	53	1831	2327	233	25
MO302454-LF-S☐-P1	30	24	53	1829	2331	235	24
MO362454-LF-S☐-P1	36	24	53	1902	2364	245	29
MO302066-LF-S☐-P1	30	20	65	1936	2459	253	25
MO362066-LF-S☐-P1	36	20	65	2021	2492	263	30
MO302466-LF-S☐-P1	30	24	65	2020	2495	265	30
MO362466-LF-S☐-P1	36	24	65	2101	2527	275	36
MO302072-LF-S☐-P1	30	20	71	2100	2622	264	28
MO362072-LF-S☐-P1	36	20	71	2169	2655	275	33
MO302472-LF-S☐-P1	30	24	71	2160	2659	277	33
MO362472-LF-S☐-P1	36	24	71	2242	2691	289	39
MO302078-LF-S☐-P1	30	20	77	2335	2783	274	33
MO362078-LF-S☐-P1	36	20	77	2377	2818	285	39
MO302478-LF-S☐-P1	30	24	77	2381	2820	287	39
MO362478-LF-S☐-P1	36	24	77	2453	2852	299	46
MO302084-LF-S☐-P1	30	20	83	2496	2944	284	35
MO362084-LF-S☐-P1	36	20	83	2540	2980	295	42
MO302484-LF-S☐-P1	30	24	83	2545	2983	297	41
MO362484-LF-S☐-P1	36	24	83	2614	3016	309	49



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)


Double Hinged Doors on Top
Double Hinged Doors on Bottom (with 1 Adjustable Shelf)
53" High Cabinet Includes 1 Adjustable Shelf on Top
65" to 71" High Cabinets Include 2 Adjustable Shelves on Top
77" to 83" High Cabinets Include 1 fixed and 2 Adjustable Shelves on Top
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³
MO302054-SC-S☐-P1	30	20	53	1566	2111	190	21
MO362054-SC-S☐-P1	36	20	53	1648	2148	200	25
MO302454-SC-S☐-P1	30	24	53	1652	2151	202	24
MO362454-SC-S☐-P1	36	24	53	1732	2182	212	29
MO302066-SC-S☐-P1	30	20	65	1732	2277	220	25
MO362066-SC-S☐-P1	36	20	65	1799	2311	230	30
MO302466-SC-S☐-P1	30	24	65	1813	2313	232	30
MO362466-SC-S☐-P1	36	24	65	1846	2345	242	36
MO302072-SC-S☐-P1	30	20	71	1893	2441	231	28
MO362072-SC-S☐-P1	36	20	71	1926	2473	242	33
MO302472-SC-S☐-P1	30	24	71	1991	2476	244	33
MO362472-SC-S☐-P1	36	24	71	2024	2509	256	39
MO302078-SC-S☐-P1	30	20	77	2152	2603	241	33
MO362078-SC-S☐-P1	36	20	77	2185	2636	252	39
MO302478-SC-S☐-P1	30	24	77	2190	2638	254	39
MO362478-SC-S☐-P1	36	24	77	2269	2670	266	46
MO302084-SC-S☐-P1	30	20	83	2313	2767	251	35
MO362084-SC-S☐-P1	36	20	83	2345	2798	262	42
MO302484-SC-S☐-P1	30	24	83	2353	2800	264	41
MO362484-SC-S☐-P1	36	24	83	2432	2832	277	49

P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

Double Hinged Door Cabinet with 3 Lateral File Drawers
65" to 71" High Cabinets Include 1 Adjustable Shelf
77" High Cabinet Includes 1 Fixed Shelf
83" High Cabinets Include 1 Fixed and 1 Adjustable Shelf
Mechanical interlock allows only one drawer to open at a time

☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO302066-LF-3F-S☐-P1	30	20	65	2419	2963	284	25
MO362066-LF-3F-S☐-P1	36	20	65	2477	2996	294	30
MO302466-LF-3F-S☐-P1	30	24	65	2481	3002	296	30
MO362466-LF-3F-S☐-P1	36	24	65	2574	3033	306	36
MO302072-LF-3F-S☐-P1	30	20	71	2583	3128	295	28
MO362072-LF-3F-S☐-P1	36	20	71	2640	3161	306	33
MO302472-LF-3F-S☐-P1	30	24	71	2620	3167	308	33
MO362472-LF-3F-S☐-P1	36	24	71	2748	3197	320	39
MO302078-LF-3F-S☐-P1	30	20	77	2771	3292	305	33
MO362078-LF-3F-S☐-P1	36	20	77	2874	3325	316	39
MO302478-LF-3F-S☐-P1	30	24	77	2876	3328	318	39
MO362478-LF-3F-S☐-P1	36	24	77	2935	3360	330	46
MO302084-LF-3F-S☐-P1	30	20	83	2932	3452	315	35
MO362084-LF-3F-S☐-P1	36	20	83	3036	3488	326	42
MO302484-LF-3F-S☐-P1	30	24	83	3038	3490	328	41
MO362484-LF-3F-S☐-P1	36	24	83	3096	3521	340	49

P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.

SIDE BOOKCASE CABINETS

MODERN SERIES



1 Coat Rod in Personal Wardrobe Tower on Left
2 Box Drawers
1 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242454-L-WT-BBF-SB-P1	24	24	53	2182	170	20
MO242466-L-WT-BBF-SB-P1	24	24	65	2345	200	24
MO242472-L-WT-BBF-SB-P1	24	24	71	2509	211	27

53" High Cabinet Include 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
Shipped Assembled

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.



1 Coat Rod in Personal Wardrobe Tower on Right
2 Box Drawers
1 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242454-R-WT-BBF-SB-P1	24	24	53	2182	170	20
MO242466-R-WT-BBF-SB-P1	24	24	65	2345	200	24
MO242472-R-WT-BBF-SB-P1	24	24	71	2509	211	27

53" High Cabinet Include 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
Shipped Assembled

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.



1 Coat Rod in Personal Wardrobe Tower on Left
2 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242454-L-WT-FF-SB-P1	24	24	53	2182	170	20
MO242466-L-WT-FF-SB-P1	24	24	65	2345	200	24
MO242472-L-WT-FF-SB-P1	24	24	71	2509	211	27

53" High Cabinet Include 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
Shipped Assembled

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.




1 Coat Rod in Personal Wardrobe Tower on Right
2 File Drawer

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242454-R-WT-FF-SB-P1	24	24	53	2182	170	20
MO242466-R-WT-FF-SB-P1	24	24	65	2345	200	24
MO242472-R-WT-FF-SB-P1	24	24	71	2509	211	27

53" High Cabinet Include 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
Shipped Assembled

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.

P1 pull handles are standard.
For optional handle styles see page 13.




Laminate Doors = F**C**
(locking)




Frosted Acrylic Doors = F**Z**
(non-locking)

2 Hinged Doors
1 Fixed Shelf
1 Coat Rod
Shipped Assembled

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door							
MO302054-WR-F☐-P1	30	20	53	1478	2335	153	21
MO362054-WR-F☐-P1	36	20	53	1509	2367	163	25
MO302454-WR-F☐-P1	30	24	53	1514	2372	165	24
MO362454-WR-F☐-P1	36	24	53	1544	2404	175	29
MO302066-WR-F☐-P1	30	20	65	1633	2491	183	25
MO362066-WR-F☐-P1	36	20	65	1663	2521	193	30
MO302466-WR-F☐-P1	30	24	65	1668	2527	195	30
MO362466-WR-F☐-P1	36	24	65	1698	2559	205	36
MO302072-WR-F☐-P1	30	20	71	1785	2644	194	28
MO362072-WR-F☐-P1	36	20	71	1817	2675	205	33
MO302472-WR-F☐-P1	30	24	71	1825	2683	207	33
MO362472-WR-F☐-P1	36	24	71	1855	2714	219	39
MO302078-WR-F☐-P1	30	20	77	1940	2799	206	33
MO362078-WR-F☐-P1	36	20	77	1971	2829	217	39
MO302478-WR-F☐-P1	30	24	77	1976	2833	219	39
MO362478-WR-F☐-P1	36	24	77	2008	2864	231	46
MO302084-WR-F☐-P1	30	20	83	2093	2952	218	35
MO362084-WR-F☐-P1	36	20	83	2123	2983	229	42
MO302484-WR-F☐-P1	30	24	83	2130	2988	231	41
MO362484-WR-F☐-P1	36	24	83	2160	3019	243	49



Laminate Door = F**C**
(locking)




Frosted Acrylic Door = F**Z**
(non-locking)

1 Hinged Door (Door Opens to the Left)
1 Fixed Shelf
1 Coat Rod
Shipped Assembled


Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door							
MO122054-L-WR-F☐-P1	12	20	53	1356	1784	88	9
MO182054-L-WR-F☐-P1	18	20	53	1387	1814	98	13
MO242054-L-WR-F☐-P1	24	20	53	1418	1846	108	17
MO122454-L-WR-F☐-P1	12	24	53	1391	1822	100	10
MO182454-L-WR-F☐-P1	18	24	53	1420	1853	110	15
MO242454-L-WR-F☐-P1	24	24	53	1451	1882	120	20
MO122066-L-WR-F☐-P1	12	20	65	1510	1940	118	11
MO182066-L-WR-F☐-P1	18	20	65	1540	1971	128	16
MO242066-L-WR-F☐-P1	24	20	65	1573	2002	138	20
MO122466-L-WR-F☐-P1	12	24	65	1544	1975	130	13
MO182466-L-WR-F☐-P1	18	24	65	1577	2006	140	19
MO242466-L-WR-F☐-P1	24	24	65	1606	2036	150	24
MO122072-L-WR-F☐-P1	12	20	71	1664	2096	126	12
MO182072-L-WR-F☐-P1	18	20	71	1694	2128	137	17
MO242072-L-WR-F☐-P1	24	20	71	1724	2157	148	22
MO122472-L-WR-F☐-P1	12	24	71	1698	2130	139	14
MO182472-L-WR-F☐-P1	18	24	71	1729	2160	150	20
MO242472-L-WR-F☐-P1	24	24	71	1760	2190	161	27
MO122078-L-WR-F☐-P1	12	20	77	1817	2248	136	14
MO182078-L-WR-F☐-P1	18	20	77	1849	2279	147	20
MO242078-L-WR-F☐-P1	24	20	77	1880	2309	158	26
MO122478-L-WR-F☐-P1	12	24	77	1854	2281	149	17
MO182478-L-WR-F☐-P1	18	24	77	1883	2312	160	25
MO242478-L-WR-F☐-P1	24	24	77	1914	2342	171	31
MO122084-L-WR-F☐-P1	12	20	83	1971	2400	146	15
MO182084-L-WR-F☐-P1	18	20	83	2002	2433	157	22
MO242084-L-WR-F☐-P1	24	20	83	2033	2463	168	28
MO122484-L-WR-F☐-P1	12	24	83	2006	2436	159	18
MO182484-L-WR-F☐-P1	18	24	83	2036	2465	170	26
MO242484-L-WR-F☐-P1	24	24	83	2067	2496	181	34

P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.



Laminate Door = F**C**
(locking)




Frosted Acrylic Door = F**Z**
(non-locking)


1 Hinged Door (Door Opens to the Right)
1 Fixed Shelf
1 Coat Rod
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO122054-R-WR-F☐-P1	12	20	53	1356	1784	88	9
MO182054-R-WR-F☐-P1	18	20	53	1387	1814	98	13
MO242054-R-WR-F☐-P1	24	20	53	1418	1846	108	17
MO122454-R-WR-F☐-P1	12	24	53	1391	1822	100	10
MO182454-R-WR-F☐-P1	18	24	53	1420	1853	110	15
MO242454-R-WR-F☐-P1	24	24	53	1451	1882	120	20
MO122066-R-WR-F☐-P1	12	20	65	1510	1940	118	11
MO182066-R-WR-F☐-P1	18	20	65	1540	1971	128	16
MO242066-R-WR-F☐-P1	24	20	65	1573	2002	138	20
MO122466-R-WR-F☐-P1	12	24	65	1544	1975	130	13
MO182466-R-WR-F☐-P1	18	24	65	1577	2006	140	19
MO242466-R-WR-F☐-P1	24	24	65	1606	2036	150	24
MO122072-R-WR-F☐-P1	12	20	71	1664	2096	126	12
MO182072-R-WR-F☐-P1	18	20	71	1694	2128	137	17
MO242072-R-WR-F☐-P1	24	20	71	1724	2157	148	22
MO122472-R-WR-F☐-P1	12	24	71	1698	2130	139	14
MO182472-R-WR-F☐-P1	18	24	71	1729	2160	150	20
MO242472-R-WR-F☐-P1	24	24	71	1760	2190	161	27
MO122078-R-WR-F☐-P1	12	20	77	1817	2248	136	14
MO182078-R-WR-F☐-P1	18	20	77	1849	2279	147	20
MO242078-R-WR-F☐-P1	24	20	77	1880	2309	158	26
MO122478-R-WR-F☐-P1	12	24	77	1854	2281	149	17
MO182478-R-WR-F☐-P1	18	24	77	1883	2312	160	25
MO242478-R-WR-F☐-P1	24	24	77	1914	2342	171	31
MO122084-R-WR-F☐-P1	12	20	83	1971	2400	146	15
MO182084-R-WR-F☐-P1	18	20	83	2002	2433	157	22
MO242084-R-WR-F☐-P1	24	20	83	2033	2463	168	28
MO122484-R-WR-F☐-P1	12	24	83	2006	2436	159	18
MO182484-R-WR-F☐-P1	18	24	83	2036	2465	170	26
MO242484-R-WR-F☐-P1	24	24	83	2067	2496	181	34



Laminate Doors = S**C**
(locking)



Frosted Acrylic Doors = S**Z**
(non-locking)

2 Hinged Doors
1 Fixed Shelf and Coat Rod on Right
4 Adjustable Shelves on Left
Inside width of each compartment is 16-5/8"
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door


Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO362066-R-WC-S☐-P1	36	20	65	2180	3038	220	30
MO362466-R-WC-S☐-P1	36	24	65	2213	3074	232	36
MO362072-R-WC-S☐-P1	36	20	71	2333	3193	232	33
MO362472-R-WC-S☐-P1	36	24	71	2367	3228	246	39

P1 pull handles are standard.
For optional handle styles see page 13.


For optional locks see page 11.

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³ [3]
MO242054-L-WT-S☐-P1	24	20	53	1855	2367	149	17
MO242454-L-WT-S☐-P1	24	24	53	1888	2404	161	20
MO242066-L-WT-S☐-P1	24	20	65	2009	2521	179	20
MO242466-L-WT-S☐-P1	24	24	65	2041	2559	191	24
MO242072-L-WT-S☐-P1	24	20	71	2162	2675	189	22
MO242472-L-WT-S☐-P1	24	24	71	2195	2714	202	27
MO242078-L-WT-S☐-P1	24	20	77	2317	2829	199	26
MO242478-L-WT-S☐-P1	24	24	77	2349	2864	212	31
MO242084-L-WT-S☐-P1	24	20	83	2468	2983	209	28
MO242484-L-WT-S☐-P1	24	24	83	2502	3019	222	34



Laminate Door = S**C**
(locking)




Frosted Acrylic Door = S**Z**
(non-locking)

1 Coat Rod in Personal Wardrobe Tower on Left
Adjustable Shelves in Storage Cabinet on Right
53" High Cabinet Includes 3 Adjustable Shelves
65" to 71" High Cabinets Include 4 Adjustable Shelves
77" High Cabinets Include 1 Fixed and 3 Adjustable Shelves
83" High Cabinets Include 1 Fixed and 4 Adjustable Shelves
Shipped Assembled


Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

MO242054-R-WT-S☐-P1	24	20	53	1855	2367	149	17
MO242454-R-WT-S☐-P1	24	24	53	1888	2404	161	20
MO242066-R-WT-S☐-P1	24	20	65	2009	2521	179	20
MO242466-R-WT-S☐-P1	24	24	65	2041	2559	191	24
MO242072-R-WT-S☐-P1	24	20	71	2162	2675	189	22
MO242472-R-WT-S☐-P1	24	24	71	2195	2714	202	27
MO242078-R-WT-S☐-P1	24	20	77	2317	2829	199	26
MO242478-R-WT-S☐-P1	24	24	77	2349	2864	212	31
MO242084-R-WT-S☐-P1	24	20	83	2468	2983	209	28
MO242484-R-WT-S☐-P1	24	24	83	2502	3019	222	34



Laminate Door = S**C**
(locking)




Frosted Acrylic Door = S**Z**
(non-locking)

1 Coat Rod in Personal Wardrobe Tower on Right
Adjustable Shelves in Storage Cabinet on Left
53" High Cabinet Includes 3 Adjustable Shelves
65" to 71" High Cabinets Include 4 Adjustable Shelves
77" High Cabinets Include 1 Fixed and 3 Adjustable Shelves
83" High Cabinets Include 1 Fixed and 4 Adjustable Shelves
Shipped Assembled


Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.

P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.



Laminate Door = S**C**
(locking)




Frosted Acrylic Door = S**Z**
(non-locking)

1 Coat Rod in Personal Wardrobe Tower on Left
2 Box Drawers (locking)
1 File Drawer (locking)
Adjustable Shelves in Storage Cabinet on Right
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves
Shipped Assembled

☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³* [3]
MO242054-L-WT-BBF-S☐-P1	24	20	53	2025	2282	168	17
MO242454-L-WT-BBF-S☐-P1	24	24	53	2058	2319	180	20
MO242066-L-WT-BBF-S☐-P1	24	20	65	2180	2438	198	20
MO242466-L-WT-BBF-S☐-P1	24	24	65	2213	2473	210	24
MO242072-L-WT-BBF-S☐-P1	24	20	71	2333	2592	208	22
MO242472-L-WT-BBF-S☐-P1	24	24	71	2367	2627	221	27
MO242078-L-WT-BBF-S☐-P1	24	20	77	2486	2744	218	26
MO242478-L-WT-BBF-S☐-P1	24	24	77	2519	2778	231	31
MO242084-L-WT-BBF-S☐-P1	24	20	83	2639	2899	228	28
MO242484-L-WT-BBF-S☐-P1	24	24	83	2671	2934	241	34

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

1 Coat Rod in Personal Wardrobe Tower on Right
2 Box Drawers (locking)
1 File Drawer (locking)
Adjustable Shelves in Storage Cabinet on Left
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves
Shipped Assembled


☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

MO242054-R-WT-BBF-S☐-P1	24	20	53	2025	2282	168	17
MO242454-R-WT-BBF-S☐-P1	24	24	53	2058	2319	180	20
MO242066-R-WT-BBF-S☐-P1	24	20	65	2180	2438	198	20
MO242466-R-WT-BBF-S☐-P1	24	24	65	2213	2473	210	24
MO242072-R-WT-BBF-S☐-P1	24	20	71	2333	2592	208	22
MO242472-R-WT-BBF-S☐-P1	24	24	71	2367	2627	221	27
MO242078-R-WT-BBF-S☐-P1	24	20	77	2486	2744	218	26
MO242478-R-WT-BBF-S☐-P1	24	24	77	2519	2778	231	31
MO242084-R-WT-BBF-S☐-P1	24	20	83	2639	2899	228	28
MO242484-R-WT-BBF-S☐-P1	24	24	83	2671	2934	241	34


Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.

P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.



Laminate Door = S**C**
(locking)




Frosted Acrylic Door = S**Z**
(non-locking)

1 Coat Rod in Personal Wardrobe Tower on Left
2 File Drawers (locking)
Adjustable Shelves in Storage Cabinet on Right
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves
Shipped Assembled


☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³ [3]
MO242054-L-WT-FF-S☐-P1	24	20	53	2025	2282	169	17
MO242454-L-WT-FF-S☐-P1	24	24	53	2058	2319	181	20
MO242066-L-WT-FF-S☐-P1	24	20	65	2180	2438	199	20
MO242466-L-WT-FF-S☐-P1	24	24	65	2213	2473	211	24
MO242072-L-WT-FF-S☐-P1	24	20	71	2333	2592	209	22
MO242472-L-WT-FF-S☐-P1	24	24	71	2367	2627	222	27
MO242078-L-WT-FF-S☐-P1	24	20	77	2486	2744	219	26
MO242478-L-WT-FF-S☐-P1	24	24	77	2519	2778	232	31
MO242084-L-WT-FF-S☐-P1	24	20	83	2639	2899	229	28
MO242484-L-WT-FF-S☐-P1	24	24	83	2671	2934	242	34

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

1 Coat Rod in Personal Wardrobe Tower on Right
2 File Drawers (locking)
Adjustable Shelves in Storage Cabinet on Left
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves
Shipped Assembled


☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	LB	FT³ [3]
MO242054-R-WT-FF-S☐-P1	24	20	53	2025	2282	169	17
MO242454-R-WT-FF-S☐-P1	24	24	53	2058	2319	181	20
MO242066-R-WT-FF-S☐-P1	24	20	65	2180	2438	199	20
MO242466-R-WT-FF-S☐-P1	24	24	65	2213	2473	211	24
MO242072-R-WT-FF-S☐-P1	24	20	71	2333	2592	209	22
MO242472-R-WT-FF-S☐-P1	24	24	71	2367	2627	222	27
MO242078-R-WT-FF-S☐-P1	24	20	77	2486	2744	219	26
MO242478-R-WT-FF-S☐-P1	24	24	77	2519	2778	232	31
MO242084-R-WT-FF-S☐-P1	24	20	83	2639	2899	229	28
MO242484-R-WT-FF-S☐-P1	24	24	83	2671	2934	242	34


Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.

P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

1 Coat Rod in Personal Wardrobe Tower on Left
3 File Drawers (locking)
1 Hinged Door Storage Cabinet (Door Opens to the Right)
65" to 71" High Cabinets Include 1 Adjustable Shelf
77" High Cabinet Includes 1 Fixed Shelf
83" High Cabinet Includes 1 Fixed and 1 Adjustable Shelf
Shipped Assembled


☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³* [3]
MO242066-L-WT-3F-S☐-P1	24	20	65	2350	2611	206	20
MO242466-L-WT-3F-S☐-P1	24	24	65	2384	2642	218	24
MO242072-L-WT-3F-S☐-P1	24	20	71	2505	2764	216	22
MO242472-L-WT-3F-S☐-P1	24	24	71	2538	2799	229	27
MO242078-L-WT-3F-S☐-P1	24	20	77	2659	2916	226	26
MO242478-L-WT-3F-S☐-P1	24	24	77	2691	2952	239	31
MO242084-L-WT-3F-S☐-P1	24	20	83	2810	3070	236	28
MO242484-L-WT-3F-S☐-P1	24	24	83	2846	3105	249	34

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.



Laminate Door = S**C**
(locking)



Frosted Acrylic Door = S**Z**
(non-locking)

1 Coat Rod in Personal Wardrobe Tower on Right
3 File Drawers (locking)
1 Hinged Door Storage Cabinet (Door Opens to the Left)
65" to 71" High Cabinets Include 1 Adjustable Shelf
77" High Cabinet Includes 1 Fixed Shelf
83" High Cabinet Includes 1 Fixed and 1 Adjustable Shelf
Shipped Assembled


☐ = Specify door type: [C] Laminate Door
[Z] Frosted Acrylic Door

MO242066-R-WT-3F-S☐-P1	24	20	65	2350	2611	206	20
MO242466-R-WT-3F-S☐-P1	24	24	65	2384	2642	218	24
MO242072-R-WT-3F-S☐-P1	24	20	71	2505	2764	216	22
MO242472-R-WT-3F-S☐-P1	24	24	71	2538	2799	229	27
MO242078-R-WT-3F-S☐-P1	24	20	77	2659	2916	226	26
MO242478-R-WT-3F-S☐-P1	24	24	77	2691	2952	239	31
MO242084-R-WT-3F-S☐-P1	24	20	83	2810	3070	236	28
MO242484-R-WT-3F-S☐-P1	24	24	83	2846	3105	249	34


Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.

P1 pull handles are standard.
For optional handle styles see page 13.

For optional locks see page 11.



Laminate Door = S**C**
(locking)




Frosted Acrylic Doors = S**Z**
(non-locking)


No Top Cabinet
28" Height Includes 1 Adjustable Shelf
35" & 40" Height Includes 2 Adjustable Shelves
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO302028-NT-S☐-P1	30	20	28	745	1000	90	11
MO362028-NT-S☐-P1	36	20	28	790	1027	95	14
MO302428-NT-S☐-P1	30	24	28	781	1037	90	14
MO362428-NT-S☐-P1	36	24	28	814	1060	95	17
MO302035-NT-S☐-P1	30	20	34	922	1189	105	14
MO362035-NT-S☐-P1	36	20	34	953	1220	113	16
MO302435-NT-S☐-P1	30	24	34	957	1223	115	16
MO362435-NT-S☐-P1	36	24	34	990	1256	123	19
MO302041-NT-S☐-P1	30	20	40	1048	1327	110	16
MO362041-NT-S☐-P1	36	20	40	1087	1360	122	20
MO302441-NT-S☐-P1	30	24	40	1084	1362	120	19
MO362441-NT-S☐-P1	36	24	40	1124	1395	132	23



Laminate Door = S**C**
(locking)




Frosted Acrylic Door = S**Z**
(non-locking)


No Top Cabinet (Left Opening Door)
28" Height Includes 1 Adjustable Shelf
35" & 40" Height Includes 2 Adjustable Shelves
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO182028-NT-L-S☐-P1	18	20	28	664	941	82	8
MO242028-NT-L-S☐-P1	24	20	28	690	967	85	9
MO182428-NT-L-S☐-P1	18	24	28	698	970	82	8
MO242428-NT-L-S☐-P1	24	24	28	723	996	85	11
MO182035-NT-L-S☐-P1	18	20	34	830		92	8
MO242035-NT-L-S☐-P1	24	20	34	856	1123	95	11
MO182435-NT-L-S☐-P1	18	24	34	864	1131	102	8
MO242435-NT-L-S☐-P1	24	24	34	890	1157	105	13
MO182041-NT-L-S☐-P1	18	20	40	990	1268	95	8
MO242041-NT-L-S☐-P1	24	20	40	1016	1294	98	13
MO182441-NT-L-S☐-P1	18	24	40	1027	1305	105	8
MO242441-NT-L-S☐-P1	24	24	40	1053	1331	108	15



Laminate Door = S**C**
(locking)




Frosted Acrylic Door = S**Z**
(non-locking)

No Top Cabinet (Right Opening Door)
28" Height Includes 1 Adjustable Shelf
35" & 40" Height Includes 2 Adjustable Shelves
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Frosted Acrylic Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	FROSTED ACRYLIC DOOR (Z) $	*LB*	*FT³*
MO182028-NT-R-S☐-P1	18	20	28	664	941	82	8
MO242028-NT-R-S☐-P1	24	20	28	690	967	85	9
MO182428-NT-R-S☐-P1	18	24	28	698	970	82	8
MO242428-NT-R-S☐-P1	24	24	28	723	996	85	11
MO182035-NT-R-S☐-P1	18	20	34	830		92	8
MO242035-NT-R-S☐-P1	24	20	34	856	1123	95	11
MO182435-NT-R-S☐-P1	18	24	34	864	1131	102	8
MO242435-NT-R-S☐-P1	24	24	34	890	1157	105	13
MO182041-NT-R-S☐-P1	18	20	40	990	1268	95	8
MO242041-NT-R-S☐-P1	24	20	40	1016	1294	98	13
MO182441-NT-R-S☐-P1	18	24	40	1027	1305	105	8
MO242441-NT-R-S☐-P1	24	24	40	1053	1331	108	15

P1 pull handles are standard. For optional handle styles see page 13.



No Top Cabinet

2 Lateral File Drawers

Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242028-NT-LF-P1	24	20	28	905	104	9
MO302028-NT-LF-P1	30	20	28	943	114	11
MO362028-NT-LF-P1	36	20	28	995	124	14
MO242428-NT-LF-P1	24	24	28	940	104	11
MO302428-NT-LF-P1	30	24	28	993	114	14
MO362428-NT-LF-P1	36	24	28	1031	124	17




No Top Cabinet

3 Lateral File Drawers

Mechanical interlock allows only one drawer to open at a time

Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242041-NT-LF-3F-P1	24	20	40	1549	165	13
MO302041-NT-LF-3F-P1	30	20	40	1581	175	16
MO362041-NT-LF-3F-P1	36	20	40	1615	185	20
MO242441-NT-LF-3F-P1	24	24	40	1585	176	16
MO302441-NT-LF-3F-P1	30	24	40	1621	186	19
MO362441-NT-LF-3F-P1	36	24	40	1652	196	23




No Top Cabinet

1 Open Compartment

1 Lateral File Drawer

Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242028-NT-ML-OP-P1	24	20	28	752	108	9
MO302028-NT-ML-OP-P1	30	20	28	785	113	11
MO362028-NT-ML-OP-P1	36	20	28	820	118	14
MO242428-NT-ML-OP-P1	24	24	28	790	108	11
MO302428-NT-ML-OP-P1	30	24	28	823	113	14
MO362428-NT-ML-OP-P1	36	24	28	858	118	17



No Top Cabinet


1 Open Compartment

2 Lateral File Drawers

Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242041-NT-LF-2F-OP-P1	24	20	40	1336	126	13
MO302041-NT-LF-2F-OP-P1	30	20	40	1371	148	16
MO362041-NT-LF-2F-OP-P1	36	20	40	1402	160	20
MO242441-NT-LF-2F-OP-P1	24	24	40	1376	146	15
MO302441-NT-LF-2F-OP-P1	30	24	40	1409	148	19
MO362441-NT-LF-2F-OP-P1	36	24	40	1441	170	23

P1 pull handles are standard.
For optional handle styles see page 13.




No Top Cabinet
1 Hinged Door
Mini Storage Cabinet
2 Box Drawers*
1 Lateral File Drawer
*Pencil tray not included
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO302028-NT-ML-HD-BB-P1	30	20	28	1351	124	11
MO362028-NT-ML-HD-BB-P1	36	20	28	1363	134	14
MO302428-NT-ML-HD-BB-P1	30	24	28	1389	134	13
MO362428-NT-ML-HD-BB-P1	36	24	28	1402	144	17




No Top Cabinet
1 Lateral File Drawer
1 File Drawer
2 Box Drawers*
*Pencil tray not included

MO302028-NT-ML-F-BB-P1	30	20	28	1511	134	11
MO362028-NT-ML-F-BB-P1	36	20	28	1527	144	14
MO302428-NT-ML-F-BB-P1	30	24	28	1550	144	13
MO362428-NT-ML-F-BB-P1	36	24	28	1565	154	17



No Top Cabinet
1 Hinged Door
Mini Storage Cabinet
1 File Drawer
1 Lateral File Drawer
Shipped Assembled


MO302028-NT-ML-HD-F-P1	30	20	28	1351	124	11
MO362028-NT-ML-HD-F-P1	36	20	28	1363	134	14
MO302428-NT-ML-HD-F-P1	30	24	28	1389	134	13
MO362428-NT-ML-HD-F-P1	36	24	28	1402	144	17



No Top Bookcase
1 Adjustable Shelf
Shipped Assembled


MO242028-NT-BC	24	20	28	541	73	9
MO302028-NT-BC	30	20	28	576	78	11
MO362028-NT-BC	36	20	28	611	83	14
MO242428-NT-BC	24	24	28	613	75	11
MO302428-NT-BC	30	24	28	645	80	14
MO362428-NT-BC	36	24	28	678	85	17
MO242035-NT-BC	24	20	34	707	78	11
MO302035-NT-BC	30	20	34	753	83	14
MO362035-NT-BC	36	20	34	774	88	16
MO242435-NT-BC	24	24	34	779	80	13
MO302435-NT-BC	30	24	34	821	85	16
MO362435-NT-BC	36	24	34	855	90	19
MO242041-NT-BC	24	20	40	867	83	13
MO302041-NT-BC	30	20	40	880	88	16
MO362041-NT-BC	36	20	40	908	93	20
MO242441-NT-BC	24	24	40	942	85	15
MO302441-NT-BC	30	24	40	947	90	19
MO362441-NT-BC	36	24	40	988	95	23

P1 pull handles are standard.
For optional handle styles see page 13.




No Top Cabinet
1 Open Compartment
1 Mini Storage Cabinet
Unfinished Upper Edges
Non Locking
Drilled to Accept a Top
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO242028-NT-MC-OP-P1	24	20	28	735	82	9
MO302028-NT-MC-OP-P1	30	20	28	747	92	11
MO362028-NT-MC-OP-P1	36	20	28	782	102	14
MO242428-NT-MC-OP-P1	24	24	28	771	92	11
MO302428-NT-MC-OP-P1	30	24	28	785	102	14
MO362428-NT-MC-OP-P1	36	24	28	820	112	17




No Top Cabinet
1 Open Compartment
1 Adjustable Shelf in Storage Cabinet
Unfinished Upper Edges
Locking
Drilled to Accept a Top
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO302041-NT-SC-OP-P1	30	20	40	1087	110	16
MO362041-NT-SC-OP-P1	36	20	40	1127	122	20
MO302441-NT-SC-OP-P1	30	24	40	1124	120	19
MO362441-NT-SC-OP-P1	36	24	40	1169	132	23



No Top Cabinet
1 Open Compartment
1 Adjustable Shelf in Storage Cabinet
Left Opening Door
Unfinished Upper Edges
Locking
Drilled to Accept a Top
Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO182041-NT-L-SC-OP-P1	18	20	40	1018	86	10
MO242041-NT-L-SC-OP-P1	24	20	40	1056	98	13
MO182441-NT-L-SC-OP-P1	18	24	40	1058	96	12
MO242441-NT-L-SC-OP-P1	24	24	40	1092	108	15



No Top Cabinet
1 Open Compartment
1 Adjustable Shelf in Storage Cabinet
Right Opening Door
Unfinished Upper Edges
Locking
Drilled to Accept a Top
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO182041-NT-R-SC-OP-P1	18	20	40	1018	86	10
MO242041-NT-R-SC-OP-P1	24	20	40	1056	98	13
MO182441-NT-R-SC-OP-P1	18	24	40	1058	96	12
MO242441-NT-R-SC-OP-P1	24	24	40	1092	108	15

P1 pull handles are standard.
For optional handle styles see page 13.



Rectangular Top




Example: MO6024-TP Worksurface Top shown with two MO302440-NT-SC-OP-P1 No Top Cabinets

	Model No.	W	D	H	Price	LB	FT³
20"	MO1820-TP	18	20	1	117	9	0.7
	MO2420-TP	24	20	1	147	12	0.9
	MO3020-TP	30	20	1	177	15	1.2
	MO3620-TP	36	20	1	206	18	1.4
	MO4220-TP	42	20	1	250	20	1.6
	MO4820-TP	48	20	1	295	23	1.8
	MO5420-TP	54	20	1	323	26	2
	MO6020-TP	60	20	1	367	29	2.3
	MO6620-TP	66	20	1	398	32	2.5
	MO7220-TP	72	20	1	442	35	2.7
	MO7820-TP	78	20	1	484	38	2.9
	MO8420-TP	84	20	1	514	41	3.1
	MO9020-TP	90	20	1	560	44	3
	MO9620-TP	96	20	1	604	47	3.6
24"	MO2424-TP	24	24	1	177	14	1.1
	MO3024-TP	30	24	1	206	18	1.4
	MO3624-TP	36	24	1	235	21	1.6
	MO4224-TP	42	24	1	279	25	1.9
	MO4824-TP	48	24	1	323	28	2.2
	MO5424-TP	54	24	1	354	32	2.4
	MO6024-TP	60	24	1	398	35	2.7
	MO6624-TP	66	24	1	426	39	2.9
	MO7224-TP	72	24	1	472	42	3.2
	MO7824-TP	78	24	1	514	46	3.5
	MO8424-TP	84	24	1	543	49	3.7
	MO9024-TP	90	24	1	589	53	4
	MO9624-TP	96	24	1	634	56	4.3
30"	MO3030-TP	30	30	1	339	22	1.7
	MO3630-TP	36	30	1	367	26	2
	MO4230-TP	42	30	1	398	31	2.3
	MO4830-TP	48	30	1	426	35	2.7
	MO5430-TP	54	30	1	456	39	3
	MO6030-TP	60	30	1	484	44	3.3
	MO6630-TP	66	30	1	530	48	3.6
	MO7230-TP	72	30	1	574	53	4
	MO7830-TP	78	30	1	617	57	4.3
	MO8430-TP	84	30	1	662	61	4.6
	MO9030-TP	90	30	1	721	66	5
	MO9630-TP	96	30	1	780	70	5.3
36"	MO3636-TP	36	36	1	450	32	2.4
	MO4236-TP	42	36	1	465	37	2.8
	MO4836-TP	48	36	1	479	42	3.2
	MO5436-TP	54	36	1	522	47	3.6
	MO6036-TP	60	36	1	580	53	4
	MO6636-TP	66	36	1	637	58	4.3
	MO7236-TP	72	36	1	696	63	4.7
	MO7836-TP	78	36	1	752	68	5.1
	MO8436-TP	84	36	1	809	74	5.5
	MO9036-TP	90	36	1	868	79	6
	MO9636-TP	96	36	1	926	84	6.3

Note: Surfaces are not drilled. Assembly onto No-Top Cabinets may require "L" brackets.


LEFT CORNER BOOKCASE



Straight Corner Bookcase
29" High Includes 1 Fixed Shelf and 1 Bottom Shelf
41" High Includes 2 Fixed Shelves and 1 Bottom Shelf
53" High Includes 3 Fixed Shelves and 1 Bottom Shelf
65" to 77" High Includes 4 Fixed Shelves and 1 Bottom Shelf
83" High Includes 5 Fixed Shelves and 1 Bottom Shelf
Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO202029-L-CC-ST-BC	20	20	29	775	102	8
MO242429-L-CC-ST-BC	24	24	29	835	140	11
MO202042-L-CC-ST-BC	20	20	41	1071	108	11
MO242442-L-CC-ST-BC	24	24	41	1106	150	15
MO202054-L-CC-ST-BC	20	20	53	1153	112	14
MO242454-L-CC-ST-BC	24	24	53	1187	155	20
MO202066-L-CC-ST-BC	20	20	65	1236	116	18
MO242466-L-CC-ST-BC	24	24	65	1270	160	25
MO202072-L-CC-ST-BC	20	20	71	1397	125	19
MO242472-L-CC-ST-BC	24	24	71	1433	171	27
MO202078-L-CC-ST-BC	20	20	77	1559	136	22
MO242478-L-CC-ST-BC	24	24	77	1745	183	31
MO202084-L-CC-ST-BC	20	20	83	1721	149	24
MO242484-L-CC-ST-BC	24	24	83	1908	195	34

RIGHT CORNER BOOKCASE



Straight Corner Bookcase
29" High Includes 1 Fixed Shelf and 1 Bottom Shelf
41" High Includes 2 Fixed Shelves and 1 Bottom Shelf
53" High Includes 3 Fixed Shelves and 1 Bottom Shelf
65" to 77" High Includes 4 Fixed Shelves and 1 Bottom Shelf
83" High Includes 5 Fixed Shelves and 1 Bottom Shelf
Shipped Assembled





MO202029-R-CC-ST-BC	20	20	29	775	102	8
MO242429-R-CC-ST-BC	24	24	29	835	140	11
MO202042-R-CC-ST-BC	20	20	41	1071	108	11
MO242442-R-CC-ST-BC	24	24	41	1106	150	15
MO202054-R-CC-ST-BC	20	20	53	1153	112	14
MO242454-R-CC-ST-BC	24	24	53	1187	155	20
MO202066-R-CC-ST-BC	20	20	65	1236	116	18
MO242466-R-CC-ST-BC	24	24	65	1270	160	25
MO202072-R-CC-ST-BC	20	20	71	1397	125	19
MO242472-R-CC-ST-BC	24	24	71	1433	171	27
MO202078-R-CC-ST-BC	20	20	77	1559	136	22
MO242478-R-CC-ST-BC	24	24	77	1745	183	31
MO202084-R-CC-ST-BC	20	20	83	1721	149	24
MO242484-R-CC-ST-BC	24	24	83	1908	195	34



Radius Corner Bookcase
29" High Includes 1 Fixed Shelf and 1 Bottom Shelf
41" High Includes 2 Fixed Shelves and 1 Bottom Shelf
53" High Includes 3 Fixed Shelves and 1 Bottom Shelf
65" to 77" High Includes 4 Fixed Shelves and 1 Bottom Shelf
Shipped Assembled

MO202029-CC-BW-BC	20	20	29	631	102	8
MO242429-CC-BW-BC	24	24	29	697	130	11
MO202042-CC-BW-BC	20	20	41	871	108	11
MO242442-CC-BW-BC	24	24	41	954	140	15
MO202054-CC-BW-BC	20	20	53	976	112	14
MO242454-CC-BW-BC	24	24	53	1049	150	20
MO202066-CC-BW-BC	20	20	65	1083	116	18
MO242466-CC-BW-BC	24	24	65	1190	155	25
MO202072-CC-BW-BC	20	20	71	1246	125	19
MO242472-CC-BW-BC	24	24	71	1340	161	27


Grain on shelves will all run in one direction.
If left and right placement grain direction is needed please contact customer service.

		Model No.	W	D	H	Price	LB	FT³
 Pedestal with side pull  Pedestal with handles	Mobile Pedestal 2 Box Drawers 1 File Drawer Locking Drawers Front Locking Casters Shipped Assembled	With Side Pull	MO161927-MPS-BBF	15¼	19	27	806	54	6
			MO162327-MPS-BBF	15¼	23	27	840	59	7
			MO162927-MPS-BBF	15¼	29	27	873	67	9
		With Handles	MO161927-MP-BBF-P1	15¼	19	27	882	With optional handles	
			MO162327-MP-BBF-P1	15¼	23	27	917	With optional handles	
			MO162927-MP-BBF-P1	15¼	29	27	947	With optional handles	
		P1 pull handles are standard. For optional handle styles see page 13.							
 Pedestal with side pull  Pedestal with handles	Mobile Pedestal 2 File Drawers Locking Drawers Front Locking Casters Shipped Assembled	With Side Pull	MO161927-MPS-FF	15¼	19	27	806	56	6
			MO162327-MPS-FF	15¼	23	27	840	60	7
			MO162927-MPS-FF	15¼	29	27	873	68	9
		With Handles	MO161927-MP-FF-P1	15¼	19	27	857	With optional handles	
			MO162327-MP-FF-P1	15¼	23	27	891	With optional handles	
			MO162927-MP-FF-P1	15¼	29	27	922	With optional handles	
		P1 pull handles are standard. For optional handle styles see page 13.							
 Pedestal with side pull  Pedestal with handles	Mobile Pedestal 4 Box Drawers Non-locking Drawers Front Locking Casters Shipped Assembled	With Side Pull	MO161927-MPS-4B	15¼	19	27	806	54	6
			MO162327-MPS-4B	15¼	23	27	840	58	7
			MO162927-MPS-4B	15¼	29	27	873	66	9
		With Handles	MO161927-MP-4B-P1	15¼	19	27	907	With optional handles	
			MO162327-MP-4B-P1	15¼	23	27	942	With optional handles	
			MO162927-MP-4B-P1	15¼	29	27	973	With optional handles	
		P1 pull handles are standard. For optional handle styles see page 13.							
 Pedestal with side pull  Pedestal with handles	Mobile Pedestal 1 Box Drawer 1 File Drawer Locking Drawers Front Locking Casters Shipped Assembled	With Side Pull	MO161921-MPS-BF	15¼	19	21	746	52	5
		With Handles	MO161921-MP-BF-P1	15¼	19	21	797	With optional handles	
		P1 pull handles are standard. For optional handle styles see page 13.							
 Pedestal with side pull  Pedestal with handles	Mobile Seating Pedestal 1 Box Drawer 1 File Drawer Upholstered Seat Cushion Locking Drawers Front Locking Casters Shipped Assembled	With Side Pull	MO161922-MPS-BF-SE	15¼	19	22¼	1040	52	5
		With Handles	MO161922-MP-BF-SE-P1	15¼	19	22¼	1091	With optional handles	
		P1 pull handles are standard. For optional handle styles see page 13.							

* Price based on seat cushions upholstered in OFGO Grade 3 textiles.
Other OFGO textile grades are available:

Grade 4 - Add $32 List	Grade 6 - Add $53 List
Grade 5 - Add $42 List	Grade 7 - Add $63 List

P1 pull handles are standard.
For optional handle styles see page 13.



Pedestal with side pull




Pedestal with handles


Stationary Pedestal
2 Box Drawers
1 File Drawer
Locking
Shipped Assembled

	Model No.	W	D	H	Price	LB	FT³
With Side Pull	MO161927-SPS-BBF	15¼	19	27	806	54	6
	MO162327-SPS-BBF	15¼	23	27	840	59	8
	MO162927-SPS-BBF	15¼	29	27	873	67	9
With Handles	MO161927-SP-BBF-P1	15¼	19	27	882	With optional handles	
	MO162327-SP-BBF-P1	15¼	23	27	917	With optional handles	
	MO162927-SP-BBF-P1	15¼	29	27	947	With optional handles	

P1 pull handles are standard.
For optional handle styles see page 13.



Pedestal with side pull




Pedestal with handles

Stationary Pedestal
2 File Drawers
Locking
Shipped Assembled

With Side Pull	MO161927-SPS-FF	15¼	19	27	806	56	6
	MO162327-SPS-FF	15¼	23	27	840	60	8
	MO162927-SPS-FF	15¼	29	27	873	68	9
With Handles	MO161927-SP-FF-P1	15¼	19	27	857	With optional handles	
	MO162327-SP-FF-P1	15¼	23	27	891	With optional handles	
	MO162927-SP-FF-P1	15¼	29	27	922	With optional handles	

P1 pull handles are standard.
For optional handle styles see page 13.



Pedestal with side pull




Pedestal with handles

Stationary Pedestal
4 Box Drawers
Non-locking
Shipped Assembled

With Side Pull	MO161927-SPS-4B	15¼	19	27	806	54	6
	MO162327-SPS-4B	15¼	23	27	840	58	8
	MO162927-SPS-4B	15¼	29	27	873	66	9
With Handles	MO161927-SP-4B-P1	15¼	19	27	907	With optional handles	
	MO162327-SP-4B-P1	15¼	23	27	942	With optional handles	
	MO162927-SP-4B-P1	15¼	29	27	973	With optional handles	

P1 pull handles are standard.
For optional handle styles see page 13.

P1 pull handles are standard.
For optional handle styles see page 13.



Pedestal with side pull




Pedestal with handles


No Top Pedestal
2 Box Drawers
1 File Drawer
Locking
Unfinished Upper Edges
Drilled to Accept a Top
Shipped Assembled

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
With Side Pull	MO161928-NTS-BBF	15¼	19	28	791	54	6
	MO162328-NTS-BBF	15¼	23	28	823	59	7
	MO162928-NTS-BBF	15¼	29	28	856	67	9
With Handles	MO161928-NT-BBF-P1	15¼	19	28	865	With optional handles	
	MO162328-NT-BBF-P1	15¼	23	28	898	With optional handles	
	MO162928-NT-BBF-P1	15¼	29	28	932	With optional handles	

P1 pull handles are standard.
For optional handle styles see page 13.



Pedestal with side pull




Pedestal with handles

No Top Pedestal
2 File Drawers
Locking
Unfinished Upper Edges
Drilled to Accept a Top
Shipped Assembled

With Side Pull	MO161928-NTS-FF	15¼	19	28	791	56	6
	MO162328-NTS-FF	15¼	23	28	823	60	7
	MO162928-NTS-FF	15¼	29	28	856	68	9
With Handles	MO161928-NT-FF-P1	15¼	19	28	840	With optional handles	
	MO162328-NT-FF-P1	15¼	23	28	874	With optional handles	
	MO162928-NT-FF-P1	15¼	29	28	906	With optional handles	

P1 pull handles are standard.
For optional handle styles see page 13.



Pedestal with side pull




Pedestal with handles


No Top Pedestal
4 Box Drawers
Non-locking
Unfinished Upper Edges
Drilled to Accept a Top
Shipped Assembled

With Side Pull	MO161928-NTS-4B	15¼	19	28	791	54	6
	MO162328-NTS-4B	15¼	23	28	823	58	7
	MO162928-NTS-4B	15¼	29	28	856	66	9
With Handles	MO161928-NT-4B-P1	15¼	19	28	891	With optional handles	
	MO162328-NT-4B-P1	15¼	23	28	923	With optional handles	
	MO162928-NT-4B-P1	15¼	29	28	956	With optional handles	

P1 pull handles are standard.
For optional handle styles see page 13.



Pedestal with side pull




Pedestal with handles

No Top Hanging Pedestal
1 Box Drawer
1 File Drawer
Locking
Unfinished Upper Edges
Drilled to Accept a Top
Shipped Assembled

With Side Pull	MO161918-NTS-BF	15¼	19	18	643	47	4
With Handles	MO161918-NT-BF-P1	15¼	19	18	694	With optional handles	

P1 pull handles are standard.
For optional handle styles see page 13.

P1 pull handles are standard.
For optional handle styles see page 13.



Freestanding Bookcase
Matching Color Back

1" thick shelves bottom, sides, and top*

5/8" thick back finished on both sides

1 Fixed Bottom Shelf


Shipped Assembled

SHIPPED ASSEMBLED

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO241229-BC-AS	24	12	29	620	52	6
MO301229-BC-AS	30	12	29	654	60	7
MO361229-BC-AS	36	12	29	690	68	9
MO241236-BC-AS	24	12	35	677	59	8
MO301236-BC-AS	30	12	35	712	68	9
MO361236-BC-AS	36	12	35	745	77	11
MO241242-BC-AS	24	12	41	677	66	8.5
MO301242-BC-AS	30	12	41	712	76	10.5
MO361242-BC-AS	36	12	41	745	85	12.5
MO241248-BC-AS	24	12	47	693	78	9
MO301248-BC-AS	30	12	47	726	91	11
MO361248-BC-AS	36	12	47	785	103	14
MO241266-BC-AS	24	12	65	756	102	13
MO301266-BC-AS	30	12	65	824	119	16
MO361266-BC-AS	36	12	65	844	135	19
MO241272-BC-AS	24	12	71	823	107	14
MO301272-BC-AS	30	12	71	857	124	17
MO361272-BC-AS	36	12	71	866	141	20

* 29" Height Includes 1 Adjustable Shelf
41" Height Includes 2 Adjustable Shelves
47" & 53" Heights Include 3 Adjustable Shelves
65" & 72" Heights Include 4 Adjustable Shelves

Note: This item must be secured or ganged to an additional support structure (eg: a wall)



Freestanding Bookcase

Matching Color Back

1" thick shelves bottom, sides, and top*

5/8" thick back finished on both sides

1 Fixed Bottom Shelf

Assembly Required


RTA - SHIPPED READY TO ASSEMBLE

MO241229-BC-KD	24	12	29	620	52	2
MO301229-BC-KD	30	12	29	654	60	2
MO361229-BC-KD	36	12	29	690	68	2
MO241242-BC-KD	24	12	41	677	66	3
MO301242-BC-KD	30	12	41	712	76	3
MO361242-BC-KD	36	12	41	745	85	3
MO241248-BC-KD	24	12	47	693	78	3
MO301248-BC-KD	30	12	47	726	91	3
MO361248-BC-KD	36	12	47	785	103	3
MO241266-BC-KD	24	12	65	756	102	3
MO301266-BC-KD	30	12	65	824	119	4
MO361266-BC-KD	36	12	65	844	135	4
MO241272-BC-KD	24	12	71	823	107	3
MO301272-BC-KD	30	12	71	857	124	4
MO361272-BC-KD	36	12	71	866	141	5

* 29" Height Includes 1 Adjustable Shelf
41" Height Includes 2 Adjustable Shelves
47" & 53" Heights Include 3 Adjustable Shelves
65" & 72" Heights Include 4 Adjustable Shelves

Note: This item must be secured or ganged to an additional support structure (eg: a wall)

Bookcase Shelf



fits 24"w x 12"d bookcase	AC2211-BC-SH	22	11	1	71	4	0.5
fits 30"w x 12"d bookcase	AC2811-BC-SH	28	11	1	80	5	0.5
fits 36"w x 12"d bookcase	AC3411-BC-SH	34	11	1	85	6	0.5

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*



Storage Cabinet/Bookcase

Matching Color Back

Two 1" Thick Adjustable Shelves in Bookcase

Double Hinged Door Storage Cabinet with 1 Adjustable Shelf Inside

1" thick shelves, bottom, sides, and top

Shipped Assembled

Note: This item must be secured or ganged to an additional support structure (eg: a wall)

P1 pull handles are standard.
For optional handle styles see page 13.

MO361272-SC-BC-P1	36	12	71	1027	141	20



Display Case Bookcase/Cabinet

Matching Color Back

3 Fixed Shelves with Black PVC 1" Paper Stop


Double Hinged Door Storage Cabinet with 1 Adjustable Shelf Inside

Shipped Assembled

Note: This item must be secured or ganged to an additional support structure (eg: a wall)

P1 pull handles are standard.
For optional handle styles see page 13.

MO361272-SC-DC-P1	36	12	71	1242	141	20



Display Case Bookcase

Matching Color Back


5 Fixed Shelves with Back PVC 1" Paper Stop

1 Fixed Bottom Shelf

Shipped Assembled

Note: This item must be secured or ganged to an additional support structure (eg: a wall)

MO361272-DC	36	12	71	1112	141	20



Freestanding Bookcase/Cabinet

Matching Color Back

1" thick shelves, bottom, sides, and top*

1 Fixed Bottom Shelf

Shipped Assembled

* 65" & 77" Heights Include 4 Adjustable Shelves
83" Height Includes 5 Adjustable Shelves

Note: This item must be secured or ganged to an additional support structure (eg: a wall)

To order as Knock Down change -AS to -KD in product code.
Ex. change MO361572-BC-**AS** to MO361572-BC-**KD**

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO361566-BC-AS	36	15	65	993	181	23
MO361572-BC-AS	36	15	71	1074	190	25
MO361578-BC-AS	36	15	77	1153	213	27
MO361584-BC-AS	36	15	83	1235	222	29



Storage Cabinet/Bookcase

Matching Color Back

1" thick shelves bottom, sides, and top*

Double Hinged Door Storage Cabinet with 1 Adjustable Shelf Inside

Shipped Assembled

* 65" & 77" Heights Include 2 Adjustable Shelves
83" Height Includes 3 Adjustable Shelves

Note: This item must be secured or ganged to an additional support structure (eg: a wall)

P1 pull handles are standard.
For optional handle styles see page 13.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO361566-SC-BC-P1	36	15	65	1295	185	23
MO361572-SC-BC-P1	36	15	71	1360	194	25
MO361578-SC-BC-P1	36	15	77	1423	217	27
MO361584-SC-BC-P1	36	15	83	1489	226	29



Display Case Bookcase/Cabinet

Matching Color Back

3 Fixed Shelves
Black PVC with 1" Paper Stop


Double Hinged Door Storage Cabinet with 1 Adjustable Shelf Inside

Shipped Assembled

Note: This item must be secured or ganged to an additional support structure (eg: a wall)

P1 pull handles are standard.
For optional handle styles see page 13.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO361572-SC-DC-P1	36	15	71	1599	213	25



Display Case Bookcase

Matching Color Back

5 Fixed Shelves with
Black PVC 1" Paper Stop




















1 Fixed Bottom Shelf

Shipped Assembled





















Note: This item must be secured or ganged to an additional support structure (eg: a wall)

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO361566-DC	36	15	65	1444	224	23

MODERN CONFERENCE TABLE BASE CONFIGURATIONS


	Column Base (C1/C3)	T-Base (TB)	Q-Base (QB/QU)	R-Base (RB/RU)
6 Feet				
8 Feet				
10 Feet				
12 Feet				
14 Feet				
16 Feet				
18 Feet				
20 Feet				

MODERN CONFERENCE TABLE POWER/DATA CONFIGURATIONS

	Single Power Module	Double Power Module	Single Power Module	Double Power Module	Single Power Module	Double Power Module	Single Power Module	Double Power Module
6 Feet								
8 Feet								
10 Feet								
12 Feet								
14 Feet								
16 Feet								
18 Feet								
20 Feet								

Conference Power/Data Options


The following Power/Data Modules are available on conference tables:



"M1" (Black Finish)

Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports


$293 List Price



"M3" (Silver Finish)

Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports

$293 List Price




"U2" (Brushed Nickel Finish)

Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports

Standard with Aluminum Frame

$532 List Price








"W2" (Brushed Nickel Finish)

Power/Data Module Includes:
2 Simplex Receptacles
4 Voice/Data Ports

Standard with Aluminum Frame

$619 List Price

CONFERENCE TABLES

	W	D	STEP 1 Select Top Model No.	STEP 2 Select Base Model No. Column Base Black Finish  C1	Column Base Silver Finish  C3	T Base  TB
Rectangular Shape Top 	72	36	**MO6-RC-□□**	1323	1323	1254
	96	42	**MO8-RC-□□**	1854	1854	1443
	120	48	**MO10-RC-□□**	2345	2345	2207
	144	48	**MO12-RC-□□**	2495	2495	2357
	168	48	**MO14-RC-□□**	3021	3021	2883
	192	48	**MO16-RC-□□**	3186	3186	3048
	216	48	**MO18-RC-□□**	4037	4037	3830
	240	48	**MO20-RC-□□**	4204	4204	3997
Boat Shape Top 	72	36	**MO6-BS-□□**	1323	1323	1254
	96	42	**MO8-BS-□□**	1854	1854	1443
	120	48	**MO10-BS-□□**	2345	2345	2207
	144	48	**MO12-BS-□□**	2495	2495	2357
	168	48	**MO14-BS-□□**	3021	3021	2883
	192	48	**MO16-BS-□□**	3186	3186	3048
	216	48	**MO18-BS-□□**	4037	4037	3830
	240	48	**MO20-BS-□□**	4204	4204	3997
Racetrack Shape Top 	72	36	**MO6-RT-□□**	1323	1323	1254
	96	42	**MO8-RT-□□**	1854	1854	1443
	120	48	**MO10-RT-□□**	2345	2345	2207
	144	48	**MO12-RT-□□**	2495	2495	2357
	168	48	**MO14-RT-□□**	3021	3021	2883
	192	48	**MO16-RT-□□**	3186	3186	3048
	216	48	**MO18-RT-□□**	4037	4037	3830
	240	48	**MO20-RT-□□**	4204	4204	3997
Elliptical Shape Top 	72	36	**MO6-EL-□□**	1323	1323	1254
	96	42	**MO8-EL-□□**	1854	1854	1443
				-	-	-
				-	-	-
				-	-	-
				-	-	-
				-	-	-
				-	-	-

How To Order:

STEP 1 Select top model number (ex.MO8-BS)

STEP 2 Fill in □□ with base code (ex. C1)

STEP 3 Add optional Power/Data Modules (ex. M1Q1)

Example: MO8-BS-C1-M1Q1



Grain on multiple piece tops will not match exactly due to material variances.




Optional Power/Data Modules:

Model No.	*Description*	*Price*
M1Q1	One "M1" (Black) Power/Data Module	*+ $293 to Price*
M1Q2	Two "M1" (Black) Power/Data Module	*+ $586 to Price*
M3Q1	One "M3" (Silver) Power/Data Module	*+ $293 to Price*
M3Q2	Two "M3" (Silver) Power/Data Module	*+ $586 to Price*
U2Q1	One "U2" (Brushed Nickel) Power/Data Module	*+ $532 to Price*
U2Q2	Two "U2" (Brushed Nickel) Power/Data Module	*+ $1064 to Price*
W2Q1	One "W2" (Brushed Nickel) Power/Data Module	*+ $619 to Price*
W2Q2	Two "W2" (Brushed Nickel) Power/Data Module	*+ $1238 to Price*

Note: 12' to 20' table widths can only be specified with two power/data modules.

Note: 10' to 16' wide tables in will ship in two pieces. 18' to 20' wide tables will ship in three pieces.
Woodgrain laminate finishes may not align where tops join.

CONFERENCE TABLES

	W	D	STEP 1 Select Top Model No.	STEP 2 Select Base Model No. Q Base QB	Q Base Access Door QU	R Base RB	R Base Access Door RU
Rectangular Shape Top 	96	42	**MO8-RC-□□**	2106	2494	2106	2494
	120	48	**MO10-RC-□□**	2894	3476	2894	3476
	144	48	**MO12-RC-□□**	3044	3626	3044	3626
	168	48	**MO14-RC-□□**	3570	4152	3570	4152
	192	48	**MO16-RC-□□**	3735	4317	3735	4317
	216	48	**MO18-RC-□□**	4541	5317	4541	5317
	240	48	**MO20-RC-□□**	4708	5484	4708	5484
Boat Shape Top 	96	42	**MO8-BS-□□**	2106	2494	2106	2494
	120	48	**MO10-BS-□□**	2894	3476	2894	3476
	144	48	**MO12-BS-□□**	3044	3626	3044	3626
	168	48	**MO14-BS-□□**	3570	4152	3570	4152
	192	48	**MO16-BS-□□**	3735	4317	3735	4317
	216	48	**MO18-BS-□□**	4541	5317	4541	5317
	240	48	**MO20-BS-□□**	4708	5484	4708	5484
Racetrack Shape Top 	96	42	**MO8-RT-□□**	2106	2494	2106	2494
	120	48	**MO10-RT-□□**	2894	3476	2894	3476
	144	48	**MO12-RT-□□**	3044	3626	3044	3626
	168	48	**MO14-RT-□□**	3570	4152	3570	4152
	192	48	**MO16-RT-□□**	3735	4317	3735	4317
	216	48	**MO18-RT-□□**	4541	5317	4541	5317
	240	48	**MO20-RT-□□**	4708	5484	4708	5484

How To Order:

STEP 1 Select top model number (ex.MO8-BS)

STEP 2 Fill in □□ with base code (ex. RU)

STEP 3 Add optional Power/Data Modules (ex. M1Q1)

Example: MO8-BS-RU-M1Q1




Grain on multiple piece tops will not match exactly due to material variances.

Optional Power/Data Modules:

Model No.	*Description*	*Price*
M1Q1	One "M1" (Black) Power/Data Module	*+ $293 to Price*
M1Q2	Two "M1" (Black) Power/Data Module	*+ $586 to Price*
M3Q1	One "M3" (Silver) Power/Data Module	*+ $293 to Price*
M3Q2	Two "M3" (Silver) Power/Data Module	*+ $586 to Price*
U2Q1	One "U2" (Brushed Nickel) Power/Data Module	*+ $532 to Price*
U2Q2	Two "U2" (Brushed Nickel) Power/Data Module	*+ $1064 to Price*
W2Q1	One "W2" (Brushed Nickel) Power/Data Module	*+ $619 to Price*
W2Q2	Two "W2" (Brushed Nickel) Power/Data Module	*+ $1238 to Price*

Note: 12' to 20' table widths can only be specified with two power/data modules.

Note: 10' to 16' wide tables in will ship in two pieces. 18' to 20' wide tables will ship in three pieces.
Woodgrain laminate finishes may not align where tops join.



Round Shaped Top
with Column Base

C1 = Black Column Finish
C3 = Silver Column Finish

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO30-RD-C□	30	30	29	1095	35	2
MO36-RD-C□	36	36	29	1131	45	3
MO42-RD-C□	42	42	29	1172	56	3
MO48-RD-C□	48	48	29	1207	70	4
MO54-RD-C□	54	54	29	1340	84	4
MO60-RD-C□	60	60	29	1382	98	5

Shipped in 2 Boxes.




Square Shaped Top
with Column Base

C1 = Black Column Finish
C3 = Silver Column Finish

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
MO30-SQ-C□	30	30	29	1095	35	2
MO36-SQ-C□	36	36	29	1131	45	3
MO42-SQ-C□	42	42	29	1172	56	3
MO48-SQ-C□	48	48	29	1207	70	4
MO54-SQ-C□	54	54	29	1340	84	4
MO60-SQ-C□	60	60	29	1382	98	5


Shipped in 2 Boxes.



Round Shaped Top
with "X" Base

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
24" wide by 24" deep "X" base						
MO30-RD-XB	30	30	29	822	63	3
MO36-RD-XB	36	36	29	860	73	4
30" wide by 30" deep "X" base						
MO42-RD-XB	42	42	29	914	89	4
MO48-RD-XB	48	48	29	952	103	5
48" wide by 48" deep "X" base						
MO54-RD-XB	54	54	29	1253	142	6
MO60-RD-XB	60	60	29	1295	156	7

Shipped in 2 Boxes.



Square Shaped Top
with "X" Base


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
24" wide by 24" deep "X" base						
MO30-SQ-XB	30	30	29	822	63	3
MO36-SQ-XB	36	36	29	860	73	4
30" wide by 30" deep "X" base						
MO42-SQ-XB	42	42	29	914	89	4
MO48-SQ-XB	48	48	29	952	103	5
48" wide by 48" deep "X" base						
MO54-SQ-XB	54	54	29	1253	142	6
MO60-SQ-XB	60	60	29	1295	156	7

Shipped in 2 Boxes.

CONFERENCE/MEETING TOPS

MODERN SERIES


RECTANGULAR SHAPE TOP



*10' to 16' wide tables will ship in two pieces.
18' to 20' wide tables will ship in three pieces.
Woodgrain laminate finishes may not align where the two tops join.

Model No.	W	D	H	Price	LB	FT³
MO6-TP-RC	72	36	1	639	67	5
MO8-TP-RC	96	42	1	828	118	8
MO10-TP-RC	120	48	1	977	148	12
MO12-TP-RC	144	48	1	1127	178	14
MO14-TP-RC	168	48	1	1653	206	16
MO16-TP-RC	192	48	1	1818	234	19
MO18-TP-RC	216	48	1	1985	262	21
MO20-TP-RC	240	48	1	2152	290	23


BOAT SHAPE TOP



*10' to 16' wide tables will ship in two pieces.
18' to 20' wide tables will ship in three pieces.
Woodgrain laminate finishes may not align where the two tops join.

MO6-TP-BS	72	36	1	639	67	5
MO8-TP-BS	96	42	1	828	118	8
MO10-TP-BS	120	48	1	977	148	12
MO12-TP-BS	144	48	1	1127	178	14
MO14-TP-BS	168	48	1	1653	206	16
MO16-TP-BS	192	48	1	1818	234	19
MO18-TP-BS	216	48	1	1985	262	21
MO20-TP-BS	240	48	1	2152	290	23


RACETRACK SHAPE TOP



*10' to 16' wide tables will ship in two pieces.
18' to 20' wide tables will ship in three pieces.
Woodgrain laminate finishes may not align where the two tops join.

MO6-TP-RT	72	36	1	639	67	5
MO8-TP-RT	96	42	1	828	118	8
MO10-TP-RT	120	48	1	977	148	12
MO12-TP-RT	144	48	1	1127	178	14
MO14-TP-RT	168	48	1	1653	206	16
MO16-TP-RT	192	48	1	1818	234	19
MO18-TP-RT	216	48	1	1985	262	21
MO20-TP-RT	240	48	1	2152	290	23

ELLIPTICAL SHAPE TOP




MO6-TP-EL	72	36	1	639	67	5
MO8-TP-EL	96	42	1	828	118	8

ROUND SHAPE TOP








MO30-TP-RD	30	30	1	411	23	1
MO36-TP-RD	36	36	1	450	33	2
MO42-TP-RD	42	42	1	486	44	2
MO48-TP-RD	48	48	1	526	58	3
MO54-TP-RD	54	54	1	658	72	3
MO60-TP-RD	60	60	1	700	86	4





SQUARE SHAPE TOP



MO30-TP-SQ	30	30	1	411	23	1
MO36-TP-SQ	36	36	1	450	33	2
MO42-TP-SQ	42	42	1	486	44	2
MO48-TP-SQ	48	48	1	526	58	3
MO54-TP-SQ	54	54	1	658	72	3
MO60-TP-SQ	60	60	1	700	86	4

***Note: 10' to 16' wide tables will ship in two pieces. 18' to 20' wide tables will ship in three pieces.**

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
 T Shape Base - (pair)	MO24-TB-PR	24	12	28	615	60	2
 X Shape Base							
Fits 30" - 36" Wide Conference Tops	MO24-XB	24	24	28	410	40	2
Fits 42" - 48" Wide Conference Tops	MO30-XB	30	30	28	426	45	2
Fits 54" - 60" Wide Conference Tops	MO48-XB	48	48	28	594	70	2
 Column Base							
Black Finish Base	AC-C1	3	3	28	171	3	1
Silver Finish Base	AC-C3	3	3	28	171	3	1
 **End Support 2" x 2" Leg**							
Black Finish Base	AC0228-QR1	2	2	28	233	5	0.1
Silver Finish Base	AC0228-QR3	2	2	28	233	5	0.1
 **Bar Height 2" x 2" Leg**							
Black Finish Base	AC0240-QR1	2	2	40	324	5	0.2
Silver Finish Base	AC0240-QR3	2	2	40	324	5	0.2
For use as End Supports on Bar Height Worksurface							


		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Q Base	MO2020-QB	20	20	28	639	58	1.25
	Q Base Flip Up Access Door (non-locking)	MO2020-QU	20	20	28	833	58	1.25
	R Base	MO2010-RB	20	10	28	639	46	1.25
	R Base Flip Up Access Door (non-locking)	MO2010-RU	20	10	28	833	46	1.25



Buffet Cabinet
Box Drawers (non-locking)
Hinged Door Cabinet
with 1 Adjustable Shelf
in each Compartment
*Shipped Assembled

* 36" & 48" wide cabinet ships in 1 box.
60" & 72" wide cabinet ships in 3 boxes. Minor assembly required.


Model No.	W	D	H	Price	LB	FT³
MO362036-BU-P1	36	20	35	2217	160	17
MO482036-BU-P1	48	20	35	2370	210	23
MO602036-BU-P1	60	20	35	2524	266	28
MO722036-BU-P1	72	20	35	2675	296	34
MO362042-BU-P1	36	20	41	2370	170	20
MO482042-BU-P1	48	20	41	2524	220	27
MO602042-BU-P1	60	20	41	2675	284	33
MO722042-BU-P1	72	20	41	2829	316	39
MO362436-BU-P1	36	24	35	2304	163	17
MO482436-BU-P1	48	24	35	2456	213	23
MO602436-BU-P1	60	24	35	2610	269	28
MO722436-BU-P1	72	24	35	2762	299	34
MO362442-BU-P1	36	24	41	2456	173	20
MO482442-BU-P1	48	24	41	2610	223	27
MO602442-BU-P1	60	24	41	2762	287	33
MO722442-BU-P1	72	24	41	2915	319	39



No-Top Buffet Cabinet
Box Drawers (non-locking)
Hinged Door Cabinet
with 1 Adjustable Shelf
in each Compartment
*Shipped Assembled

* 36" & 48" wide cabinet ships in 1 box.
60" & 72" wide cabinet ships in 2 boxes. Must be Attached together onsite.

MO362035-NT-BU-P1	36	20	34	2011	142	17
MO482035-NT-BU-P1	48	20	34	2075	187	23
MO602035-NT-BU-P1	60	20	34	2157	237	28
MO722035-NT-BU-P1	72	20	34	2234	261	34
MO362041-NT-BU-P1	36	20	40	2164	152	20
MO482041-NT-BU-P1	48	20	40	2229	197	27
MO602041-NT-BU-P1	60	20	40	2308	255	33
MO722041-NT-BU-P1	72	20	40	2387	281	39
MO362435-NT-BU-P1	36	24	34	2069	142	17
MO482435-NT-BU-P1	48	24	34	2133	185	23
MO602435-NT-BU-P1	60	24	34	2212	234	28
MO722435-NT-BU-P1	72	24	34	2290	257	34
MO362441-NT-BU-P1	36	24	40	2221	152	20
MO482441-NT-BU-P1	48	24	40	2287	195	27
MO602441-NT-BU-P1	60	24	40	2364	252	33
MO722441-NT-BU-P1	72	24	40	2443	277	39




Mobile Lectern
1 Angled Shelf with Paper Stop
1 Fixed Middle Shelf
1 Fixed Bottom Shelf
Mobile on 4 Locking Casters

MO242044-LC-OP-MB	24	20	44	933	129	15



Mobile Serving/AV Cart
Double Hinged Door
with One Adjustable Shelf
1 Open Compartment
Mobile on 4 Locking Casters

MO362442-SC-OP-MB-P1	36	24	42	1821	129	23




Visual Presentation Cabinet
1 Whiteboard in Center
Flip Chart Pad on Right
Tackable Upholstered Board on Left
Note: Overall width with opened doors is 9


MO4848-PC	48	5	48	1509	126	7

"Z" mounting brackets are included. Hardware to attach "Z" brackets to wall is to be provided by installer.


P1 pull handles are standard. For optional handle styles see page 13.



	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Desk Organizer Shell	MO361513-DO-S-OP	36	15	13	354	30	6
	MO421513-DO-S-OP	42	15	13	375	34	6
	MO481513-DO-S-OP	48	15	13	391	38	7
	MO541513-DO-S-OP	54	15	13	410	42	8
	MO601513-DO-S-OP	60	15	13	427	46	9
	MO661513-DO-S-OP	66	15	13	450	50	10
	MO721513-DO-S-OP	72	15	13	467	54	11



End Table Shipped Assembled	MO242418-ET	24	24	18	564	40	8



Coffee Table	MO362418-CF	36	24	18	597	46	11
Shipped Assembled	MO482418-CF	48	24	18	637	52	15

MY ZONE

PRICE BOOK

OFGO

STUDIO

Specifications 125
Power / Data and Grommet Placement Options 126
Additional Lock Options 127
Pull Handles 128
Understanding MyZone 129

WORKSURFACES
Worksurfaces 130-132
Worksurface Stiffener 132
Return Bracket 132
Wall / Storage "L" Bracket 132

LEG SUPPORTS 133-135

PRIVACY DIVIDERS / MODESTY PANELS
Privacy Dividers 136
Modesty Panels 137
PanelX Post Bracket 137

PEDESTALS / STORAGE CABINETS
Pedestals 138
22" High Raised Cabinets 139-140
29" High Raised Cabinets 141-142
28" High No Top Cabinets 143
Storage Cabinets 144-145
Combination Cabinets 146-147
Personal Wardrobe Cabinets 148-149

MEETING & CONFERENCE
Meeting / Conference Tables 150-151
Mobile Media Cabinet 151

ACCESSORIES / ELECTRICS 152-154

Zone Desking was designed based on the idea that there are a variety of zones within a workspace, and today's workplace is not a "one size fits all" solution. Zone desking system focuses on the design factors that create an effective workplace, including how design can better support knowledge, worker engagement, satisfaction, performance, and organizational culture.

WORKSURFACES

- Worksurfaces are 1" (25 mm) thick, solid core, 45 pound density particle board, finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.
- Worksurfaces are edged on all four sides with 1.5mm thick edges, improving user comfort and product durability.
- Underside of worksurfaces are pre-drilled with positioning holes to accept leg supports.
- Worksurfaces are available in (HP) High pressure laminate and (LP) Low pressure laminate. Worksurface pricing is based on OFGO STUDIO standard laminate selection only.

LEG SUPPORTS

- Legs supports are comprised of heavy 14 guage power coated steel.
- Leg supports are standard in Silver Finish.
- Leg supports (excluding Riser Leg Supports) are standard with levelers.
- Paint finish is durable environmentally friendly epoxy powder coating

CABINETS AND PEDESTALS


- Drawer fronts are 5/8" (16 mm) thick, solid core particle board, finished on both sides with thermofused laminate.
- Drawer fronts have 1.5mm thick edging on all four sides.
- Five sided drawer construction offers strength and durability.
- Interior drawer construction has black finish.
- Pedestal and cabinet drawers open with front pull handle.
- Box drawers, file drawers, and lateral file drawers operate with full extension ball bearing suspension slides for smooth and quiet operation
- Box drawers tested to withstand weight of up to 75 lbs / 34 kg.
- File drawers tested to withstand weight of up to 100 lbs / 45kg.
- Lateral file drawers tested to withstand weight of up to 150 lbs / 68 kg.
- Box drawers and file drawers are 18" (457 mm) deep.
- Box drawers standard with molded plastic pencil tray (one per unit).
- File drawers and lateral file drawers include file supports, accepting front-to-back letter and side-to-side legal filing.
- File drawers and lateral file drawers, optional file supports available for side-to-side letter filing.
- Glazed cabinet doors are assembled in a framed exterior with frosted glazed interior.
- Box and File cabinets and pedestal drawers are standard as locking.
- Storage cabinet doors are standard as non-locking. Optional lock is available.
- Locks standard with interchangeable lock core. Locks standard with collapsible key, preventing damage to key.
- Lock core can be changed, allowing multiple units to be keyed alike or allowing multiple units in a common area to be keyed differently (100 different cores available). Core removable key available, master key available.

SIZE, THICKNESS, AND WEIGHT

- Widths, depths, heights, volumes, weights, and laminate/edge thicknesses are nominal and not exact.
- Heights include floor levelers (some exceptions apply).
- We are constantly upgrading our products, visit ofgo.com for the most up-to-date product specifications available.

POWER/DATA PLACEMENT OPTIONS

M1 (Black) and M3 (Silver) standard features:




- 2 simplexes.
- 2 voice/data ports.
- 15 amp cord.
- Voice/data adapter kit standard, accepts couplers and jacks.
- UL listed.
- 10 foot black cord included.
- Power/Data modules are available in standard worksurface locations (shown below).
- Power/Data modules may be placed in custom locations, a drawing is required indicating exact vertical and horizontal locations for the center of the cut-out.
- One voice/data kit is supplied with each power/data module. Adapters made to accept most couplers and jacks.

M1 (Black) Position Codes:

M1LC - Left/Center User Side
M1CC - Center/Center User Side
M1RR - Right/Right User Side
M1VL - Middle/Left Vertical Position
M1VC - Middle/CenterVertical Position
M1VR - Middle/Right Vertical Position

M3 (Silver) Position Codes:

M3LC - Left/Center User Side
M3CC - Center/Center User Side
M3RR- Right/Right User Side
M3VL - Middle/Left Vertical Position
M3VC - Middle/CenterVertical Position
M3VR - Middle/Right Vertical Position



How To Order:

To order a worksurface with a Power/Data Module add the desired position code to the end of the worksurface product code.

Ex. To order a 72"W x 24"D worksurface (ZN7224-TP) with a Center/Center Black Power/Data Module (M1CC), my product code would be **ZN7224-TP-M1CC. Add $282 to List Price.**

grommet placement options

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - **add $42 list.**

G1 (Black) Position Codes:


G1LC - Left/Center User Side
G1CC - Center/Center User Side
G1RR- Right/Right User Side

G3 (Silver) Position Codes:

G3LC - Left/Center User Side
G3CC - Center/Center User Side
G3RR- Right/Right User Side







Cut out placed on user side of back panel.

Grommets may be placed in custom locations, a drawing is required indicating exact locations.

OPTIONAL LOCKS

Locks are standard with interchangeable lock cores and collapsible keys.

Add **L1Q1** for **black** lock or **L3Q1** for **silver** lock to end of product code for a storage cabinet requiring one lock **- add $78 list.**

For personal wardrobe cabinets requiring two locks (one lock for the storage cabinet door and one lock for the personal wardrobe cabinet door), add **L1Q2** for **black** lock or **L3Q2** for **silver** lock to end of product code **- add $156 list.**



L1
Black Lock
$78 List



L3
Silver Lock
$78 List

FINISHES

Two-Tone Program:

Units may be ordered with one-tone or two-tone color, you may select one color for worksurfaces and another color for bases. You may also select an additional color for door and drawer fronts.

To specify one-tone or two-tone color:

- First code denotes the worksurface color, second code denotes the base/drawer/door/shelf color.
- To order one-tone color units, specify worksurface and base code jointly.
  i.e. LE - Linea Espresso top with Linea Espresso base.
- To order two-tone color units, specify worksurface and base code separately.
  i.e. LE/TW - Linea Espresso top with True White base and fronts.

Note: to order a different color on drawer/door fronts then the selected base color you must specifically note this on your PO.

Available Laminate Finishes:

We are constantly upgrading our products, visit ofgo.com for the most up-to-date laminate finishes available.

PULL HANDLES



P1 Pull Handle
Black Nickel Finish



P3 Pull Handle
Silver Finish



P5 Pull Handle
Black Finish



P9 Pull Handle
Brushed Nickel Finish



P6 Pull Handle
Silver Finish
(Standard)



P12 Pull Handle
Silver Finish



P25 Pull Handle
Black Finish



P23 Pull Handle
Silver Finish



P7 Pull Handle
Brushed Nickel Finish

P6 handle is standard, orders will be processed with P6 handle unless otherwise specified.


To select an optional handle style, replace P6 in the item code with optional handle style code,

i.e. change ZN161926-MP-BBF-P6 to ZN161926-MP-BBF-P3

Note: We are constantly upgrading our products, visit ofgo.com for the most up-to-date pull handles available.


❶ End Support Legs

End supports avaiable for single-sided and double-sided frames. End supports are used in begining or end of bench.



❷ Worksurface Stiffeners

Worksurface straightener should be specified when span of unsupported worksurface is greater then 48".




❸ Center Support Legs


Center supports are used to support two tops in the center of a bench.

Use a 24" deep Center support on a 48" deep bench.

Use a 36" deep Center support on a 60" Deep Bench.

Center support legs include two Worksurface to Worksurface Brackets, as shown.






❹ Aligned Worksurface to Worksurface Bracket

Adjoins two worksurfaces at seam on underneath side of worksurface.

Must be ordered when connecting a return worksurface.



❺ Tri Cluster Support Leg

For Use in Center of 120 Degree Tri Cluster Configuration.



❻ Riser Leg

Riser Leg is attached on top of a 22" High cabinet and is connected to the underside of a worksurface. Each worksurface accepts 2 riser legs.




❽ Table Mounted Privacy Dividers

Secures between two back to back tables.


❼ Modesty Panel

Mounts below worksurface to provide privacy.




❾ Mobile Media Cabinets

Can be used as a freestanding unit or can butt up to a table. Mobile media cabinets accept a TV mountable on one side.



RECTANGULAR WORKSURFACES

(**Single Sided** Worksurface Applications)




24" Depth Worksurfaces

Worksurface fits onto 24" wide legs.



Model No.	W	D	H	Price (LP)	LB	FT³
ZN2424-TP	24	24	1	177	14	1.1
ZN3024-TP	30	24	1	206	18	1.4
ZN3624-TP	36	24	1	235	21	1.6
ZN4224-TP	42	24	1	279	25	1.9
ZN4824-TP	48	24	1	323	28	2.2
ZN5424-TP	54	24	1	354	32	2.4
ZN6024-TP	60	24	1	398	35	2.7
ZN6624-TP	66	24	1	426	39	2.9
ZN7224-TP	72	24	1	472	42	3.2
ZN7824-TP	78	24	1	514	46	3.5
ZN8424-TP	84	24	1	543	49	3.7




30" Depth Worksurfaces

Worksurface fits onto 30" wide legs.



Model No.	W	D	H	Price (LP)	LB	FT³
ZN3030-TP	30	30	1	339	22	1.7
ZN3630-TP	36	30	1	367	26	2
ZN4230-TP	42	30	1	398	31	2.3
ZN4830-TP	48	30	1	426	35	2.7
ZN5430-TP	54	30	1	456	39	3
ZN6030-TP	60	30	1	484	44	3.3
ZN6630-TP	66	30	1	530	48	3.6
ZN7230-TP	72	30	1	574	53	4
ZN7830-TP	78	30	1	617	57	4.3
ZN8430-TP	84	30	1	662	61	4.6



36" Depth Worksurfaces

Worksurface fits onto 36" wide legs.



Model No.	W	D	H	Price (LP)	LB	FT³
ZN3636-TP	36	36	1	450	32	2.4
ZN4236-TP	42	36	1	465	37	2.8
ZN4836-TP	48	36	1	479	42	3.2
ZN5436-TP	54	36	1	522	47	3.6
ZN6036-TP	60	36	1	580	53	4
ZN6636-TP	66	36	1	637	58	4.3
ZN7236-TP	72	36	1	696	63	4.7
ZN7836-TP	78	36	1	752	68	5.1
ZN8436-TP	84	36	1	809	74	5.5

Worksurface Stiffener must be specified for, 54", 60", 66", 72", 78", and 84" wide worksurfaces (when unsupported top span is greater then 48" wide).


1 stiffener required for 22.5" to 30" depth worksurface.
2 stiffeners required for 31" to 48" depth worksurface.

Worksurface support leg must be specified when unsupported top span is greater then 72" wide.

To specify High Pressure (HP) laminate worksurface, add HP2 to front of product code. (ie. Change ZN4824-TP to HP2-ZN4824-TP)

High Pressure price based on OFGO Studio standard laminate selection only.
To view High Pressure upcharge prices, see front specifications.

RECTANGULAR WORKSURFACES
(**Back to Back** Worksurface Applications)




22½" Depth Worksurfaces

Two worksurfaces back to back with 3" center gap, fits onto 48" wide legs.



Model No.	W	D	H	Price (LP)	LB	FT³
ZN4822-TP-BE	48	22½	1	323	28	2.2
ZN5422-TP-BE	54	22½	1	354	32	2.4
ZN6022-TP-BE	60	22½	1	398	35	2.7
ZN6622-TP-BE	66	22½	1	426	39	2.9
ZN7222-TP-BE	72	22½	1	472	42	3.2
ZN7822-TP-BE	78	22½	1	514	46	3.5
ZN8422-TP-BE	84	22½	1	543	49	3.7



28½" Depth Worksurfaces

Two worksurfaces back to back with 3" center gap, fits onto 60" wide legs.



ZN4828-TP-BE	48	28½	1	426	35	2.7
ZN5428-TP-BE	54	28½	1	456	39	3
ZN6028-TP-BE	60	28½	1	484	44	3.3
ZN6628-TP-BE	66	28½	1	530	48	3.6
ZN7228-TP-BE	72	28½	1	574	53	4
ZN7828-TP-BE	78	28½	1	617	57	4.3
ZN8428-TP-BE	84	28½	1	662	61	4.6

To specify High Pressure (HP) laminate top, add HP2 to front of product code.
(ie. Change ZN4824-TP to HP2-ZN4824-TP)

Worksurface Stiffener must be specified for, 54", 60", 66", 72", 78", and 84" wide worksurfaces (when unsupported top span is greater then 48" wide).

1 stiffener required for 22.5" to 30" depth worksurface.
2 stiffeners required for 31" to 48" depth worksurface.

Worksurface support leg must be specified when unsupported top span is greater then 72" wide.

Grommet Options:

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - add $42 list.

☐☐ **= Specify power/data module [G1] or [G3]**

Grommet Position Codes:


☐☐ LL - Left/Left User Side
☐☐ LC - Left/Center User Side
☐☐ CC - Center/Center User Side
☐☐ RC - Right/Center User Side
☐☐ RR - Right/Right User Side



G1
Black Grommet
$42 List



G3
Silver Grommet





In Surface Power/Data Placement Options:

Add optional power/data modules code (ex. M1LL) to end of product code and adjust list price.

☐☐ **= Specify power/data module [M1] [M3] or [U2]**

☐☐ LL - Left/Left User Side
☐☐ LC - Left/Center User Side
☐☐ CC - Center/Center User Side
☐☐ RC - Right/Center User Side
☐☐ RR - Right/Right User Side
☐☐ VL - Middle/Left Vertical Position
☐☐ VC - Middle/Center Vertical Position
☐☐ VR - Middle/Right Vertical Position










"M1" (Black Finish)
Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports
$293 List










"M3" (Silver Finish)
Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports
$293 List




"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports
Standard with Aluminum Frame
$532 List

	Model No.	W	D	H	Price (LP)	LB	FT³
120 Degree Worksurfaces							
 **Two back to back tops, fit onto 48"/60" wide legs.**							
120º Worksurfaces, attaches to single sided 24" deep worksurface. 	ZN424224-TP-CCC-120	73	42	1	704	52	4
120º Worksurfaces, attaches to single sided 30" deep worksurface. 	ZN424230-TP-CCC-120	73	47	1	780	54	4
120 Degree Worksurfaces (3" Center Gap)							
 **Two back to back tops with a 3" center gap, fits onto 48"/60" wide legs.**							
120º Worksurfaces, attaches to back to back 22.5" deep worksurface. 	ZN404022-TP-BE-CCC-120	72	40	1	704	52	4
120º Worksurfaces, attaches to back to back 28.5" deep worksurface. 	ZN404028-TP-BE-CCC-120	72	46	1	780	54	4
 **Worksurface Stiffener**							
For 48" to 54" wide workurfaces	AC36-STFR	35.5	2.5	1.25	105	2.5	0.03
For 60" to 66" wide workurfaces	AC48-STFR	47.5	2.5	1.25	117	3	0.04
For 72" to 84" wide workurfaces	AC60-STFR	59.5	2.5	1.25	134	4	0.05
Worksurface stiffener must be specified when unsupported top span is greater then 48" wide. Worksurface under 30" depth require 1 stiffener. Worksurface over 30" depth require 2 stiffeners.							
 **Return Bracket** Connects return worksurface to benching worksurface. Attaches to worksurface with wood screws.	ZN0502-TT-BRKT-Z3-EA (Single Bracket)	5	2	0.1	30	0.5	0.01
	ZN0502-TT-BRKT-Z3-PR (Pair of Two Brackets)	5	2	0.1	60	0.5	0.01
 **Wall/Storage Cabinet to Worksurface "L" Bracket** Connects worksurface to storage towers, spine or divider wall panel. Pair of Two Brackets. Standard in Black Finish.	ZN22-J-BRKT-Z3-PR (Pair of Two Brackets)	1	1	3	80	1.0	0.12

	Model No.	W	D	H	Price	LB	FT³
End Support Leg (UL)							
							
For Single Sided Worksurface Applications							
24" Wide End Leg	ZN2428-UL☐	24	3	28	367	14	1.7
30" Wide End Leg	ZN3028-UL☐	30	3	28	398	15	2.1
36" Wide End Leg	ZN3628-UL☐	36	3	28	426	16	2.5
42" Wide End Leg	ZN4228-UL☐	42	3	28	456	17	2.9
	☐ = Specify metal finish: [1] Black [3] Silver [5] White						
Back to Back - End Support Leg (UL)							
							
For Back to Back Worksurface Applications							
Fits onto two **22½"**d worksurfaces	ZN4828-UL☐	48	3	28	514	19	3.3
Fits onto two **28½"**d worksurfaces	ZN6028-UL☐	60	3	28	574	21	4.1
	☐ = Specify metal finish: [1] Black [3] Silver [5] White						
Middle Support Leg (ML)							
							
For Single Sided Worksurface Applications							
Fits onto 24"d worksurfaces	ZN2428-ML☐	24	3	28	442	15	1.7
Fits onto 30"d worksurfaces	ZN3028-ML☐	30	3	28	472	16	2.1
Fits onto 36"d worksurfaces	ZN3628-ML☐	36	3	28	501	17	2.5
Fits onto 42"d worksurfaces	ZN4228-ML☐	42	3	28	530	18	2.9
	☐ = Specify metal finish: [1] Black [3] Silver [5] White						
Back to Back - Middle Support Leg (PL)							
							
For Back to Back Worksurface Applications							
Fits onto two **22½"**d worksurfaces	ZN3828-PL☐	38	3	28	588	16	2.5
Fits onto two **28½"**d worksurfaces	ZN5028-PL☐	50	3	28	647	19	3.3
	☐ = Specify metal finish: [1] Black [3] Silver [5] White						

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Riser Leg (RL)								
 6" High	6"h Riser Legs require mechanical attachement to worksurface and 22"h cabinet top. **Each worksurface requires 2 Riser Legs**	ZN0006-RL☐ (each)	3	1	6	76	1	0.06
		☐ = Specify metal finish: [1] Black [3] Silver [5] White						
120º Cluster Leg (YL)								
	120 degree tri-cluster worksurface configuration center leg	ZN0028-YL☐	3	1	28	367	7	0.60
		☐ = Specify metal finish: [1] Black [3] Silver [5] White						
Bar Height Middle Support Leg (ML)								
 40" High	**For Single Sided Worksurface Applications**							
	Fits onto 24"d worksurfaces	ZN2440-ML☐	24	3	40	736	19	2.4
	Fits onto 30"d worksurfaces	ZN3040-ML☐	30	3	40	764	20	3
	Fits onto 36"d worksurfaces	ZN3640-ML☐	36	3	40	795	21	3.5
	Fits onto 42"d worksurfaces	ZN4240-ML☐	42	3	40	823	22	4.1
		☐ = Specify metal finish: [1] Black [3] Silver [5] White						
Single Support Leg (SL)								
 28" High 40" High	28" High Single Leg (4" x 4" top plate)	ZN0028-SL☐	3	1	28	220	5	0.5
	40" High Single Leg (8" x 8" top plate)	ZN0040-SL☐	3	1	40	295	7	0.7
		☐ = Specify metal finish: [1] Black [3] Silver [5] White						
Single Support Leg with Caster / Floor Glide								
 Caster 28" High Floor Glide 28" High	26.5" Leg with 1.5" Floor Glide	ZN0028-C13G-SL☐	3	1	28	239	5	0.5
	26.5" Leg with 1.5" Non-Locking Caster	ZN0028-C14N-SL☐	3	1	28	239	5	0.5
	26.5" Leg with 1.5" Locking Caster	ZN0028-C15L-SL☐	3	1	28	239	5	0.5
		☐ = Specify metal finish: [1] Black [3] Silver [5] White						

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
End O Support Leg (OL)							
							
For Single Sided Worksurface Applications							
24" Wide End O-Leg	ZN2428-OL☐	24	3	28	475	17	1.7
30" Wide End O-Leg	ZN3028-OL☐	30	3	28	506	18	2.1


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

BACK TO BACK WORKSTATION PRIVACY DIVIDERS

Frosted Acrylic Divider

Rectangular

Secures between two back to back workstations




42" to 48" wide dividers include 2 mounting brackets with clip
54" to 84" wide dividers include 3 mounting brackets with clip

	Model No.	W	D	H	Price	LB
12" High (above worksurface)	ZN4212-PODU-Z-Z☐	42	1	13	484	5
Frosted Acrylic Privacy Divider	ZN4812-PODU-Z-Z☐	48	1	13	515	6
	ZN5412-PODU-Z-Z☐	54	1	13	550	7
	ZN6012-PODU-Z-Z☐	60	1	13	582	7
☐ **= Specify bracket finish:**	ZN6612-PODU-Z-Z☐	66	1	13	614	8
[1] Black	ZN7212-PODU-Z-Z☐	72	1	13	645	9
[3] Silver	ZN7812-PODU-Z-Z☐	78	1	13	704	10
	ZN8412-PODU-Z-Z☐	84	1	13	764	10
18" High (above worksurface)	ZN4218-PODU-Z-Z☐	42	1	19	550	7
Frosted Acrylic Privacy Divider	ZN4818-PODU-Z-Z☐	48	1	19	582	8
	ZN5418-PODU-Z-Z☐	54	1	19	614	9
	ZN6018-PODU-Z-Z☐	60	1	19	645	10
☐ **= Specify bracket finish:**	ZN6618-PODU-Z-Z☐	66	1	19	677	11
[1] Black	ZN7218-PODU-Z-Z☐	72	1	19	710	12
[3] Silver	ZN7818-PODU-Z-Z☐	78	1	19	768	13
	ZN8418-PODU-Z-Z☐	84	1	19	828	14

Clear Glass Divider

Rectangular Clear Tempered Glass

Secures between two back to back workstations




42" to 48" wide dividers include 2 mounting brackets with clip
54" to 84" wide dividers include 3 mounting brackets with clip

	Model No.	W	D	H	Price	LB
12" High (above worksurface)	ZN4212-PODU-CG-Z☐	42	1	13	559	11
Clear Glass Privacy Divider	ZN4812-PODU-CG-Z☐	48	1	13	590	13
	ZN5412-PODU-CG-Z☐	54	1	13	620	15
	ZN6012-PODU-CG-Z☐	60	1	13	654	16
☐ **= Specify bracket finish:**	ZN6612-PODU-CG-Z☐	66	1	13	685	18
[1] Black	ZN7212-PODU-CG-Z☐	72	1	13	719	20
[3] Silver	ZN7812-PODU-CG-Z☐	78	1	13	780	21
	ZN8412-PODU-CG-Z☐	84	1	13	838	23
18" High (above worksurface)	ZN4218-PODU-CG-Z☐	42	1	19	620	15
Clear Glass Privacy Divider	ZN4818-PODU-CG-Z☐	48	1	19	654	17
	ZN5418-PODU-CG-Z☐	54	1	19	685	20
	ZN6018-PODU-CG-Z☐	60	1	19	719	22
☐ **= Specify bracket finish:**	ZN6618-PODU-CG-Z☐	66	1	19	752	24
[1] Black	ZN7218-PODU-CG-Z☐	72	1	19	783	26
[3] Silver	ZN7818-PODU-CG-Z☐	78	1	19	842	28
	ZN8418-PODU-CG-Z☐	84	1	19	903	31

Frosted Glass Divider

Rectangular Tempered Glass - Acid Etched


Secures between two back to back workstations



42" to 48" wide dividers include 2 mounting brackets with clip
54" to 84" wide dividers include 3 mounting brackets with clip

	Model No.	W	D	H	Price	LB
12" High (above worksurface)	ZN4212-PODU-FG-Z☐	42	1	13	559	11
Frosted Glass Privacy Divider	ZN4812-PODU-FG-Z☐	48	1	13	590	13
	ZN5412-PODU-FG-Z☐	54	1	13	620	15
	ZN6012-PODU-FG-Z☐	60	1	13	654	16
☐ **= Specify bracket finish:**	ZN6612-PODU-FG-Z☐	66	1	13	685	18
[1] Black	ZN7212-PODU-FG-Z☐	72	1	13	719	20
[3] Silver	ZN7812-PODU-FG-Z☐	78	1	13	780	21
	ZN8412-PODU-FG-Z☐	84	1	13	838	23
18" High (above worksurface)	ZN4218-PODU-FG-Z☐	42	1	19	620	15
Frosted Glass Privacy Divider	ZN4818-PODU-FG-Z☐	48	1	19	654	17
	ZN5418-PODU-FG-Z☐	54	1	19	685	20
	ZN6018-PODU-FG-Z☐	60	1	19	719	22
☐ **= Specify bracket finish:**	ZN6618-PODU-FG-Z☐	66	1	19	752	24
[1] Black	ZN7218-PODU-FG-Z☐	72	1	19	783	26
[3] Silver	ZN7818-PODU-FG-Z☐	78	1	19	842	28
	ZN8418-PODU-FG-Z☐	84	1	19	903	31

Note: Divider panel to divider panel clip may be required to align two adjacent panels.
To purchase use item code: ZN-DDCLIP-Z3 ($5 List) for Silver OR ZN-DDCLIP-Z1($5 List) for Black



12" Modesty Panel

Mounts below worksurface to provide privacy.


Mounting brackets included.

Attaches to worksurface with wood screws.

Specify laminate color when ordering.

36" to 48" wide dividers include 2 mounting brackets
54" to 78" wide dividers include 3 mounting brackets

Model No.	*W*	*D*	*H*	Price	*LB*
ZN3612-MOD-L-Z□	36	0.625	12	134	11
ZN3912-MOD-L-Z□	39	0.625	12	155	11
ZN4212-MOD-L-Z□	42	0.625	12	155	12
ZN4512-MOD-L-Z□	45	0.625	12	177	13
ZN4812-MOD-L-Z□	48	0.625	12	177	14
ZN5112-MOD-L-Z□	51	0.625	12	198	15
ZN5412-MOD-L-Z□	54	0.625	12	198	16
ZN5712-MOD-L-Z□	57	0.625	12	220	17
ZN6012-MOD-L-Z□	60	0.625	12	220	18
ZN6312-MOD-L-Z□	63	0.625	12	242	18
ZN6612-MOD-L-Z□	66	0.625	12	242	19
ZN6912-MOD-L-Z□	69	0.625	12	264	20
ZN7212-MOD-L-Z□	72	0.625	12	264	21
ZN7512-MOD-L-Z□	75	0.625	12	288	22
ZN7812-MOD-L-Z□	78	0.625	12	288	23



18" Modesty Panel

Mounts below worksurface to provide privacy.

Mounting brackets included.

Attaches to worksurface with wood screws.

Specify laminate color when ordering.

36" to 48" wide dividers include 2 mounting brackets
54" to 78" wide dividers include 3 mounting brackets

ZN3618-MOD-L-Z□	36	0.625	18	206	15
ZN3918-MOD-L-Z□	39	0.625	18	228	15
ZN4218-MOD-L-Z□	42	0.625	18	228	16
ZN4518-MOD-L-Z□	45	0.625	18	250	17
ZN4818-MOD-L-Z□	48	0.625	18	250	18
ZN5118-MOD-L-Z□	51	0.625	18	272	19
ZN5418-MOD-L-Z□	54	0.625	18	272	20
ZN5718-MOD-L-Z□	57	0.625	18	295	21
ZN6018-MOD-L-Z□	60	0.625	18	295	22
ZN6318-MOD-L-Z□	63	0.625	18	317	22
ZN6618-MOD-L-Z□	66	0.625	18	317	23
ZN6918-MOD-L-Z□	69	0.625	18	339	24
ZN7218-MOD-L-Z□	72	0.625	18	339	25
ZN7518-MOD-L-Z□	75	0.625	18	360	26
ZN7818-MOD-L-Z□	78	0.625	18	360	27

□ = Specify bracket finish:
[1] Black
[3] Silver

PanelX Back to Back Workstation Bracket




Panelx Back to Back Workstation Bracket

Accepts Panelx post in back to back workstation applications








□ = Specify bracket finish:
[1] Black
[3] Silver

ZN0602-PNLX-BRKT-Z□-EA (Single Bracket)	6	2	0.1	28	
ZN0602-PNLX-BRKT-Z□-PR (Pair of Two Brackets)	6	2	0.1	60	

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	**Mobile Pedestal** 2 Box Drawers 1 File Drawer Locking Drawers Front Locking Casters Shipped Assembled	ZN151926-MP-BBF-P6	15¼	19¼	26	882	54	5.3
	**Mobile Pedestal** 2 File Drawers Locking Drawers Front Locking Casters Shipped Assembled	ZN151926-MP-FF-P6	15¼	19¼	26	857	56	5.3
	**Mobile Pedestal** 1 Box Drawer 1 File Drawer Locking Drawers Front Locking Casters Shipped Assembled	ZN151920-MP-BF-P6	15¼	19¼	20	801	52	4.1
	**Stationary Pedestal** 2 Box Drawers 1 File Drawer Locking Drawers Shipped Assembled	ZN151926-SP-BBF-P6	15¼	19¼	26	882	54	5.3
	**Stationary Pedestal** 2 File Drawers Locking Drawers Shipped Assembled	ZN151926-SP-FF-P6	15¼	19¼	26	857	56	5.3
	**Stationary Pedestal** 1 Box Drawer 1 File Drawer Locking Drawers Shipped Assembled	ZN151920-SP-BF-P6	15¼	19¼	20	801	52	4.1
	Seating Cushion Price based on seat cushion upholstered in OFGO Grade 3 textiles. Other OFGO textile grades are available: Grade 4 - Add $32 List Grade 6 - Add $53 List Grade 5 - Add $42 List Grade 7 - Add $63 List Note: MyZone seat cushions are not compatible with Modern Series Pedestals.	ZN1519-SE	15¼	19¼	1.25 (COM - 0.5yds/0.46m)	295	4	0.6






P6 pull handles are standard.
For optional handle styles see front specifications.

22" High Raised Cabinets

	Model No.	W	D	H	Price	LB	FT³
	**☐ = Specify metal finish: [1] Black [3] Silver**						
22" High Bookcase							
Four 3" High Legs	ZN242022-BC-FL☐	24	20	22	693	49	7.1
1 Shelf	ZN302022-BC-FL☐	30	20	22	738	55	8.8
	ZN362022-BC-FL☐	36	20	22	771	62	10.5
	**☐ = Specify metal finish: [1] Black [3] Silver**						
22" High HAT Shroud Bookcase							
Back is inset and contains a notched cap to accept a height adjustable base.	ZN302022-BC-SHRD-FL☐	30	20	22	994	55	8.8
Unit is on Four 3" High Legs	ZN362022-BC-SHRD-FL☐	36	20	22	1025	62	10.5
Contains 1 Shelf							
Note: Unit contains pilot holes to accept a secondary back if being used in an open area and not against a wall.							
							
22" High Storage Cabinet							
Four 3" High Legs; 1 Shelf; Non-Locking	**☐ = Specify metal finish: [1] Black [3] Silver**						
Optional lock available, see front specifications.							
Left Opening Door	ZN242022-L-SC-FL☐-P6	24	20	22	736	83	7.1
Right Opening Door	ZN242022-R-SC-FL☐-P6	24	20	22	736	83	7.1
							
22" High Storage Cabinet	**☐ = Specify metal finish: [1] Black [3] Silver**						
Four 3" High Legs							
1 Shelf	ZN302022-SC-FL☐-P6	30	20	22	809	91	8.8
Non-Locking. Optional lock available, see front specifications.	ZN362022-SC-FL☐-P6	36	20	22	883	99	10.5
							
22" High Box/File Cabinet	**☐ = Specify metal finish: [1] Black [3] Silver**						
Four 3" High Legs							
1 Box Drawer (Locking)	ZN242022-BLF-FL☐-P6	24	20	22	1031	88	7.1
1 File Drawer (Locking)	ZN302022-BLF-FL☐-P6	30	20	22	1102	96	8.8
	ZN362022-BLF-FL☐-P6	36	20	22	1177	104	10.5
	**☐ = Specify metal finish: [1] Black [3] Silver**						
22" High Dual Bookcase							
Five 3" High Legs	ZN482022-BC-BC-FL☐	48	20	22	1162	98	13.9
2 Shelves	ZN602022-BC-BC-FL☐	60	20	22	1256	110	17.3
	ZN722022-BC-BC-FL☐	72	20	22	1320	124	20.7
	**☐ = Specify metal finish: [1] Black [3] Silver**						
22" High Dual Storage Cabinet							
Five 3" High Legs							
2 Shelves	ZN482022-SC-SC-FL☐-P6	48	20	22	1250	166	13.9
Non-Locking. Optional lock available, see front specifications.	ZN602022-SC-SC-FL☐-P6	60	20	22	1397	182	17.3
	ZN722022-SC-SC-FL☐-P6	72	20	22	1543	198	20.7
Note: 60" and 72" wide cabinets have 4 doors.							


P6 pull handles are standard.
For optional handle styles see front specifications.

All items are shipped assembled
For optional locks see front specifications.

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	**☐ = Specify metal finish:** **[1] Black** **[3] Silver**						
22" High Dual Box/File Cabinet Five 3" High Legs 2 Box Drawers (Locking) 2 File Drawers (Locking)	ZN482022-BLF-BLF-FL☐-P6	48	20	22	1764	176	13.9
	ZN602022-BLF-BLF-FL☐-P6	60	20	22	1912	192	17.3
	ZN722022-BLF-BLF-FL☐-P6	72	20	22	2058	208	20.7
	**☐ = Specify metal finish:** **[1] Black** **[3] Silver**						
22" High Box/File Bookcase Cabinet Five 3" High Legs 1 Box Drawer (Locking) 1 File Drawer (Locking) 1 Shelf	ZN482022-BLF-BC-FL☐-P6	48	20	22	1416	137	13.9
	ZN602022-BLF-BC-FL☐-P6	60	20	22	1530	151	17.3
	ZN722022-BLF-BC-FL☐-P6	72	20	22	1665	166	20.7
	**☐ = Specify metal finish:** **[1] Black** **[3] Silver**						
22" High Bookcase Box/File Cabinet Five 3" High Legs 1 Box Drawer (Locking) 1 File Drawer (Locking) 1 Shelf	ZN482022-BC-BLF-FL☐-P6	48	20	22	1416	137	13.9
	ZN602022-BC-BLF-FL☐-P6	60	20	22	1530	151	17.3
	ZN722022-BC-BLF-FL☐-P6	72	20	22	1665	166	20.7
	**☐ = Specify metal finish:** **[1] Black** **[3] Silver**						
22" High Storage Bookcase Cabinet Five 3" High Legs 1 Shelf in Storage 1 Shelf in Open Compartment Non-Locking. Optional lock available, see front specifications.	ZN482022-SC-BC-FL☐-P6	48	20	22	1280	132	13.9
	ZN602022-SC-BC-FL☐-P6	60	20	22	1400	146	17.3
	ZN722022-SC-BC-FL☐-P6	72	20	22	1505	161	20.7
	**☐ = Specify metal finish:** **[1] Black** **[3] Silver**						
22" High Bookcase Storage Cabinet Five 3" High Legs 1 Shelf in Storage 1 Shelf in Open Compartment Non-Locking. Optional lock available, see front specifications.	ZN482022-BC-SC-FL☐-P6	48	20	22	1280	132	13.9
	ZN602022-BC-SC-FL☐-P6	60	20	22	1400	146	17.3
	ZN722022-BC-SC-FL☐-P6	72	20	22	1505	161	20.7
	**☐ = Specify metal finish:** **[1] Black** **[3] Silver**						
22" High Box/File Storage Cabinet Five 3" High Legs 1 Box Drawer (Locking) 1 File Drawer (Locking) 1 Shelf in Storage Compartment (Non-Locking) Optional lock available, see front specifications.	ZN482022-BLF-SC-FL☐-P6	48	20	22	1543	171	13.9
	ZN602022-BLF-SC-FL☐-P6	60	20	22	1764	187	17.3
	ZN722022-BLF-SC-FL☐-P6	72	20	22	1838	203	20.7
	**☐ = Specify metal finish:** **[1] Black** **[3] Silver**						
22" High Storage Box/File Cabinet Five 3" High Legs 1 Box Drawer (Locking) 1 File Drawer (Locking) 1 Shelf in Storage Compartment (Non-Locking) Optional lock available, see front specifications.	ZN482022-SC-BLF-FL☐-P6	48	20	22	1543	171	13.9
	ZN602022-SC-BLF-FL☐-P6	60	20	22	1764	187	17.3
	ZN722022-SC-BLF-FL☐-P6	72	20	22	1838	203	20.7

P6 pull handles are standard.
For optional handle styles see front specifications.

All items are shipped assembled
For optional locks see front specifications.




29" High Bookcase (with 1" Top)

1 Shelf

Four 3" High Legs

☐ = **Specify metal finish:**
[1] Black
[3] Silver

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ZN242029-BC-FL☐	24	20	29	763	55	9.3
ZN302029-BC-FL☐	30	20	29	800	66	11.5
ZN362029-BC-FL☐	36	20	29	841	77	13.7
ZN242429-BC-FL☐	24	24	29	797	66	11.1
ZN302429-BC-FL☐	30	24	29	845	77	13.7
ZN362429-BC-FL☐	36	24	29	878	88	16.3



Storage Cabinet

29" High Storage Cabinet (with 1" Top)

1 Shelf

Four 3" High Legs

Non-Locking. Optional lock available, see front specifications.

☐ = **Specify metal finish:**
[1] Black
[3] Silver

ZN242029-L-SC-FL☐-P6 (Left Opening Door)	24	20	29	792	70	9.3
ZN242029-R-SC-FL☐-P6 (Right Opening Door)	24	20	29	792	70	9.3
ZN302029-SC-FL☐-P6	30	20	29	854	81	11.5
ZN362029-SC-FL☐-P6	36	20	29	896	92	13.7
ZN242429-L-SC-FL☐-P6 (Left Opening Door)	24	24	29	827	81	11.1
ZN242429-R-SC-FL☐-P6 (Right Opening Door)	24	24	29	827	81	11.1
ZN302429-SC-FL☐-P6	30	24	29	904	92	13.7
ZN362429-SC-FL☐-P6	36	24	29	947	103	16.3



Storage Cabinet

29" High Storage Cabinet (with 1" Top)

Frosted Acrylic Door with silver MDF wrapped door frame.

1 Adjustable Shelf

Four 3" High Legs

Non-Locking. Optional lock available, see front specifications.

☐ = **Specify metal finish:**
[1] Black
[3] Silver

ZN242029-L-SZ-FL☐-P6 (Left Opening Door)	24	20	29	1062	70	9.3
ZN242029-R-SZ-FL☐-P6 (Right Opening Door)	24	20	29	1062	70	9.3
ZN302029-SZ-FL☐-P6	30	20	29	1087	81	11.5
ZN362029-SZ-FL☐-P6	36	20	29	1114	92	13.7
ZN242429-L-SZ-FL☐-P6 (Left Opening Door)	24	24	29	1097	81	11.1
ZN242429-R-SZ-FL☐-P6 (Right Opening Door)	24	24	29	1097	81	11.1
ZN302429-SZ-FL☐-P6	30	24	29	1122	92	13.7
ZN362429-SZ-FL☐-P6	36	24	29	1146	103	16.3



29" High Lateral Cabinet (with 1" Top)

2 File Drawers (locking)

Mechanical Interlock allows one drawer to open at a time

Four 3" High Legs


☐ = **Specify metal finish:**
[1] Black
[3] Silver

ZN242029-LF-2F-FL☐-P6	24	20	29	992	99	9.3
ZN302029-LF-2F-FL☐-P6	30	20	29	1022	110	11.5
ZN362029-LF-2F-FL☐-P6	36	20	29	1056	121	13.7
ZN242429-LF-2F-FL☐-P6	24	24	29	1027	110	11.1
ZN302429-LF-2F-FL☐-P6	30	24	29	1058	121	13.7
ZN362429-LF-2F-FL☐-P6	36	24	29	1087	132	16.3

P6 pull handles are standard.
For optional handle styles see front specifications.

All items are shipped assembled
For optional locks see front specifications.

29" High Raised Cabinets & Seating Cushion




29" High Double Bookcase Cabinet
(with 1" Top)

1 Shelf in each Side of Cabinet

Five 3" High Legs

☐ = **Specify metal finish:**
[1] Black
[3] Silver

Model No.	W	D	H	Price	LB	FT³
ZN482029-BC-BC-FL☐	48	20	29	1591	110	18.2
ZN602029-BC-BC-FL☐	60	20	29	1650	132	22.6
ZN722029-BC-BC-FL☐	72	20	29	1686	154	27
ZN482429-BC-BC-FL☐	48	24	29	1606	132	21.6
ZN602429-BC-BC-FL☐	60	24	29	1668	154	26.9
ZN722429-BC-BC-FL☐	72	24	29	1704	176	32.1



29" High Double Storage Cabinet
(with 1" Top)

1 Shelf in each Side of Cabinet

Five 3" High Legs

Non-Locking. Optional lock
available, see front specifications.

☐ = **Specify metal finish:**
[1] Black
[3] Silver

ZN482029-CD-SC-SC-FL☐-P6	48	20	29	1650	140	18.2
ZN602029-CD-SC-SC-FL☐-P6	60	20	29	1710	162	22.6
ZN722029-CD-SC-SC-FL☐-P6	72	20	29	1743	184	27
ZN482429-CD-SC-SC-FL☐-P6	48	24	29	1668	162	21.6
ZN602429-CD-SC-SC-FL☐-P6	60	24	29	1725	184	26.9
ZN722429-CD-SC-SC-FL☐-P6	72	24	29	1762	206	32.1



29" High Double Storage Cabinet (with 1" Top)

Frosted Acrylic Door with silver
MDF wrapped door frame.

1 Adjustable Shelf in each Side of Cabinet

Five 3" High Legs

Non-Locking. Optional lock
available, see front specifications.

☐ = **Specify metal finish:**
[1] Black
[3] Silver

ZN482029-CD-SZ-SZ-FL☐-P6	48	20	29	2163	140	18.2
ZN602029-CD-SZ-SZ-FL☐-P6	60	20	29	2222	162	22.6
ZN722029-CD-SZ-SZ-FL☐-P6	72	20	29	2260	184	27
ZN482429-CD-SZ-SZ-FL☐-P6	48	24	29	2180	162	21.6
ZN602429-CD-SZ-SZ-FL☐-P6	60	24	29	2239	184	26.9
ZN722429-CD-SZ-SZ-FL☐-P6	72	24	29	2277	206	32.1




29" High Double Lateral Cabinet
(with 1" Top)

Mechanical Interlock allows one drawer
on each side to open at a time

Five 3" High Legs

☐ = **Specify metal finish:**
[1] Black
[3] Silver

ZN482029-LF-LF-2F-FL☐-P6	48	20	29	2056	198	18.2
ZN602029-LF-LF-2F-FL☐-P6	60	20	29	2123	220	22.6
ZN722029-LF-LF-2F-FL☐-P6	72	20	29	2161	242	27
ZN482429-LF-LF-2F-FL☐-P6	48	24	29	2075	220	21.6
ZN602429-LF-LF-2F-FL☐-P6	60	24	29	2140	242	26.9
ZN722429-LF-LF-2F-FL☐-P6	72	24	29	2178	264	32.1



Seating Cushion

Price based on seat cushions upholstered in
OFGO Grade 3 textiles.

Other OFGO textile grades available:


Grade 4 - Add $32 List
Grade 5 - Add $42 List
Grade 6 - Add $53 List
Grade 7 - Add $63 List

ZN1820-SE	18	19	1¼ (COM - 0.75yds / 0.69m)	312	5	0.7
ZN2420-SE	24	19	1¼ (COM - 1yds / 0.9m)	339	6	0.9
ZN3020-SE	30	19	1¼ (COM - 1yds / 0.9m)	367	7	1.1
ZN3620-SE	36	19	1¼ (COM - 1.25yds / 1.1m)	398	9	1.3
ZN4820-SE	48	19	1¼ (COM - 1.5yds / 1.37m)	506	11	1.8

P6 pull handles are standard.
For optional handle styles see front specifications.

All items are shipped assembled
For optional locks see front specifications.

28" High No Top Raised Cabinets




28" High No Top Bookcase

1 Shelf

Four 3" High Legs

☐ = **Specify metal finish:**
[1] Black
[3] Silver

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ZN242028-NT-BC-FL☐	24	20	28	681	43	9.8
ZN302028-NT-BC-FL☐	30	20	28	725	51	9.8
ZN362028-NT-BC-FL☐	36	20	28	756	60	11.7
ZN242428-NT-BC-FL☐	24	24	28	717	52	11.7
ZN302428-NT-BC-FL☐	30	24	28	768	60	11.7
ZN362428-NT-BC-FL☐	36	24	28	799	67	13.9



Storage Cabinet

28" High No Top Storage Cabinet


1 Shelf

Four 3" High Legs

Non-Locking. Optional lock available, see front specifications.

☐ = **Specify metal finish:**
[1] Black
[3] Silver

ZN242028-L-NT-SC-FL☐-P6 (Left Opening Door)	24	20	28	712	58	9.8
ZN242028-R-NT-SC-FL☐-P6 (Right Opening Door)	24	20	28	712	58	9.8
ZN302028-NT-SC-FL☐-P6	30	20	28	761	66	9.8
ZN362028-NT-SC-FL☐-P6	36	20	28	810	75	11.7
ZN242428-L-NT-SC-FL☐-P6 (Left Opening Door)	24	24	28	745	67	11.7
ZN242428-R-NT-SC-FL☐-P6 (Right Opening Door)	24	24	28	745	67	11.7
ZN302428-NT-SC-FL☐-P6	30	24	28	810	75	11.7
ZN362428-NT-SC-FL☐-P6	36	24	28	849	82	13.9



Storage Cabinet

28" High No Top Storage Cabinet

Frosted Acrylic Door with silver MDF wrapped door frame.

1 Shelf

Four 3" High Legs

Non-Locking. Optional lock available, see front specifications.

☐ = **Specify metal finish:**
[1] Black
[3] Silver

ZN242028-L-NT-SZ-FL☐-P6 (Left Opening Door)	24	20	28	980	58	9.8
ZN242028-R-NT-SZ-FL☐-P6 (Right Opening Door)	24	20	28	980	58	9.8
ZN302028-NT-SZ-FL☐-P6	30	20	28	1007	66	9.8
ZN362028-NT-SZ-FL☐-P6	36	20	28	1033	75	11.7
ZN242428-L-NT-SZ-FL☐-P6 (Left Opening Door)	24	24	28	1016	67	11.7
ZN242428-R-NT-SZ-FL☐-P6 (Right Opening Door)	24	24	28	1016	67	11.7
ZN302428-NT-SZ-FL☐-P6	30	24	28	1040	75	11.7
ZN362428-NT-SZ-FL☐-P6	36	24	28	1064	82	13.9



28" High No Top Lateral Cabinet

2 File Drawers (locking)

Mechanical Interlock allows one drawer to open at a time


Four 3" High Legs

☐ = **Specify metal finish:**
[1] Black
[3] Silver


ZN242028-NT-LF-2F-FL☐-P6	24	20	28	911	87	9.8
ZN302028-NT-LF-2F-FL☐-P6	30	20	28	941	95	9.8
ZN362028-NT-LF-2F-FL☐-P6	36	20	28	974	104	11.7
ZN242428-NT-LF-2F-FL☐-P6	24	24	28	945	96	11.7
ZN302428-NT-LF-2F-FL☐-P6	30	24	28	976	104	11.7
ZN362428-NT-LF-2F-FL☐-P6	36	24	28	1007	111	13.9

P6 pull handles are standard.
For optional handle styles see front specifications.

All items are shipped assembled
For optional locks see front specifications.




	Model No.	*W*	*D*	*H*	Price	*LB*
	☐ = Specify metal finish: [1] Black [3] Silver					
Storage Cabinet	ZN242053-L-SC-FL☐-P6	24	20	53	1480	120
Left Opening Door	ZN242453-L-SC-FL☐-P6	24	24	53	1513	130
Laminate Door (SC)						
Non-Locking	ZN242065-L-SC-FL☐-P6	24	20	65	1627	150
Includes four 3" high legs.	ZN242465-L-SC-FL☐-P6	24	24	65	1659	160
Shipped Assembled						
	ZN242071-L-SC-FL☐-P6	24	20	71	1781	160
	ZN242471-L-SC-FL☐-P6	24	24	71	1812	170
	ZN242077-L-SC-FL☐-P6	24	20	77	1935	170
	ZN242477-L-SC-FL☐-P6	24	24	77	1967	180




	☐ = Specify metal finish: [1] Black [3] Silver					
Storage Cabinet	ZN242053-R-SC-FL☐-P6	24	20	53	1480	120
Right Opening Door	ZN242453-R-SC-FL☐-P6	24	24	53	1513	130
Laminate Door (SC)						
Non-Locking	ZN242065-R-SC-FL☐-P6	24	20	65	1627	150
Includes four 3" high legs.	ZN242465-R-SC-FL☐-P6	24	24	65	1659	160
Shipped Assembled						
	ZN242071-R-SC-FL☐-P6	24	20	71	1781	160
	ZN242471-R-SC-FL☐-P6	24	24	71	1812	170
	ZN242077-R-SC-FL☐-P6	24	20	77	1935	170
	ZN242477-R-SC-FL☐-P6	24	24	77	1967	180

P6 pull handles are standard.
For optional handle styles see front specifications.

All items are shipped assembled
For optional locks see front specifications.



	Model No.	*W*	*D*	*H*	Price	*LB*
	☐ = Specify metal finish: [1] Black [3] Silver					
Storage Cabinet	ZN242053-L-SZ-FL☐-P6	24	20	53	1911	120
Left Opening Door	ZN242453-L-SZ-FL☐-P6	24	24	53	1944	130
Frosted Acrylic Door with silver MDF wrapped door frame.	ZN242065-L-SZ-FL☐-P6	24	20	65	2058	150
Non-Locking	ZN242465-L-SZ-FL☐-P6	24	24	65	2090	160
Includes four 3" high legs.						
Shipped Assembled	ZN242071-L-SZ-FL☐-P6	24	20	71	2212	160
	ZN242471-L-SZ-FL☐-P6	24	24	71	2243	170
	ZN242077-L-SZ-FL☐-P6	24	20	77	2366	170
	ZN242477-L-SZ-FL☐-P6	24	24	77	2397	180



	☐ = Specify metal finish: [1] Black [3] Silver					
Storage Cabinet	ZN242053-R-SZ-FL☐-P6	24	20	53	1911	120
Right Opening Door	ZN242453-R-SZ-FL☐-P6	24	24	53	1944	130
Frosted Acrylic Door with silver MDF wrapped door frame.	ZN242065-R-SZ-FL☐-P6	24	20	65	2058	150
Non-Locking	ZN242465-R-SZ-FL☐-P6	24	24	65	2090	160
Includes four 3" high legs.						
Shipped Assembled	ZN242071-R-SZ-FL☐-P6	24	20	71	2212	160
	ZN242471-R-SZ-FL☐-P6	24	24	71	2243	170
	ZN242077-R-SZ-FL☐-P6	24	20	77	2366	170
	ZN242477-R-SZ-FL☐-P6	24	24	77	2397	180

P6 pull handles are standard.
For optional handle styles see front specifications.

All items are shipped assembled
For optional locks see front specifications.



Laminate Door = S**C**

1 Hinged Door (door opens to the left) (non-locking)
2 Box Drawers (locking) / 1 File Drawer (locking)

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* [3]
☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-L-BBLF-SC-FL☐-P6	24	20	53	1681	122	15.2
ZN242453-L-BBLF-SC-FL☐-P6	24	24	53	1715	134	18.1
ZN242065-L-BBLF-SC-FL☐-P6	24	20	65	1829	152	18.8
ZN242465-L-BBLF-SC-FL☐-P6	24	24	65	1860	164	22.4

53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Laminate Door = S**C**

1 Hinged Door (door opens to the right) (non-locking)
2 Box Drawers (locking) / 1 File Drawer (locking)

☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-R-BBLF-SC-FL☐-P6	24	20	53	1681	122	15.2
ZN242453-R-BBLF-SC-FL☐-P6	24	24	53	1715	134	18.1
ZN242065-R-BBLF-SC-FL☐-P6	24	20	65	1829	152	18.8
ZN242465-R-BBLF-SC-FL☐-P6	24	24	65	1860	164	22.4

53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Laminate Door = S**C**

1 Hinged Door (door opens to the left) (non-locking)
2 File Drawers (locking)

☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-L-LF-SC-FL☐-P6	24	20	53	1681	123	15.2
ZN242453-L-LF-SC-FL☐-P6	24	24	53	1715	135	18.1
ZN242065-L-LF-SC-FL☐-P6	24	20	65	1829	153	18.8
ZN242465-L-LF-SC-FL☐-P6	24	24	65	1860	165	22.4

53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Laminate Door = S**C**

1 Hinged Door (door opens to the right) (non-locking)
2 File Drawers (locking)

☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-R-LF-SC-FL☐-P6	24	20	53	1681	123	15.2
ZN242453-R-LF-SC-FL☐-P6	24	24	53	1715	135	18.1
ZN242065-R-LF-SC-FL☐-P6	24	20	65	1829	153	18.8
ZN242465-R-LF-SC-FL☐-P6	24	24	65	1860	165	22.4

53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled

P6 pull handles are standard.
For optional handle styles see front specifications.

All items are shipped assembled
For optional locks see front specifications.



Frosted Acrylic Door = S**Z**

1 Hinged Door (door opens to the left) (non-locking)
2 Box Drawers (locking) / 1 File Drawer (locking)

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* [3]
☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-L-BBLF-SZ-FL☐-P6	24	20	53	2041	122	15.2
ZN242453-L-BBLF-SZ-FL☐-P6	24	24	53	2077	134	18.1
ZN242065-L-BBLF-SZ-FL☐-P6	24	20	65	2198	152	18.8
ZN242465-L-BBLF-SZ-FL☐-P6	24	24	65	2235	164	22.4

53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Frosted Acrylic Door = S**Z**

1 Hinged Door (door opens to the right) (non-locking)
2 Box Drawers (locking) / 1 File Drawer (locking)

☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-R-BBLF-SZ-FL☐-P6	24	20	53	2041	122	15.2
ZN242453-R-BBLF-SZ-FL☐-P6	24	24	53	2077	134	18.1
ZN242065-R-BBLF-SZ-FL☐-P6	24	20	65	2198	152	18.8
ZN242465-R-BBLF-SZ-FL☐-P6	24	24	65	2235	164	22.4

53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Frosted Acrylic Door = S**Z**

1 Hinged Door (door opens to the left) (non-locking)
2 File Drawers (locking)

☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-L-LF-SZ-FL☐-P6	24	20	53	2041	123	15.2
ZN242453-L-LF-SZ-FL☐-P6	24	24	53	2077	135	18.1
ZN242065-L-LF-SZ-FL☐-P6	24	20	65	2198	153	18.8
ZN242465-L-LF-SZ-FL☐-P6	24	24	65	2235	165	22.4

53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Frosted Acrylic Door = S**Z**

1 Hinged Door (door opens to the right) (non-locking)
2 File Drawers (locking)

☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-R-LF-SZ-FL☐-P6	24	20	53	2021	123	15.2
ZN242453-R-LF-SZ-FL☐-P6	24	24	53	2058	135	18.1
ZN242065-R-LF-SZ-FL☐-P6	24	20	65	2178	153	18.8
ZN242465-R-LF-SZ-FL☐-P6	24	24	65	2213	165	22.4

53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled

P6 pull handles are standard.
For optional handle styles see front specifications.

All items are shipped assembled
For optional locks see front specifications.



Laminate Door = S**C**

1 Coat Rod in Personal Wardrobe Tower on Left (non-locking)
Adjustable Shelves in Storage Cabinet on Right* (non-locking)
2 Box Drawers / 1 File Drawer (18" wide) (locking)

☐ = Specify metal finish:
[1] Black
[3] Silver

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ZN242053-L-WT-BBF-SC-FL☐-P6	24	20	53	2067	148	15.2
ZN242453-L-WT-BBF-SC-FL☐-P6	24	24	53	2098	160	18.1
ZN242065-L-WT-BBF-SC-FL☐-P6	24	20	65	2214	178	18.8
ZN242465-L-WT-BBF-SC-FL☐-P6	24	24	65	2244	190	22.4

* 53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Laminate Door = S**C**

1 Coat Rod in Personal Wardrobe Tower on Right (non-locking)
Adjustable Shelves in Storage Cabinet on Left* (non-locking)
2 Box Drawers / 1 File Drawer (18" wide) (locking)

☐ = Specify metal finish:
[1] Black
[3] Silver

ZN242053-R-WT-BBF-SC-FL☐-P6	24	20	53	2067	148	15.2
ZN242453-R-WT-BBF-SC-FL☐-P6	24	24	53	2098	160	18.1
ZN242065-R-WT-BBF-SC-FL☐-P6	24	20	65	2214	178	18.8
ZN242465-R-WT-BBF-SC-FL☐-P6	24	24	65	2244	190	22.4

* 53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Laminate Door = S**C**

1 Coat Rod in Personal Wardrobe Tower on Left (non-locking)
Adjustable Shelves in Storage Cabinet on Right* (non-locking)
2 File Drawers (18" wide) (locking)

☐ = Specify metal finish:
[1] Black
[3] Silver

ZN242053-L-WT-FF-SC-FL☐-P6	24	20	53	2067	149	15.2
ZN242453-L-WT-FF-SC-FL☐-P6	24	24	53	2098	161	18.1
ZN242065-L-WT-FF-SC-FL☐-P6	24	20	65	2214	179	18.8
ZN242465-L-WT-FF-SC-FL☐-P6	24	24	65	2244	191	22.4

* 53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Laminate Door = S**C**

1 Coat Rod in Personal Wardrobe Tower on Right (non-locking)
Adjustable Shelves in Storage Cabinet on Left* (non-locking)
2 File Drawers (18" wide) (locking)

☐ = Specify metal finish:
[1] Black
[3] Silver

ZN242053-R-WT-FF-SC-FL☐-P6	24	20	53	2067	149	15.2
ZN242453-R-WT-FF-SC-FL☐-P6	24	24	53	2098	161	18.1
ZN242065-R-WT-FF-SC-FL☐-P6	24	20	65	2214	179	18.8
ZN242465-R-WT-FF-SC-FL☐-P6	24	24	65	2244	191	22.4

* 53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled

P6 pull handles are standard.
For optional handle styles see front specifications.

For optional locks see front specifications.
Personal Wardrobe Cabinet standard with 6" wide door.



Frosted Acrylic Door = S**Z**

1 Coat Rod in Personal Wardrobe Tower on Left (non-locking)
Adjustable Shelves in Storage Cabinet on Right* (non-locking)
2 Box Drawers / 1 File Drawer (18" wide) (locking)

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-L-WT-BBF-SZ-FL☐-P6	24	20	53	2313	148	15.2
ZN242453-L-WT-BBF-SZ-FL☐-P6	24	24	53	2347	160	18.1
ZN242065-L-WT-BBF-SZ-FL☐-P6	24	20	65	2460	178	18.8
ZN242465-L-WT-BBF-SZ-FL☐-P6	24	24	65	2493	190	22.4

* 53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Frosted Acrylic Door = S**Z**

1 Coat Rod in Personal Wardrobe Tower on Right (non-locking)
Adjustable Shelves in Storage Cabinet on Left* (non-locking)
2 Box Drawers / 1 File Drawer (18" wide) (locking)

☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-R-WT-BBF-SZ-FL☐-P6	24	20	53	2313	148	15.2
ZN242453-R-WT-BBF-SZ-FL☐-P6	24	24	53	2347	160	18.1
ZN242065-R-WT-BBF-SZ-FL☐-P6	24	20	65	2460	178	18.8
ZN242465-R-WT-BBF-SZ-FL☐-P6	24	24	65	2493	190	22.4

* 53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Frosted Acrylic Door = S**Z**

1 Coat Rod in Personal Wardrobe Tower on Left (non-locking)
Adjustable Shelves in Storage Cabinet on Right* (non-locking)
2 File Drawers (18" wide) (locking)

☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-L-WT-FF-SZ-FL☐-P6	24	20	53	2313	149	15.2
ZN242453-L-WT-FF-SZ-FL☐-P6	24	24	53	2347	161	18.1
ZN242065-L-WT-FF-SZ-FL☐-P6	24	20	65	2460	179	18.8
ZN242465-L-WT-FF-SZ-FL☐-P6	24	24	65	2493	191	22.4

* 53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled



Frosted Acrylic Door = S**Z**

1 Coat Rod in Personal Wardrobe Tower on Right (non-locking)
Adjustable Shelves in Storage Cabinet on Left* (non-locking)
2 File Drawers (18" wide) (locking)

☐ = Specify metal finish: [1] Black [3] Silver						
ZN242053-R-WT-FF-SZ-FL☐-P6	24	20	53	2313	149	15.2
ZN242453-R-WT-FF-SZ-FL☐-P6	24	24	53	2347	161	18.1
ZN242065-R-WT-FF-SZ-FL☐-P6	24	20	65	2460	179	18.8
ZN242465-R-WT-FF-SZ-FL☐-P6	24	24	65	2493	191	22.4


* 53" high cabinets include 1 adjustable shelf.
65" high cabinets include 2 adjustable shelves.

Includes four 3" high legs.

Shipped Assembled

P6 pull handles are standard.
For optional handle styles see front specifications.

For optional locks see front specifications.
Personal Wardrobe Cabinet standard with 6" wide door.




	Model No.	W	D	H	Price	LB	FT³
	☐ = Specify metal leg finish: [1] Black [3] Silver [5] White						
Meeting Table - Square	ZN30-SQ-UL☐	30	30	29	1131	52	5.3
"U" Shaped Leg Supports	ZN36-SQ-UL☐	36	36	29	1303	64	6.6
	ZN42-SQ-UL☐	42	42	29	1376	78	7.8
	ZN48-SQ-UL☐	48	48	29	1530	96	9.6



	Model No.	W	D	H	Price	LB	FT³
	☐ = Specify metal leg finish: [1] Black [3] Silver [5] White						
Meeting Table - Round	ZN36-RD-UL☐	36	36	29	1164	64	6.6
"U" Shaped Leg Supports	ZN42-RD-UL☐	42	42	29	1200	78	7.8
	ZN48-RD-UL☐	48	48	29	1294	96	9.6

36" and 42" diameter round tables contain two 24" wide leg supports.
48" diameter round tables contain two 30" wide leg supports.



	Model No.	W	D	H	Price	LB	FT³
	☐ = Specify metal leg finish: [1] Black [3] Silver [5] White						
Conference Table	ZN6-RQ-UL☐	72	36	29	1606	120	7.5
Rectangular	ZN8-RQ-UL☐	96	42	29	1787	154	8.9
"U" Shaped Leg Supports	ZN10-RQ-UL☐	120	48	29	2592	184	10.3
	ZN12-RQ-UL☐	144	48	29	2737	234	20.8


10' and 12' table tops shipped in two pieces and include a center leg.
ZN8-RQ-UL table includes two 47.5" wide worksurface stiffeners (AC48-STFR)

Optional Power/Data Modules:	Model No.	
One "M1" (Black) Power/Data Module	M1Q1	+ $293 to Price
Two "M1" (Back) Power/Data Module	M1Q2	+ $586 to Price
One "M3" (Silver) Power/Data Module	M3Q1	+ $293 to Price
Two "M3" (Silver) Power/Data Module	M3Q2	+ $586 to Price
One "U2" (Brushed Nickel) Power/Data Module	U2Q1	+ $532 to Price
Two "U2" (Brushed Nickel) Power/Data Module	U2Q2	+ $1064 to Price
One "W2" (Brushed Nickel) Power/Data Module	W2Q1	+ $619 to Price
Two "W2" (Brushed Nickel) Power/Data Module	W2Q2	+ $1238 to Price


How To Order Power/Data Modules:

STEP 1 Select conference table model number (ex. ZN10-RC-U3)


STEP 2 Add optional power/data modules (ex. M1Q1) to end of product code and adjust list price.




"M1" (Black Finish)
Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports



"M3" (Silver Finish)
Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports




"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports
Standard with Aluminum Frame



"W2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Simplex Receptacles
4 Voice/Data Ports
Standard with Aluminum Frame

Note: 10' and 12' wide table tops are shipped in two pieces.
Woodgrain laminate finishes may not align where the two tops join.



☐ = **Specify metal leg finish:**
[1] Black
[3] Silver
[5] White

	Model No.	W	D	H	Price	LB	FT³
Conference Table	ZN6-AT-UL☐	72	36	29	1755	120	7.5
Tapered	ZN8-AT-UL☐	96	42	29	1935	154	8.9
"U" Shaped Leg Supports	ZN10-AT-UL☐	120	48	29	2739	184	10.3
	ZN12-AT-UL☐	144	48	29	2882	234	20.8

10' and 12' table tops shipped in two pieces.

ZN8-AT-UL table includes two 47.5" wide worksurface stiffeners (AC48-STFR)


Optional Power/Data Modules:	Model No.	
One "M1" (Black) Power/Data Module	M1Q1	+ $293 to Price
Two "M1" (Back) Power/Data Module	M1Q2	+ $586 to Price
One "M3" (Silver) Power/Data Module	M3Q1	+ $293 to Price
Two "M3" (Silver) Power/Data Module	M3Q2	+ $586 to Price
One "U2" (Brushed Nickel) Power/Data Module	U2Q1	+ $532 to Price
Two "U2" (Brushed Nickel) Power/Data Module	U2Q2	+ $1064 to Price
One "W2" (Brushed Nickel) Power/Data Module	W2Q1	+ $619 to Price
Two "W2" (Brushed Nickel) Power/Data Module	W2Q2	+ $1238 to Price

How To Order Power/Data Modules:


STEP 1 Select conference table model number (ex.ZN10-RC-U3)

STEP 2 Add optional power/data modules (ex. M1Q1) to end of product code and adjust list price.


Example: ZN10-RC-U3-M1Q1




"M1" (Black Finish)
Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports




"M3" (Silver Finish)
Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports



"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Simplex Receptacles
2 Voice/Data Ports
Standard with Aluminum Frame







"W2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Simplex Receptacles
4 Voice/Data Ports
Standard with Aluminum Frame








Mobile Media Cabinet
TV mountable on one side
Grommets in front
Hinged doors in back for wire access
9" deep cabinet mounted onto 24" deep legs with 4 casters (2 locking)
TV and TV mounts not included
Not compatible with extendable arm TV mounts
Legs standard in silver finish

	ZN300965-TV-MB	30	9	65	2132	125	4

Note: 10' and 12' wide table tops are shipped in two pieces.
Woodgrain laminate finishes may not align where the two tops join.

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
 with receptacles on **two sides**	Double Sided Power Block **Supplied with SI1, SI2, SI4 and SIG receptacles on two sides** 8 wire 4 circuit 3 utility share neutral and ground, plus 1 isolated	ZN8442-PMKT-Z☐ ☐ = **Specify metal finish:** **[1] Black** **[3] Silver**	5.5	9	2.75	407	5	0.1
	For use in center between two back to back worksurfaces only.							
 with receptacles on **two sides**	Double Sided Power Block **With Power Harness** **Supplied with SI1, SI2, SI4 and SIG receptacles on two sides** 8 wire 4 circuit 3 utility share neutral and ground, plus 1 isolated	ZN8442-PMKT-HN-Z☐ ☐ = **Specify metal finish:** **[1] Black** **[3] Silver**	5.5	9	2.75	474	5	0.1
	For use in center between two back to back worksurfaces only.							
Cable Tray 	(for use on 42"w & 48"w worksurfaces)	ZN35-WCT-Z☐	35¾	6	4.5	220	2	0.2
	(for use on 54"w & 60"w worksurfaces)	ZN47-WCT-Z☐	47¾	6	4.5	295	2.6	0.3
	(for use on 66"w & 72"w worksurfaces)	ZN59-WCT-Z☐	59¾	6	4.5	367	3.3	0.4
	For 78"w & 84"w surfaces, use two 35.75" wide (ZN35-WCT-Z☐) cable trays.	☐ = **Specify metal finish:** **[1] Black** **[3] Silver**						
	**"X3" Power/Data Module** Clamp on Unit Includes: 2 Simplex Receptacles 1 dual port 4 Amp USB 10' Cord Length Silver Fog faceplate with matching powder-coated housing	AC-X3				560		
	Wall Outlet Base Feed Power Entry For energizing a **single circuit** 72" length comprised of 24" cord and 48" metal flex cable, connects to power block Fits 15 & 20 AMP outlets Can power up to 20 single circuits	PW0072-WAS-84 Can only be used to power PW-SI1 Circuit #1 receptacles.	72			421		

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
 Base Feed Hardware (BFH)	Base Feed Power Entry Connects to Power Block Must be wired to building source power by a licensed electrician Rated for 20 AMPs and are energized For New York City, electrician must provide junction box.	PW0072-BFH-84	72			219		
 Ceiling Feed Hardware (CFH)	Ceiling Feed Power Entry Connects to Power Block Must be wired to building source power by a licensed electrician Rated for 20 AMPs and are energized For New York City, electricianmust provide junction box	PW0156-CFH-84	156			407		
 META FLEX CABLE FEMALE BOTH ENDS	Interconnecting Cable connects Power Block to Power Block	PW0024-FF PW0030-FF PW0036-FF PW0042-FF PW0048-FF PW0060-FF PW0072-FF PW0084-FF PW0096-FF PW0120-FF PW0156-FF	24 30 36 42 48 60 72 84 96 120 156			155 167 173 186 196 218 243 265 287 334 402		
	Simplex Receptacles PW-SI1, PW-SI2, and PW-SI4 have black covers and PW-SIG has an orange cover	PW-SI1 PW-SI2 PW-SI4 PW-SIG				22 22 22 24		
	Receptacle Extraction Tool Proper tool for safe removal of Simplex Receptacles	PW-SRT				21		
	Cable Snake **Standard in silver finish**	AC30-SNK-Z3	6	2	30	162	3	0.19

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	RJ11/RJ45 Communication Bracket Mounts to underside of tops **Standard in silver finish**	EL1145-BRKT				80		
	RJ11/RJ45 Communication Module **Note: Fits into EL1145-BRKT**	EL1145-CM				54		
	Power Pole with Ceiling Cover **Standard in silver finish** Power pole attaches to ceiling and base unit, bringing power/data cables from ceiling to base unit. Three separate compartments divide power and data cables. Power pole can be opened on one side for placement of power/data cables.	ZN0066-PP-Z3 ZN0084-PP-Z3 ZN0120-PP-Z3	4 4 4	1 1 1	66 84 120	283 353 493	8 10 12	0.5 0.5 0.5
	Single Monitor arm Built in Cable Management Vertical range +/- 5.2” (13.2 cm) from horizontal Horizontal range 18.6” (47.2 cm) Rotation 360° at two joints, 180° at base Monitor tilt 90° up, 20° down from center Monitor pivot landscape to portrait Monitor weight capacity 7 – 20 lbs Mount Options: clamp to desk edge, through grommet, or bolt through desk **Standard in Silver Finish**	AC11-SMTA-Z3				625	8	0.6
	Dual Monitor arm Built in Cable Management Vertical range +/- 5.2” (13.2 cm) from horizontal Horizontal range 18.6” (47.2 cm) Rotation 360° at two joints, 180° at base Monitor tilt 90° up, 20° down from center Monitor pivot landscape to portrait Monitor weight 7 – 20 lbs per monitor Mount Options: clamp to desk edge, through grommet, or bolt through desk **Standard in Silver Finish**	AC22-DMTA-Z3				1072	20	2.4

NOVELLE

PRICE BOOK

OFGO

STUDIO

Worksurfaces

- 1" thick top finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.
- Constructed of 45 lbs/ft^3 density particleboard with high performance thermally fused laminate.
- Worksurfaces are edged on all four sides.
- Worksurfaces and side panels are edged with 1.5mm thick edges, improving user comfort and product durability.
- Side panels edged on bottom for additional strength and to seal out moisture.
- Side panels include height adjustable floor levelers; floor levelers offer additional space between side panels and floor, minimizing moisture damage from floor.
- Floor levelers have square bodies with rounded bottoms and are height adjustable from 5/8" (16 mm) to 1 5/8" (41 mm) high.

Back Panels

- Laminate Back panels are 5/8" (16 mm) thick, solid core, 45 lbs/ft^3 density particle board, finished on both sides with thermofused laminate.
- Frosted Acrylic Back Panels have a silver framed exterior with frosted acrylic interior.
- Full height back panels standard on desks.
- Recessed 9" back panels standard on 36" deep assembled desks.

Pedestals and Drawers

- Drawer fronts are 5/8" (16 mm) thick, solid core particle board, finished on both sides with thermofused laminate.
- Drawer fronts have 1.5mm thick edging on all four sides.
- Five sided drawer construction offers strength and durability.
- Interior drawer construction is made with 1/2" (13 mm) black laminate sides, back and front, and 1/8" (3 mm) black hardboard bottom.
- All drawers standard with P1 Pull Handles. Optional pull handles style available at no charge.
- Box drawers and file drawers operate with full extension ball bearing suspension slides for smooth and quiet operation
- Box drawers are mounted on full suspension slides with 100 lbs / 45 kg weight capacity.
- File drawers are mounted on full suspension slides with 100 lbs / 45 kg weight capacity.
- Box drawers standard with molded plastic pencil tray (one per unit).
- File drawers and lateral file drawers include file supports, accepting front-to-back letter and side-to-side legal filing.
- File drawers and lateral file drawers, optional file supports available for side-to-side letter filing.

Edges

- All edges are scuff resistant.
- Edges are applied to components using state-of-the-art automated machinery.
- All components standard with matching edging.

Locks

- Locks standard with interchangeable lock core.
- Locks standard with collapsible key, preventing damage to key.
- Lock core can be changed, allowing multiple units to be keyed alike or allowing multiple units in a common area to be keyed differently (100 different cores available).
- Locks standard on box/file pedestals.
- Locks standard on file/file pedestals.
- Identical lock numbers are automatically supplied on the same unit.
- Core removable key available, master key available.

Grommets and Power/Data Modules

- Optional grommet and power data modules available.

Industry Standards

- Components meet current ANSI/BIFMA standards.

Size, Thickness, & Weight

- Widths, depths, heights, volumes, weights, and laminate/edge thicknesses are nominal and not exact.
- Heights include floor levelers (some exceptions apply).

GROMMET PLACEMENT OPTIONS

NOVELLE

- Additional grommets available in standard locations (see below).
- Add **G1**_ _ for black grommet or **G3**_ _ for silver grommet to the end of product code to add optional grommet - **add $42 list.**
- Grommets may be placed in custom locations, a drawing is required indicating exact locations.
- For units that include standard grommets, to replace black grommet with silver grommet add G3 to end of product code.



G1 Black Grommet (standard)



G3 Silver Grommet (optional)

Recessed TOP Grommet Position Codes


Black Grommet (G1)

G1LL16 - Left/Left User Side (16" Inward)
G1LC16 - Left/Center User Side (16" Inward)
G1CC16 - Center/Center User Side (16" Inward)
G1RC16 - Right/Center User Side (16" Inward)
G1RR16 - Right/Right User Side (16" Inward)

Silver Grommet (G3)

G3LL16 - Left/Left User Side (16" Inward)
G3LC16 - Left/Center User Side (16" Inward)
G3CC16 - Center/Center User Side (16" Inward)
G3RC16 - Right/Center User Side (16" Inward)
G3RR16 - Right/Right User Side (16" Inward)

Desks with 9" Recessed Back



*Cut out placed on user side of back panel.

Note: On Double Pedestal desks the use of the following grommet positions are not avaiable as pedestals will be in the way: G1LL10/G3LL10, G1RR10/G3RR10, G1LL16/ G3LL16, and G1RR16/G3RR16.


SIDE GABLE Grommet Position Codes

Black Grommet (G1)

G1LU - Top of Left Side Panel
G1LD - Bottom of Left Side Panel
G1RU - Top of Right Side Panel
G1RD - Bottom of Right Side Panel

Silver Grommet (G3)

G3LU - Top of Left Side Panel
G3LD - Bottom of Left Side Panel
G3RU - Top of Right Side Panel
G3RD - Bottom of Right Side Panel




Grommet not availalable on pedestal side.
Double pedestal desks not avaiable with side grommet option.

Power/Data Modules are compact workplace accessories that provide convenient power and data distribution.

Item Codes: M1 (Black) and M3 (Silver)

- 2 simplexes.
- 15 amp cord.
- 2 voice/data ports.
- Voice/data adapter kit standard, accepts couplers and jacks.
- UL listed.
- Worksurface cut-outs included in standard locations.
- Power/Data modules may be ordered on all worksurfaces.
- 10 foot black cord included.
- Power/Data modules are available in standard worksurface locations (shown below).
- Power/Data modules may be placed in custom locations, a drawing is required indicating exact vertical and horizontal locations for the center of the cut-out.





One voice/data kit is supplied with each power/data module.


Adapters made to accept most couplers and jacks.

Recessed TOP Power Position Codes

Black (M1)
M1LL16 - Left/Left User Side (16" Inward)
M1LC16 - Left/Center User Side (16" Inward)
M1CC16 - Center/Center User Side (16" Inward)
M1RC16 - Right/Center User Side (16" Inward)
M1RR16 - Right/Right User Side (16" Inward)

Silver (M3)
M3LL16 - Left/Left User Side (16" Inward)
M3LC16 - Left/Center User Side (16" Inward)
M3CC16 - Center/Center User Side (16" Inward)
M3RC16 - Right/Center User Side (16" Inward)
M3RR16 - Right/Right User Side (16" Inward)

Desks with 9" Recessed Back



Available Pull Handles:



P1 Pull Handle
Black Nickel Finish
(Standard)



P3 Pull Handle
Silver Finish



P5 Pull Handle
Black Finish



P9 Pull Handle
Brushed Nickel Finish



P6 Pull Handle
Silver Finish



P12 Pull Handle
Silver Finish



P25 Pull Handle
Black Finish








P23 Pull Handle
Silver Finish



P7 Pull Handle
Brushed Nickel Finish

P1 handle is standard, orders will be processed with P1 handle unless otherwise specified.
To select an optional handle style, replace P1 in the item code with optional handle style code,
i.e. change NV7236-BW-D-BBF-FF-FP-P1 to NV7236-BW-D-BBF-FF-FP-P6

Note: We are constantly upgrading our products, visit ofgo.com for the most up-to-date pull handles available.


	Model No.	W	D	H	LAMINATE BACK PANEL (F) $	FROSTED ACRYLIC BACK PANEL (Z) $	LB
 Laminate Back Panel  Frosted Acrylic Back Panel	☐ = Specify back panel type: [F] Laminate [Z] Frosted Acrylic						
Double Pedestal Desk Bow Front Top Full Back Panel 2 Box Drawers 3 File Drawers Shipped partially assembled in 3 boxes.	NV7236-BW-D-BBF-FF-☐P-P1 **(1" Thick Top)** 	72	36	29	2507	3252	320
 Laminate Back Panel  Frosted Acrylic Back Panel	☐ = Specify back panel type: [F] Laminate [Z] Frosted Acrylic						
Left Pedestal Desk Bow Front Top Full Back Panel 2 Box Drawers 1 File Drawer Shipped partially assembled in 3 boxes.	NV7236-BW-L-BBF-☐P-P1 **(1" Thick Top)** 	72	36	29	2080	2829	288
 Laminate Back Panel  Frosted Acrylic Back Panel	☐ = Specify back panel type: [F] Laminate [Z] Frosted Acrylic						
Right Pedestal Desk Bow Front Top Full Back Panel 2 Box Drawers 1 File Drawer Shipped partially assembled in 3 boxes.	NV7236-BW-R-BBF-☐P-P1 **(1" Thick Top)** 	72	36	29	2080	2829	288

P1 pull handles are standard.
For optional handle styles see front specifications.

Model No.	W	D	H	LAMINATE BACK PANEL (F) $	FROSTED ACRYLIC BACK PANEL (Z) $	LB
☐ = Specify back panel type: [F] Laminate [Z] Frosted Acrylic						
NV7236-D-BBF-FF-☐P-P1 **(1" Thick Top)**	72	36	29	2324	3068	320


Laminate Back Panel


Frosted Acrylic Back Panel




Double Pedestal Desk
Rectangular Top
Full Back Panel
2 Box Drawers
3 File Drawers
Shipped partially assembled in 3 boxes.

Model No.	W	D	H	LAMINATE BACK PANEL (F) $	FROSTED ACRYLIC BACK PANEL (Z) $	LB
☐ = Specify back panel type: [F] Laminate [Z] Frosted Acrylic						
NV7236-L-BBF-☐P-P1 **(1" Thick Top)**	72	36	29	1901	2644	288



Laminate Back Panel



Frosted Acrylic Back Panel




Left Pedestal Desk
Rectangular Top
Full Back Panel
2 Box Drawers
1 File Drawer
Shipped partially assembled in 3 boxes.

Model No.	W	D	H	LAMINATE BACK PANEL (F) $	FROSTED ACRYLIC BACK PANEL (Z) $	LB
☐ = Specify back panel type: [F] Laminate [Z] Frosted Acrylic						
NV7236-R-BBF-☐P-P1 **(1" Thick Top)**	72	36	29	1901	2644	288


Laminate Back Panel


Frosted Acrylic Back Panel



Right Pedestal Desk
Rectangular Top
Full Back Panel
2 Box Drawers
1 File Drawer
Shipped partially assembled in 3 boxes.

P1 pull handles are standard.
For optional handle styles see front specifications.

PULSE DIGITAL LOCK

PRICE BOOK

OFGO

STUDIO

Specifications 164-165
Power / Data and Lock Placement Options 166
Grommet Placement Options 167
Special Programs 168
Finishes 169
Pull Handles 170

DESKS / RETURNS / CREDENZAS

Desks (bow front) 171
Desks (rectangular) 172-173
Returns 174-175
Credenzas 176-179

LATERAL FILES / CABINETS

Multifunctional Cabinets 180
Lateral Files 181-182
Storage Cabinets 183-185
Combination Cabinets 186-193
Wardrobe Cabinets 194-195
Personal Wardrobe Cabinets 196-198
No Top Cabinets 199-202
Worksurfaces (for no top cabinets) 203

PEDESTALS

Pedestals 204-206

Worksurfaces and Side Panels (Gables)

- Worksurface and side panels are 1" (25 mm) thick, solid core, 45 lbs/ft^3 density particle board, finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.
- Worksurfaces are edged on all four sides.
- Worksurfaces and side panels are edged with 1.5mm thick edges, improving user comfort and product durability.
- Side panels edged on bottom for additional strength and to seal out moisture.
- Side panels include height adjustable floor levelers; floor levelers offer additional space between side panels and floor, minimizing moisture damage from floor.
- Floor levelers have square bodies with rounded bottoms and are height adjustable from 5/8" (16 mm) to 1 5/8" (41 mm) high.

Back Panels

- Back panels are 5/8" (16 mm) thick, solid core, 45 lbs/ft3 density particle board, finished on both sides with thermofused laminate.
- Full height back panels standard on desks with box/box/file or file/file pedestals.
- 18" height back panels available on desks with box/file pedestals.
- Flush back panels standard on returns.
- Recessed 6" (152 mm) back panels standard on 30" (762 mm) deep assembled desks.
- Recessed 12" (305 mm) back panels standard on 36" (914 mm) deep assembled desks.

Pedestals and Drawers

- Drawer fronts are 5/8" (16 mm) thick, solid core particle board, finished on both sides with thermofused laminate.
- Drawer fronts have 1.5mm thick edging on all four sides.
- Five sided drawer construction offers strength and durability.
- Interior drawer construction is made with 1/2" (13 mm) black laminate sides, back and front, and 1/8" (3 mm) black hardboard bottom.
- Pedestals standard with side pull out drawers or optional pull handles.
- Lateral file drawers open with front pull handles.
- Box drawers, file drawers, and lateral file drawers operate with full extension ball bearing suspension slides for smooth and quiet operation
- Box drawers are mounted on full suspension slides with 100 lbs / 45 kg weight capacity.
- File drawers are mounted on full suspension slides with 100 lbs / 45 kg weight capacity.
- Lateral file drawers are mounted on full suspension slides with 150 lbs / 68 kg weight capacity.
- Pedestal Box drawers standard with molded plastic pencil tray (one per unit).
- File drawers and lateral file drawers include file supports, accepting front-to-back letter and side-to-side legal filing.
- File drawers and lateral file drawers, optional file supports available for side-to-side letter filing.

Doors

- Laminated doors are 5/8" (16 mm) thick, solid core particle board finished on both sides with thermofused laminate.
- Laminated doors have 1.5mm thick edging on all four sides.
- Glazed doors are assembled in a framed exterior with frosted glazed interior.
- Cabinet doors open with pull handles.
- Cabinet doors operate on easy closing hinges.
- 71in/1803mm, 77in/1956mm and 83in/2108mm height cabinets, pull handles are placed at matching height to 65in/1651mm height cabinets.

Edges

- All edges are scuff resistant.
- Edges are applied to components using state-of-the-art automated machinery.
- All components standard with matching edging.

Digital Locks

- Digital locks standard on box/file pedestals.
- Digital locks standard on box/box/file pedestals.
- Digital locks standard on file/file pedestals.
- Digital locks are standard on select laminate door cabinets.
- Digital locks standard on 2 drawer, 3 drawer, 4 drawer, and 5 drawer lateral files.
- The Pulse Digital Lock is an innovative and flexible solution for single user or multi-user spaces.
- Each Digital lock contains a touch pad design that can be programmed for passwords consisting of 4-15 digits, with over one billion password combinations available.
- Digital locks can be programmed to operate in Private mode or Public mode. In Private mode the lock contains a fixed password. In public mode the password combination automatically resets after each use.
- The Digital lock includes: Anti-Theft Technology and Fake PIN password functions.
- The Digital Lock's Auto-Alarm function will activate when the incorrect password is entered 4 times.
- Each Digital lock contains one CR2032 battery with a 5000 time lifespan.
- Digital locks contain an automatic power shortage prompt.
- When a password has been forgotten, and you do not have a Master Key, you can contact OFGO STUDIO at: service@ofgo.com for assistance. An Option Master Key is available for password management.

Optional Master USB Key:



To order an optional master key, use the code **DM-USB-KEY ($58 List / each)**

Grommets

- Grommets standard on all returns.
- Optional factory installed grommets available for all worksurface and side panels (gables).
- For specific products that require a second grommet location, see page “grommet placement options”.

Power/Data Modules

- Optional power/data module can be installed on any worksurface.

Thicknesses (Thermofused Laminate - TFL)

Worksurfaces:	1” (25 mm) thick.
Side Panels (Gables): Back	1” (25 mm) thick.
Panels:	5/8” (16 mm) thick.
Drawer Fronts:	5/8” (16 mm) thick.
Doors:	5/8” (16 mm) thick.

Thicknesses (High Pressure - HPL)

HPL option available on worksurfaces.

High pressure worksurfaces standard with high pressure laminate on top and brown backer on bottom.

Add 1/16” (1.6 mm) to overall worksurface thickness.

Industry Standards

- Components meet ANSI/BIFMA standards.

Size, Thickness, & Weight

Widths, depths, heights, volumes, weights, and laminate/edge thicknesses are nominal and not exact.
Heights include floor levelers (some exceptions apply).


Note: We are continuously upgrading our products, visit ofgo.com for the most up-to-date product specifications available.

Power/Data Modules are compact workplace accessories that provide convenient power and data distribution.

Item Codes: M1 (Black) and M3 (Silver)

- 2 simplexes.
- 15 amp cord.
- 2 voice/data ports.
- Voice/data adapter kit standard, accepts couplers and jacks.
- UL listed.
- Worksurface cut-outs included in standard locations.
- Power/Data modules may be ordered on all worksurfaces.
- 10 foot black cord included.
- Power/Data modules are available in standard worksurface locations (shown below).
- Power/Data modules may be placed in custom locations, a drawing is required indicating exact vertical and horizontal locations for the center of the cut-out.





One voice/data kit is supplied with each power/data module.


Adapters made to accept most couplers and jacks.

TOP Power Position Codes

Black (M1)
M1LL - Left/Left User Side
M1LC - Left/Center User Side
M1CC - Center/Center User Side
M1RC - Right/Center User Side
M1RR - Right/Right User Side

Silver (M3)
M3LL - Left/Left User Side
M3LC - Left/Center User Side
M3CC - Center/Center User Side
M3RC - Right/Center User Side
M3RR - Right/Right User Side

Credenzas



*Cut out placed on user side of back panel.

Recessed TOP Power Position Codes


Black (M1)
M1LL10 - Left/Left User Side (10" Inward)
M1LC10 - Left/Center User Side (10" Inward)
M1CC10 - Center/Center User Side (10" Inward)
M1RC10 - Right/Center User Side (10" Inward)
M1RR10 - Right/Right User Side (10" Inward)

M1LL16 - Left/Left User Side (16" Inward)
M1LC16 - Left/Center User Side (16" Inward)
M1CC16 - Center/Center User Side (16" Inward)
M1RC16 - Right/Center User Side (16" Inward)
M1RR16 - Right/Right User Side (16" Inward)


Silver (M3)
M3LL10 - Left/Left User Side (10" Inward)
M3LC10 - Left/Center User Side (10" Inward)
M3CC10 - Center/Center User Side (10" Inward)
M3RC10 - Right/Center User Side (10" Inward)
M3RR10 - Right/Right User Side (10" Inward)

M3LL16 - Left/Left User Side (16" Inward)
M3LC16 - Left/Center User Side (16" Inward)
M3CC16 - Center/Center User Side (16" Inward)
M3RC16 - Right/Center User Side (16" Inward)
M3RR16 - Right/Right User Side (16" Inward)

Desks with 6" Recessed Back



Desks with 12" Recessed Back



GROMMET PLACEMENT OPTIONS

PULSE DIGITAL LOCK

- Additional grommets available in standard locations (see below).
- Add **G1**_ _ for black grommet or **G3**_ _ for silver grommet to the end of product code to add optional grommet - **add $42 list.**
- Grommets may be placed in custom locations, a drawing is required indicating exact locations.
- For units that include standard grommets, to replace black grommet with silver grommet add G3 to end of product code.



G1 Black Grommet (standard)




G3 Silver Grommet (optional)

TOP Grommet Position Codes

Black Grommet (G1)
G1LL - Left/Left User Side
G1LC - Left/Center User Side
G1CC - Center/Center User Side
G1RC - Right/Center User Side
G1RR - Right/Right User Side

Silver Grommet (G3)
G3LL - Left/Left User Side
G3LC - Left/Center User Side
G3CC - Center/Center User Side
G3RC - Right/Center User Side
G3RR - Right/Right User Side

Credenzas



*Cut out placed on user side of back panel.

Recessed TOP Grommet Position Codes


Black Grommet (G1)
G1LL10 - Left/Left User Side (10" Inward)
G1LC10 - Left/Center User Side (10" Inward)
G1CC10 - Center/Center User Side (10" Inward)
G1RC10 - Right/Center User Side (10" Inward)
G1RR10 - Right/Right User Side (10" Inward)

G1LL16 - Left/Left User Side (16" Inward)
G1LC16 - Left/Center User Side (16" Inward)
G1CC16 - Center/Center User Side (16" Inward)
G1RC16 - Right/Center User Side (16" Inward)
G1RR16 - Right/Right User Side (16" Inward)


Silver Grommet (G3)
G3LL10 - Left/Left User Side (10" Inward)
G3LC10 - Left/Center User Side (10" Inward)
G3CC10 - Center/Center User Side (10" Inward)
G3RC10 - Right/Center User Side (10" Inward)
G3RR10 - Right/Right User Side (10" Inward)

G3LL16 - Left/Left User Side (16" Inward)
G3LC16 - Left/Center User Side (16" Inward)
G3CC16 - Center/Center User Side (16" Inward)
G3RC16 - Right/Center User Side (16" Inward)
G3RR16 - Right/Right User Side (16" Inward)

Desks with 6" Recessed Back



Desks with 12" Recessed Back




Note: On Double Pedestal desks the use of the following grommet positions are not avaiable as pedestals will be in the way: G1LL10/G3LL10, G1RR10/G3RR10, G1LL16/G3LL16, and G1RR16/G3RR16.

SIDE GABLE Grommet Position Codes

Black Grommet (G1)
G1LU - Top of Left Side Panel
G1LD - Bottom of Left Side Panel
G1RU - Top of Right Side Panel
G1RD - Bottom of Right Side Panel


Silver Grommet (G3)
G3LU - Top of Left Side Panel
G3LD - Bottom of Left Side Panel
G3RU - Top of Right Side Panel
G3RD - Bottom of Right Side Panel



BACK PANEL Grommet Position Codes

Black Grommet (G1)
G1KL - Top Left of Back Panel
G1KC - Top Center of Back Panel
G1KR - Top Right of Back Panel

Silver Grommet (G3)
G3KL - Top Left of Back Panel
G3KC - Top Center of Back Panel
G3KR - Top Right of Back Panel



MADE TO MEASURE AT NO UPCHARGE PROGRAM

The Made-To-Measure program offers furniture customized to suit your space at no additional upcharge.
Example: 72" x 36" can be ordered as 68" x 33", use price of 72" x 36" (next size up in the price list).

How the Made-To-Measure program works:
1. Select any standard applicable unit from our price list.
2. Re-size the unit to your required specification.
3. Select the "next size up" standard unit in our price list, this is your list price. "No additional upcharge will apply".
4. Specify product as "Special Size".

The Made- To-Measure program is limited to **assembled desks**, **returns**, and **open center credenzas**. For additional custom products please contact your customer service representative for pricing.

HIGH PRESSURE LAMINATE WORKSURFACE PROGRAM

To specify high pressure laminate top surface add prefix HP2 to product code.
i.e. change DM3624-LF-2F-P1-CO to HP2 -DM3624-LF-2F-P1-CO.

HPL Finishes
- Available in standard OFGO finishes. To order non-standard colors, please contact OFGO for a quotation.
- High pressure laminate available on top surfaces only and is standard with 1.5mm or 2mm edging.

ADD to List Price	DEPTH					
WIDTH	20"	24"	30"	36"	42"	48"
18"	+65	+78	+98	+117	+137	+156
20"	+72	+87	+109	+130	+152	+174
24"	+87	+104	+130	+156	+182	+208
30"	+109	+130	+163	+195	+228	+260
36"	+130	+156	+195	+234	+273	+313
42"	+152	+182	+228	+273	+319	+365
48"	+174	+208	+260	+313	+365	+417
54"	+195	+234	+293	+352	+410	+469
60"	+217	+260	+326	+391	+456	+521
66"	+239	+287	+358	+430	+501	+573
72"	+260	+313	+391	+469	+547	+625
78"	+282	+339	+423	+508	+593	+677
84"	+304	+365	+456	+547	+638	+729
96"	+347	+417	+521	+625	+729	+833

How the HPL program works:

1. Select a unit from our price list and determine the size of the worksurface.
2. Find the HPL upcharge list price in table.
3. Add the HPL upcharge list to the standard unit's list price.

Example:

Item Code: DM6030-D-BBF-FF
Worksurface Size: 60" wide x 30" deep
Standard List Price: $1858
HPL upcharge list price: $326
HPL List price = $1858 + $326 = $2184 LIST
Order as HP2-DM6030-D-BBF-FF ($2184 LIST)

Note: color variations may occur between Thermofused Laminate and High Pressure laminate.
High pressure laminate orders require additional delivery time. Contact OFGO customer service for scheduling.

Two-Tone Program:

Units may be ordered with one-tone or two-tone color, you may select one color for worksurfaces and another color for bases.
You may also select an additional color for door and drawer fronts.

To specify one-tone or two-tone color:

- First code denotes the worksurface color, second code denotes the base/drawer/door/shelf color.
- To order one-tone color units, specify worksurface and base code jointly.
  i.e. LE - Linea Espresso top with Linea Espresso base.
- To order two-tone color units, specify worksurface and base code separately.
  i.e. LE/TW - Linea Espresso top with True White base and fronts.

Note: to order a different color on drawer/door fronts then the selected base color you must specifically note this on your PO.

Available Laminate Finishes:

We are constantly upgrading our products, visit ofgo.com for the most up-to-date laminate finishes available.

Available Pull Handles:



P1 Pull Handle
Black Nickel Finish
(Standard)



P3 Pull Handle
Silver Finish



P5 Pull Handle
Black Finish



P9 Pull Handle
Brushed Nickel Finish



P6 Pull Handle
Silver Finish



P12 Pull Handle
Silver Finish



P25 Pull Handle
Black Finish



P23 Pull Handle
Silver Finish











P7 Pull Handle
Brushed Nickel Finish

Items that are available with pull handles will be processed with P1 handles unless otherwise specified. To select an alternative handle style, replace P1 in the item code with an alternative handle style code. i.e. change DM3620-SC-P1 to DM3620-SC-P3

Assembled desks, credenzas, pedestals, and select cabinets with doors are not standard with pull handles.






To add additional pull handles to units, add handle style (e.g. P1) and quantity (e.g. Q3) to end of product code.
Example: To include P1 handles on a box box file pedestal add P1Q3 to end of product code.
Add $21 list for each additional pull handle.

Note: we are continuously upgrading our products, visit ofgo.com for the most up to date pull handles available.







	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
							
Double Pedestal Desk	DM6636-BW-D-BBF-FF	66	36	29	2298	304	44
Bow Front Top	DM7236-BW-D-BBF-FF	72	36	29	2315	310	49
Full Back Panel							
2 Box Drawers		Shipped Assembled					
3 File Drawers							
Standard with Digital Lock							
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.							
							
Double Pedestal Desk	DM6636-BW-D-BF-BF-FP	66	36	29	1891	264	44
Bow Front Top	DM7236-BW-D-BF-BF-FP	72	36	29	1909	270	49
Full Back Panel							
2 Box Drawers		Shipped Assembled					
2 File Drawers							
Standard with Digital Lock							
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.							
							
Left Pedestal Desk	DM6636-BW-L-BBF	66	36	29	1758	239	44
Bow Front Top	DM7236-BW-L-BBF	72	36	29	1773	245	49
Full Back Panel							
2 Box Drawers		Shipped Assembled					
1 File Drawer							
Standard with Digital Lock							
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.							
							
Right Pedestal Desk	DM6636-BW-R-BBF	66	36	29	1758	239	44
Bow Front Top	DM7236-BW-R-BBF	72	36	29	1773	245	49
Full Back Panel							
2 Box Drawers		Shipped Assembled					
1 File Drawer							
Standard with Digital Lock							
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.							

Notes:

- Optional Pull Handles Available. See Front Specifications.
- Back panel is recessed 12" on 36" deep desks.
- Unit is not standard with grommets. See page 10 for add-on grommet options.
- For units up to 60" Wide, the grain direction on the back panel runs vertically.
- For units greater than 60" Wide, the grain direction on the back panel runs horizontally.


	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
							
Double Pedestal Desk	DM6030-D-BBF-FF	60	30	29	1923	270	34
Rectangular Top	DM6630-D-BBF-FF	66	30	29	2002	280	37
Full Back Panel	DM7230-D-BBF-FF	72	30	29	2070	301	40
2 Box Drawers	DM7236-D-BBF-FF	72	36	29	2188	320	49
3 File Drawers							
Standard with Digital Lock		Shipped Assembled					
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.							
							
Double Pedestal Desk	DM6030-D-BF-BF-FP	60	30	29	1410	230	34
Rectangular Top	DM6630-D-BF-BF-FP	66	30	29	1614	240	37
Full Back Panel	DM7230-D-BF-BF-FP	72	30	29	1695	261	40
2 Box Drawers	DM7236-D-BF-BF-FP	72	36	29	1787	280	49
2 File Drawers							
Standard with Digital Lock		Shipped Assembled					
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.							
							
Double Pedestal Desk	DM6030-D-BF-BF	60	30	29	1398	220	34
Rectangular Top	DM6630-D-BF-BF	66	30	29	1602	230	37
3/4 Back Panel	DM7230-D-BF-BF	72	30	29	1683	251	40
2 Box Drawers	DM7236-D-BF-BF	72	36	29	1776	270	49
2 File Drawers							
Standard with Digital Lock		Shipped Assembled					
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.							
							
Left Pedestal Desk	DM4830-L-BBF	48	30	29	1292	185	27
Rectangular Top	DM6030-L-BBF	60	30	29	1355	205	34
Full Back Panel	DM6630-L-BBF	66	30	29	1524	215	37
2 Box Drawers	DM7230-L-BBF	72	30	29	1565	236	40
1 File Drawer	DM7236-L-BBF	72	36	29	1654	255	49
Standard with Digital Lock							
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.		Shipped Assembled					
							
Right Pedestal Desk	DM4830-R-BBF	48	30	29	1292	185	27
Rectangular Top	DM6030-R-BBF	60	30	29	1355	205	34
Full Back Panel	DM6630-R-BBF	66	30	29	1524	215	37
2 Box Drawers	DM7230-R-BBF	72	30	29	1565	236	40
1 File Drawer	DM7236-R-BBF	72	36	29	1654	255	49
Standard with Digital Lock							
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.		Shipped Assembled					

Note: Back panel is recessed 4" on 24" deep desks, 6" on 30" deep desks, and 12" on 36" deep desks.
Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.
Note: See page Front Specifications for add-on grommet options.


	Model No.	*W*	*D*	*H*	Price	*LB*	*FT* [3]
							
Left Pedestal Desk	DM4830-L-FF	48	30	29	1292	185	27
Rectangular Top	DM6030-L-FF	60	30	29	1355	205	34
Full Back Panel	DM6630-L-FF	66	30	29	1524	215	37
2 File Drawers	DM7230-L-FF	72	30	29	1565	236	40
Standard with Digital Lock	DM7236-L-FF	72	36	29	1654	255	49
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.		Shipped Assembled					
							
Right Pedestal Desk	DM4830-R-FF	48	30	29	1292	185	27
Rectangular Top	DM6030-R-FF	60	30	29	1355	205	34
Full Back Panel	DM6630-R-FF	66	30	29	1524	215	37
2 File Drawers	DM7230-R-FF	72	30	29	1565	236	40
Standard with Digital Lock	DM7236-R-FF	72	36	29	1654	255	49
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.		Shipped Assembled					
							
Left Pedestal Desk	DM4830-L-BF-FP	48	30	29	1076	165	27
Rectangular Top	DM6030-L-BF-FP	60	30	29	1165	185	34
Full Back Panel	DM6630-L-BF-FP	66	30	29	1338	195	37
1 Box Drawer	DM7230-L-BF-FP	72	30	29	1378	216	40
1 File Drawer	DM7236-L-BF-FP	72	36	29	1486	235	49
Standard with Digital Lock							
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.		Shipped Assembled					
							
Right Pedestal Desk	DM4830-R-BF-FP	48	30	29	1076	165	27
Rectangular Top	DM6030-R-BF-FP	60	30	29	1165	185	34
Full Back Panel	DM6630-R-BF-FP	66	30	29	1338	195	37
1 Box Drawer	DM7230-R-BF-FP	72	30	29	1378	216	40
1 File Drawer	DM7236-R-BF-FP	72	36	29	1486	235	49
Standard with Digital Lock							
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.		Shipped Assembled					
							
Left Pedestal Desk	DM4824-L-BF	48	24	29	989	145	22
Rectangular Top	DM4830-L-BF	48	30	29	1064	155	27
3/4 Back Panel	DM6030-L-BF	60	30	29	1154	175	34
1 Box Drawer	DM6630-L-BF	66	30	29	1326	185	37
1 File Drawer	DM7230-L-BF	72	30	29	1365	206	40
Standard with Digital Lock	DM7236-L-BF	72	36	29	1475	225	49
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.		Shipped Assembled					
							
Right Pedestal Desk	DM4824-R-BF	48	24	29	989	145	22
Rectangular Top	DM4830-R-BF	48	30	29	1064	155	27
3/4 Back Panel	DM6030-R-BF	60	30	29	1154	175	34
1 Box Drawer	DM6630-R-BF	66	30	29	1326	185	37
1 File Drawer	DM7230-R-BF	72	30	29	1365	206	40
Standard with Digital Lock	DM7236-R-BF	72	36	29	1475	225	49
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.		Shipped Assembled					

Note: Back panel is recessed 4" on 24" deep desks, 6" on 30" deep desks, and 12" on 36" deep desks.
Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.
Note: See page Front Specifications for add-on grommet options.


	Model No.	W	D	H	Price	LB	FT³
Left Pedestal	DM4220-LR-BBF	42	20	29	1112	135	17
Flush Height Return	DM3024-LR-BBF	30	24	29	1094	125	14
2 Box Drawers	DM3624-LR-BBF	36	24	29	1118	135	17
1 File Drawer	DM4224-LR-BBF	42	24	29	1140	145	20
Full Back Panel	DM4824-LR-BBF	48	24	29	1161	155	23
Grommet on Top							
Standard with Digital Lock				Shipped Assembled			
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.							




Right Pedestal	DM4220-RR-BBF	42	20	29	1112	135	17
Flush Height Return	DM3024-RR-BBF	30	24	29	1094	125	14
2 Box Drawers	DM3624-RR-BBF	36	24	29	1118	135	17
1 File Drawer	DM4224-RR-BBF	42	24	29	1140	145	20
Full Back Panel	DM4824-RR-BBF	48	24	29	1161	155	23
Grommet on Top							
Standard with Digital Lock				Shipped Assembled			
Standard with Side Pull							
Optional Pull Handles Available. See Front Specifications.							



Left Pedestal	DM4220-LR-FF	42	20	29	1112	135	17
Flush Height Return	DM3024-LR-FF	30	24	29	1094	125	14
2 File Drawers	DM3624-LR-FF	36	24	29	1118	135	17
Full Back Panel	DM4224-LR-FF	42	24	29	1140	145	20
Grommet on Top	DM4824-LR-FF	48	24	29	1161	155	23
Standard with Digital Lock							
Standard with Side Pull				Shipped Assembled			
Optional Pull Handles Available. See Front Specifications.							




Right Pedestal	DM4220-RR-FF	42	20	29	1112	135	17
Flush Height Return	DM3024-RR-FF	30	24	29	1094	125	14
2 File Drawers	DM3624-RR-FF	36	24	29	1118	135	17
Full Back Panel	DM4224-RR-FF	42	24	29	1140	145	20
Grommet on Top	DM4824-RR-FF	48	24	29	1161	155	23
Standard with Digital Lock							
Standard with Side Pull				Shipped Assembled			
Optional Pull Handles Available. See Front Specifications.							




HALF BACK PANEL OPTION:


To order with 12" High Half Back Panel Add -HP to end of product code.




Ex. DM4224-LR-BBF-HP



Ex. DM4224-RR-BBF-HP




Ex. DM4224-LR-FF-HP




Ex. DM4224-RR-FF-HP

Optional Pull Handles Available. See Front Specifications.



	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Left Pedestal	DM4220-LR-BF	42	20	29	953	115	17
Flush Height Return	DM3024-LR-BF	30	24	29	924	105	14
1 Box Drawer	DM3624-LR-BF	36	24	29	953	115	17
1 File Drawer	DM4224-LR-BF	42	24	29	973	125	20
Full Back Panel	DM4824-LR-BF	48	24	29	993	135	23


Grommet on Top
Standard with Digital Lock — Shipped Assembled
Standard with Side Pull
Optional Pull Handles Available. See Front Specifications.



Right Pedestal	DM4220-RR-BF	42	20	29	953	115	17
Flush Height Return	DM3024-RR-BF	30	24	29	924	105	14
1 Box Drawer	DM3624-RR-BF	36	24	29	953	115	17
1 File Drawer	DM4224-RR-BF	42	24	29	973	125	20
Full Back Panel	DM4824-RR-BF	48	24	29	993	135	23

Grommet on Top
Standard with Digital Lock — Shipped Assembled
Standard with Side Pull
Optional Pull Handles Available. See Front Specifications.

Optional Pull Handles Available. See Front Specifications.




	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Double Pedestal Credenza	DM6620-D-BBF-FF	66	20	29	1830	240	25
Full Back Panel	DM7220-D-BBF-FF	72	20	29	1860	250	28
2 Box Drawers	DM6624-D-BBF-FF	66	24	29	1884	250	30
3 File Drawers	DM7224-D-BBF-FF	72	24	29	1942	260	33

Standard with Digital Lock

Standard with Side Pull

Optional Pull Handles Available. See Front Specifications.

Shipped Assembled




Double Pedestal Credenza	DM6620-D-BF-BF-FP	66	20	29	1458	200	25
Full Back Panel	DM7220-D-BF-BF-FP	72	20	29	1481	210	28
2 Box Drawers	DM6624-D-BF-BF-FP	66	24	29	1492	210	30
2 File Drawers	DM7224-D-BF-BF-FP	72	24	29	1540	220	33

Standard with Digital Lock

Standard with Side Pull

Optional Pull Handles Available. See Front Specifications.

Shipped Assembled



Double Pedestal Credenza	DM6620-D-BF-BF	66	20	29	1446	190	25
3/4 Back Panel	DM7220-D-BF-BF	72	20	29	1470	200	28
2 Box Drawers	DM6624-D-BF-BF	66	24	29	1481	200	30
2 File Drawers	DM7224-D-BF-BF	72	24	29	1530	210	33

Standard with Digital Lock






Standard with Side Pull

Optional Pull Handles Available. See Front Specifications.

Shipped Assembled






Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.

Note: Optional Pull Handles Available. See Front Specifications.

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
							
Left Pedestal Credenza	DM6020-L-BF-FP	60	20	29	1159	165	23
Full Back Panel	DM6620-L-BF-FP	66	20	29	1202	175	25
1 Box Drawer	DM7220-L-BF-FP	72	20	29	1234	185	28
1 File Drawer	DM6024-L-BF-FP	60	24	29	1214	175	27
Standard with Digital Lock	DM6624-L-BF-FP	66	24	29	1234	185	30
Standard with Side Pull	DM7224-L-BF-FP	72	24	29	1275	195	33
Optional Pull Handles Available. See Front Specifications.							
		Shipped Assembled					
							
Right Pedestal Credenza	DM6020-R-BF-FP	60	20	29	1159	165	23
Full Back Panel	DM6620-R-BF-FP	66	20	29	1202	175	25
1 Box Drawer	DM7220-R-BF-FP	72	20	29	1234	185	28
1 File Drawer	DM6024-R-BF-FP	60	24	29	1214	175	27
Standard with Digital Lock	DM6624-R-BF-FP	66	24	29	1234	185	30
Standard with Side Pull	DM7224-R-BF-FP	72	24	29	1275	195	33
Optional Pull Handles Available. See Front Specifications.							
		Shipped Assembled					
							
Left Pedestal Credenza	DM6020-L-BF	60	20	29	1148	155	23
3/4 Back Panel	DM6620-L-BF	66	20	29	1190	165	25
1 Box Drawer	DM7220-L-BF	72	20	29	1220	175	28
1 File Drawer	DM6024-L-BF	60	24	29	1202	165	27
Standard with Digital Lock	DM6624-L-BF	66	24	29	1220	175	30
Standard with Side Pull	DM7224-L-BF	72	24	29	1264	185	33
Optional Pull Handles Available. See Front Specifications.							
		Shipped Assembled					
							
Right Pedestal Credenza	DM6020-R-BF	60	20	29	1148	155	23
3/4 Back Panel	DM6620-R-BF	66	20	29	1190	165	25
1 Box Drawer	DM7220-R-BF	72	20	29	1220	175	28
1 File Drawer	DM6024-R-BF	60	24	29	1202	165	27
Standard with Digital Lock	DM6624-R-BF	66	24	29	1220	175	30
Standard with Side Pull	DM7224-R-BF	72	24	29	1264	185	33
Optional Pull Handles Available. See Front Specifications.							
		Shipped Assembled					
							
Left Pedestal Credenza	DM6020-L-BBF	60	20	29	1373	185	23
Full Back Panel	DM6620-L-BBF	66	20	29	1416	195	25
2 Box Drawers	DM7220-L-BBF	72	20	29	1449	205	28
1 File Drawer	DM6024-L-BBF	60	24	29	1426	195	27
Standard with Digital Lock	DM6624-L-BBF	66	24	29	1473	205	30
Standard with Side Pull	DM7224-L-BBF	72	24	29	1489	215	33
Optional Pull Handles Available. See Front Specifications.							
		Shipped Assembled					




Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.

Note: Optional Pull Handles Available. See Front Specifications.

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Right Pedestal Credenza Full Back Panel 2 Box Drawers 1 File Drawer Standard with Digital Lock Standard with Side Pull Optional Pull Handles Available. See Front Specifications.	DM6020-R-BBF	60	20	29	1373	185	23
		DM6620-R-BBF	66	20	29	1416	195	25
		DM7220-R-BBF	72	20	29	1449	205	28
		DM6024-R-BBF	60	24	29	1426	195	27
		DM6624-R-BBF	66	24	29	1473	205	30
		DM7224-R-BBF	72	24	29	1489	215	33
					Shipped Assembled			
	Left Pedestal Credenza Full Back Panel 2 File Drawers Standard with Digital Lock Standard with Side Pull Optional Pull Handles Available. See Front Specifications.	DM6020-L-FF	60	20	29	1373	185	23
		DM6620-L-FF	66	20	29	1416	195	25
		DM7220-L-FF	72	20	29	1449	205	28
		DM6024-L-FF	60	24	29	1426	195	27
		DM6624-L-FF	66	24	29	1473	205	30
		DM7224-L-FF	72	24	29	1489	215	33
					Shipped Assembled			
	Right Pedestal Credenza Full Back Panel 2 File Drawers Standard with Digital Lock Standard with Side Pull Optional Pull Handles Available. See Front Specifications.	DM6020-R-FF	60	20	29	1373	185	23
		DM6620-R-FF	66	20	29	1416	195	25
		DM7220-R-FF	72	20	29	1449	205	28
		DM6024-R-FF	60	24	29	1426	195	27
		DM6624-R-FF	66	24	29	1473	205	30
		DM7224-R-FF	72	24	29	1489	215	33
					Shipped Assembled			
	Left Storage Cabinet Credenza 36" Wide Cabinet on Left One Adjustable Shelf Standard with Digital Lock	DM6620-CL-SC-P1	66	20	29	1466	172	25
		DM7220-CL-SC-P1	72	20	29	1483	182	28
		DM6624-CL-SC-P1	66	24	29	1483	182	30
		DM7224-CL-SC-P1	72	24	29	1502	192	33
					Shipped Assembled			
	Right Storage Cabinet Credenza 36" Wide Cabinet on Right One Adjustable Shelf Standard with Digital Lock	DM6620-CR-SC-P1	66	20	29	1466	172	25
		DM7220-CR-SC-P1	72	20	29	1483	182	28
		DM6624-CR-SC-P1	66	24	29	1483	182	30
		DM7224-CR-SC-P1	72	24	29	1502	192	33
					Shipped Assembled			


Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.

Note: Optional Pull Handles Available. See Front Specifications.

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
 Left Lateral File Credenza Standard with Digital Lock 36" Wide Lateral File Drawers on Left Standard with Digital Lock	DM6620-L-LF-P1	66	20	29	1590	202	25
	DM7220-L-LF-P1	72	20	29	1609	212	28
	DM6624-L-LF-P1	66	24	29	1609	212	30
	DM7224-L-LF-P1	72	24	29	1626	222	33
				Shipped Assembled			
 Right Lateral File Credenza Standard with Digital Lock 36" Wide Lateral File Drawers on Right Standard with Digital Lock	DM6620-R-LF-P1	66	20	29	1590	202	25
	DM7220-R-LF-P1	72	20	29	1609	212	28
	DM6624-R-LF-P1	66	24	29	1609	212	30
	DM7224-R-LF-P1	72	24	29	1626	222	33
				Shipped Assembled			
 Double Lateral File Credenza Standard with Digital Lock	DM6020-LF-LF-P1	60	20	29	2259	252	23
	DM7220-LF-LF-P1	72	20	29	2310	272	28
	DM6024-LF-LF-P1	60	24	29	2288	262	27
	DM7224-LF-LF-P1	72	24	29	2361	282	33
				Shipped Assembled			
 Double Storage Cabinet Credenza One Adjustable Shelf in each Storage Cabinet Standard with Digital Lock	DM6020-CD-SC-SC-P1	60	20	29	1768	206	23
	DM7220-CD-SC-SC-P1	72	20	29	1803	216	28
	DM6024-CD-SC-SC-P1	60	24	29	1781	216	27
	DM7224-CD-SC-SC-P1	72	24	29	1821	226	33
				Shipped Assembled			
 Lateral File Storage Credenza One Adjustable Shelf in Storage Cabinet Standard with Digital Lock	DM6020-CD-LF-SC-P1	60	20	29	2006	232	23
	DM7220-CD-LF-SC-P1	72	20	29	2037	242	28
	DM6024-CD-LF-SC-P1	60	24	29	2054	242	27
	DM7224-CD-LF-SC-P1	72	24	29	2109	252	33
				Shipped Assembled			


Note: For units up to 60" Wide, the grain direction on the back panel runs vertically. For units greater than 60" Wide, the grain direction on the back panel runs horizontally.

Note: Optional Pull Handles Available. See Front Specifications.




Multifunctional Cabinet
1 Lateral File Drawer (Locking)
2 Box Drawers (Locking)*
Standard with Digital Lock
1 Hinged Door Mini Storage Cabinet (Non-Locking)
*Pencil tray not included
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
DM302029-ML-HD-BB-P1	30	20	29	1495	136	11
DM362029-ML-HD-BB-P1	36	20	29	1510	146	14
DM302429-ML-HD-BB-P1	30	24	29	1532	146	13
DM362429-ML-HD-BB-P1	36	24	29	1550	156	17



Multifunctional Cabinet
1 Lateral File Drawer (Locking)
1 Mini File Drawer (Non-Locking)
2 Box Drawers (Locking)*
Standard with Digital Lock
*Pencil tray not included
Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
DM302029-ML-F-BB-P1	30	20	29	1656	146	11
DM362029-ML-F-BB-P1	36	20	29	1672	156	14
DM302429-ML-F-BB-P1	30	24	29	1693	156	13
DM362429-ML-F-BB-P1	36	24	29	1712	166	17



Multifunctional Cabinet
1 Lateral File Drawer (Locking)
1 Mini File Drawer (Locking)
Standard with Digital Lock
1 Hinged Door Mini Storage Cabinet (Non-Locking)
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
DM302029-ML-HD-F-P1	30	20	29	1495	136	11
DM362029-ML-HD-F-P1	36	20	29	1510	146	14
DM302429-ML-HD-F-P1	30	24	29	1532	146	13
DM362429-ML-HD-F-P1	36	24	29	1550	156	17


P1 pull handles are standard.
For optional handle styles see front specifications.



Lateral File
2 File Drawers
Mechanical interlock allows only one drawer to open at a time.
Shipped Assembled
Standard with Digital Lock

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
DM242029-LF-2F-P1	24	20	29	1048	116	10
DM302029-LF-2F-P1	30	20	29	1086	126	12
DM362029-LF-2F-P1	36	20	29	1121	136	14
DM242429-LF-2F-P1	24	24	29	1091	126	11
DM302429-LF-2F-P1	30	24	29	1124	136	14
DM362429-LF-2F-P1	36	24	29	1193	146	17

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom.
Optional drawer bottom reinforcement available.



Lateral File
3 File Drawers
Mechanical interlock allows only one drawer to open at a time.
Shipped Assembled
Standard with Digital Lock

DM242042-LF-3F-P1	24	20	41	1619	175	13
DM302042-LF-3F-P1	30	20	41	1652	185	16
DM362042-LF-3F-P1	36	20	41	1694	195	20
DM242442-LF-3F-P1	24	24	41	1663	186	16
DM302442-LF-3F-P1	30	24	41	1697	196	19
DM362442-LF-3F-P1	36	24	41	1765	206	23


File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom.
Optional drawer bottom reinforcement available.



Lateral File
4 File Drawers
Mechanical interlock allows only one drawer to open at a time.
Shipped Assembled
Standard with Digital Lock

DM242054-LF-4F-P1	24	20	53	2222	224	17
DM302054-LF-4F-P1	30	20	53	2253	234	21
DM362054-LF-4F-P1	36	20	53	2282	244	25
DM242454-LF-4F-P1	24	24	53	2255	236	20
DM302454-LF-4F-P1	30	24	53	2285	246	25
DM362454-LF-4F-P1	36	24	53	2393	256	29

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom.
Optional drawer bottom reinforcement available.




Lateral File
5 File Drawers
Mechanical interlock allows only one drawer to open at a time.
Shipped Assembled
Standard with Digital Lock

DM242066-LF-5F-P1	24	20	65	3088	274	20
DM302066-LF-5F-P1	30	20	65	3119	284	25
DM362066-LF-5F-P1	36	20	65	3152	294	30
DM242466-LF-5F-P1	24	24	65	3123	286	24
DM302466-LF-5F-P1	30	24	65	3156	296	30
DM362466-LF-5F-P1	36	24	65	3190	306	36

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom.
Optional drawer bottom reinforcement available.


P1 pull handles are standard.
For optional handle styles see front specifications.




4 Lateral File Drawers
Standard with Digital Lock
12" High Open Compartment on 65" High Lateral File
18" High Open Compartment on 71" High Lateral File
Mechanical interlock allows only one drawer to open at a time.
Shipped Assembled

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	*LB*	*FT³*
DM242066-LF-4F-OP-P1	24	20	65	2417		269	20
DM302066-LF-4F-OP-P1	30	20	65	2451		279	25
DM362066-LF-4F-OP-P1	36	20	65	2482		289	30
DM242072-LF-4F-OP-P1	24	20	71	2581		279	22
DM302072-LF-4F-OP-P1	30	20	71	2616		290	28
DM362072-LF-4F-OP-P1	36	20	71	2648		301	33
DM242466-LF-4F-OP-P1	24	24	65	2454		281	24
DM302466-LF-4F-OP-P1	30	24	65	2488		291	30
DM362466-LF-4F-OP-P1	36	24	65	2580		301	36
DM242472-LF-4F-OP-P1	24	24	71	2619		292	27
DM302472-LF-4F-OP-P1	30	24	71	2650		303	33
DM362472-LF-4F-OP-P1	36	24	71	2709		315	39

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom. Optional drawer bottom reinforcement available.



Laminate Door = M**C**



Glazed Door = M**Z**


☐ = Specify door type: [C] Laminate Door
[Z] Glazed Door


DM302066-LF-4F-M ☐-P1	30	20	65	2604	2968	279	25
DM362066-LF-4F-M ☐-P1	36	20	65	2639	3002	289	30
DM302466-LF-4F-M ☐-P1	30	24	65	2642	3004	291	30
DM362466-LF-4F-M ☐-P1	36	24	65	2734	3035	301	36

4 Lateral File Drawers
Standard with Digital Lock
12" High Open Compartment on 65" High Lateral File
Mechanical interlock allows only one drawer to open at a time.
Shipped Assembled

File drawer construction is for hanging files only, NOT for placing materials directly on the drawer bottom. Optional drawer bottom reinforcement available.

P1 pull handles are standard.
For optional handle styles see front specifications.







Laminate Doors = S**C**

Model No.	*W*	*D*	*H*	LAMINATE DOORS Price	*LB*	*FT³*
DM302029-SC-P1	30	20	29	877	97	11
DM362029-SC-P1	36	20	29	940	107	14
DM302429-SC-P1	30	24	29	939	107	13
DM362429-SC-P1	36	24	29	1018	117	17
DM302036-SC-P1	30	20	35	1192	112	14
DM362036-SC-P1	36	20	35	1234	120	16
DM302436-SC-P1	30	24	35	1255	122	16
DM362436-SC-P1	36	24	35	1317	132	19
DM302042-SC-P1	30	20	41	1129	130	16
DM362042-SC-P1	36	20	41	1166	142	20
DM302442-SC-P1	30	24	41	1164	140	19
DM362442-SC-P1	36	24	41	1201	152	23
DM302054-SC-P1	30	20	53	1541	180	21
DM362054-SC-P1	36	20	53	1572	190	25
DM302454-SC-P1	30	24	53	1578	192	24
DM362454-SC-P1	36	24	53	1609	202	29
DM302066-SC-P1	30	20	65	1696	210	25
DM362066-SC-P1	36	20	65	1725	220	30
DM302466-SC-P1	30	24	65	1732	222	30
DM362466-SC-P1	36	24	65	1762	232	36
DM302072-SC-P1	30	20	71	1851	221	28
DM362072-SC-P1	36	20	71	1881	232	33
DM302472-SC-P1	30	24	71	1889	234	33
DM362472-SC-P1	36	24	71	1918	246	39
DM302078-SC-P1	30	20	77	2003	231	33
DM362078-SC-P1	36	20	77	2035	242	39
DM302478-SC-P1	30	24	77	2040	244	39
DM362478-SC-P1	36	24	77	2071	256	46
DM302084-SC-P1	30	20	83	2155	241	35
DM362084-SC-P1	36	20	83	2187	252	42
DM302484-SC-P1	30	24	83	2194	254	41
DM362484-SC-P1	36	24	83	2223	266	49

Double Hinged Doors
Standard with Digital Lock
29" High Cabinets Include 1 Adjustable Shelf
35 to 41" High Cabinets Include 2 Adjustable Shelves
53" High Cabinets Include 3 Adjustable Shelves
65" to 71" High Cabinets Include 4 Adjustable Shelves
77" High Cabinets Include 1 Fixed Shelf and 3 Adjustable Shelves
83" High Cabinets Include 1 Fixed Shelf and 4 Adjustable Shelves
Shipped Assembled

P1 pull handles are standard.
For optional handle styles see front specifications.







Model No.	*W*	*D*	*H*	LAMINATE DOOR Price	*LB*	*FT* [3]
DM242029-L-SC-P1	24	20	29	791	87	10
DM242429-L-SC-P1	24	24	29	823	97	11
DM242036-L-SC-P1	24	20	35	947	102	11
DM242436-L-SC-P1	24	24	35	979	112	13
DM182042-L-SC-P1	18	20	41	1069	106	10
DM242042-L-SC-P1	24	20	41	1099	118	13
DM182442-L-SC-P1	18	24	41	1101	116	12
DM242442-L-SC-P1	24	24	41	1134	128	15
DM122054-L-SC-P1	12	20	53	1420	103	9
DM182054-L-SC-P1	18	20	53	1451	113	13
DM242054-L-SC-P1	24	20	53	1481	123	17
DM122454-L-SC-P1	12	24	53	1453	115	10
DM182454-L-SC-P1	18	24	53	1483	125	15
DM242454-L-SC-P1	24	24	53	1514	135	20
DM122066-L-SC-P1	12	20	65	1573	133	11
DM182066-L-SC-P1	18	20	65	1604	143	16
DM242066-L-SC-P1	24	20	65	1636	153	20
DM122466-L-SC-P1	12	24	65	1609	145	13
DM182466-L-SC-P1	18	24	65	1640	155	19
DM242466-L-SC-P1	24	24	65	1670	165	24
DM122072-L-SC-P1	12	20	71	1727	141	12
DM182072-L-SC-P1	18	20	71	1757	152	17
DM242072-L-SC-P1	24	20	71	1788	163	22
DM122472-L-SC-P1	12	24	71	1762	154	14
DM182472-L-SC-P1	18	24	71	1793	165	20
DM242472-L-SC-P1	24	24	71	1824	176	27
DM122078-L-SC-P1	12	20	77	1881	151	14
DM182078-L-SC-P1	18	20	77	1912	162	20
DM242078-L-SC-P1	24	20	77	1943	173	26
DM122478-L-SC-P1	12	24	77	1917	164	17
DM182478-L-SC-P1	18	24	77	1947	175	25
DM242478-L-SC-P1	24	24	77	1976	186	31
DM122084-L-SC-P1	12	20	83	2035	161	15
DM182084-L-SC-P1	18	20	83	2065	172	22
DM242084-L-SC-P1	24	20	83	2096	183	28
DM122484-L-SC-P1	12	24	83	2070	174	18
DM182484-L-SC-P1	18	24	83	2099	185	26
DM242484-L-SC-P1	24	24	83	2130	196	34

1 Hinged Door (Door Opens to the Left)
Standard with Digital Lock
29" High Cabinets Include 1 Adjustable Shelf
35 to 41" High Cabinets Include 2 Adjustable Shelves
53" High Cabinets Include 3 Adjustable Shelves
65" to 71" High Cabinets Include 4 Adjustable Shelves
77" High Cabinets Include 1 Fixed Shelf and 3 Adjustable Shelves
83" High Cabinets Include 1 Fixed Shelf and 4 Adjustable Shelves
Shipped Assembled

P1 pull handles are standard.
For optional handle styles see front specifications.






1 Hinged Door (Door Opens to the Right)
Standard with Digital Lock
29" High Cabinets Include 1 Adjustable Shelf
35 to 41" High Cabinets Include 2 Adjustable Shelves
53" High Cabinets Include 3 Adjustable Shelves
65" to 71" High Cabinets Include 4 Adjustable Shelves
77" High Cabinets Include 1 Fixed Shelf and 3 Adjustable Shelves
83" High Cabinets Include 1 Fixed Shelf and 4 Adjustable Shelves
Shipped Assembled

Model No.	*W*	*D*	*H*	LAMINATE DOOR Price	*LB*	*FT* [3]
DM242029-R-SC-P1	24	20	29	791	87	10
DM242429-R-SC-P1	24	24	29	823	97	11
DM242036-R-SC-P1	24	20	35	947	102	11
DM242436-R-SC-P1	24	24	35	979	112	13
DM182042-R-SC-P1	18	20	41	1069	106	10
DM242042-R-SC-P1	24	20	41	1099	118	13
DM182442-R-SC-P1	18	24	41	1101	116	12
DM242442-R-SC-P1	24	24	41	1134	128	15
DM122054-R-SC-P1	12	20	53	1420	103	9
DM182054-R-SC-P1	18	20	53	1451	113	13
DM242054-R-SC-P1	24	20	53	1481	123	17
DM122454-R-SC-P1	12	24	53	1453	115	10
DM182454-R-SC-P1	18	24	53	1483	125	15
DM242454-R-SC-P1	24	24	53	1514	135	20
DM122066-R-SC-P1	12	20	65	1573	133	11
DM182066-R-SC-P1	18	20	65	1604	143	16
DM242066-R-SC-P1	24	20	65	1636	153	20
DM122466-R-SC-P1	12	24	65	1609	145	13
DM182466-R-SC-P1	18	24	65	1640	155	19
DM242466-R-SC-P1	24	24	65	1670	165	24
DM122072-R-SC-P1	12	20	71	1727	141	12
DM182072-R-SC-P1	18	20	71	1757	152	17
DM242072-R-SC-P1	24	20	71	1788	163	22
DM122472-R-SC-P1	12	24	71	1762	154	14
DM182472-R-SC-P1	18	24	71	1793	165	20
DM242472-R-SC-P1	24	24	71	1824	176	27
DM122078-R-SC-P1	12	20	77	1881	151	14
DM182078-R-SC-P1	18	20	77	1912	162	20
DM242078-R-SC-P1	24	20	77	1943	173	26
DM122478-R-SC-P1	12	24	77	1917	164	17
DM182478-R-SC-P1	18	24	77	1947	175	25
DM242478-R-SC-P1	24	24	77	1976	186	31
DM122084-R-SC-P1	12	20	83	2035	161	15
DM182084-R-SC-P1	18	20	83	2065	172	22
DM242084-R-SC-P1	24	20	83	2096	183	28
DM122484-R-SC-P1	12	24	83	2070	174	18
DM182484-R-SC-P1	18	24	83	2099	185	26
DM242484-R-SC-P1	24	24	83	2130	196	34

P1 pull handles are standard.
For optional handle styles see front specifications.


COMBINATION CABINETS

PULSE DIGITAL LOCK




	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Lateral File Cabinet	DM242029-ML-OP-P1	24	20	29	896	110	10
1 Lateral File Drawer	DM302029-ML-OP-P1	30	20	29	933	120	11
Standard with Digital Lock	DM362029-ML-OP-P1	36	20	29	966	130	14
12" High Open Compartment	DM242429-ML-OP-P1	24	24	29	935	120	11
	DM302429-ML-OP-P1	30	24	29	968	130	13
	DM362429-ML-OP-P1	36	24	29	1001	140	17

Shipped Assembled




Lateral File Cabinet	DM242042-LF-2F-OP-P1	24	20	41	1482	146	13
2 Lateral File Drawers	DM302042-LF-2F-OP-P1	30	20	41	1515	168	16
Standard with Digital Lock	DM362042-LF-2F-OP-P1	36	20	41	1561	180	20
12" High Open Compartment	DM242442-LF-2F-OP-P1	24	24	41	1519	166	15
	DM302442-LF-2F-OP-P1	30	24	41	1571	168	19
	DM362442-LF-2F-OP-P1	36	24	41	1633	190	23

Shipped Assembled



Storage Cabinet	DM302042-SC-OP-P1	30	20	41	1234	130	16
2 Hinged Doors	DM362042-SC-OP-P1	36	20	41	1271	142	20
Standard with Digital Lock	DM302442-SC-OP-P1	30	24	41	1304	140	19
1 Adjustable Shelf	DM362442-SC-OP-P1	36	24	41	1349	152	23
12" High Open Compartment							

Shipped Assembled




36" & 48" wide cabinet ships in 1 box.
60" & 72" wide cabinet ships in 3 boxes.
Minor assembly required.


Buffet Cabinet	DM362036-BU-P1	36	20	35	2344	160	17
Box Drawers (non-locking)	DM482036-BU-P1	48	20	35	2496	210	23
	DM602036-BU-P1	60	20	35	2652	266	28
Hinged Door Cabinet with 1 Adjustable Shelf in each Compartment (Standard with Digital Lock)	DM722036-BU-P1	72	20	35	2803	296	34
	DM362042-BU-P1	36	20	41	2496	170	20
	DM482042-BU-P1	48	20	41	2652	220	27
	DM602042-BU-P1	60	20	41	2803	284	33
	DM722042-BU-P1	72	20	41	2956	316	39

Shipped Assembled

P1 pull handles are standard.
For optional handle styles see front specifications.



Laminate Door = S**C**



Glazed Door = S**Z**

1 Hinged Door (non-locking) (Door opens to the Left)

2 Box Drawers (locking)

1 File Drawer (locking)

Standard with Digital Lock

53" High Cabinet Includes 1 Adjustable Shelf


65" to 71" High Cabinets Include 2 Adjustable Shelves

77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves


Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Glazed Door

Model No.	W	D	H	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	LB	FT³
DM182054-L-BBF-S☐-P1	18	20	53	1652	1911	132	13
DM182066-L-BBF-S☐-P1	18	20	65	1806	2065	162	16
DM182072-L-BBF-S☐-P1	18	20	71	1960	2221	171	17
DM182078-L-BBF-S☐-P1	18	20	77	2116	2372	181	20
DM182084-L-BBF-S☐-P1	18	20	83	2267	2527	191	22
DM182454-L-BBF-S☐-P1	18	24	53	1690	1945	144	15
DM182466-L-BBF-S☐-P1	18	24	65	1840	2099	174	19
DM182472-L-BBF-S☐-P1	18	24	71	1995	2254	184	20
DM182478-L-BBF-S☐-P1	18	24	77	2150	2404	194	25
DM182484-L-BBF-S☐-P1	18	24	83	2303	2560	204	26
DM242054-L-BBLF-S☐-P1	24	20	53	1681	1941	142	17
DM242066-L-BBLF-S☐-P1	24	20	65	1837	2096	172	20
DM242072-L-BBLF-S☐-P1	24	20	71	1992	2252	182	22
DM242078-L-BBLF-S☐-P1	24	20	77	2145	2402	192	26
DM242084-L-BBLF-S☐-P1	24	20	83	2299	2556	202	28
DM242454-L-BBLF-S☐-P1	24	24	53	1719	1975	154	20
DM242466-L-BBLF-S☐-P1	24	24	65	1872	2130	184	24
DM242472-L-BBLF-S☐-P1	24	24	71	2025	2283	195	27
DM242478-L-BBLF-S☐-P1	24	24	77	2179	2438	205	31
DM242484-L-BBLF-S☐-P1	24	24	83	2333	2591	215	34



Laminate Door = S**C**



Glazed Door = S**Z**

1 Hinged Door (non-locking) (Door opens to the Right)

2 Box Drawers (locking)

1 File Drawer (locking)

Standard with Digital Lock

53" High Cabinet Includes 1 Adjustable Shelf

65" to 71" High Cabinets Include 2 Adjustable Shelves


77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves

Shipped Assembled


☐ = Specify door type: [C] Laminate Door [Z] Glazed Door

DM182054-R-BBF-S☐-P1	18	20	53	1652	1911	132	13
DM182066-R-BBF-S☐-P1	18	20	65	1806	2065	162	16
DM182072-R-BBF-S☐-P1	18	20	71	1960	2221	171	17
DM182078-R-BBF-S☐-P1	18	20	77	2116	2372	181	20
DM182084-R-BBF-S☐-P1	18	20	83	2267	2527	191	22
DM182454-R-BBF-S☐-P1	18	24	53	1690	1945	144	15
DM182466-R-BBF-S☐-P1	18	24	65	1840	2099	174	19
DM182472-R-BBF-S☐-P1	18	24	71	1995	2254	184	20
DM182478-R-BBF-S☐-P1	18	24	77	2150	2404	194	25
DM182484-R-BBF-S☐-P1	18	24	83	2303	2560	204	26
DM242054-R-BBLF-S☐-P1	24	20	53	1681	1941	142	17
DM242066-R-BBLF-S☐-P1	24	20	65	1837	2096	172	20
DM242072-R-BBLF-S☐-P1	24	20	71	1992	2252	182	22
DM242078-R-BBLF-S☐-P1	24	20	77	2145	2402	192	26
DM242084-R-BBLF-S☐-P1	24	20	83	2299	2556	202	28
DM242454-R-BBLF-S☐-P1	24	24	53	1719	1975	154	20
DM242466-R-BBLF-S☐-P1	24	24	65	1872	2130	184	24
DM242472-R-BBLF-S☐-P1	24	24	71	2025	2283	195	27
DM242478-R-BBLF-S☐-P1	24	24	77	2179	2438	205	31
DM242484-R-BBLF-S☐-P1	24	24	83	2333	2591	215	34

P1 pull handles are standard.
For optional handle styles see front specifications.



Laminate Door = S**C**



Glazed Door = S**Z**

1 Hinged Door (non-locking) (Door opens to the Left)

2 File Drawers (locking)

Standard with Digital Lock

53" High Cabinet Includes 1 Adjustable Shelf


65" to 71" High Cabinets Include 2 Adjustable Shelves

77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves


Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Glazed Door

Model No.	W	D	H	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	LB	FT³
DM182054-L-FF-S☐-P1	18	20	53	1652	1911	133	13
DM182066-L-FF-S☐-P1	18	20	65	1806	2065	163	16
DM182072-L-FF-S☐-P1	18	20	71	1960	2221	172	17
DM182078-L-FF-S☐-P1	18	20	77	2116	2372	181	20
DM182084-L-FF-S☐-P1	18	20	83	2267	2527	191	22
DM182454-L-FF-S☐-P1	18	24	53	1690	1945	145	15
DM182466-L-FF-S☐-P1	18	24	65	1840	2099	175	19
DM182472-L-FF-S☐-P1	18	24	71	1995	2254	185	20
DM182478-L-FF-S☐-P1	18	24	77	2150	2404	194	25
DM182484-L-FF-S☐-P1	18	24	83	2303	2560	204	26
DM242054-L-LF-S☐-P1	24	20	53	1681	1941	143	17
DM242066-L-LF-S☐-P1	24	20	65	1837	2096	173	20
DM242072-L-LF-S☐-P1	24	20	71	1992	2252	183	22
DM242078-L-LF-S☐-P1	24	20	77	2145	2402	192	26
DM242084-L-LF-S☐-P1	24	20	83	2299	2556	202	28
DM242454-L-LF-S☐-P1	24	24	53	1719	1975	155	20
DM242466-L-LF-S☐-P1	24	24	65	1872	2130	185	24
DM242472-L-LF-S☐-P1	24	24	71	2025	2283	196	27
DM242478-L-LF-S☐-P1	24	24	77	2179	2438	205	31
DM242484-L-LF-S☐-P1	24	24	83	2333	2591	215	34



Laminate Door = S**C**



Glazed Door = S**Z**

1 Hinged Door (non-locking) (Door opens to the Right)

2 File Drawers (locking)

Standard with Digital Lock

53" High Cabinet Includes 1 Adjustable Shelf

65" to 71" High Cabinets Include 2 Adjustable Shelves


77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves

Shipped Assembled


☐ = Specify door type: [C] Laminate Door [Z] Glazed Door

DM182054-R-FF-S☐-P1	18	20	53	1652	1911	133	13
DM182066-R-FF-S☐-P1	18	20	65	1806	2065	163	16
DM182072-R-FF-S☐-P1	18	20	71	1960	2221	172	17
DM182078-R-FF-S☐-P1	18	20	77	2116	2372	181	20
DM182084-R-FF-S☐-P1	18	20	83	2267	2527	191	22
DM182454-R-FF-S☐-P1	18	24	53	1690	1945	145	15
DM182466-R-FF-S☐-P1	18	24	65	1840	2099	175	19
DM182472-R-FF-S☐-P1	18	24	71	1995	2254	185	20
DM182478-R-FF-S☐-P1	18	24	77	2150	2404	194	25
DM182484-R-FF-S☐-P1	18	24	83	2303	2560	204	26
DM242054-R-LF-S☐-P1	24	20	53	1681	1941	143	17
DM242066-R-LF-S☐-P1	24	20	65	1837	2096	173	20
DM242072-R-LF-S☐-P1	24	20	71	1992	2252	183	22
DM242078-R-LF-S☐-P1	24	20	77	2145	2402	192	26
DM242084-R-LF-S☐-P1	24	20	83	2299	2556	202	28
DM242454-R-LF-S☐-P1	24	24	53	1719	1975	155	20
DM242466-R-LF-S☐-P1	24	24	65	1872	2130	185	24
DM242472-R-LF-S☐-P1	24	24	71	2025	2283	196	27
DM242478-R-LF-S☐-P1	24	24	77	2179	2438	205	31
DM242484-R-LF-S☐-P1	24	24	83	2333	2591	215	34

P1 pull handles are standard.
For optional handle styles see front specifications.



Laminate Door = S**C**




Glazed Door = S**Z**


1 Hinged Door (non-locking) (Door opens to the Left)
3 File Drawers (locking)
Standard with Digital Lock
65" to 71" High Cabinets Include 1 Adjustable Shelf
77" High Cabinets Include 1 Fixed Shelf
83" High Cabinets Include 1 Fixed and 1 Adjustable Shelf
Mechanical interlock allows only one drawer to open at a time
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Glazed Door

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	*LB*	*FT³*
DM182066-L-LF-3F-S☐-P1	18	20	65	2315	2573	170	16
DM182072-L-LF-3F-S☐-P1	18	20	71	2472	2727	179	17
DM182078-L-LF-3F-S☐-P1	18	20	77	2623	2880	188	20
DM182084-L-LF-3F-S☐-P1	18	20	83	2777	3033	198	22
DM182466-L-LF-3F-S☐-P1	18	24	65	2350	2606	182	19
DM182472-L-LF-3F-S☐-P1	18	24	71	2504	2760	192	20
DM182478-L-LF-3F-S☐-P1	18	24	77	2658	2914	201	25
DM182484-L-LF-3F-S☐-P1	18	24	83	2809	3067	211	26
DM242066-L-LF-3F-S☐-P1	24	20	65	2345	2603	180	20
DM242072-L-LF-3F-S☐-P1	24	20	71	2502	2757	190	22
DM242078-L-LF-3F-S☐-P1	24	20	77	2654	2911	200	26
DM242084-L-LF-3F-S☐-P1	24	20	83	2807	3064	210	28
DM242466-L-LF-3F-S☐-P1	24	24	65	2381	2637	192	24
DM242472-L-LF-3F-S☐-P1	24	24	71	2535	2792	203	27
DM242478-L-LF-3F-S☐-P1	24	24	77	2688	2946	213	31
DM242484-L-LF-3F-S☐-P1	24	24	83	2840	3098	223	34



Laminate Door = S**C**




Glazed Door = S**Z**

1 Hinged Door (non-locking) (Door opens to the Right)
3 File Drawers (locking)
Standard with Digital Lock
65" to 71" High Cabinets Include 1 Adjustable Shelf
77" High Cabinets Include 1 Fixed Shelf
83" High Cabinets Include 1 Fixed and 1 Adjustable Shelf
Mechanical interlock allows only one drawer to open at a time
Shipped Assembled

☐ = Specify door type: [C] Laminate Door [Z] Glazed Door


DM182066-R-LF-3F-S☐-P1	18	20	65	2315	2573	170	16
DM182072-R-LF-3F-S☐-P1	18	20	71	2472	2727	179	17
DM182078-R-LF-3F-S☐-P1	18	20	77	2623	2880	188	20
DM182084-R-LF-3F-S☐-P1	18	20	83	2777	3033	198	22
DM182466-R-LF-3F-S☐-P1	18	24	65	2350	2606	182	19
DM182472-R-LF-3F-S☐-P1	18	24	71	2504	2760	192	20
DM182478-R-LF-3F-S☐-P1	18	24	77	2658	2914	201	25
DM182484-R-LF-3F-S☐-P1	18	24	83	2809	3067	211	26
DM242066-R-LF-3F-S☐-P1	24	20	65	2345	2603	180	20
DM242072-R-LF-3F-S☐-P1	24	20	71	2502	2757	190	22
DM242078-R-LF-3F-S☐-P1	24	20	77	2654	2911	200	26
DM242084-R-LF-3F-S☐-P1	24	20	83	2807	3064	210	28
DM242466-R-LF-3F-S☐-P1	24	24	65	2381	2637	192	24
DM242472-R-LF-3F-S☐-P1	24	24	71	2535	2792	203	27
DM242478-R-LF-3F-S☐-P1	24	24	77	2688	2946	213	31
DM242484-R-LF-3F-S☐-P1	24	24	83	2840	3098	223	34

P1 pull handles are standard.
For optional handle styles see front specifications.



2 Box Drawers
1 File Drawer
Standard with Digital Lock
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves
Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
DM182054-BBF-BC-P1	18	20	53	1498	132	13
DM182066-BBF-BC-P1	18	20	65	1652	162	16
DM182072-BBF-BC-P1	18	20	71	1806	171	17
DM182078-BBF-BC-P1	18	20	77	1959	181	20
DM182084-BBF-BC-P1	18	20	83	2111	191	22
DM182454-BBF-BC-P1	18	24	53	1533	144	15
DM182466-BBF-BC-P1	18	24	65	1690	174	19
DM182472-BBF-BC-P1	18	24	71	1840	184	20
DM182478-BBF-BC-P1	18	24	77	1994	194	25
DM182484-BBF-BC-P1	18	24	83	2149	204	26
DM242054-BBLF-BC-P1	24	20	53	1529	142	17
DM242066-BBLF-BC-P1	24	20	65	1681	172	20
DM242072-BBLF-BC-P1	24	20	71	1837	182	22
DM242078-BBLF-BC-P1	24	20	77	1990	192	26
DM242084-BBLF-BC-P1	24	20	83	2143	202	28
DM242454-BBLF-BC-P1	24	24	53	1564	154	20
DM242466-BBLF-BC-P1	24	24	65	1719	184	24
DM242472-BBLF-BC-P1	24	24	71	1872	195	27
DM242478-BBLF-BC-P1	24	24	77	2024	205	31
DM242484-BBLF-BC-P1	24	24	83	2178	215	34



2 File Drawers
Standard with Digital Lock
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves
Shipped Assembled


DM182054-FF-BC-P1	18	20	53	1498	133	13
DM182066-FF-BC-P1	18	20	65	1652	163	16
DM182072-FF-BC-P1	18	20	71	1806	172	17
DM182078-FF-BC-P1	18	20	77	1959	181	20
DM182084-FF-BC-P1	18	20	83	2111	191	22
DM182454-FF-BC-P1	18	24	53	1533	145	15
DM182466-FF-BC-P1	18	24	65	1690	175	19
DM182472-FF-BC-P1	18	24	71	1840	185	20
DM182478-FF-BC-P1	18	24	77	1994	194	25
DM182484-FF-BC-P1	18	24	83	2149	204	26
DM242054-LF-BC-P1	24	20	53	1529	143	17
DM242066-LF-BC-P1	24	20	65	1681	173	20
DM242072-LF-BC-P1	24	20	71	1837	183	22
DM242078-LF-BC-P1	24	20	77	1990	192	26
DM242084-LF-BC-P1	24	20	83	2143	202	28
DM242454-LF-BC-P1	24	24	53	1564	155	20
DM242466-LF-BC-P1	24	24	65	1719	185	24
DM242472-LF-BC-P1	24	24	71	1872	196	27
DM242478-LF-BC-P1	24	24	77	2024	205	31
DM242484-LF-BC-P1	24	24	83	2178	215	34

P1 pull handles are standard.
For optional handle styles see front specifications.



2 Lateral File Drawers
Standard with Digital Lock
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves
Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
DM302066-LF-BC-P1	30	20	65	1806	232	25
DM362066-LF-BC-P1	36	20	65	1885	242	30
DM302466-LF-BC-P1	30	24	65	1903	244	30
DM362466-LF-BC-P1	36	24	65	1984	254	36
DM302072-LF-BC-P1	30	20	71	1957	243	28
DM362072-LF-BC-P1	36	20	71	2025	254	33
DM302472-LF-BC-P1	30	24	71	2057	256	33
DM362472-LF-BC-P1	36	24	71	2125	268	39
DM302078-LF-BC-P1	30	20	77	2215	262	33
DM362078-LF-BC-P1	36	20	77	2250	273	39
DM302478-LF-BC-P1	30	24	77	2255	275	39
DM362478-LF-BC-P1	36	24	77	2335	287	46
DM302084-LF-BC-P1	30	20	83	2376	272	35
DM362084-LF-BC-P1	36	20	83	2411	283	42
DM302484-LF-BC-P1	30	24	83	2418	285	41
DM362484-LF-BC-P1	36	24	83	2484	297	49




Double Hinged Doors on Bottom (with 1 Adjustable Shelf)
Standard with Digital Lock
53" High Cabinet Includes 1 Adjustable Shelf on Top
65" to 71" High Cabinets Include 2 Adjustable Shelves on Top
77" to 83" High Cabinets Include 1 fixed and 2 Adjustable Shelves on Top
Shipped Assembled

DM302054-SC-BO-P1	30	20	53	1447	171	21
DM362054-SC-BO-P1	36	20	53	1541	181	25
DM302454-SC-BO-P1	30	24	53	1543	183	24
DM362454-SC-BO-P1	36	24	53	1625	193	29
DM302066-SC-BO-P1	30	20	65	1611	201	25
DM362066-SC-BO-P1	36	20	65	1646	211	30
DM302466-SC-BO-P1	30	24	65	1673	213	30
DM362466-SC-BO-P1	36	24	65	1788	223	36
DM302072-SC-BO-P1	30	20	71	1677	212	28
DM362072-SC-BO-P1	36	20	71	1711	223	33
DM302472-SC-BO-P1	30	24	71	1833	225	33
DM362472-SC-BO-P1	36	24	71	1882	237	39
DM302078-SC-BO-P1	30	20	77	2035	223	33
DM362078-SC-BO-P1	36	20	77	2069	233	39
DM302478-SC-BO-P1	30	24	77	2071	235	39
DM362478-SC-BO-P1	36	24	77	2151	247	46
DM302084-SC-BO-P1	30	20	83	2195	233	35
DM362084-SC-BO-P1	36	20	83	2254	243	42
DM302484-SC-BO-P1	30	24	83	2234	245	41
DM362484-SC-BO-P1	36	24	83	2312	257	49

P1 pull handles are standard.
For optional handle styles see front specifications.




Laminate Doors = S**C**




Glazed Doors = S**Z**

Double Hinged Doors (non-locking)
2 Lateral File Drawers (locking)
Standard with Digital Lock
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves
Shipped Assembled

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	*LB*	*FT³*
☐ = Specify door type: [C] Laminate Door [Z] Glazed Door							
DM302054-LF-S☐-P1	30	20	53	1828	2358	223	21
DM362054-LF-S☐-P1	36	20	53	1894	2391	233	25
DM302454-LF-S☐-P1	30	24	53	1892	2394	235	24
DM362454-LF-S☐-P1	36	24	53	1965	2427	245	29
DM302066-LF-S☐-P1	30	20	65	1999	2523	253	25
DM362066-LF-S☐-P1	36	20	65	2084	2555	263	30
DM302466-LF-S☐-P1	30	24	65	2083	2559	265	30
DM362466-LF-S☐-P1	36	24	65	2164	2591	275	36
DM302072-LF-S☐-P1	30	20	71	2163	2687	264	28
DM362072-LF-S☐-P1	36	20	71	2232	2718	275	33
DM302472-LF-S☐-P1	30	24	71	2223	2721	277	33
DM362472-LF-S☐-P1	36	24	71	2307	2754	289	39
DM302078-LF-S☐-P1	30	20	77	2398	2848	274	33
DM362078-LF-S☐-P1	36	20	77	2442	2880	285	39
DM302478-LF-S☐-P1	30	24	77	2445	2884	287	39
DM362478-LF-S☐-P1	36	24	77	2515	2916	299	46
DM302084-LF-S☐-P1	30	20	83	2560	3009	284	35
DM362084-LF-S☐-P1	36	20	83	2604	3043	295	42
DM302484-LF-S☐-P1	30	24	83	2608	3047	297	41
DM362484-LF-S☐-P1	36	24	83	2677	3079	309	49



Laminate Doors = S**C**




Glazed Doors = S**Z**


Double Hinged Doors on Top (non-locking)
Double Hinged Doors on Bottom (with 1 Adjustable Shelf) (locking)
Standard with Digital Lock
53" High Cabinet Includes 1 Adjustable Shelf on Top
65" to 71" High Cabinets Include 2 Adjustable Shelves on Top
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves on Top
Shipped Assembled

Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	*LB*	*FT³*
☐ = Specify door type: [C] Laminate Door [Z] Glazed Door							
DM302054-SC-S☐-P1	30	20	53	1631	2176	190	21
DM362054-SC-S☐-P1	36	20	53	1712	2211	200	25
DM302454-SC-S☐-P1	30	24	53	1716	2214	202	24
DM362454-SC-S☐-P1	36	24	53	1795	2244	212	29
DM302066-SC-S☐-P1	30	20	65	1795	2340	220	25
DM362066-SC-S☐-P1	36	20	65	1861	2374	230	30
DM302466-SC-S☐-P1	30	24	65	1877	2376	232	30
DM362466-SC-S☐-P1	36	24	65	1911	2411	242	36
DM302072-SC-S☐-P1	30	20	71	1957	2504	231	28
DM362072-SC-S☐-P1	36	20	71	1990	2536	242	33
DM302472-SC-S☐-P1	30	24	71	2054	2538	244	33
DM362472-SC-S☐-P1	36	24	71	2089	2573	256	39
DM302078-SC-S☐-P1	30	20	77	2215	2667	241	33
DM362078-SC-S☐-P1	36	20	77	2250	2698	252	39
DM302478-SC-S☐-P1	30	24	77	2254	2701	254	39
DM362478-SC-S☐-P1	36	24	77	2333	2734	266	46
DM302084-SC-S☐-P1	30	20	83	2376	2830	251	35
DM362084-SC-S☐-P1	36	20	83	2411	2861	262	42
DM302484-SC-S☐-P1	30	24	83	2417	2863	264	41
DM362484-SC-S☐-P1	36	24	83	2495	2896	277	49

P1 pull handles are standard.
For optional handle styles see front specifications.



Laminate Doors = S**C**



Glazed Doors = S**Z**

Double Hinged Doors on Top (non-locking)

3 Lateral File Drawers (standard with Digital Lock)

65" to 71" High Cabinets Include 1 Adjustable Shelf


77" High Cabinet Includes 1 Fixed Shelf

83" High Cabinets Include 1 Fixed and 1 Adjustable Shelf

Mechanical interlock allows only one drawer to open at a time


Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	*LB*	*FT³*
☐ = Specify door type: [C] Laminate Door [Z] Glazed Door							
DM302066-LF-3F-S☐-P1	30	20	65	2482	3028	284	25
DM362066-LF-3F-S☐-P1	36	20	65	2539	3059	294	30
DM302466-LF-3F-S☐-P1	30	24	65	2545	3065	296	30
DM362466-LF-3F-S☐-P1	36	24	65	2637	3096	306	36
DM302072-LF-3F-S☐-P1	30	20	71	2648	3192	295	28
DM362072-LF-3F-S☐-P1	36	20	71	2703	3226	306	33
DM302472-LF-3F-S☐-P1	30	24	71	2684	3230	308	33
DM362472-LF-3F-S☐-P1	36	24	71	2810	3260	320	39
DM302078-LF-3F-S☐-P1	30	20	77	2833	3355	305	33
DM362078-LF-3F-S☐-P1	36	20	77	2937	3389	316	39
DM302478-LF-3F-S☐-P1	30	24	77	2939	3391	318	39
DM362478-LF-3F-S☐-P1	36	24	77	2998	3422	330	46
DM302084-LF-3F-S☐-P1	30	20	83	2995	3516	315	35
DM362084-LF-3F-S☐-P1	36	20	83	3099	3551	326	42
DM302484-LF-3F-S☐-P1	30	24	83	3101	3553	328	41
DM362484-LF-3F-S☐-P1	36	24	83	3159	3585	340	49

P1 pull handles are standard.
For optional handle styles see front specifications.



2 Hinged Doors
Standard with Digital Lock
1 Fixed Shelf
1 Coat Rod
Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
DM302054-WR-FC-P1	30	20	53	1541	153	21
DM362054-WR-FC-P1	36	20	53	1572	163	25
DM302454-WR-FC-P1	30	24	53	1578	165	24
DM362454-WR-FC-P1	36	24	53	1609	175	29
DM302066-WR-FC-P1	30	20	65	1696	183	25
DM362066-WR-FC-P1	36	20	65	1725	193	30
DM302466-WR-FC-P1	30	24	65	1732	195	30
DM362466-WR-FC-P1	36	24	65	1762	205	36
DM302072-WR-FC-P1	30	20	71	1851	194	28
DM362072-WR-FC-P1	36	20	71	1881	205	33
DM302472-WR-FC-P1	30	24	71	1889	207	33
DM362472-WR-FC-P1	36	24	71	1918	219	39
DM302078-WR-FC-P1	30	20	77	2003	206	33
DM362078-WR-FC-P1	36	20	77	2035	217	39
DM302478-WR-FC-P1	30	24	77	2040	219	39
DM362478-WR-FC-P1	36	24	77	2071	231	46
DM302084-WR-FC-P1	30	20	83	2155	218	35
DM362084-WR-FC-P1	36	20	83	2187	229	42
DM302484-WR-FC-P1	30	24	83	2194	231	41
DM362484-WR-FC-P1	36	24	83	2223	243	49



1 Hinged Door (Door Opens to the Left)
Standard with Digital Lock
1 Fixed Shelf
1 Coat Rod
Shipped Assembled


DM122054-L-WR-FC-P1	12	20	53	1420	88	9
DM182054-L-WR-FC-P1	18	20	53	1451	98	13
DM242054-L-WR-FC-P1	24	20	53	1481	108	17
DM122454-L-WR-FC-P1	12	24	53	1453	100	10
DM182454-L-WR-FC-P1	18	24	53	1483	110	15
DM242454-L-WR-FC-P1	24	24	53	1514	120	20
DM122066-L-WR-FC-P1	12	20	65	1573	118	11
DM182066-L-WR-FC-P1	18	20	65	1604	128	16
DM242066-L-WR-FC-P1	24	20	65	1636	138	20
DM122466-L-WR-FC-P1	12	24	65	1609	130	13
DM182466-L-WR-FC-P1	18	24	65	1640	140	19
DM242466-L-WR-FC-P1	24	24	65	1670	150	24
DM122072-L-WR-FC-P1	12	20	71	1727	126	12
DM182072-L-WR-FC-P1	18	20	71	1757	137	17
DM242072-L-WR-FC-P1	24	20	71	1788	148	22
DM122472-L-WR-FC-P1	12	24	71	1762	139	14
DM182472-L-WR-FC-P1	18	24	71	1793	150	20
DM242472-L-WR-FC-P1	24	24	71	1824	161	27
DM122078-L-WR-FC-P1	12	20	77	1881	136	14
DM182078-L-WR-FC-P1	18	20	77	1912	147	20
DM242078-L-WR-FC-P1	24	20	77	1943	158	26
DM122478-L-WR-FC-P1	12	24	77	1917	149	17
DM182478-L-WR-FC-P1	18	24	77	1947	160	25
DM242478-L-WR-FC-P1	24	24	77	1976	171	31
DM122084-L-WR-FC-P1	12	20	83	2035	146	15
DM182084-L-WR-FC-P1	18	20	83	2065	157	22
DM242084-L-WR-FC-P1	24	20	83	2096	168	28
DM122484-L-WR-FC-P1	12	24	83	2070	159	18
DM182484-L-WR-FC-P1	18	24	83	2099	170	26
DM242484-L-WR-FC-P1	24	24	83	2130	181	34

P1 pull handles are standard.
For optional handle styles see front specifications.



1 Hinged Door (Door Opens to the Right)
Standard with Digital Lock
1 Fixed Shelf
1 Coat Rod
Shipped Assembled


Model No.	*W*	*D*	*H*	Price	*LB*	*FT*^{3}
DM122054-R-WR-FC-P1	12	20	53	1420	88	9
DM182054-R-WR-FC-P1	18	20	53	1451	98	13
DM242054-R-WR-FC-P1	24	20	53	1481	108	17
DM122454-R-WR-FC-P1	12	24	53	1453	100	10
DM182454-R-WR-FC-P1	18	24	53	1483	110	15
DM242454-R-WR-FC-P1	24	24	53	1514	120	20
DM122066-R-WR-FC-P1	12	20	65	1573	118	11
DM182066-R-WR-FC-P1	18	20	65	1604	128	16
DM242066-R-WR-FC-P1	24	20	65	1636	138	20
DM122466-R-WR-FC-P1	12	24	65	1609	130	13
DM182466-R-WR-FC-P1	18	24	65	1640	140	19
DM242466-R-WR-FC-P1	24	24	65	1670	150	24
DM122072-R-WR-FC-P1	12	20	71	1727	126	12
DM182072-R-WR-FC-P1	18	20	71	1757	137	17
DM242072-R-WR-FC-P1	24	20	71	1788	148	22
DM122472-R-WR-FC-P1	12	24	71	1762	139	14
DM182472-R-WR-FC-P1	18	24	71	1793	150	20
DM242472-R-WR-FC-P1	24	24	71	1824	161	27
DM122078-R-WR-FC-P1	12	20	77	1881	136	14
DM182078-R-WR-FC-P1	18	20	77	1912	147	20
DM242078-R-WR-FC-P1	24	20	77	1943	158	26
DM122478-R-WR-FC-P1	12	24	77	1917	149	17
DM182478-R-WR-FC-P1	18	24	77	1947	160	25
DM242478-R-WR-FC-P1	24	24	77	1976	171	31
DM122084-R-WR-FC-P1	12	20	83	2035	146	15
DM182084-R-WR-FC-P1	18	20	83	2065	157	22
DM242084-R-WR-FC-P1	24	20	83	2096	168	28
DM122484-R-WR-FC-P1	12	24	83	2070	159	18
DM182484-R-WR-FC-P1	18	24	83	2099	170	26
DM242484-R-WR-FC-P1	24	24	83	2130	181	34




2 Hinged Doors
Standard with Digital Lock
1 Fixed Shelf and Coat Rod on Right
4 Adjustable Shelves on Left
Inside width of each compartment is 16-5/8"
Shipped Assembled

DM362066-R-WC-SC-P1	36	20	65	2243	220	30
DM362466-R-WC-SC-P1	36	24	65	2277	232	36
DM362072-R-WC-SC-P1	36	20	71	2396	232	33
DM362472-R-WC-SC-P1	36	24	71	2430	246	39

P1 pull handles are standard.
For optional handle styles see front specifications.



Laminate Door = S**C**



Glazed Door = S**Z**


1 Coat Rod in Personal Wardrobe Tower on Left (non-locking)
2 Box Drawers (locking)
1 File Drawer (locking)
Standard with Digital Lock
Adjustable Shelves in Storage Cabinet on Right (non-locking)
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves

☐ = Specify door type: [C] Laminate Door [Z] Glazed Door


Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	*LB*	*FT³*
DM242054-L-WT-BBF-S☐-P1	24	20	53	2090	2345	168	17
DM242454-L-WT-BBF-S☐-P1	24	24	53	2122	2383	180	20
DM242066-L-WT-BBF-S☐-P1	24	20	65	2243	2502	198	20
DM242466-L-WT-BBF-S☐-P1	24	24	65	2277	2536	210	24
DM242072-L-WT-BBF-S☐-P1	24	20	71	2396	2655	208	22
DM242472-L-WT-BBF-S☐-P1	24	24	71	2430	2690	221	27
DM242078-L-WT-BBF-S☐-P1	24	20	77	2550	2808	218	26
DM242478-L-WT-BBF-S☐-P1	24	24	77	2582	2842	231	31
DM242084-L-WT-BBF-S☐-P1	24	20	83	2702	2962	228	28
DM242484-L-WT-BBF-S☐-P1	24	24	83	2736	2997	241	34

Shipped Assembled

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.



Laminate Door = S**C**



Glazed Door = S**Z**

1 Coat Rod in Personal Wardrobe Tower on Right (non-locking)
2 Box Drawers (locking)
1 File Drawer (locking)
Standard with Digital Lock
Adjustable Shelves in Storage Cabinet on Left (non-locking)
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves


☐ = Specify door type: [C] Laminate Door [Z] Glazed Door

DM242054-R-WT-BBF-S☐-P1	24	20	53	2090	2345	168	17
DM242454-R-WT-BBF-S☐-P1	24	24	53	2122	2383	180	20
DM242066-R-WT-BBF-S☐-P1	24	20	65	2243	2502	198	20
DM242466-R-WT-BBF-S☐-P1	24	24	65	2277	2536	210	24
DM242072-R-WT-BBF-S☐-P1	24	20	71	2396	2655	208	22
DM242472-R-WT-BBF-S☐-P1	24	24	71	2430	2690	221	27
DM242078-R-WT-BBF-S☐-P1	24	20	77	2550	2808	218	26
DM242478-R-WT-BBF-S☐-P1	24	24	77	2582	2842	231	31
DM242084-R-WT-BBF-S☐-P1	24	20	83	2702	2962	228	28
DM242484-R-WT-BBF-S☐-P1	24	24	83	2736	2997	241	34


Shipped Assembled

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.

P1 pull handles are standard. For optional handle styles see front specifications.



Laminate Door = S**C**



Glazed Door = S**Z**


1 Coat Rod in Personal Wardrobe Tower on Left (non-locking)
2 File Drawers (locking)
Standard with Digital Lock
Adjustable Shelves in Storage Cabinet on Right (non-locking)
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves

☐ = Specify door type: [C] Laminate Door [Z] Glazed Door


Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	*LB*	*FT³*
DM242054-L-WT-FF-S☐-P1	24	20	53	2090	2345	169	17
DM242454-L-WT-FF-S☐-P1	24	24	53	2122	2383	181	20
DM242066-L-WT-FF-S☐-P1	24	20	65	2243	2502	199	20
DM242466-L-WT-FF-S☐-P1	24	24	65	2277	2536	211	24
DM242072-L-WT-FF-S☐-P1	24	20	71	2396	2655	209	22
DM242472-L-WT-FF-S☐-P1	24	24	71	2430	2690	222	27
DM242078-L-WT-FF-S☐-P1	24	20	77	2550	2808	219	26
DM242478-L-WT-FF-S☐-P1	24	24	77	2582	2842	232	31
DM242084-L-WT-FF-S☐-P1	24	20	83	2702	2962	229	28
DM242484-L-WT-FF-S☐-P1	24	24	83	2736	2997	242	34

Shipped Assembled

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.



Laminate Door = S**C**



Glazed Door = S**Z**

1 Coat Rod in Personal Wardrobe Tower on Right (non-locking)
2 File Drawers (locking)
Standard with Digital Lock
Adjustable Shelves in Storage Cabinet on Left (non-locking)
53" High Cabinet Includes 1 Adjustable Shelf
65" to 71" High Cabinets Include 2 Adjustable Shelves
77" to 83" High Cabinets Include 1 Fixed and 2 Adjustable Shelves


☐ = Specify door type: [C] Laminate Door [Z] Glazed Door

DM242054-R-WT-FF-S☐-P1	24	20	53	2090	2345	169	17
DM242454-R-WT-FF-S☐-P1	24	24	53	2122	2383	181	20
DM242066-R-WT-FF-S☐-P1	24	20	65	2243	2502	199	20
DM242466-R-WT-FF-S☐-P1	24	24	65	2277	2536	211	24
DM242072-R-WT-FF-S☐-P1	24	20	71	2396	2655	209	22
DM242472-R-WT-FF-S☐-P1	24	24	71	2430	2690	222	27
DM242078-R-WT-FF-S☐-P1	24	20	77	2550	2808	219	26
DM242478-R-WT-FF-S☐-P1	24	24	77	2582	2842	232	31
DM242084-R-WT-FF-S☐-P1	24	20	83	2702	2962	229	28
DM242484-R-WT-FF-S☐-P1	24	24	83	2736	2997	242	34

Shipped Assembled

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.

P1 pull handles are standard. For optional handle styles see front specifications.



Laminate Door = S**C**



Glazed Door = S**Z**


1 Coat Rod in Personal Wardrobe Tower on Left (non-locking)
3 File Drawers (locking)
Standard with Digital Lock
1 Hinged Door Storage Cabinet (Door Opens to the Right) (non-locking)
65" to 71" High Cabinets Include 1 Adjustable Shelf
77" High Cabinet Includes 1 Fixed Shelf
83" High Cabinet Includes 1 Fixed and 1 Adjustable Shelf

☐ = Specify door type: [C] Laminate Door [Z] Glazed Door


Model No.	*W*	*D*	*H*	LAMINATE DOOR (C) $	GLAZED DOOR (Z) $	*LB*	*FT³*
DM242066-L-WT-3F-S☐-P1	24	20	65	2415	2673	206	20
DM242466-L-WT-3F-S☐-P1	24	24	65	2448	2708	218	24
DM242072-L-WT-3F-S☐-P1	24	20	71	2569	2829	216	22
DM242472-L-WT-3F-S☐-P1	24	24	71	2602	2862	229	27
DM242078-L-WT-3F-S☐-P1	24	20	77	2721	2980	226	26
DM242478-L-WT-3F-S☐-P1	24	24	77	2754	3014	239	31
DM242084-L-WT-3F-S☐-P1	24	20	83	2874	3133	236	28
DM242484-L-WT-3F-S☐-P1	24	24	83	2909	3169	249	34

Shipped Assembled

Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.



Laminate Door = S**C**



Glazed Door = S**Z**

1 Coat Rod in Personal Wardrobe Tower on Right (non-locking)
3 File Drawers (locking)
Standard with Digital Lock
1 Hinged Door Storage Cabinet (Door Opens to the Left) (non-locking)
65" to 71" High Cabinets Include 1 Adjustable Shelf
77" High Cabinet Includes 1 Fixed Shelf
83" High Cabinet Includes 1 Fixed and 1 Adjustable Shelf


☐ = Specify door type: [C] Laminate Door [Z] Glazed Door

DM242066-R-WT-3F-S☐-P1	24	20	65	2415	2673	206	20
DM242466-R-WT-3F-S☐-P1	24	24	65	2448	2708	218	24
DM242072-R-WT-3F-S☐-P1	24	20	71	2569	2829	216	22
DM242472-R-WT-3F-S☐-P1	24	24	71	2602	2862	229	27
DM242078-R-WT-3F-S☐-P1	24	20	77	2721	2980	226	26
DM242478-R-WT-3F-S☐-P1	24	24	77	2754	3014	239	31
DM242084-R-WT-3F-S☐-P1	24	20	83	2874	3133	236	28
DM242484-R-WT-3F-S☐-P1	24	24	83	2909	3169	249	34

Shipped Assembled


Personal Wardrobe Cabinet has 5" wide interior with 6" wide door.

P1 pull handles are standard. For optional handle styles see front specifications.




No Top Cabinet
Standard with Digital Lock
28" Height Includes 1 Adjustable Shelf
35" & 40" Height Includes 2 Adjustable Shelves
Drilled to Accept a Top
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT*^{3}
DM302028-NT-SC-P1	30	20	28	809	90	11
DM362028-NT-SC-P1	36	20	28	854	95	14
DM302428-NT-SC-P1	30	24	28	844	90	14
DM362428-NT-SC-P1	36	24	28	878	95	17
DM302035-NT-SC-P1	30	20	34	986	105	14
DM362035-NT-SC-P1	36	20	34	1017	113	16
DM302435-NT-SC-P1	30	24	34	1021	115	16
DM362435-NT-SC-P1	36	24	34	1054	123	19
DM302041-NT-SC-P1	30	20	40	1112	110	16
DM362041-NT-SC-P1	36	20	40	1152	122	20
DM302441-NT-SC-P1	30	24	40	1148	120	19
DM362441-NT-SC-P1	36	24	40	1187	132	23



No Top Cabinet (Left Opening Door)
Standard with Digital Lock
28" Height Includes 1 Adjustable Shelf
35" & 40" Height Includes 2 Adjustable Shelves
Drilled to Accept a Top
Shipped Assembled


DM242028-NT-L-SC-P1	24	20	28	752	85	9
DM242428-NT-L-SC-P1	24	24	28	787	85	11
DM242035-NT-L-SC-P1	24	20	34	919	95	11
DM242435-NT-L-SC-P1	24	24	34	953	105	13
DM242041-NT-L-SC-P1	24	20	40	1080	98	13
DM242441-NT-L-SC-P1	24	24	40	1115	108	15



No Top Cabinet (Right Opening Door)
Standard with Digital Lock
28" Height Includes 1 Adjustable Shelf
35" & 40" Height Includes 2 Adjustable Shelves
Drilled to Accept a Top
Shipped Assembled


DM242028-NT-R-SC-P1	24	20	28	752	85	9
DM242428-NT-R-SC-P1	24	24	28	787	85	11
DM242035-NT-R-SC-P1	24	20	34	919	95	11
DM242435-NT-R-SC-P1	24	24	34	953	105	13
DM242041-NT-R-SC-P1	24	20	40	1080	98	13
DM242441-NT-R-SC-P1	24	24	40	1115	108	15

P1 pull handles are standard.
For optional handle styles see front specifications.




No Top Cabinet
2 Lateral File Drawers
Standard with Digital Lock
Drilled to Accept a Top
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
DM242028-NT-LF-P1	24	20	28	968	104	9
DM302028-NT-LF-P1	30	20	28	1006	114	11
DM362028-NT-LF-P1	36	20	28	1058	124	14
DM242428-NT-LF-P1	24	24	28	1002	104	11
DM302428-NT-LF-P1	30	24	28	1056	114	14
DM362428-NT-LF-P1	36	24	28	1094	124	17




No Top Cabinet
3 Lateral File Drawers
Standard with Digital Lock
Drilled to Accept a Top
Mechanical interlock allows only one drawer to open at a time
Shipped Assembled

DM242041-NT-LF-3F-P1	24	20	40	1611	165	13
DM302041-NT-LF-3F-P1	30	20	40	1645	175	16
DM362041-NT-LF-3F-P1	36	20	40	1678	185	20
DM242441-NT-LF-3F-P1	24	24	40	1649	176	16
DM302441-NT-LF-3F-P1	30	24	40	1685	186	19
DM362441-NT-LF-3F-P1	36	24	40	1716	196	23



No Top Cabinet
1 Open Compartment
1 Lateral File Drawer
Standard with Digital Lock
Drilled to Accept a Top
Shipped Assembled


DM242028-NT-ML-OP-P1	24	20	28	816	108	9
DM302028-NT-ML-OP-P1	30	20	28	849	113	11
DM362028-NT-ML-OP-P1	36	20	28	884	118	14
DM242428-NT-ML-OP-P1	24	24	28	854	108	11
DM302428-NT-ML-OP-P1	30	24	28	886	113	14
DM362428-NT-ML-OP-P1	36	24	28	921	118	17




No Top Cabinet
1 Open Compartment
2 Lateral File Drawers
Standard with Digital Lock
Drilled to Accept a Top
Shipped Assembled

DM242041-NT-LF-2F-OP-P1	24	20	40	1399	126	13
DM302041-NT-LF-2F-OP-P1	30	20	40	1433	148	16
DM362041-NT-LF-2F-OP-P1	36	20	40	1466	160	20
DM242441-NT-LF-2F-OP-P1	24	24	40	1439	146	15
DM302441-NT-LF-2F-OP-P1	30	24	40	1473	148	19
DM362441-NT-LF-2F-OP-P1	36	24	40	1504	170	23


P1 pull handles are standard.
For optional handle styles see front specifications.



	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
No Top Cabinet	DM302028-NT-ML-HD-BB-P1	30	20	28	1415	124	11
1 Hinged Door Mini Storage Cabinet (non-locking)	DM362028-NT-ML-HD-BB-P1	36	20	28	1426	134	14
2 Box Drawers (locking)*							
1 Lateral File Drawer (locking)	DM302428-NT-ML-HD-BB-P1	30	24	28	1452	134	13
Standard with Digital Lock	DM362428-NT-ML-HD-BB-P1	36	24	28	1466	144	17
Drilled to Accept a Top							
*Pencil tray not included							
Shipped Assembled							




No Top Cabinet	DM302028-NT-ML-F-BB-P1	30	20	28	1575	134	11
1 File Drawer (non-locking)	DM362028-NT-ML-F-BB-P1	36	20	28	1590	144	14
2 Box Drawers (locking)*							
1 Lateral File Drawer (locking)							
Standard with Digital Lock	DM302428-NT-ML-F-BB-P1	30	24	28	1613	144	13
Drilled to Accept a Top	DM362428-NT-ML-F-BB-P1	36	24	28	1630	154	17
*Pencil tray not included							
Shipped Assembled							




No Top Cabinet	DM302028-NT-ML-HD-F-P1	30	20	28	1415	124	11
1 Hinged Door Mini Storage Cabinet (non-locking)	DM362028-NT-ML-HD-F-P1	36	20	28	1426	134	14
1 File Drawer (locking)							
1 Lateral File Drawer (locking)	DM302428-NT-ML-HD-F-P1	30	24	28	1452	134	13
Standard with Digital Lock	DM362428-NT-ML-HD-F-P1	36	24	28	1466	144	17
Drilled to Accept a Top							
Shipped Assembled							

P1 pull handles are standard.
For optional handle styles see front specifications.




No Top Cabinet
1 Open Compartment
1 Adjustable Shelf in Storage Cabinet
Standard with Digital Lock
Drilled to Accept a Top
Shipped Assembled

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
DM302041-NT-SC-OP-P1	30	20	40	1152	110	16
DM362041-NT-SC-OP-P1	36	20	40	1191	122	20
DM302441-NT-SC-OP-P1	30	24	40	1187	120	19
DM362441-NT-SC-OP-P1	36	24	40	1233	132	23



No Top Cabinet
1 Open Compartment
1 Adjustable Shelf in Storage Cabinet
Left Opening Door
Standard with Digital Lock
Drilled to Accept a Top
Shipped Assembled

DM182041-NT-L-SC-OP-P1	18	20	40	1082	86	10
DM242041-NT-L-SC-OP-P1	24	20	40	1120	98	13
DM182441-NT-L-SC-OP-P1	18	24	40	1122	96	12
DM242441-NT-L-SC-OP-P1	24	24	40	1155	108	15



No Top Cabinet
1 Open Compartment
1 Adjustable Shelf in Storage Cabinet
Right Opening Door
Standard with Digital Lock
Drilled to Accept a Top
Shipped Assembled

DM182041-NT-R-SC-OP-P1	18	20	40	1082	86	10
DM242041-NT-R-SC-OP-P1	24	20	40	1120	98	13
DM182441-NT-R-SC-OP-P1	18	24	40	1122	96	12
DM242441-NT-R-SC-OP-P1	24	24	40	1155	108	15

P1 pull handles are standard.
For optional handle styles see front specifications.



Rectangular Top


	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
20"	MO1820-TP	18	20	1	117	9	0.7
	MO2420-TP	24	20	1	147	12	0.9
	MO3020-TP	30	20	1	177	15	1.2
	MO3620-TP	36	20	1	206	18	1.4
	MO4220-TP	42	20	1	250	20	1.6
	MO4820-TP	48	20	1	295	23	1.8
	MO5420-TP	54	20	1	323	26	2
	MO6020-TP	60	20	1	367	29	2.3
	MO6620-TP	66	20	1	398	32	2.5
	MO7220-TP	72	20	1	442	35	2.7
	MO7820-TP	78	20	1	484	38	2.9
	MO8420-TP	84	20	1	514	41	3.1
	MO9620-TP	96	20	1	604	47	3.6
24"	MO2424-TP	24	24	1	177	14	1.1
	MO3024-TP	30	24	1	206	18	1.4
	MO3624-TP	36	24	1	235	21	1.6
	MO4224-TP	42	24	1	279	25	1.9
	MO4824-TP	48	24	1	323	28	2.2
	MO5424-TP	54	24	1	354	32	2.4
	MO6024-TP	60	24	1	398	35	2.7
	MO6624-TP	66	24	1	426	39	2.9
	MO7224-TP	72	24	1	472	42	3.2
	MO7824-TP	78	24	1	514	46	3.5
	MO8424-TP	84	24	1	543	49	3.7
	MO9624-TP	96	24	1	634	56	4.3
30"	MO3030-TP	30	30	1	339	22	1.7
	MO3630-TP	36	30	1	367	26	2
	MO4230-TP	42	30	1	398	31	2.3
	MO4830-TP	48	30	1	426	35	2.7
	MO5430-TP	54	30	1	456	39	3
	MO6030-TP	60	30	1	484	44	3.3
	MO6630-TP	66	30	1	530	48	3.6
	MO7230-TP	72	30	1	574	53	4
	MO7830-TP	78	30	1	617	57	4.3
	MO8430-TP	84	30	1	662	61	4.6
	MO9630-TP	96	30	1	780	70	5.3
36"	MO3636-TP	36	36	1	450	32	2.4
	MO4236-TP	42	36	1	465	37	2.8
	MO4836-TP	48	36	1	479	42	3.2
	MO5436-TP	54	36	1	522	47	3.6
	MO6036-TP	60	36	1	580	53	4
	MO6636-TP	66	36	1	637	58	4.3
	MO7236-TP	72	36	1	696	63	4.7
	MO7836-TP	78	36	1	752	68	5.1
	MO8436-TP	84	36	1	809	74	5.5
	MO9636-TP	96	36	1	926	84	6.3

Note: Must specify No Top Cabinet width(s) intended for use as base of worksurface in order for worksurface to be pre-drilled by factory.

Otherwise assembly may require installer supplied "L" brackets.



Pedestal with side pull



Pedestal with handles


Mobile Pedestal
2 Box Drawers
1 File Drawer
Locking Drawers
Front Locking Casters
Shipped Assembled
Standard with Digital Lock

	Model No.	W	D	H	Price	LB	FT³
With Side Pull	DM161927-MPS-BBF	15¼	19	27	870	54	6
	DM162327-MPS-BBF	15¼	23	27	905	59	7
	DM162927-MPS-BBF	15¼	29	27	936	67	9
With Handles	DM161927-MP-BBF-P1	15¼	19	27	945	With optional handles	
	DM162327-MP-BBF-P1	15¼	23	27	979	With optional handles	
	DM162927-MP-BBF-P1	15¼	29	27	1012	With optional handles	

P1 pull handles are standard.
For optional handle styles see front specifications.



Pedestal with side pull



Pedestal with handles

Mobile Pedestal
2 File Drawers
Locking Drawers
Front Locking Casters
Shipped Assembled
Standard with Digital Lock

	Model No.	W	D	H	Price	LB	FT³
With Side Pull	DM161927-MPS-FF	15¼	19	27	870	56	6
	DM162327-MPS-FF	15¼	23	27	905	60	7
	DM162927-MPS-FF	15¼	29	27	936	68	9
With Handles	DM161927-MP-FF-P1	15¼	19	27	920	With optional handles	
	DM162327-MP-FF-P1	15¼	23	27	954	With optional handles	
	DM162927-MP-FF-P1	15¼	29	27	986	With optional handles	

P1 pull handles are standard.
For optional handle styles see front specifications.



Pedestal with side pull




Pedestal with handles


Mobile Pedestal
1 Box Drawer
1 File Drawer
Locking Drawers
Front Locking Casters
Shipped Assembled
Standard with Digital Lock

	Model No.	W	D	H	Price	LB	FT³
With Side Pull	DM161921-MPS-BF	15¼	19	21	810	52	5
With Handles	DM161921-MP-BF-P1	15¼	19	21	860	With optional handles	

P1 pull handles are standard.
For optional handle styles see front specifications.



Pedestal with side pull



Pedestal with handles

Mobile Seating Pedestal
1 Box Drawer
1 File Drawer
Upholstered Seat Cushion
Locking Drawers
Front Locking Casters
Shipped Assembled
Standard with Digital Lock

	Model No.	W	D	H	Price	LB	FT³
With Side Pull	DM161922-MPS-BF-SE	15¼	19	22¼	1103	52	5
With Handles	DM161922-MP-BF-SE-P1	15¼	19	22¼	1154	With optional handles	


P1 pull handles are standard.
For optional handle styles see front specifications.

* Price based on Seat Cushions upholstered in OFGO Grade 3 textiles.

Other OFGO textile grades are available:

Grade 4 - Add $32 List
Grade 5 - Add $42 List
Grade 6 - Add $53 List
Grade 7 - Add $63 List

P1 pull handles are standard.
For optional handle styles see front specifications.



Pedestal with side pull




Pedestal with handles

Stationary Pedestal
2 Box Drawers
1 File Drawer
Locking
Shipped Assembled
Standard with Digital Lock

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
With Side Pull	DM161927-SPS-BBF	15¼	19	27	870	54	6
	DM162327-SPS-BBF	15¼	23	27	905	59	8
	DM162927-SPS-BBF	15¼	29	27	936	67	9
With Handles	DM161927-SP-BBF-P1	15¼	19	27	945	With optional handles	
	DM162327-SP-BBF-P1	15¼	23	27	979	With optional handles	
	DM162927-SP-BBF-P1	15¼	29	27	1012	With optional handles	

P1 pull handles are standard.
For optional handle styles see front specifications.



Pedestal with side pull




Pedestal with handles

Stationary Pedestal
2 File Drawers
Locking
Shipped Assembled
Standard with Digital Lock


With Side Pull	DM161927-SPS-FF	15¼	19	27	870	56	6
	DM162327-SPS-FF	15¼	23	27	905	60	8
	DM162927-SPS-FF	15¼	29	27	936	68	9
With Handles	DM161927-SP-FF-P1	15¼	19	27	920	With optional handles	
	DM162327-SP-FF-P1	15¼	23	27	954	With optional handles	
	DM162927-SP-FF-P1	15¼	29	27	986	With optional handles	

P1 pull handles are standard.
For optional handle styles see front specifications.

P1 pull handles are standard.
For optional handle styles see front specifications.



Pedestal with side pull




Pedestal with handles


No Top Pedestal
2 Box Drawers
1 File Drawer
Locking
Unfinished Upper Edges
Drilled to Accept a Top
Shipped Assembled
Standard with Digital Lock

	Model No.	W	D	H	Price	LB	FT³
With Side Pull	DM161928-NTS-BBF	15¼	19	28	855	54	6
	DM162328-NTS-BBF	15¼	23	28	886	59	7
	DM162928-NTS-BBF	15¼	29	28	919	67	9
With Handles	DM161928-NT-BBF-P1	15¼	19	28	930	With optional handles	
	DM162328-NT-BBF-P1	15¼	23	28	963	With optional handles	
	DM162928-NT-BBF-P1	15¼	29	28	995	With optional handles	

P1 pull handles are standard.
For optional handle styles see front specifications.



Pedestal with side pull



Pedestal with handles


No Top Pedestal
2 File Drawers
Locking
Unfinished Upper Edges
Drilled to Accept a Top
Shipped Assembled
Standard with Digital Lock

With Side Pull	DM161928-NTS-FF	15¼	19	28	855	56	6
	DM162328-NTS-FF	15¼	23	28	886	60	7
	DM162928-NTS-FF	15¼	29	28	919	68	9
With Handles	DM161928-NT-FF-P1	15¼	19	28	905	With optional handles	
	DM162328-NT-FF-P1	15¼	23	28	937	With optional handles	
	DM162928-NT-FF-P1	15¼	29	28	970	With optional handles	

P1 pull handles are standard.
For optional handle styles see front specifications.



Pedestal with side pull



Pedestal with handles

No Top Hanging Pedestal
1 Box Drawer
1 File Drawer
Locking
Unfinished Upper Edges
Drilled to Accept a Top
Shipped Assembled
Standard with Digital Lock

With Side Pull	DM161918-NTS-BF	15¼	19	18	706	47	4
With Handles	DM161918-NT-BF-P1	15¼	19	18	758	With optional handles	

P1 pull handles are standard.
For optional handle styles see front specifications.

P1 pull handles are standard.
For optional handle styles see front specifications.

SAVOY

PRICE BOOK

OFGO

STUDIO

CONTENTS

SAVOY

Height Adjustable Tables 209-215

Individual Shroud Bases 216

Fixed Modesty Panels 217

Hanging Modesty Panels 218-220

HAT Compatible Returns & Bridges 221-223

Height Adjustable Dual Shroud Tables 224-226

Stack On Tables with Angled Metal Leg 227-230

Freestanding Tables with Angled Metal Legs 231-235

Return Run-Off Tables with Angled Metal Leg 236

Round Meeting Table on Angled Metal Legs 237

Stack On Desk Shells 238

Stack On Return Shells 239

Overheads 240-243

Floating L-Shelves 244

Wall Panels (1 Shelf) 245-246

Wall Panels (2 Shelves) 247-248


Wall Panels (3 Shelves) 249

Wall Panels (1 Full & 1 Half Shelf) 250-251

Wall Panel (Panel Only) 252-253

Wall Panel (Layered TV) 254-255

Tackboards 256-263



Height Adjustable Table (Without Feet)

Rectangular Top

For use in Savoy Shroud Bases Only

3 Stage

Non Handed

Dual Motor

4 Programmable Settings

Height range of 22.9" to 49"

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	Price	*LB*
Top Without Pinch Point:	**A**	**B**		
SY4824-RC-NB☐	48	24	1475	90
SY5424-RC-NB☐	54	24	1497	94
SY6024-RC-NB☐	60	24	1518	97
SY6624-RC-NB☐	66	24	1540	101
SY7224-RC-NB☐	72	24	1562	104
SY7824-RC-NB☐	78	24	1583	107
SY8424-RC-NB☐	84	24	1603	110
SY4830-RC-NB☐	48	30	1529	97
SY5430-RC-NB☐	54	30	1550	101
SY6030-RC-NB☐	60	30	1572	106
SY6630-RC-NB☐	66	30	1594	110
SY7230-RC-NB☐	72	30	1627	115
SY7830-RC-NB☐	78	30	1648	107
SY8430-RC-NB☐	84	30	1668	110
SY4836-RC-NB☐	48	36	1580	104
SY5436-RC-NB☐	54	36	1602	109
SY6036-RC-NB☐	60	36	1624	115
SY6636-RC-NB☐	66	36	1646	120
SY7236-RC-NB☐	72	36	1679	125
SY7836-RC-NB☐	78	36	1699	118
SY8436-RC-NB☐	84	36	1720	123
Top With Pinch Point:	**A**	**B**		
SY4629-RCP-NB☐	46	29	1529	97
SY5229-RCP-NB☐	52	29	1550	101
SY5829-RCP-NB☐	58	29	1572	106
SY6429-RCP-NB☐	64	29	1594	110
SY7029-RCP-NB☐	70	29	1627	115
SY7629-RCP-NB☐	76	29	1648	107
SY8229-RCP-NB☐	82	29	1668	110
SY4635-RCP-NB☐	46	35	1580	104
SY5235-RCP-NB☐	52	35	1602	109
SY5835-RCP-NB☐	58	35	1624	115
SY6435-RCP-NB☐	64	35	1646	120
SY7035-RCP-NB☐	70	35	1679	125
SY7635-RCP-NB☐	76	35	1699	118
SY8235-RCP-NB☐	82	35	1720	123

Notes:

- All tables larger then 72" in width will ship with an additional set of separate center support beams.
- All height adjustable tables without feet must be purchased with two Savoy shroud bases.
- All worksurface are standard as 1" thick with the woodgrain running along the width of the top.
- Tables with pinch point tops are pre-drilled for a 1" pinch point on the left and right, and a 0.5" pinch point on the front and back.
- Unit is shipped knock down and requires assembly.


What to Specify when Ordering:

1) Specify top surface laminate finish.
2) Specify metal height adjustable base finish within the product code ([1] = Black , [3] = Silver, [5] = White)
3) Specify any optional grommet or power module locations. See specifications. Upcharge will apply.

3 COLUMN - HEIGHT ADJUSTABLE TABLE (WITHOUT FEET)

SAVOY

(24"D & 23"D FRONT SURFACE)



90 Degree Corner (Without Feet)

Rectangular Worksurfaces

For use in Savoy Shroud Bases Only

3 Stage

Dual Motor

4 Programmable Settings

Height range of 22.9" to 49"

Interchangable Right or Left Side return

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

	Model No.	*W*	*D*			Price	*LB*
	Top Without Pinch Point:	A	B	C	D		
(60" x 24") Table, (42" x 24") Return	SY6024-T4224-RC-NB☐	60	66	24	24	2494	150
(60" x 24") Table, (48" x 24") Return	SY6024-T4824-RC-NB☐	60	72	24	24	2536	153
(60" x 24") Table, (54" x 24") Return	SY6024-T5424-RC-NB☐	60	78	24	24	2566	157
(60" x 24") Table, (60" x 24") Return	SY6024-T6024-RC-NB☐	60	84	24	24	2608	160
(66" x 24") Table, (42" x 24") Return	SY6624-T4224-RC-NB☐	66	66	24	24	2501	154
(66" x 24") Table, (48" x 24") Return	SY6624-T4824-RC-NB☐	66	72	24	24	2563	157
(66" x 24") Table, (54" x 24") Return	SY6624-T5424-RC-NB☐	66	78	24	24	2593	161
(66" x 24") Table, (60" x 24") Return	SY6624-T6024-RC-NB☐	66	84	24	24	2635	164
(72" x 24") Table, (42" x 24") Return	SY7224-T4224-RC-NB☐	72	66	24	24	2523	157
(72" x 24") Table, (48" x 24") Return	SY7224-T4824-RC-NB☐	72	72	24	24	2565	160
(72" x 24") Table, (54" x 24") Return	SY7224-T5424-RC-NB☐	72	78	24	24	2636	164
(72" x 24") Table, (60" x 24") Return	SY7224-T6024-RC-NB☐	72	84	24	24	2679	167
(78" x 24") Table, (42" x 24") Return	SY7824-T4224-RC-NB☐	78	66	24	24	2606	161
(78" x 24") Table, (48" x 24") Return	SY7824-T4824-RC-NB☐	78	72	24	24	2648	164
(78" x 24") Table, (54" x 24") Return	SY7824-T5424-RC-NB☐	78	78	24	24	2678	168
(78" x 24") Table, (60" x 24") Return	SY7824-T6024-RC-NB☐	78	84	24	24	2720	171
(84" x 24") Table, (42" x 24") Return	SY8424-T4224-RC-NB☐	84	66	24	24	2634	164
(84" x 24") Table, (48" x 24") Return	SY8424-T4824-RC-NB☐	84	72	24	24	2675	167
(84" x 24") Table, (54" x 24") Return	SY8424-T5424-RC-NB☐	84	78	24	24	2705	171
(84" x 24") Table, (60" x 24") Return	SY8424-T6024-RC-NB☐	84	84	24	24	2748	174
	Top With Pinch Point:	A	B	C	D		
(58" x 23") Table, (41" x 23") Return	SY5823-T4123-RCP-NB☐	58	64	23	23	2494	150
(58" x 23") Table, (47" x 23") Return	SY5823-T4723-RCP-NB☐	58	70	23	23	2536	153
(58" x 23") Table, (53" x 23") Return	SY5823-T5323-RCP-NB☐	58	76	23	23	2566	157
(58" x 23") Table, (59" x 23") Return	SY5823-T5923-RCP-NB☐	58	82	23	23	2608	160
(64" x 23") Table, (41" x 23") Return	SY6423-T4123-RCP-NB☐	64	64	23	23	2501	154
(64" x 23") Table, (47" x 23") Return	SY6423-T4723-RCP-NB☐	64	70	23	23	2563	157
(64" x 23") Table, (53" x 23") Return	SY6423-T5323-RCP-NB☐	64	76	23	23	2593	161
(64" x 23") Table, (59" x 23") Return	SY6423-T5923-RCP-NB☐	64	82	23	23	2635	164
(70" x 23") Table, (41" x 23") Return	SY7023-T4123-RCP-NB☐	70	64	23	23	2523	157
(70" x 23") Table, (47" x 23") Return	SY7023-T4723-RCP-NB☐	70	70	23	23	2565	160
(70" x 23") Table, (53" x 23") Return	SY7023-T5323-RCP-NB☐	70	76	23	23	2636	164
(70" x 23") Table, (59" x 23") Return	SY7023-T5923-RCP-NB☐	70	82	23	23	2679	167
(76" x 23") Table, (41" x 23") Return	SY7623-T4123-RCP-NB☐	76	64	23	23	2606	161
(76" x 23") Table, (47" x 23") Return	SY7623-T4723-RCP-NB☐	76	70	23	23	2648	164
(76" x 23") Table, (53" x 23") Return	SY7623-T5323-RCP-NB☐	76	76	23	23	2678	168
(76" x 23") Table, (59" x 23") Return	SY7623-T5923-RCP-NB☐	76	82	23	23	2720	171
(82" x 23") Table, (41" x 23") Return	SY8223-T4123-RCP-NB☐	82	64	23	23	2634	164
(82" x 23") Table, (47" x 23") Return	SY8223-T4723-RCP-NB☐	82	70	23	23	2675	167
(82" x 23") Table, (53" x 23") Return	SY8223-T5323-RCP-NB☐	82	76	23	23	2705	171
(82" x 23") Table, (59" x 23") Return	SY8223-T5923-RCP-NB☐	82	82	23	23	2748	174

Notes:

- All tables larger then 72" in width will ship with an additional set of separate center support beams.
- All height adjustable tables without feet must be purchased with two Savoy shroud bases.
- All worksurface are standard as 1" thick. Woodgrain direction is noted by arrows on image.
- Tables with pinch point tops are pre-drilled for a 1" pinch point on the left and right, and a 0.5" pinch point on the front and back.
- Unit is shipped knock down and requires assembly.


What to Specify when Ordering:

1) Specify top surface laminate finish.
2) Specify metal height adjustable base finish within the product code ([1] = Black , [3] = Silver, [5] = White)
3) Specify any optional grommet or power module locations. See specifications. Upcharge will apply.

3 COLUMN - HEIGHT ADJUSTABLE TABLE (WITHOUT FEET)

SAVOY

(30"D & 29"D FRONT SURFACE)



90 Degree Corner (Without Feet)
Rectangular Worksurfaces
For use in Savoy Shroud Bases Only
3 Stage
Dual Motor
4 Programmable Settings
Height range of 22.9" to 49"
Interchangable Right or Left Side return

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

	Model No.	*W*	*D*			Price	*LB*
	Top Without Pinch Point:	A	B	C	D		
(60" x 30") Table, (36" x 24") Return	SY6030-T3624-RC-NB☐	60	66	30	24	2515	159
(60" x 30") Table, (42" x 24") Return	SY6030-T4224-RC-NB☐	60	72	30	24	2556	162
(60" x 30") Table, (48" x 24") Return	SY6030-T4824-RC-NB☐	60	78	30	24	2586	166
(60" x 30") Table, (54" x 24") Return	SY6030-T5424-RC-NB☐	60	84	30	24	2629	169
(66" x 30") Table, (36" x 24") Return	SY6630-T3624-RC-NB☐	66	66	30	24	2521	163
(66" x 30") Table, (42" x 24") Return	SY6630-T4224-RC-NB☐	66	72	30	24	2583	166
(66" x 30") Table, (48" x 24") Return	SY6630-T4824-RC-NB☐	66	78	30	24	2613	170
(66" x 30") Table, (54" x 24") Return	SY6630-T5424-RC-NB☐	66	84	30	24	2656	173
(72" x 30") Table, (36" x 24") Return	SY7230-T3624-RC-NB☐	72	66	30	24	2544	168
(72" x 30") Table, (42" x 24") Return	SY7230-T4224-RC-NB☐	72	72	30	24	2585	171
(72" x 30") Table, (48" x 24") Return	SY7230-T4824-RC-NB☐	72	78	30	24	2657	175
(72" x 30") Table, (54" x 24") Return	SY7230-T5424-RC-NB☐	72	84	30	24	2699	178
(78" x 30") Table, (36" x 24") Return	SY7830-T3624-RC-NB☐	78	66	30	24	2627	172
(78" x 30") Table, (42" x 24") Return	SY7830-T4224-RC-NB☐	78	72	30	24	2668	175
(78" x 30") Table, (48" x 24") Return	SY7830-T4824-RC-NB☐	78	78	30	24	2698	179
(78" x 30") Table, (54" x 24") Return	SY7830-T5424-RC-NB☐	78	84	30	24	2741	182
(84" x 30") Table, (36" x 24") Return	SY8430-T3624-RC-NB☐	84	66	30	24	2655	176
(84" x 30") Table, (42" x 24") Return	SY8430-T4224-RC-NB☐	84	72	30	24	2696	179
(84" x 30") Table, (48" x 24") Return	SY8430-T4824-RC-NB☐	84	78	30	24	2726	183
(84" x 30") Table, (54" x 24") Return	SY8430-T5424-RC-NB☐	84	84	30	24	2769	186
	Top With Pinch Point:	A	B	C	D		
(58" x 29") Table, (35" x 23") Return	SY5829-T3523-RCP-NB☐	58	64	29	23	2515	159
(58" x 29") Table, (41" x 23") Return	SY5829-T4123-RCP-NB☐	58	70	29	23	2556	162
(58" x 29") Table, (47" x 23") Return	SY5829-T4723-RCP-NB☐	58	76	29	23	2586	166
(58" x 29") Table, (53" x 23") Return	SY5829-T5323-RCP-NB☐	58	82	29	23	2629	169
(64" x 29") Table, (35" x 23") Return	SY6429-T3523-RCP-NB☐	64	64	29	23	2521	163
(64" x 29") Table, (41" x 23") Return	SY6429-T4123-RCP-NB☐	64	70	29	23	2583	166
(64" x 29") Table, (47" x 23") Return	SY6429-T4723-RCP-NB☐	64	76	29	23	2613	170
(64" x 29") Table, (53" x 23") Return	SY6429-T5323-RCP-NB☐	64	82	29	23	2656	173
(70" x 29") Table, (35" x 23") Return	SY7029-T3523-RCP-NB☐	70	64	29	23	2544	168
(70" x 29") Table, (41" x 23") Return	SY7029-T4123-RCP-NB☐	70	70	29	23	2585	171
(70" x 29") Table, (47" x 23") Return	SY7029-T4723-RCP-NB☐	70	76	29	23	2657	175
(70" x 29") Table, (53" x 23") Return	SY7029-T5323-RCP-NB☐	70	82	29	23	2699	178
(76" x 29") Table, (35" x 23") Return	SY7629-T3523-RCP-NB☐	76	64	29	23	2627	172
(76" x 29") Table, (41" x 23") Return	SY7629-T4123-RCP-NB☐	76	70	29	23	2668	175
(76" x 29") Table, (47" x 23") Return	SY7629-T4723-RCP-NB☐	76	76	29	23	2698	179
(76" x 29") Table, (53" x 23") Return	SY7629-T5323-RCP-NB☐	76	82	29	23	2741	182
(82" x 29") Table, (35" x 23") Return	SY8229-T3523-RCP-NB☐	82	64	29	23	2655	176
(82" x 29") Table, (41" x 23") Return	SY8229-T4123-RCP-NB☐	82	70	29	23	2696	179
(82" x 29") Table, (47" x 23") Return	SY8229-T4723-RCP-NB☐	82	76	29	23	2726	183
(82" x 29") Table, (53" x 23") Return	SY8229-T5323-RCP-NB☐	82	82	29	23	2769	186

Notes:

- All tables larger then 72" in width will ship with an additional set of separate center support beams.
- All height adjustable tables without feet must be purchased with two Savoy shroud bases.
- All worksurface are standard as 1" thick. Woodgrain direction is noted by arrows on image.
- Tables with pinch point tops are pre-drilled for a 1" pinch point on the left and right, and a 0.5" pinch point on the front and back.
- Unit is shipped knock down and requires assembly.


What to Specify when Ordering:

1) Specify top surface laminate finish.
2) Specify metal height adjustable base finish within the product code ([1] = Black , [3] = Silver, [5] = White)
3) Specify any optional grommet or power module locations. See specifications. Upcharge will apply.

3 COLUMN - HEIGHT ADJUSTABLE TABLE (WITHOUT FEET)

SAVOY

(Extended Corner - Left)



Height Adjustable Table (Without Feet)

Left Extended Corner Worksurface

For use in Savoy Shroud Bases Only

3 Stage


Dual Motor

4 Programmable Settings

Height range of 22.9" to 49"

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

*72" x 72" Table illustration below:



	Model No.	W	D			Price (LP)	LB
Top Without Pinch Point:		A	B	C	D		
(60" x 48"/24" Top, Connects to 24")	SY604824-L-ECC-NB☐	60	48	24	24	2806	142
(66" x 48"/24" Top, Connects to 24")	SY664824-L-ECC-NB☐	66	48	24	24	2861	146
(72" x 48"/24" Top, Connects to 24")	SY724824-L-ECC-NB☐	72	48	24	24	2915	149
(60" x 60"/24" Top, Connects to 24")	SY606024-L-ECC-NB☐	60	60	24	24	2969	149
(66" x 60"/24" Top, Connects to 24")	SY666024-L-ECC-NB☐	66	60	24	24	3023	153
(72" x 60"/24" Top, Connects to 24")	SY726024-L-ECC-NB☐	72	60	24	24	3078	156
(72" x 72"/24" Top, Connects to 24")	SY724824-T2424-L-ECC-NB☐	72	72	24	24	3143	177
**Note: 72" x 72" table top is shipped in two pieces.*							
(60" x 48"/30" Top, Connects to 24")	SY604824-L-ETC-NB☐	60	48	30	24	2833	147
(66" x 48"/30" Top, Connects to 24")	SY664824-L-ETC-NB☐	66	48	30	24	2888	152
(72" x 48"/30" Top, Connects to 24")	SY724824-L-ETC-NB☐	72	48	30	24	2941	156
(60" x 60"/30" Top, Connects to 24")	SY606024-L-ETC-NB☐	60	60	30	24	2996	154
(66" x 60"/30" Top, Connects to 24")	SY666024-L-ETC-NB☐	66	60	30	24	3050	159
(72" x 60"/30" Top, Connects to 24")	SY726024-L-ETC-NB☐	72	60	30	24	3105	163
(72" x 72"/30" Top, Connects to 24")	SY724824-T2424-L-ETC-NB☐	72	72	30	24	3170	184
**Note: 72" x 72" table top is shipped in two pieces.*							
Top With Pinch Point:		A	B	C	D		
(58" x 46"/23" Top, Connects to 23")	SY584623-L-ECCP-NB☐	58	46	23	23	2806	142
(64" x 46"/23" Top, Connects to 23")	SY644623-L-ECCP-NB☐	64	46	23	23	2861	146
(70" x 46"/23" Top, Connects to 23")	SY704623-L-ECCP-NB☐	70	46	23	23	2915	149
(58" x 58"/23" Top, Connects to 23")	SY585823-L-ECCP-NB☐	58	58	23	23	2969	149
(64" x 58"/23" Top, Connects to 23")	SY645823-L-ECCP-NB☐	64	58	23	23	3023	153
(70" x 58"/23" Top, Connects to 23")	SY705823-L-ECCP-NB☐	70	58	23	23	3078	156
(70" x 70"/23" Top, Connects to 23")	SY704623-T2423-L-ECCP-NB☐	70	70	23	23	3143	177
**Note: 70" x 70" table top is shipped in two pieces.*							
(58" x 46"/29" Top, Connects to 23")	SY584623-L-ETCP-NB☐	58	46	29	23	2833	147
(64" x 46"/29" Top, Connects to 23")	SY644623-L-ETCP-NB☐	64	46	29	23	2888	152
(70" x 46"/29" Top, Connects to 23")	SY704623-L-ETCP-NB☐	70	46	29	23	2941	156
(58" x 58"/29" Top, Connects to 23")	SY585823-L-ETCP-NB☐	58	58	29	23	2996	154
(64" x 58"/29" Top, Connects to 23")	SY645823-L-ETCP-NB☐	64	58	29	23	3050	159
(70" x 58"/29" Top, Connects to 23")	SY705823-L-ETCP-NB☐	70	58	29	23	3105	163
(70" x 70"/29" Top, Connects to 23")	SY704623-T2423-L-ETCP-NB☐	70	70	29	23	3170	184
**Note: 70" x 70" table top is shipped in two pieces.*							

Notes:

- All tables larger then 72" in width will ship with an additional set of separate center support beams.
- All height adjustable tables without feet must be purchased with two Savoy shroud bases.
- All worksurface are standard as 1" thick with the woodgrain running along the width of the top.
- Tables with pinch point tops are pre-drilled for a 1" pinch point on the left and right, and a 0.5" pinch point on the front and back.
- Unit is shipped knock down and requires assembly.


What to Specify when Ordering:

1) Specify top surface laminate finish.
2) Specify metal height adjustable base finish within the product code ([1] = Black , [3] = Silver, [5] = White)
3) Specify any optional grommet or power module locations. See specifications. Upcharge will apply.

3 COLUMN - HEIGHT ADJUSTABLE TABLE (WITHOUT FEET)

SAVOY

(Extended Corner - Right)



Height Adjustable Table (Without Feet)

Right Extended Corner Worksurface

For use in Savoy Shroud Bases Only

3 Stage

Dual Motor

4 Programmable Settings

Height range of 22.9" to 49"

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

*72" x 72" Table illustration below:



	Model No.	W	D			Price (LP)	LB
	Top Without Pinch Point:	A	B	C	D		
(60" x 48"/24" Top, Connects to 24")	SY604824-R-ECC-NB☐	60	48	24	24	2806	142
(66" x 48"/24" Top, Connects to 24")	SY664824-R-ECC-NB☐	66	48	24	24	2861	146
(72" x 48"/24" Top, Connects to 24")	SY724824-R-ECC-NB☐	72	48	24	24	2915	149
(60" x 60"/24" Top, Connects to 24")	SY606024-R-ECC-NB☐	60	60	24	24	2969	149
(66" x 60"/24" Top, Connects to 24")	SY666024-R-ECC-NB☐	66	60	24	24	3023	153
(72" x 60"/24" Top, Connects to 24")	SY726024-R-ECC-NB☐	72	60	24	24	3078	156
(72" x 72"/24" Top, Connects to 24")	SY724824-T2424-R-ECC-NB☐	72	72	24	24	3143	177
**Note: 72" x 72" table top is shipped in two pieces.*							
(60" x 48"/30" Top, Connects to 24")	SY604824-R-ETC-NB☐	60	48	30	24	2833	147
(66" x 48"/30" Top, Connects to 24")	SY664824-R-ETC-NB☐	66	48	30	24	2888	152
(72" x 48"/30" Top, Connects to 24")	SY724824-R-ETC-NB☐	72	48	30	24	2941	156
(60" x 60"/30" Top, Connects to 24")	SY606024-R-ETC-NB☐	60	60	30	24	2996	154
(66" x 60"/30" Top, Connects to 24")	SY666024-R-ETC-NB☐	66	60	30	24	3050	159
(72" x 60"/30" Top, Connects to 24")	SY726024-R-ETC-NB☐	72	60	30	24	3105	163
(72" x 72"/30" Top, Connects to 24")	SY724824-T2424-R-ETC-NB☐	72	72	30	24	3170	184
**Note: 72" x 72" table top is shipped in two pieces.*							
	Top With Pinch Point:	A	B	C	D		
(58" x 46"/23" Top, Connects to 23")	SY584623-R-ECCP-NB☐	58	46	23	23	2806	142
(64" x 46"/23" Top, Connects to 23")	SY644623-R-ECCP-NB☐	64	46	23	23	2861	146
(70" x 46"/23" Top, Connects to 23")	SY704623-R-ECCP-NB☐	70	46	23	23	2915	149
(58" x 58"/23" Top, Connects to 23")	SY585823-R-ECCP-NB☐	58	58	23	23	2969	149
(64" x 58"/23" Top, Connects to 23")	SY645823-R-ECCP-NB☐	64	58	23	23	3023	153
(70" x 58"/23" Top, Connects to 23")	SY705823-R-ECCP-NB☐	70	58	23	23	3078	156
(70" x 70"/23" Top, Connects to 23")	SY704623-T2423-R-ECCP-NB☐	70	70	23	23	3143	177
**Note: 70" x 70" table top is shipped in two pieces.*							
(58" x 46"/29" Top, Connects to 23")	SY584623-R-ETCP-NB☐	58	46	29	23	2833	147
(64" x 46"/29" Top, Connects to 23")	SY644623-R-ETCP-NB☐	64	46	29	23	2888	152
(70" x 46"/29" Top, Connects to 23")	SY704623-R-ETCP-NB☐	70	46	29	23	2941	156
(58" x 58"/29" Top, Connects to 23")	SY585823-R-ETCP-NB☐	58	58	29	23	2996	154
(64" x 58"/29" Top, Connects to 23")	SY645823-R-ETCP-NB☐	64	58	29	23	3050	159
(70" x 58"/29" Top, Connects to 23")	SY705823-R-ETCP-NB☐	70	58	29	23	3105	163
(70" x 70"/29" Top, Connects to 23")	SY704623-T2423-R-ETCP-NB☐	70	70	29	23	3170	184
**Note: 70" x 70" table top is shipped in two pieces.*							

Notes:

- All tables larger then 72" in width will ship with an additional set of separate center support beams.
- All height adjustable tables without feet must be purchased with two Savoy shroud bases.
- All worksurface are standard as 1" thick with the woodgrain running along the width of the top.
- Tables with pinch point tops are pre-drilled for a 1" pinch point on the left and right, and a 0.5" pinch point on the front and back.
- Unit is shipped knock down and requires assembly.

What to Specify when Ordering:

1) Specify top surface laminate finish.
2) Specify metal height adjustable base finish within the product code ([1] = Black , [3] = Silver, [5] = White)
3) Specify any optional grommet or power module locations. See specifications. Upcharge will apply.

	Model No.	*W*	*D*	Price	*LB*
	**☐ = Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**				
	DX-TF24-PR-TB☐			101	

T-Feet (Pair of 2)

For use on tables 24" & 30" in Depth

Must be specified with a 2-Leg or 3-Leg Height Adjustable Table

Note: A foot is not required on a height adjustable base column if the column is being placed into a laminate shroud.

	**☐ = Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**				
	SY-TF24-1EA-TB☐			51	

T-Foot (One Foot Only)

For use on tables 24" & 30" in Depth

Must be specified with a 2-Leg or 3-Leg Height Adjustable Table

Note: A foot is not required on a height adjustable base column if the column is being placed into a laminate shroud.

Grommet Options:

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - add **$42 list**.


☐ ☐ **= Specify Grommet [G1] or [G3]**
☐ ☐ LL - Left/Left User Side
☐ ☐ LC - Left/Center User Side
☐ ☐ CC - Center/Center User Side
☐ ☐ RC - Right/Center User Side
☐ ☐ RR - Right/Right User Side



G1
Black Grommet
$42 List




G3
Silver Grommet
$42 List



In Surface Power/Data Placement Options:

Add optional power/data modules code (ex. O3CC) to end of product code and adjust list price.

☐ ☐ **= Specify power/data module [O3] or [E3] /or daisy chain electrical [O3DAS] or [E3DAS]**
☐ ☐ LC - Left/Center User Side
☐ ☐ CC - Center/Center User Side
☐ ☐ RC - Right/Center User Side





"O3" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
Standard Plug



"E3" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB-A+C Charger
Standard Plug



"O3DAS" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
60" Daisy Chain Cord



"E3DAS" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 USB A+C Charger
60" Daisy Chain Cord

Standard Electrical Options:

Description	*Model #*	*Price*
O3 Power (2 Power) - 120" Cord	O3	312
E3 Power (2 Power / 1 Dual USB) - 120" Cord	E3	520

Optional Daisy Chain Electrical:

Description	*Model #*	*Price*
O3DAS Daisy Chain Power Module - 60" Cord	O3DAS	520
E3DAS Daisy Chain Power Module - 60" Cord	E3DAS	728
Daisy Chain Starter Cord - 120" Cord	AC120-DAS-START	520


For worksurfaces greater than 60" wide an additional Jumper Cable is required to attach to the 60" cord on the O3DAS or E3DAS Daisy chain power module unit.

18" Jumper (For 66", 72", and 78" wide tables)	AC18-DAS-JUMP	156

Note: Allowed up to 8 total connection points (O3DAS/E3DAS or Jumper) before requiring another starter.

Note: Daisy Chain electrical may be shipped separate from the remainder of the order.

Single Shroud Base



Model No.	*W*	*D*	*H*	Price
B□ = Specify grommet top cap finish: [1] Black [3] Silver				
SY062422-SB-SHRD-B□	6	24	22	683
SY063022-SB-SHRD-B□	6	30	22	687
SY063622-SB-SHRD-B□	6	36	22	751


Notes:


- Must be specified with a Savoy series height adjustable table.
- Top cap contains a wire access opening.
- An optional modesty panel, sold separately, can attach between two individual shroud bases.
- Base is left and right interchangable. Shipped Assembled.

What to Specify When Ordering:

1) Specify base laminate finish.
2) Specify grommet top cap color within the product code: □ = [1] Black or [3] Silver.

Left Box/File Pedestal Shroud Base





SY212422-L-BF-SHRD-B□-P□	21	24	22	1259
SY213022-L-BF-SHRD-B□-P□	21	30	22	1337
SY213622-L-BF-SHRD-B□-P□	21	36	22	1401

B□ = Specify grommet top cap finish:
[1] Black
[3] Silver

P□ = Specify pull handle style #:
To select a pull handle style visit ofgo.com/pulls


Notes:


- Must be specified with a Savoy series height adjustable table.
- Top cap contains a wire access opening.
- An optional modesty panel, sold separately, can attach between two individual shroud bases.
- Pedestal is standard with a lock and 13" wide internal drawer boxes. Shipped Assembled.

What to Specify When Ordering:

1) Specify base laminate finish.
2) Specify drawer fronts laminate finish.
3) Specify top cap color within the product code: □ = [1] Black or [3] Silver.
4) Specify lock color: (Black or Silver).
5) Specify pull handle style.

Right Box/File Pedestal Shroud Base





SY212422-R-BF-SHRD-B□-P□	21	24	22	1259
SY213022-R-BF-SHRD-B□-P□	21	30	22	1337
SY213622-R-BF-SHRD-B□-P□	21	36	22	1401

B□ = Specify grommet top cap finish:
[1] Black
[3] Silver

P□ = Specify pull handle style #:
To select a pull handle style visit ofgo.com/pulls

Notes:

- Must be specified with a Savoy series height adjustable table.
- Top cap contains a wire access opening.
- An optional modesty panel, sold separately, can attach between two individual shroud bases.
- Pedestal is standard with a lock and 13" wide internal drawer boxes. Shipped Assembled.

What to Specify When Ordering:

1) Specify base laminate finish.
2) Specify drawer fronts laminate finish.
3) Specify top cap color within the product code: □ = [1] Black or [3] Silver.
4) Specify lock color: (Black or Silver).
5) Specify pull handle style.


Fixed Modesty Panel

SAVOY

(For use in between two shroud bases)

Fixed Modesty Back Panel


For use between two individual 6" wide shroud bases:



For use with:	*Model No.*	*W*	*D*	*H*	Price
	For use between two 6" shrouds:				
46" Wide Table Surface	SY3422-MPL-FP	34	⅝	21.5	278
48" Wide Table Surface	SY3622-MPL-FP	36	⅝	21.5	278
52" Wide Table Surface	SY4022-MPL-FP	40	⅝	21.5	326
54" Wide Table Surface	SY4222-MPL-FP	42	⅝	21.5	326
58" Wide Table Surface	SY4622-MPL-FP	46	⅝	21.5	372
60" Wide Table Surface	SY4822-MPL-FP	48	⅝	21.5	372
64" Wide Table Surface	SY5222-MPL-FP	52	⅝	21.5	404
66" Wide Table Surface	SY5422-MPL-FP	54	⅝	21.5	404
70" Wide Table Surface	SY5822-MPL-FP	58	⅝	21.5	451
72" Wide Table Surface	SY6022-MPL-FP	60	⅝	21.5	451
76" Wide Table Surface	SY6422-MPL-FP	64	⅝	21.5	480
78" Wide Table Surface	SY6622-MPL-FP	66	⅝	21.5	480
82" Wide Table Surface	SY7022-MPL-FP	70	⅝	21.5	495
84" Wide Table Surface	SY7222-MPL-FP	72	⅝	21.5	495

Fixed Modesty Back Panel


For use between one 6" wide individual shroud base and one 21" wide B/F pedestal shroud base:



For use with:					
	For use between one 6" shroud and one 21" B				
58" Wide Table Surface	SY3122-MPL-FP	31	⅝	21.5	278
60" Wide Table Surface	SY3322-MPL-FP	33	⅝	21.5	278
64" Wide Table Surface	SY3722-MPL-FP	37	⅝	21.5	278
66" Wide Table Surface	SY3922-MPL-FP	39	⅝	21.5	326
70" Wide Table Surface	SY4322-MPL-FP	43	⅝	21.5	326
72" Wide Table Surface	SY4522-MPL-FP	45	⅝	21.5	372
76" Wide Table Surface	SY4922-MPL-FP	49	⅝	21.5	372
78" Wide Table Surface	SY5122-MPL-FP	51	⅝	21.5	404
82" Wide Table Surface	SY5522-MPL-FP	55	⅝	21.5	404
84" Wide Table Surface	SY5722-MPL-FP	57	⅝	21.5	451

Fixed Modesty Back Panel

For use between two 21" wide B/F pedestal shroud bases:



For use with:					
	For use between two 21" B/F shrouds:				
72" Wide Table Surface	SY3022-MPL-FP	30	⅝	21.5	278
76" Wide Table Surface	SY3422-MPL-FP	34	⅝	21.5	278
78" Wide Table Surface	SY3622-MPL-FP	36	⅝	21.5	278
82" Wide Table Surface	SY4022-MPL-FP	40	⅝	21.5	326
84" Wide Table Surface	SY4222-MPL-FP	42	⅝	21.5	326

Notes:

- For use in between two individual height adjustable table shroud bases.
- Grain direction runs horizontally.
- Can be installed as flush or recessed.
- Fastens to shroud bases using L brackets and screws.
- Shipped knock down and requires assembly.


What to Specify When Ordering:

1) Specify laminate finish.

Hanging Modesty Panel

(12" High)

SAVOY



Hanging Modesty Back Panel

12" High

Notes:

- Mounts below worksurface to provide privacy.
- 27" to 48" wide dividers include 2 support brackets.
- 51" to 69" wide dividers include 3 support brackets.
- Grain direction runs horizontally.
- Shipped knock down and requires assembly.
- Hanging modesty must have a 1" pinch point space on each end when being used between two shroud bases or cabinets.
- The 5/8" depth listed in this price list refers to the laminate back panel only. The mounting brackets provided will increase the overall depth of the unit.

What to Specify When Ordering:

1) Specify laminate finish.
2) Specify metal bracket color within the product code: ☐ = [1] Black or [3] Silver.


☐ = Specify bracket finish:
[1] Black
[3] Silver

Model No.	*W*	*D*	*H*	Price
ZN2812-MOD-L-Z☐	28	⅝	12	134
ZN2912-MOD-L-Z☐	29	⅝	12	134
ZN3112-MOD-L-Z☐	31	⅝	12	134
ZN3212-MOD-L-Z☐	32	⅝	12	134
ZN3412-MOD-L-Z☐	34	⅝	12	134
ZN3512-MOD-L-Z☐	35	⅝	12	134
ZN3712-MOD-L-Z☐	37	⅝	12	155
ZN3812-MOD-L-Z☐	38	⅝	12	155
ZN4012-MOD-L-Z☐	40	⅝	12	155
ZN4112-MOD-L-Z☐	41	⅝	12	155
ZN4312-MOD-L-Z☐	43	⅝	12	177
ZN4412-MOD-L-Z☐	44	⅝	12	177
ZN4612-MOD-L-Z☐	46	⅝	12	177
ZN4712-MOD-L-Z☐	47	⅝	12	177
ZN4912-MOD-L-Z☐	49	⅝	12	198
ZN5012-MOD-L-Z☐	50	⅝	12	198
ZN5212-MOD-L-Z☐	52	⅝	12	198
ZN5312-MOD-L-Z☐	53	⅝	12	198
ZN5512-MOD-L-Z☐	55	⅝	12	220
ZN5612-MOD-L-Z☐	56	⅝	12	220
ZN5812-MOD-L-Z☐	58	⅝	12	220
ZN6212-MOD-L-Z☐	62	⅝	12	242
ZN6412-MOD-L-Z☐	64	⅝	12	242
ZN6812-MOD-L-Z☐	68	⅝	12	264
ZN7012-MOD-L-Z☐	70	⅝	12	264

Hanging Modesty Panel

(18" High)

SAVOY



Hanging Modesty Back Panel

18" High

Notes:

- Mounts below worksurface to provide privacy.
- 27" to 48" wide dividers include 2 support brackets.
- 51" to 69" wide dividers include 3 support brackets.
- Grain direction runs horizontally.
- Shipped knock down and requires assembly.
- Hanging modesty must have a 1" pinch point space on each end when being used between two shroud bases or cabinets.
- The 5/8" depth listed in this price list refers to the laminate back panel only. The mounting brackets provided will increase the overall depth of the unit.

What to Specify When Ordering:

1) Specify laminate finish.
2) Specify metal bracket color within the product code: ☐ = [1] Black or [3] Silver.


☐ = Specify bracket finish:
[1] Black
[3] Silver

Model No.	*W*	*D*	*H*	Price
ZN2818-MOD-L-Z☐	28	⅝	18	206
ZN2918-MOD-L-Z☐	29	⅝	18	206
ZN3118-MOD-L-Z☐	31	⅝	18	206
ZN3218-MOD-L-Z☐	32	⅝	18	206
ZN3418-MOD-L-Z☐	34	⅝	18	206
ZN3518-MOD-L-Z☐	35	⅝	18	206
ZN3718-MOD-L-Z☐	37	⅝	18	228
ZN3818-MOD-L-Z☐	38	⅝	18	228
ZN4018-MOD-L-Z☐	40	⅝	18	228
ZN4118-MOD-L-Z☐	41	⅝	18	228
ZN4318-MOD-L-Z☐	43	⅝	18	250
ZN4418-MOD-L-Z☐	44	⅝	18	250
ZN4618-MOD-L-Z☐	46	⅝	18	250
ZN4718-MOD-L-Z☐	47	⅝	18	250
ZN4918-MOD-L-Z☐	49	⅝	18	272
ZN5018-MOD-L-Z☐	50	⅝	18	272
ZN5218-MOD-L-Z☐	52	⅝	18	272
ZN5318-MOD-L-Z☐	53	⅝	18	272
ZN5518-MOD-L-Z☐	55	⅝	18	295
ZN5618-MOD-L-Z☐	56	⅝	18	295
ZN5818-MOD-L-Z☐	58	⅝	18	295
ZN6218-MOD-L-Z☐	62	⅝	18	317
ZN6418-MOD-L-Z☐	64	⅝	18	317
ZN6818-MOD-L-Z☐	68	⅝	18	339
ZN7018-MOD-L-Z☐	70	⅝	18	339

Hanging Modesty Panel

(23" High)

SAVOY



Hanging Modesty Back Panel

23" High

Notes:

- Mounts below worksurface to provide privacy.
- 27" to 48" wide dividers include 2 support brackets.
- 51" to 69" wide dividers include 3 support brackets.
- Grain direction runs horizontally.
- Shipped knock down and requires assembly.
- Hanging modesty must have a 1" pinch point space on each end when being used between two shroud bases or cabinets.
- The 5/8" depth listed in this price list refers to the laminate back panel only. The mounting brackets provided will increase the overall depth of the unit.


What to Specify When Ordering:

1) Specify laminate finish.
2) Specify metal bracket color within the product code: ☐ = [1] Black or [3] Silver.

☐ = Specify bracket finish:
[1] Black
[3] Silver

Model No.	*W*	*D*	*H*	Price
ZN2823-MOD-L-Z☐	28	⅝	23	275
ZN2923-MOD-L-Z☐	29	⅝	23	275
ZN3123-MOD-L-Z☐	31	⅝	23	275
ZN3223-MOD-L-Z☐	32	⅝	23	275
ZN3423-MOD-L-Z☐	34	⅝	23	275
ZN3523-MOD-L-Z☐	35	⅝	23	275
ZN3723-MOD-L-Z☐	37	⅝	23	323
ZN3823-MOD-L-Z☐	38	⅝	23	323
ZN4023-MOD-L-Z☐	40	⅝	23	323
ZN4123-MOD-L-Z☐	41	⅝	23	323
ZN4323-MOD-L-Z☐	43	⅝	23	368
ZN4423-MOD-L-Z☐	44	⅝	23	368
ZN4623-MOD-L-Z☐	46	⅝	23	368
ZN4723-MOD-L-Z☐	47	⅝	23	368
ZN4923-MOD-L-Z☐	49	⅝	23	401
ZN5023-MOD-L-Z☐	50	⅝	23	401
ZN5223-MOD-L-Z☐	52	⅝	23	401
ZN5323-MOD-L-Z☐	53	⅝	23	401
ZN5523-MOD-L-Z☐	55	⅝	23	448
ZN5623-MOD-L-Z☐	56	⅝	23	448
ZN5823-MOD-L-Z☐	58	⅝	23	448
ZN6223-MOD-L-Z☐	62	⅝	23	477
ZN6423-MOD-L-Z☐	64	⅝	23	477
ZN6823-MOD-L-Z☐	68	⅝	23	492
ZN7023-MOD-L-Z☐	70	⅝	23	492

HAT Compatible Returns
(Full Back Panel)



Freestanding Right Side Return Shell

Full side panel on Right

Narrow side panel on Left

Full Back Panel


Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the side panels runs vertically.
- For units up to 60" wide, the laminate grain direction on the back panel runs vertically.
- For units greater than 60" wide, the grain direction on the back panel runs horizontally.
- 24" to 48" wide units include one grommet in the center.
- 54" to 84" wide units include two grommets, one on the left and one right users side.
- Unit is shipped knock down and requires assembly.

What to Specify When Ordering:

1) Specify top laminate finish.
2) Specify base panel laminate finish.
3) Specify grommet color (black or silver).

Model No.	*W*	*D*	*H*	Price
SY362029-S-EW-FP	36	20	29	558
SY412029-S-EW-FP	41	20	29	588
SY422029-S-EW-FP	42	20	29	590
SY472029-S-EW-FP	47	20	29	618
SY482029-S-EW-FP	48	20	29	620
SY532029-S-EW-FP	53	20	29	652
SY542029-S-EW-FP	54	20	29	654
SY592029-S-EW-FP	59	20	29	683
SY602029-S-EW-FP	60	20	29	685
SY652029-S-EW-FP	65	20	29	719
SY662029-S-EW-FP	66	20	29	721
SY712029-S-EW-FP	71	20	29	751
SY722029-S-EW-FP	72	20	29	753
SY362429-S-EW-FP	36	24	29	590
SY412429-S-EW-FP	41	24	29	618
SY422429-S-EW-FP	42	24	29	620
SY472429-S-EW-FP	47	24	29	652
SY482429-S-EW-FP	48	24	29	654
SY532429-S-EW-FP	53	24	29	683
SY542429-S-EW-FP	54	24	29	685
SY592429-S-EW-FP	59	24	29	717
SY602429-S-EW-FP	60	24	29	719
SY652429-S-EW-FP	65	24	29	751
SY662429-S-EW-FP	66	24	29	753
SY712429-S-EW-FP	71	24	29	782
SY722429-S-EW-FP	72	24	29	785



Freestanding Left Side Return Shell

Full side panel on left

Narrow side panel on Left

Full Back Panel

Notes:


- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the side panels runs vertically.
- For units up to 60" wide, the laminate grain direction on the back panel runs vertically.
- For units greater than 60" wide, the grain direction on the back panel runs horizontally.
- 24" to 48" wide units include one grommet in the center.
- 54" to 84" wide units include two grommets, one on the left and one right users side.
- Unit is shipped knock down and requires assembly.

What to Specify When Ordering:

1) Specify top laminate finish.
2) Specify base panel laminate finish.
3) Specify grommet color (black or silver).

SY362029-S-WE-FP	36	20	29	558
SY412029-S-WE-FP	41	20	29	588
SY422029-S-WE-FP	42	20	29	590
SY472029-S-WE-FP	47	20	29	618
SY482029-S-WE-FP	48	20	29	620
SY532029-S-WE-FP	53	20	29	652
SY542029-S-WE-FP	54	20	29	654
SY592029-S-WE-FP	59	20	29	683
SY602029-S-WE-FP	60	20	29	685
SY652029-S-WE-FP	65	20	29	719
SY662029-S-WE-FP	66	20	29	721
SY712029-S-WE-FP	71	20	29	751
SY722029-S-WE-FP	72	20	29	753
SY362429-S-WE-FP	36	24	29	590
SY412429-S-WE-FP	41	24	29	618
SY422429-S-WE-FP	42	24	29	620
SY472429-S-WE-FP	47	24	29	652
SY482429-S-WE-FP	48	24	29	654
SY532429-S-WE-FP	53	24	29	683
SY542429-S-WE-FP	54	24	29	685
SY592429-S-WE-FP	59	24	29	717
SY602429-S-WE-FP	60	24	29	719
SY652429-S-WE-FP	65	24	29	751
SY662429-S-WE-FP	66	24	29	753
SY712429-S-WE-FP	71	24	29	782
SY722429-S-WE-FP	72	24	29	785

HAT Compatible Returns
(Half Back Panel)



Freestanding Right Side Return Shell

Full side panel on Right

Narrow side panel on Left

12" High Half Back Panel


Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the side panels runs vertically.
- For units up to 60" wide, the laminate grain direction on the back panel runs vertically.
- For units greater than 60" wide, the grain direction on the back panel runs horizontally.
- 24" to 48" wide units include one grommet in the center.
- 54" to 84" wide units include two grommets, one on the left and one right users side.
- Unit is shipped knock down and requires assembly.

What to Specify When Ordering:

1) Specify top laminate finish.
2) Specify base panel laminate finish.
3) Specify grommet color (black or silver).

Model No.	*W*	*D*	*H*	Price
SY362029-S-EW-HP	36	20	29	558
SY412029-S-EW-HP	41	20	29	588
SY422029-S-EW-HP	42	20	29	590
SY472029-S-EW-HP	47	20	29	618
SY482029-S-EW-HP	48	20	29	620
SY532029-S-EW-HP	53	20	29	652
SY542029-S-EW-HP	54	20	29	654
SY592029-S-EW-HP	59	20	29	683
SY602029-S-EW-HP	60	20	29	685
SY652029-S-EW-HP	65	20	29	719
SY662029-S-EW-HP	66	20	29	721
SY712029-S-EW-HP	71	20	29	751
SY722029-S-EW-HP	72	20	29	753
SY362429-S-EW-HP	36	24	29	590
SY412429-S-EW-HP	41	24	29	618
SY422429-S-EW-HP	42	24	29	620
SY472429-S-EW-HP	47	24	29	652
SY482429-S-EW-HP	48	24	29	654
SY532429-S-EW-HP	53	24	29	683
SY542429-S-EW-HP	54	24	29	685
SY592429-S-EW-HP	59	24	29	717
SY602429-S-EW-HP	60	24	29	719
SY652429-S-EW-HP	65	24	29	751
SY662429-S-EW-HP	66	24	29	753
SY712429-S-EW-HP	71	24	29	782
SY722429-S-EW-HP	72	24	29	785



Freestanding Left Side Return Shell

Full side panel on left

Narrow side panel on Left

12" High Half Back Panel


Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the side panels runs vertically.
- For units up to 60" wide, the laminate grain direction on the back panel runs vertically.
- For units greater than 60" wide, the grain direction on the back panel runs horizontally.
- 24" to 48" wide units include one grommet in the center.
- 54" to 84" wide units include two grommets, one on the left and one right users side.
- Unit is shipped knock down and requires assembly.

What to Specify When Ordering:

1) Specify top laminate finish.
2) Specify base panel laminate finish.
3) Specify grommet color (black or silver).

SY362029-S-WE-HP	36	20	29	558
SY412029-S-WE-HP	41	20	29	588
SY422029-S-WE-HP	42	20	29	590
SY472029-S-WE-HP	47	20	29	618
SY482029-S-WE-HP	48	20	29	620
SY532029-S-WE-HP	53	20	29	652
SY542029-S-WE-HP	54	20	29	654
SY592029-S-WE-HP	59	20	29	683
SY602029-S-WE-HP	60	20	29	685
SY652029-S-WE-HP	65	20	29	719
SY662029-S-WE-HP	66	20	29	721
SY712029-S-WE-HP	71	20	29	751
SY722029-S-WE-HP	72	20	29	753
SY362429-S-WE-HP	36	24	29	590
SY412429-S-WE-HP	41	24	29	618
SY422429-S-WE-HP	42	24	29	620
SY472429-S-WE-HP	47	24	29	652
SY482429-S-WE-HP	48	24	29	654
SY532429-S-WE-HP	53	24	29	683
SY542429-S-WE-HP	54	24	29	685
SY592429-S-WE-HP	59	24	29	717
SY602429-S-WE-HP	60	24	29	719
SY652429-S-WE-HP	65	24	29	751
SY662429-S-WE-HP	66	24	29	753
SY712429-S-WE-HP	71	24	29	782
SY722429-S-WE-HP	72	24	29	785



Left Side Bridge Shell


Model No.	*W*	*D*	*H*	Price
SY362029-CT-IEOP	36	20	29	541
SY422029-CT-IEOP	42	20	29	571
SY482029-CT-IEOP	48	20	29	573
SY362429-CT-IEOP	36	24	29	670
SY422429-CT-IEOP	42	24	29	703
SY482429-CT-IEOP	48	24	29	705


Notes:

- Connects to a credenza or desk shell on right. Is freestanding on the left side.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the back and side panel run vertically.
- Unit is shipped knock down and requires assembly.

What to Specify When Ordering:

1) Specify top laminate finish.
2) Specify base laminate finish.





Right Side Bridge Shell


SY362029-CT-OPIE	36	20	29	541
SY422029-CT-OPIE	42	20	29	571
SY482029-CT-OPIE	48	20	29	573
SY362429-CT-OPIE	36	24	29	670
SY422429-CT-OPIE	42	24	29	703
SY482429-CT-OPIE	48	24	29	705

Notes:

- Connects to a credenza or desk shell on left. Is freestanding on the right side.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the back and side panel run vertically.
- Unit is shipped knock down and requires assembly.

What to Specify When Ordering:


1) Specify top laminate finish.
2) Specify base laminate finish.



Height Adjustable Dual Shroud Peninsula Table

SAVOY

(1 Base with No Modesty Panel)



Height Adjustable Dual Shroud Peninsula Table
One Dual Shroud Laminate Base
No Modesty Panel

Model No.	*Width*	*Depth*	Price	*LB*
☐ = Specify Height Adjustable Base finish: **[1] Black** **[3] Silver** **[5] White**				
SYG6030-1DB-B☐	60	30	3030	
SYG6630-1DB-B☐	66	30	3056	
SYG7230-1DB-B☐	72	30	3067	
SYG7830-1DB-B☐	78	30	3174	
SYG8430-1DB-B☐	84	30	3246	

Notes:

- The height adjustable base is automatically included with this unit.
- The table's control handset can be moved to the right hand or left hand position.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the dual shroud base runs vertically.
- Shipped partially assembled. Final assembly will be required during installation.

Optional Grommets & Power Module Options:

Optional Grommets (Add $42 List per grommet):

(Step 1) Choose a Grommet Color: [G1] = Black or [G3] = Silver


(Step 2) Choose one or multiple of the grommet positions shown below:

☐☐ = Specify Grommet [G1] or [G3]

☐☐ LL - Left User Side

☐☐ CC - Center User Side

☐☐ RR - Right User Side



Optional Power Modules (Add $500 List per power module):

(Step 1) Choose a Power Module Color: [E1] = Black or [E3] = Silver


(Step 2) Choose one or multiple of the power module positions shown below:

☐☐ = Specify Power Module [E1] or [E3]

☐☐ LC - Left (INSET)

☐☐ CC - Center User Side

☐☐ RC - Right (INSET)



Each E1 / E3 power module
contains 2 Power & 1 Dual-USB

What to Specify When Ordering:


1) Specify top surface laminate finish.

2) Specify upper base laminate finish.


3) Specify lower base laminate finish.

4) Specify height adjustable base color within the product code: ☐ = [1] Black or [3] Silver.


Top Color:



Upper Base Color:




Lower Base Color:



Height Adjustable Dual Shroud Table

(2 Bases with No Modesty Panel)

SAVOY



Height Adjustable Dual Shroud Table
Two Dual Shroud Laminate Bases
No Modesty Panel

Model No.	*Width*	*Depth*	Price	*LB*
☐ = Specify Height Adjustable Base finish: **[1] Black** **[3] Silver** **[5] White**				
SYG6030-2DB-B☐	60	30	4300	
SYG6630-2DB-B☐	66	30	4326	
SYG7230-2DB-B☐	72	30	4337	
SYG7830-2DB-B☐	78	30	4444	
SYG8430-2DB-B☐	84	30	4516	
SYG6036-2DB-B☐	60	36	4408	
SYG6636-2DB-B☐	66	36	4434	
SYG7236-2DB-B☐	72	36	4444	
SYG7836-2DB-B☐	78	36	4552	
SYG8436-2DB-B☐	84	36	4623	

Notes:

- The height adjustable base is automatically included with this unit.
- The table's control handset can be moved to the right hand or left hand position.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the dual shroud base runs vertically.
- Shipped partially assembled. Final assembly will be required during installation.

Optional Grommets & Power Module Options:

Optional Grommets (Add $42 List per grommet):

(Step 1) Choose a Grommet Color: [G1] = Black or [G3] = Silver


(Step 2) Choose one or multiple of the grommet positions shown below:

☐☐ = Specify Grommet [G1] or [G3]

☐☐ LL - Left User Side

☐☐ CC - Center User Side

☐☐ RR - Right User Side



Optional Power Modules (Add $500 List per power module):

(Step 1) Choose a Power Module Color: [E1] = Black or [E3] = Silver


(Step 2) Choose one or multiple of the power module positions shown below:

☐☐ = Specify Power Module [E1] or [E3]

☐☐ LC - Left (INSET)

☐☐ CC - Center User Side

☐☐ RC - Right (INSET)



Each E1 / E3 power module
contains 2 Power & 1 Dual-USB

What to Specify When Ordering:


1) Specify top surface laminate finish.

2) Specify upper base laminate finish.


3) Specify lower base laminate finish.

4) Specify height adjustable base color within the product code: ☐ = [1] Black or [3] Silver.


Top Color:



Upper Base Color:



Lower Base Color:




Fully Enclosed Height Adjustable Executive Desk

SAVOY

(2 Bases with Dual Modesty Panels)

Model No.	*Width*	*Depth*	Price	*LB*
□ = Specify Height Adjustable Base finish: **[1] Black** **[3] Silver** **[5] White**				
SYG6030-2EB-DFP-B□	60	30	4612	
SYG6630-2EB-DFP-B□	66	30	4692	
SYG7230-2EB-DFP-B□	72	30	4745	
SYG7830-2EB-DFP-B□	78	30	4853	
SYG8430-2EB-DFP-B□	84	30	4925	
SYG6036-2EB-DFP-B□	60	36	4720	
SYG6636-2EB-DFP-B□	66	36	4799	
SYG7236-2EB-DFP-B□	72	36	4853	
SYG7836-2EB-DFP-B□	78	36	4961	
SYG8436-2EB-DFP-B□	84	36	5032	



Fully Enclosed Height Adjustable Executive Desk
Two Dual Shroud Laminate Base
Two Modesty Panels - Lower & Upper

Notes:

- The height adjustable base is automatically included with this unit.
- The table's control handset can be moved to the right hand or left hand position.
- The laminate grain direction on the top, front modesty panel, and back modesty panel runs horizontally.
- The laminate grain direction on the dual shroud base runs vertically.
- Shipped partially assembled. Final assembly will be required during installation.

Optional Grommets Options:

Optional Grommets (Add $42 List per grommet):


(Step 1) Choose a Grommet Color: [G1] = Black or [G3] = Silver

(Step 2) Choose one or multiple of the grommet positions shown below:


□□ = Specify Grommet [G1] or [G3]

□□ LL - Left User Side

□□ RR - Right User Side



Note: Optional power module options are available upon request. Please contact customer service.



What to Specify When Ordering:


1) Specify top surface laminate finish.

2) Specify lower base & lower back panel laminate finish.


3) Specify upper base & upper front panel laminate finish.

4) Specify height adjustable base color within the product code: □ = [1] Black or [3] Silver.


Top Color:




Lower Base & Lower Back Panel Color:




Upper Base & Upper Front Panel Color:





Note: To select a separate laminate finish for the front modesty panel only, please contact customer service.



Rectangular Stack on Table
6" High Laminate Riser with H-Support
No Modesty Panel
Angled Metal Leg

(TOP INSIDE VIEW)



☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	*H*	Price
SY6024-RC-SOTG-KL☐	60	24	29	1270
SY6624-RC-SOTG-KL☐	66	24	29	1313
SY7224-RC-SOTG-KL☐	72	24	29	1356
SY7824-RC-SOTG-KL☐	78	24	29	1399
SY8424-RC-SOTG-KL☐	84	24	29	1443
SY6030-RC-SOTG-KL☐	60	30	29	1313
SY6630-RC-SOTG-KL☐	66	30	29	1356
SY7230-RC-SOTG-KL☐	72	30	29	1399
SY7830-RC-SOTG-KL☐	78	30	29	1443
SY8430-RC-SOTG-KL☐	84	30	29	1485

Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- All required worksurface support bars are included.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.
- Unit is designed to be stacked on top of a 22” high cabinet.

Grommet Options:

- Standard with one grommet in the worksurface, as shown above.
- To order this unit without any grommets on the worksurface add -NOGM to the end of the product code. For example: SY6024-RC-SOTG-KL☐-NOGM

What to Specify When Ordering:

1) Specify laminate finish selection for the top and base.
2) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)


Note: Unless otherwise specified, the grommet color will be matched to your leg color selection.
Black legs will receive a black grommet. Silver and White legs will receive a silver grommet.

STACK-ON TABLE WITH ANGLED LEG

(With Modesty Panel)


SAVOY

(Right Extending)



Rectangular Stack on Table
6" High Laminate Riser with T-Support
Right Extending Modesty Panel
Angled Metal Leg


(TOP INSIDE VIEW)



Model No.	*W*	*D*	*H*	Price
SY6024-R-RC-SOPG-KL☐	60	24	29	1431
SY6624-R-RC-SOPG-KL☐	66	24	29	1475
SY7224-R-RC-SOPG-KL☐	72	24	29	1517
SY7824-R-RC-SOPG-KL☐	78	24	29	1561
SY8424-R-RC-SOPG-KL☐	84	24	29	1604
SY6030-R-RC-SOPG-KL☐	60	30	29	1475
SY6630-R-RC-SOPG-KL☐	66	30	29	1517
SY7230-R-RC-SOPG-KL☐	72	30	29	1561
SY7830-R-RC-SOPG-KL☐	78	30	29	1604
SY8430-R-RC-SOPG-KL☐	84	30	29	1647


☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White

(Left Extending)



Rectangular Stack on Table
6" High Laminate Riser with T-Support
Left Extending Modesty Panel
Angled Metal Leg

(TOP INSIDE VIEW)



SY6024-L-RC-SOPG-KL☐	60	24	29	1431
SY6624-L-RC-SOPG-KL☐	66	24	29	1475
SY7224-L-RC-SOPG-KL☐	72	24	29	1517
SY7824-L-RC-SOPG-KL☐	78	24	29	1561
SY8424-L-RC-SOPG-KL☐	84	24	29	1604
SY6030-L-RC-SOPG-KL☐	60	30	29	1475
SY6630-L-RC-SOPG-KL☐	66	30	29	1517
SY7230-L-RC-SOPG-KL☐	72	30	29	1561
SY7830-L-RC-SOPG-KL☐	78	30	29	1604
SY8430-L-RC-SOPG-KL☐	84	30	29	1647

☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White

Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- All required worksurface support bars are included.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.
- Unit is designed to be stacked on top of a 22" high cabinet.

Grommet Options:

- Standard with one grommet in the worksurface, as shown above.
- To order this unit without any grommets on the worksurface add -NOGM to the end of the product code. For example: SY6030-L-RC-SOPG-KL☐-NOGM

What to Specify When Ordering:

1) Specify laminate finish selection for the top, base, and modesty panel.
2) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)


Note: Unless otherwise specified, the grommet color will be matched to your leg color selection.
Black legs will receive a black grommet. Silver and White legs will receive a silver grommet.

STACK-ON TABLE WITH ANGLED LEG

(With Modesty Panel & Pull Out Box Drawer)

SAVOY

(Right Extending)




Model No.	*W*	*D*	*H*	Price
SY6030-R-RC-SOBD-KL☐	60	30	29	1636
SY6630-R-RC-SOBD-KL☐	66	30	29	1679
SY7230-R-RC-SOBD-KL☐	72	30	29	1722
SY7830-R-RC-SOBD-KL☐	78	30	29	1766
SY8430-R-RC-SOBD-KL☐	84	30	29	1808


Rectangular Stack on Table
6" High Pull Out Box Drawer
Right Extending Modesty Panel
Angled Metal Leg

☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White

(TOP INSIDE VIEW)



(Left Extending)




SY6030-L-RC-SOBD-KL☐	60	30	29	1636
SY6630-L-RC-SOBD-KL☐	66	30	29	1679
SY7230-L-RC-SOBD-KL☐	72	30	29	1722
SY7830-L-RC-SOBD-KL☐	78	30	29	1766
SY8430-L-RC-SOBD-KL☐	84	30	29	1808

Rectangular Stack on Table
6" High Pull Out Box Drawer
Left Extending Modesty Panel
Angled Metal Leg

☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White

(TOP INSIDE VIEW)



Notes:

- The laminate grain direction on surface runs horizontally. The laminate grain on the box drawer runs vertically.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- Box drawer is non-locking.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.
- Unit is designed to be stacked on top of a 22" high cabinet.

Grommet Options:

- Standard with one grommet in the worksurface, as shown above.
- To order this unit without any grommets on the worksurface add -NOGM to the end of the product code.
  For example: SY6030-L-RC-SOBD-KL☐-NOGM

What to Specify When Ordering:

1) Specify laminate finish selection for the top, side panel, and front modesty panel.

2) Specify laminate finish for Box Drawer (Note: this finish selection will apply to the case & front of the box drawer)


3) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)

Note: Unless otherwise specified, the grommet color will be matched to your leg color selection.
Black legs will receive a black grommet. Silver and White legs will receive a silver grommet.

STACK-ON TABLE WITH ANGLED LEG

SAVOY

(Right Extending)




Angled Top Stack on Table
6" High Laminate Riser with H-Support
Angled Metal Leg


(TOP INSIDE VIEW)




Model No.	*W*	*D* A	*D* B	*H*	Price
SY6030-R-EAN-SOTG-KL☐	60	30	24	29	1593
SY6630-R-EAN-SOTG-KL☐	66	30	24	29	1636
SY7230-R-EAN-SOTG-KL☐	72	30	24	29	1679
SY7830-R-EAN-SOTG-KL☐	78	30	24	29	1722
SY8430-R-EAN-SOTG-KL☐	84	30	24	29	1766
SY6036-R-EAN-SOTG-KL☐	60	36	30	29	1636
SY6636-R-EAN-SOTG-KL☐	66	36	30	29	1679
SY7236-R-EAN-SOTG-KL☐	72	36	30	29	1722
SY7836-R-EAN-SOTG-KL☐	78	36	30	29	1766
SY8436-R-EAN-SOTG-KL☐	84	36	30	29	1808

☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White





(Left Extending)




Rectangular Stack on Table
6" High Laminate Riser with H-Support
Angled Metal Leg


(TOP INSIDE VIEW)



Model No.	*W*	*D* A	*D* B	*H*	Price
SY6030-L-EAN-SOTG-KL☐	60	30	24	29	1593
SY6630-L-EAN-SOTG-KL☐	66	30	24	29	1636
SY7230-L-EAN-SOTG-KL☐	72	30	24	29	1679
SY7830-L-EAN-SOTG-KL☐	78	30	24	29	1722
SY8430-L-EAN-SOTG-KL☐	84	30	24	29	1766
SY6036-L-EAN-SOTG-KL☐	60	36	30	29	1636
SY6636-L-EAN-SOTG-KL☐	66	36	30	29	1679
SY7236-L-EAN-SOTG-KL☐	72	36	30	29	1722
SY7836-L-EAN-SOTG-KL☐	78	36	30	29	1766
SY8436-L-EAN-SOTG-KL☐	84	36	30	29	1808

☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White





Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- All required worksurface support bars are included.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.
- Unit is designed to be stacked on top of a 22" high cabinet.

Grommet Options:

- Standard with one grommet in the worksurface, as shown above.
- To order this unit without any grommets on the worksurface add -NOGM to the end of the product code.
  For example: SY6030-L-EAN-SOTG-KL☐-NOGM

What to Specify When Ordering:


1) Specify laminate finish selection for the top and base.
2) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)

Note: Unless otherwise specified, the grommet color will be matched to your leg color selection.
Black legs will receive a black grommet. Silver and White legs will receive a silver grommet.

FREESTANDING TABLE WITH ANGLED LEG

(WITHOUT MODESTY)

SAVOY



Rectangular Table
Freestanding
No Modesty Panel
Angled Metal Legs

Model No.	*W*	*D*	*H*	Price
☐ = Specify Leg metal finish: **[1] Black** **[3] Silver** **[5] White**				
SY6024-RC-KL☐	60	24	29	1771
SY6624-RC-KL☐	66	24	29	1808
SY7224-RC-KL☐	72	24	29	1830
SY7824-RC-KL☐	78	24	29	1852
SY8424-RC-KL☐	84	24	29	1873
SY6030-RC-KL☐	60	30	29	1813
SY6630-RC-KL☐	66	30	29	1852
SY7230-RC-KL☐	72	30	29	1873
SY7830-RC-KL☐	78	30	29	1894
SY8430-RC-KL☐	84	30	29	1916

(TOP INSIDE VIEW)



Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- All required worksurface support bars are included.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.
- Standard without grommets. Optional grommets are available. See below.

Optional Grommets & Power Module Options:

Optional Grommets (Add $42 List per grommet):

(Step 1) Choose a Grommet Color: [G1] = Black or [G3] = Silver


(Step 2) Choose one or multiple of the grommet positions shown below:

☐☐ = Specify Grommet [G1] or [G3]

☐☐ LL - Left User Side

☐☐ CC - Center User Side

☐☐ RR - Right User Side



Optional Power Modules (Add $500 List per power module):

(Step 1) Choose a Power Module Color: [E1] = Black or [E3] = Silver


(Step 2) Choose one or multiple of the power module positions shown below:

☐☐ = Specify Power Module [E1] or [E3]

☐☐ LC - Left / Center User Side

☐☐ CC - Center User Side

☐☐ RC - Right / Center User Side



Each E1 / E3 power module contains 2 Power & 1 Dual-USB


What to Specify When Ordering:

1) Specify top surface laminate finish.

2) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)


FREESTANDING TABLE WITH ANGLED LEG
(WITH MODESTY)

SAVOY



Rectangular Table
Freestanding
With Modesty Panel
Angled Metal Legs

(TOP INSIDE VIEW)



Model No.	*W*	*D*	*H*	Price
☐ = Specify Leg metal finish: **[1] Black** **[3] Silver** **[5] White**				
SY6024-RC-MODL-KL☐	60	24	29	1825
SY6624-RC-MODL-KL☐	66	24	29	1884
SY7224-RC-MODL-KL☐	72	24	29	1927
SY7824-RC-MODL-KL☐	78	24	29	1970
SY8424-RC-MODL-KL☐	84	24	29	2013
SY6030-RC-MODL-KL☐	60	30	29	1867
SY6630-RC-MODL-KL☐	66	30	29	1927
SY7230-RC-MODL-KL☐	72	30	29	1970
SY7830-RC-MODL-KL☐	78	30	29	2013
SY8430-RC-MODL-KL☐	84	30	29	2056

Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- All required worksurface support bars are included.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.
- The hanging modesty panel is 8" high with the grain direction running horizontally.
- Standard without grommets. Optional grommets are available. See below.

Optional Grommets & Power Module Options:

Optional Grommets (Add $42 List per grommet):


(Step 1) Choose a Grommet Color: [G1] = Black or [G3] = Silver

(Step 2) Choose one or multiple of the grommet positions shown below:

☐☐ = Specify Grommet [G1] or [G3]

☐☐ LL10 - Left User Side (10" Inset from back)

☐☐ RR10 - Right User Side (10" Inset from back)



Optional Power Modules (Add $500 List per power module):


(Step 1) Choose a Power Module Color: [E1] = Black or [E3] = Silver

(Step 2) Choose one or multiple of the power module positions shown below:

☐☐ = Specify Power Module [E1] or [E3]

☐☐ LC10 - Left /Center User Side (10" Inset from back)

☐☐ RC10 - Right / Center User Side (10" Inset from back)



Each E1 / E3 power module contains 2 Power & 1 Dual-USB


What to Specify When Ordering:

1) Specify top surface laminate finish.
2) Specify modesty panel laminate finish.
3) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)

FREESTANDING TABLE WITH INSET ANGLED LEG

(WITHOUT MODESTY)

SAVOY



Rectangular Table
Freestanding
No Modesty Panel
Inset Angled Metal Legs

(TOP INSIDE VIEW)



☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	*H*	Price
SY6024-INRC-KL☐	60	24	29	1771
SY6624-INRC-KL☐	66	24	29	1808
SY7224-INRC-KL☐	72	24	29	1830
SY7824-INRC-KL☐	78	24	29	1852
SY8424-INRC-KL☐	84	24	29	1873
SY6030-INRC-KL☐	60	30	29	1813
SY6630-INRC-KL☐	66	30	29	1852
SY7230-INRC-KL☐	72	30	29	1873
SY7830-INRC-KL☐	78	30	29	1894
SY8430-INRC-KL☐	84	30	29	1916

Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- All required worksurface support bars are included.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.
- Standard without grommets. Optional grommets are available. See below.

Optional Grommets & Power Module Options:

Optional Grommets (Add $42 List per grommet):

(Step 1) Choose a Grommet Color: [G1] = Black or [G3] = Silver


(Step 2) Choose one or multiple of the grommet positions shown below:

☐☐ = Specify Grommet [G1] or [G3]

☐☐ LC - Left / Center User Side

☐☐ CC - Center User Side

☐☐ RC - Right / Center User Side



Optional Power Modules (Add $500 List per power module):

(Step 1) Choose a Power Module Color: [E1] = Black or [E3] = Silver


(Step 2) Choose one or multiple of the power module positions shown below:

☐☐ = Specify Power Module [E1] or [E3]

☐☐ LC - Left / Center User Side

☐☐ CC - Center User Side

☐☐ RC - Right / Center User Side




Each E1 / E3 power module contains 2 Power & 1 Dual-USB

What to Specify When Ordering:

1) Specify top surface laminate finish.
2) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)


FREESTANDING TABLE WITH ANGLED LEG
(WITH MODESTY)

SAVOY



Rectangular Table
Freestanding
With Modesty Panel
Angled Metal Legs

(TOP INSIDE VIEW)



☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	*H*	Price
SY6024-INRC-MODL-KL☐	60	24	29	1825
SY6624-INRC-MODL-KL☐	66	24	29	1884
SY7224-INRC-MODL-KL☐	72	24	29	1927
SY7824-INRC-MODL-KL☐	78	24	29	1970
SY8424-INRC-MODL-KL☐	84	24	29	2013
SY6030-INRC-MODL-KL☐	60	30	29	1867
SY6630-INRC-MODL-KL☐	66	30	29	1927
SY7230-INRC-MODL-KL☐	72	30	29	1970
SY7830-INRC-MODL-KL☐	78	30	29	2013
SY8430-INRC-MODL-KL☐	84	30	29	2056

Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- All required worksurface support bars are included.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.
- The hanging modesty panel is 8" high with the grain direction running horizontally.
- Standard without grommets. Optional grommets are available. See below.

Optional Grommets & Power Module Options:

Optional Grommets (Add $42 List per grommet):


(Step 1) Choose a Grommet Color: [G1] = Black or [G3] = Silver

(Step 2) Choose one or multiple of the grommet positions shown below:

☐☐ = Specify Grommet [G1] or [G3]

☐☐ LC10 - Left /Center User Side (10" Inset from back)

☐☐ RC10 - Right / Center User Side (10" Inset from back)



Optional Power Modules (Add $500 List per power module):


(Step 1) Choose a Power Module Color: [E1] = Black or [E3] = Silver

(Step 2) Choose one or multiple of the power module positions shown below:

☐☐ = Specify Power Module [E1] or [E3]

☐☐ LC10 - Left /Center User Side (10" Inset from back)

☐☐ RC10 - Right / Center User Side (10" Inset from back)




Each E1 / E3 power module
contains 2 Power & 1 Dual-USB

What to Specify When Ordering:

1) Specify top surface laminate finish.
2) Specify modesty panel laminate finish.
3) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)

(Right Extending)



Rectangular Table
Laminate T-Gable & Angled Metal Leg


(TOP INSIDE VIEW)



Model No.	*W*	*D*	*H*	Price
SY6024-R-RC-TG-KL☐	60	24	29	1324
SY6624-R-RC-TG-KL☐	66	24	29	1367
SY7224-R-RC-TG-KL☐	72	24	29	1410
SY7824-R-RC-TG-KL☐	78	24	29	1453
SY8424-R-RC-TG-KL☐	84	24	29	1497
SY6030-R-RC-TG-KL☐	60	30	29	1367
SY6630-R-RC-TG-KL☐	66	30	29	1410
SY7230-R-RC-TG-KL☐	72	30	29	1453
SY7830-R-RC-TG-KL☐	78	30	29	1497
SY8430-R-RC-TG-KL☐	84	30	29	1539


☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White

(Left Extending)



Rectangular Table
Laminate T-Gable & Angled Metal Leg

(TOP INSIDE VIEW)



SY6024-L-RC-TG-KL☐	60	24	29	1324
SY6624-L-RC-TG-KL☐	66	24	29	1367
SY7224-L-RC-TG-KL☐	72	24	29	1410
SY7824-L-RC-TG-KL☐	78	24	29	1453
SY8424-L-RC-TG-KL☐	84	24	29	1497
SY6030-L-RC-TG-KL☐	60	30	29	1367
SY6630-L-RC-TG-KL☐	66	30	29	1410
SY7230-L-RC-TG-KL☐	72	30	29	1453
SY7830-L-RC-TG-KL☐	78	30	29	1497
SY8430-L-RC-TG-KL☐	84	30	29	1539

☐ = Specify Leg metal finish:
[1] Black
[3] Silver
[5] White

Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.

Grommet Options:

- Standard with one grommet in the worksurface, as shown above.
- To order this unit without any grommets on the worksurface add -NOGM to the end of the product code.
  For example: SY6024-L-RC-TG-KL☐-NOGM


What to Specify When Ordering:

1) Specify laminate finish (top color and base color).
2) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)

Note: Unless otherwise specified, the grommet color will be matched to your leg color selection.
Black legs will receive a black grommet. Silver and White legs will receive a silver grommet.

RETURN RUN-OFF WITH ANGLED LEG

SAVOY



Rectangular Run-Off Return Table
Angled Metal Leg
Left & Right Interchangable

Model No.	*W*	*D*	*H*	Price
☐ = Specify Leg metal finish: **[1] Black** **[3] Silver** **[5] White**				
SY4224-RC-OP-KL☐	42	24	29	1193
SY4824-RC-OP-KL☐	48	24	29	1221
SY5424-RC-OP-KL☐	54	24	29	1252
SY6024-RC-OP-KL☐	60	24	29	1280
SY6624-RC-OP-KL☐	66	24	29	1325
SY4230-RC-OP-KL☐	42	30	29	1237
SY4830-RC-OP-KL☐	48	30	29	1265
SY5430-RC-OP-KL☐	54	30	29	1295
SY6030-RC-OP-KL☐	60	30	29	1323
SY6630-RC-OP-KL☐	66	30	29	1368

Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- All required worksurface support bars are included.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.
- This item is designed to be connected to a 29" high desk shell or table unit.

Optional Grommets & Power Module Options:

Optional Grommets (Add $42 List per grommet):

(Step 1) Choose a Grommet Color: [G1] = Black or [G3] = Silver


(Step 2) Choose one or multiple of the grommet positions shown below:

☐☐ = Specify Grommet [G1] or [G3]

☐☐ LL - Left User Side

☐☐ CC - Center User Side

☐☐ RR - Right User Side



Optional Power Modules (Add $500 List per power module):

(Step 1) Choose a Power Module Color: [E1] = Black or [E3] = Silver


(Step 2) Choose one or multiple of the power module positions shown below:

☐☐ = Specify Power Module [E1] or [E3]

☐☐ LC - Left / Center User Side

☐☐ CC - Center User Side

☐☐ RC - Right / Center User Side




Each E1 / E3 power module contains 2 Power & 1 Dual-USB

What to Specify When Ordering:

1) Specify top surface laminate finish.

2) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)



Round Meeting Table

Angled Metal Leg

Model No.	*W*	*D*	*H*	Price
☐ = Specify Leg metal finish: **[1] Black** **[3] Silver** **[5] White**				
SY3636-RD-29H-KL☐	36	36	29	1485
SY4242-RD-29H-KL☐	42	42	29	1550
SY4848-RD-29H-KL☐	48	48	29	1640

Notes:

- The laminate grain direction on surface runs horizontally.
- Angled metal legs contain a removable cover to allow for wire passthrough capability.
- Metal legs are pre-assembled; the remainder of the unit is shipped knock down and requires assembly.


What to Specify When Ordering:

1) Specify top surface laminate finish.
2) Specify metal leg finish within the product code ([1] = Black , [3] = Silver, [5] = White)

STACK-ON DESK SHELLS
(With Modesty Panel)


SAVOY

(Right Extending)




Rectangular Stack on Desk Shell
Right Extending Modesty Panel
6" High Laminate Riser + Laminate End Panel

(TOP INSIDE VIEW)




Model No.	*W*	*D*	*H*	Price
SY6024-R-RC-SOPGL	60	24	29	703
SY6624-R-RC-SOPGL	66	24	29	737
SY7224-R-RC-SOPGL	72	24	29	769
SY7824-R-RC-SOPGL	78	24	29	1015
SY8424-R-RC-SOPGL	84	24	29	1096
SY6030-R-RC-SOPGL	60	30	29	787
SY6630-R-RC-SOPGL	66	30	29	818
SY7230-R-RC-SOPGL	72	30	29	853
SY7830-R-RC-SOPGL	78	30	29	1096
SY8430-R-RC-SOPGL	84	30	29	1178

(Left Extending)



Rectangular Stack on Desk Shell
Left Extending Modesty Panel
6" High Laminate Riser + Laminate End Panel

(TOP INSIDE VIEW)



SY6024-L-RC-SOPGL	60	24	29	703
SY6624-L-RC-SOPGL	66	24	29	737
SY7224-L-RC-SOPGL	72	24	29	769
SY7824-L-RC-SOPGL	78	24	29	1015
SY8424-L-RC-SOPGL	84	24	29	1096
SY6030-L-RC-SOPGL	60	30	29	787
SY6630-L-RC-SOPGL	66	30	29	818
SY7230-L-RC-SOPGL	72	30	29	853
SY7830-L-RC-SOPGL	78	30	29	1096
SY8430-L-RC-SOPGL	84	30	29	1178

Notes:

- The laminate grain direction on surface and modesty panel runs horizontally.
- The laminate grain direction on the end panel and riser panel runs vertically.
- Shipped knock down and requires assembly.
- This unit is designed to be stacked on top of a 22" high cabinet.

Grommet Options:


- Standard with one grommet in the worksurface, as shown above.
- To order this unit without any grommets on the worksurface add -NOGM to the end of the product code.
  For example: SY6024-L-RC-SOPGL-NOGM

What to Specify When Ordering:

1) Specify top surface laminate finish.
2) Specify complete base laminate finish. (Note: you may specify a separate laminate finish for the modesty panel if desired)
3) Specify grommet color (black or silver).

STACK-ON RETURN SHELL

SAVOY




Right Side Stack on Return Shell
6" High Laminate Riser + Modesty Panel

(TOP INSIDE VIEW)




Model No.	*W*	*D*	*H*	Price
SY6020-RR-SOMPL	60	20	7	601
SY6620-RR-SOMPL	66	20	7	645
SY7220-RR-SOMPL	72	20	7	677
SY7820-RR-SOMPL	78	20	7	709
SY6024-RR-SOMPL	60	24	7	634
SY6624-RR-SOMPL	66	24	7	677
SY7224-RR-SOMPL	72	24	7	709
SY7824-RR-SOMPL	78	24	7	742



Left Side Stack on Return Shell
6" High Laminate Riser + Modesty Panel

(TOP INSIDE VIEW)



Model No.	*W*	*D*	*H*	Price
SY6020-LR-SOMPL	60	20	7	601
SY6620-LR-SOMPL	66	20	7	645
SY7220-LR-SOMPL	72	20	7	677
SY7820-LR-SOMPL	78	20	7	709
SY6024-LR-SOMPL	60	24	7	634
SY6624-LR-SOMPL	66	24	7	677
SY7224-LR-SOMPL	72	24	7	709
SY7824-LR-SOMPL	78	24	7	742

Notes:

- The laminate grain direction on surface and modesty panel runs horizontally.
- The laminate grain direction on the side panel runs vertically.
- Shipped knock down and requires assembly.
- This unit is designed to be stacked on top of a 22" high cabinet and connect to a 29" high table or desk shell.

Grommet Options:


- Standard with two grommet in the worksurface, as shown above.
- To order this unit without any grommets on the worksurface add -NOGM to the end of the product code.
  For example: SY6020-LR-SOMPL-NOGM

What to Specify When Ordering:

1) Specify top surface laminate finish.
2) Specify complete base finish.
3) Specify grommet color (black or silver).

Wall Mounted Overheads
(15" High)

SAVOY



15" High

15" High Overhead
Hinged Laminate Doors

Model No.	*W*	*D*	*H*	Price
SY301515-WM-HT-HD-AS	30	15	15	771
SY361515-WM-HT-HD-AS	36	15	15	803
SY421515-WM-HT-HD-AS	42	15	15	837
SY481515-WM-HT-HD-AS	48	15	15	958
SY541515-WM-HT-HD-AS	54	15	15	996
SY601515-WM-HT-HD-AS	60	15	15	1030
SY661515-WM-HT-HD-AS	66	15	15	1062
SY721515-WM-HT-HD-AS	72	15	15	1099
SY781515-WM-HT-HD-AS	78	15	15	1142

Notes:

- The laminate grain direction on the top and bottom runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- 30"w to 48"w units contain two doors, 54"w to 78"w units contain four doors.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

Optional Locks - Units are standard as non-locking. To order with optional locks:


- For 30" to 48" wide units: Add L1Q1 (black lock) or L3Q1 (silver lock) to end of product code for a hutch requiring one lock - add $78 list.
- For 54" to 78" wide units: Add L1Q2 (black lock) or L3Q2 (silver lock) to end of product code for a hutch requiring two locks - add $156 list.

Optional Pull Handles - Units are standard without pull handles. To order with optional pull handles:

- For 30" to 48" wide units: Add handle style (ex. P1) and Q2 to end of product code (ex. P1Q2) - add $42 list.
- For 54" to 78" wide units: Add handle style (ex. P1) and Q4 to end of product code (ex. P1Q4) - add $84 list.
- Note: handle styles can be found at ofgo.com/pulls

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.



15" High

15" High Overhead
Open

SY301515-WM-HT-OP-AS	30	14.3	15	617
SY361515-WM-HT-OP-AS	36	14.3	15	650
SY421515-WM-HT-OP-AS	42	14.3	15	684
SY481515-WM-HT-OP-AS	48	14.3	15	806
SY541515-WM-HT-OP-AS	54	14.3	15	840
SY601515-WM-HT-OP-AS	60	14.3	15	878
SY661515-WM-HT-OP-AS	66	14.3	15	910
SY721515-WM-HT-OP-AS	72	14.3	15	944
SY781515-WM-HT-OP-AS	78	14.3	15	987


Note: Open overheads with a 14.3" depth are style-compatible with adjoining 15" deep overheads with doors.

Notes:

- The laminate grain direction on the top and bottom runs horizontally.
- The laminate grain direction on the sides run vertically.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

What to Specify When Ordering:

1) Specify base unit laminate finish.



15" High

Model No.	*W*	*D*	*H*	Price
SY541515-WM-HT-OP-HD-AS	54	15	15	979
SY601515-WM-HT-OP-HD-AS	60	15	15	1014
SY661515-WM-HT-OP-HD-AS	66	15	15	1046
SY721515-WM-HT-OP-HD-AS	72	15	15	1083
SY781515-WM-HT-OP-HD-AS	78	15	15	1126

15" High Overhead
Open on Left
Hinged Laminate Doors on Right

Notes:


- The laminate grain direction on the top and bottom runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

Optional Locks - Units are standard as non-locking. To order with optional locks:
- Add L1Q1 (black lock) or L3Q1 (silver lock) to end of product code - add $78 list. [Note: handle styles can be found at ofgo.com/pulls]

Optional Pull Handles - Units are standard without pull handles. To order with optional pull handles:
- Add handle style (ex. P1) and Q2 to end of product code (ex. P1Q2) - add $42 list.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.



15" High

SY541515-WM-HT-HD-OP-AS	54	15	15	979
SY601515-WM-HT-HD-OP-AS	60	15	15	1014
SY661515-WM-HT-HD-OP-AS	66	15	15	1046
SY721515-WM-HT-HD-OP-AS	72	15	15	1083
SY781515-WM-HT-HD-OP-AS	78	15	15	1126

15" High Overhead
Open on Right
Hinged Laminate Doors on Left

Notes:

- The laminate grain direction on the top and bottom runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.


Optional Locks - Units are standard as non-locking. To order with optional locks:
- Add L1Q1 (black lock) or L3Q1 (silver lock) to end of product code - add $78 list. [Note: handle styles can be found at ofgo.com/pulls]

Optional Pull Handles - Units are standard without pull handles. To order with optional pull handles:
- Add handle style (ex. P1) and Q2 to end of product code (ex. P1Q2) - add $42 list.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.

Wall Mounted Overheads
(28" High)



28" High

28" High Overhead
Hinged Laminate Doors

Model No.	W	D	H	Price
SY301528-WM-HT-LD-AS	30	15	28	1381
SY361528-WM-HT-LD-AS	36	15	28	1416
SY421528-WM-HT-LD-AS	42	15	28	1450
SY481528-WM-HT-LD-AS	48	15	28	1569
SY541528-WM-HT-LD-AS	54	15	28	1606
SY601528-WM-HT-LD-AS	60	15	28	1640
SY661528-WM-HT-LD-AS	66	15	28	1675
SY721528-WM-HT-LD-AS	72	15	28	1711
SY781528-WM-HT-LD-AS	78	15	28	1753

Notes:

- The laminate grain direction on the top and bottom runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- 30"w to 48"w units contain two doors, 54"w to 78"w units contain four doors.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

Optional Locks - Units are standard as non-locking. To order with optional locks:


- For 30" to 48" wide units: Add L1Q1 (black lock) or L3Q1 (silver lock) to end of product code for a hutch requiring one lock - add $78 list.
- For 54" to 78" wide units: Add L1Q2 (black lock) or L3Q2 (silver lock) to end of product code for a hutch requiring two locks - add $156 list.

Optional Pull Handles - Units are standard without pull handles. To order with optional pull handles:

- For 30" to 48" wide units: Add handle style (ex. P1) and Q2 to end of product code (ex. P1Q2) - add $42 list.
- For 54" to 78" wide units: Add handle style (ex. P1) and Q4 to end of product code (ex. P1Q4) - add $84 list.
- Note: handle styles can be found at ofgo.com/pulls

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.



28" High

28" High Overhead
Open

Model No.	W	D	H	Price
SY301528-WM-HT-LO-AS	30	14.3	28	1230
SY361528-WM-HT-LO-AS	36	14.3	28	1261
SY421528-WM-HT-LO-AS	42	14.3	28	1297
SY481528-WM-HT-LO-AS	48	14.3	28	1418
SY541528-WM-HT-LO-AS	54	14.3	28	1453
SY601528-WM-HT-LO-AS	60	14.3	28	1488
SY661528-WM-HT-LO-AS	66	14.3	28	1522
SY721528-WM-HT-LO-AS	72	14.3	28	1556
SY781528-WM-HT-LO-AS	78	14.3	28	1598

Note: Open overheads with a 14.3" depth are style-compatible with adjoining 15" deep overheads with doors.


Notes:

- The laminate grain direction on the top and bottom runs horizontally.
- The laminate grain direction on the sides run vertically.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.

Wall Mounted Overheads
(30" High)



30" High

30" High Overhead
Hinged Laminate Doors

Model No.	W	D	H	Price
SY301530-WM-HT-LD-AS	30	15	30	1468
SY361530-WM-HT-LD-AS	36	15	30	1502
SY421530-WM-HT-LD-AS	42	15	30	1536
SY481530-WM-HT-LD-AS	48	15	30	1656
SY541530-WM-HT-LD-AS	54	15	30	1692
SY601530-WM-HT-LD-AS	60	15	30	1726
SY661530-WM-HT-LD-AS	66	15	30	1761
SY721530-WM-HT-LD-AS	72	15	30	1797
SY781530-WM-HT-LD-AS	78	15	30	1839

Notes:

- The laminate grain direction on the top and bottom runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- 30"w to 48"w units contain two doors, 54"w to 78"w units contain four doors.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

Optional Locks - Units are standard as non-locking. To order with optional locks:


- For 30" to 48" wide units: Add L1Q1 (black lock) or L3Q1 (silver lock) to end of product code for a hutch requiring one lock - add $78 list.
- For 54" to 78" wide units: Add L1Q2 (black lock) or L3Q2 (silver lock) to end of product code for a hutch requiring two locks - add $156 list.

Optional Pull Handles - Units are standard without pull handles. To order with optional pull handles:

- For 30" to 48" wide units: Add handle style (ex. P1) and Q2 to end of product code (ex. P1Q2) - add $42 list.
- For 54" to 78" wide units: Add handle style (ex. P1) and Q4 to end of product code (ex. P1Q4) - add $84 list.
- Note: handle styles can be found at ofgo.com/pulls

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.



30" High

30" High Overhead
Open

Model No.	W	D	H	Price
SY301530-WM-HT-LO-AS	30	14.3	30	1315
SY361530-WM-HT-LO-AS	36	14.3	30	1347
SY421530-WM-HT-LO-AS	42	14.3	30	1383
SY481530-WM-HT-LO-AS	48	14.3	30	1504
SY541530-WM-HT-LO-AS	54	14.3	30	1539
SY601530-WM-HT-LO-AS	60	14.3	30	1575
SY661530-WM-HT-LO-AS	66	14.3	30	1608
SY721530-WM-HT-LO-AS	72	14.3	30	1642
SY781530-WM-HT-LO-AS	78	14.3	30	1685


Note: Open overheads with a 14.3" depth are style-compatible with adjoining 15" deep overheads with doors.

Notes:


- The laminate grain direction on the top and bottom runs horizontally.
- The laminate grain direction on the sides run vertically.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.




Wall Mounted L-Shelf (15" High)
1 Shelf



Model No.	*W*	*D*	*H*	Price
SY241215-WL-1SH-HZT	24	12	15	425
SY301215-WL-1SH-HZT	30	12	15	448
SY361215-WL-1SH-HZT	36	12	15	470
SY421215-WL-1SH-HZT	42	12	15	493
SY481215-WL-1SH-HZT	48	12	15	515
SY541215-WL-1SH-HZT	54	12	15	538
SY601215-WL-1SH-HZT	60	12	15	561
SY661215-WL-1SH-HZT	66	12	15	584
SY721215-WL-1SH-HZT	72	12	15	607
SY781215-WL-1SH-HZT	78	12	15	660



Wall Mounted L-Shelf (16" High)
1 Shelf



SY241216-WL-1SH-HZT	24	12	16	436
SY301216-WL-1SH-HZT	30	12	16	459
SY361216-WL-1SH-HZT	36	12	16	480
SY421216-WL-1SH-HZT	42	12	16	503
SY481216-WL-1SH-HZT	48	12	16	526
SY541216-WL-1SH-HZT	54	12	16	549
SY601216-WL-1SH-HZT	60	12	16	571
SY661216-WL-1SH-HZT	66	12	16	594
SY721216-WL-1SH-HZT	72	12	16	617
SY781216-WL-1SH-HZT	78	12	16	671

Notes:

- The laminate grain direction on the shelf runs horizontally.
- The laminate grain direction on the back runs horizontally.
- Each shelf can hold a maximum of 18kg or 40lbs.
- The space between the shelf and top of the wall panel is 13"
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

What to Specify When Ordering:

1) Specify back laminate finish.
2) Specify shelf laminate finish.



Wall Mounted L-Shelf
2 Shelves


SY241228-WL-2SH-HZT	24	12	28	587
SY301228-WL-2SH-HZT	30	12	28	610
SY361228-WL-2SH-HZT	36	12	28	631
SY421228-WL-2SH-HZT	42	12	28	654
SY481228-WL-2SH-HZT	48	12	28	677
SY541228-WL-2SH-HZT	54	12	28	700
SY601228-WL-2SH-HZT	60	12	28	722
SY661228-WL-2SH-HZT	66	12	28	745
SY721228-WL-2SH-HZT	72	12	28	768
SY781228-WL-2SH-HZT	78	12	28	822

Notes:

- The laminate grain direction on the shelf runs horizontally.
- The laminate grain direction on the back runs horizontally.
- Each shelf can hold a maximum of 18kg or 40lbs.
- The clearance between two shelves is 12.4"
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.


What to Specify When Ordering:

1) Specify back laminate finish.
2) Specify shelf laminate finish.



Wall Mounted Panels
(1 Shelf)


SAVOY




Wall Mounted Panel

Single Shelf

Grain Direction Options:




Vertical Grain Direction on Back



Horizontal Grain Direction on Back

Notes:

- The laminate grain direction on the shelf runs horizontally.
- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- Each shelf can hold a maximum of 18kg or 40lbs.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.
- The space between the shelf and top of the wall panel is 14"



What to Specify When Ordering:


1) Specify wall panel backboard laminate finish.
2) Specify shelf laminate finish.

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	W	D	H	Price
	Vertical Grain Direction	**Horizontal Grain Direction**				
36" High	SY241236-WP-1SH-VRT	SY241236-WP-1SH-HZT	24	12	36	565
	SY301236-WP-1SH-VRT	SY301236-WP-1SH-HZT	30	12	36	588
	SY361236-WP-1SH-VRT	SY361236-WP-1SH-HZT	36	12	36	611
	SY421236-WP-1SH-VRT	SY421236-WP-1SH-HZT	42	12	36	633
	SY481236-WP-1SH-VRT	SY481236-WP-1SH-HZT	48	12	36	655
	SY541236-WP-1SH-VRT	SY541236-WP-1SH-HZT	54	12	36	678
	SY601236-WP-1SH-VRT	SY601236-WP-1SH-HZT	60	12	36	701
	-	SY661236-WP-1SH-HZT	66	12	36	723
	-	SY721236-WP-1SH-HZT	72	12	36	746
	-	SY781236-WP-1SH-HZT	78	12	36	783
42" High	SY241242-WP-1SH-VRT	SY241242-WP-1SH-HZT	24	12	42	587
	SY301242-WP-1SH-VRT	SY301242-WP-1SH-HZT	30	12	42	610
	SY361242-WP-1SH-VRT	SY361242-WP-1SH-HZT	36	12	42	631
	SY421242-WP-1SH-VRT	SY421242-WP-1SH-HZT	42	12	42	654
	SY481242-WP-1SH-VRT	SY481242-WP-1SH-HZT	48	12	42	677
	SY541242-WP-1SH-VRT	SY541242-WP-1SH-HZT	54	12	42	700
	SY601242-WP-1SH-VRT	SY601242-WP-1SH-HZT	60	12	42	722
	-	SY661242-WP-1SH-HZT	66	12	42	745
	-	SY721242-WP-1SH-HZT	72	12	42	768
	-	SY781242-WP-1SH-HZT	78	12	42	805
43" High	SY241243-WP-1SH-VRT	SY241243-WP-1SH-HZT	24	12	43	590
	SY301243-WP-1SH-VRT	SY301243-WP-1SH-HZT	30	12	43	613
	SY361243-WP-1SH-VRT	SY361243-WP-1SH-HZT	36	12	43	635
	SY421243-WP-1SH-VRT	SY421243-WP-1SH-HZT	42	12	43	657
	SY481243-WP-1SH-VRT	SY481243-WP-1SH-HZT	48	12	43	680
	SY541243-WP-1SH-VRT	SY541243-WP-1SH-HZT	54	12	43	703
	SY601243-WP-1SH-VRT	SY601243-WP-1SH-HZT	60	12	43	726
	-	SY661243-WP-1SH-HZT	66	12	43	748
	-	SY721243-WP-1SH-HZT	72	12	43	771
	-	SY781243-WP-1SH-HZT	78	12	43	808
48" High	SY241248-WP-1SH-VRT	SY241248-WP-1SH-HZT	24	12	48	612
	SY301248-WP-1SH-VRT	SY301248-WP-1SH-HZT	30	12	48	634
	SY361248-WP-1SH-VRT	SY361248-WP-1SH-HZT	36	12	48	656
	SY421248-WP-1SH-VRT	SY421248-WP-1SH-HZT	42	12	48	679
	SY481248-WP-1SH-VRT	SY481248-WP-1SH-HZT	48	12	48	702
	SY541248-WP-1SH-VRT	SY541248-WP-1SH-HZT	54	12	48	725
	SY601248-WP-1SH-VRT	SY601248-WP-1SH-HZT	60	12	48	747
	-	SY661248-WP-1SH-HZT	66	12	48	770
	-	SY721248-WP-1SH-HZT	72	12	48	792
	-	SY781248-WP-1SH-HZT	78	12	48	830
49" High	SY241249-WP-1SH-VRT	SY241249-WP-1SH-HZT	24	12	49	615
	SY301249-WP-1SH-VRT	SY301249-WP-1SH-HZT	30	12	49	638
	SY361249-WP-1SH-VRT	SY361249-WP-1SH-HZT	36	12	49	660
	SY421249-WP-1SH-VRT	SY421249-WP-1SH-HZT	42	12	49	682
	SY481249-WP-1SH-VRT	SY481249-WP-1SH-HZT	48	12	49	705
	SY541249-WP-1SH-VRT	SY541249-WP-1SH-HZT	54	12	49	728
	SY601249-WP-1SH-VRT	SY601249-WP-1SH-HZT	60	12	49	750
	-	SY661249-WP-1SH-HZT	66	12	49	773
	-	SY721249-WP-1SH-HZT	72	12	49	796
	-	SY781249-WP-1SH-HZT	78	12	49	833

CONTINUED ON NEXT PAGE

Wall Mounted Panels
(1 Shelf)

SAVOY




Wall Mounted Panel


Single Shelf

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	W	D	H	Price
	Vertical Grain Direction	**Horizontal Grain Direction**				
54" High	SY241254-WP-1SH-VRT	SY241254-WP-1SH-HZT	24	12	54	637
	SY301254-WP-1SH-VRT	SY301254-WP-1SH-HZT	30	12	54	658
	SY361254-WP-1SH-VRT	SY361254-WP-1SH-HZT	36	12	54	681
	SY421254-WP-1SH-VRT	SY421254-WP-1SH-HZT	42	12	54	704
	SY481254-WP-1SH-VRT	SY481254-WP-1SH-HZT	48	12	54	791
	SY541254-WP-1SH-VRT	SY541254-WP-1SH-HZT	54	12	54	814
	SY601254-WP-1SH-VRT	SY601254-WP-1SH-HZT	60	12	54	836
55" High	SY241255-WP-1SH-VRT	SY241255-WP-1SH-HZT	24	12	55	640
	SY301255-WP-1SH-VRT	SY301255-WP-1SH-HZT	30	12	55	662
	SY361255-WP-1SH-VRT	SY361255-WP-1SH-HZT	36	12	55	684
	SY421255-WP-1SH-VRT	SY421255-WP-1SH-HZT	42	12	55	707
	SY481255-WP-1SH-VRT	SY481255-WP-1SH-HZT	48	12	55	795
	SY541255-WP-1SH-VRT	SY541255-WP-1SH-HZT	54	12	55	817
	SY601255-WP-1SH-VRT	SY601255-WP-1SH-HZT	60	12	55	839

Grain Direction Options:




Vertical Grain Direction on Back



Horizontal Grain Direction on Back

Notes:

- The laminate grain direction on the shelf runs horizontally.
- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- Each shelf can hold a maximum of 18kg or 40lbs.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.
- The space between the shelf and top of the wall panel is 14"




What to Specify When Ordering:

1) Specify wall panel backboard laminate finish.
2) Specify shelf laminate finish.

Wall Mounted Panels
(2 Shelves)


SAVOY




Wall Mounted Panel

2 Shelves

Grain Direction Options:




Vertical Grain Direction on Back



Horizontal Grain Direction on Back

Notes:

- The laminate grain direction on the shelf runs horizontally.
- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- Each shelf can hold a maximum of 18kg or 40lbs.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.
- The clearance between each shelf is 14"



What to Specify When Ordering:


1) Specify wall panel backboard laminate finish.
2) Specify shelf laminate finish.

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	W	D	H	Price
	Vertical Grain Direction	**Horizontal Grain Direction**				
36" High	SY241236-WP-2SH-VRT	SY241236-WP-2SH-HZT	24	12	36	635
	SY301236-WP-2SH-VRT	SY301236-WP-2SH-HZT	30	12	36	660
	SY361236-WP-2SH-VRT	SY361236-WP-2SH-HZT	36	12	36	684
	SY421236-WP-2SH-VRT	SY421236-WP-2SH-HZT	42	12	36	709
	SY481236-WP-2SH-VRT	SY481236-WP-2SH-HZT	48	12	36	734
	SY541236-WP-2SH-VRT	SY541236-WP-2SH-HZT	54	12	36	759
	SY601236-WP-2SH-VRT	SY601236-WP-2SH-HZT	60	12	36	783
	-	SY661236-WP-2SH-HZT	66	12	36	808
	-	SY721236-WP-2SH-HZT	72	12	36	833
	-	SY781236-WP-2SH-HZT	78	12	36	882
42" High	SY241242-WP-2SH-VRT	SY241242-WP-2SH-HZT	24	12	42	656
	SY301242-WP-2SH-VRT	SY301242-WP-2SH-HZT	30	12	42	681
	SY361242-WP-2SH-VRT	SY361242-WP-2SH-HZT	36	12	42	706
	SY421242-WP-2SH-VRT	SY421242-WP-2SH-HZT	42	12	42	731
	SY481242-WP-2SH-VRT	SY481242-WP-2SH-HZT	48	12	42	756
	SY541242-WP-2SH-VRT	SY541242-WP-2SH-HZT	54	12	42	780
	SY601242-WP-2SH-VRT	SY601242-WP-2SH-HZT	60	12	42	805
	-	SY661242-WP-2SH-HZT	66	12	42	830
	-	SY721242-WP-2SH-HZT	72	12	42	855
	-	SY781242-WP-2SH-HZT	78	12	42	904
43" High	SY241243-WP-2SH-VRT	SY241243-WP-2SH-HZT	24	12	43	660
	SY301243-WP-2SH-VRT	SY301243-WP-2SH-HZT	30	12	43	684
	SY361243-WP-2SH-VRT	SY361243-WP-2SH-HZT	36	12	43	709
	SY421243-WP-2SH-VRT	SY421243-WP-2SH-HZT	42	12	43	734
	SY481243-WP-2SH-VRT	SY481243-WP-2SH-HZT	48	12	43	759
	SY541243-WP-2SH-VRT	SY541243-WP-2SH-HZT	54	12	43	783
	SY601243-WP-2SH-VRT	SY601243-WP-2SH-HZT	60	12	43	808
	-	SY661243-WP-2SH-HZT	66	12	43	833
	-	SY721243-WP-2SH-HZT	72	12	43	858
	-	SY781243-WP-2SH-HZT	78	12	43	907
48" High	SY241248-WP-2SH-VRT	SY241248-WP-2SH-HZT	24	12	48	681
	SY301248-WP-2SH-VRT	SY301248-WP-2SH-HZT	30	12	48	706
	SY361248-WP-2SH-VRT	SY361248-WP-2SH-HZT	36	12	48	731
	SY421248-WP-2SH-VRT	SY421248-WP-2SH-HZT	42	12	48	756
	SY481248-WP-2SH-VRT	SY481248-WP-2SH-HZT	48	12	48	780
	SY541248-WP-2SH-VRT	SY541248-WP-2SH-HZT	54	12	48	805
	SY601248-WP-2SH-VRT	SY601248-WP-2SH-HZT	60	12	48	830
	-	SY661248-WP-2SH-HZT	66	12	48	855
	-	SY721248-WP-2SH-HZT	72	12	48	880
	-	SY781248-WP-2SH-HZT	78	12	48	927
49" High	SY241249-WP-2SH-VRT	SY241249-WP-2SH-HZT	24	12	49	684
	SY301249-WP-2SH-VRT	SY301249-WP-2SH-HZT	30	12	49	709
	SY361249-WP-2SH-VRT	SY361249-WP-2SH-HZT	36	12	49	734
	SY421249-WP-2SH-VRT	SY421249-WP-2SH-HZT	42	12	49	759
	SY481249-WP-2SH-VRT	SY481249-WP-2SH-HZT	48	12	49	783
	SY541249-WP-2SH-VRT	SY541249-WP-2SH-HZT	54	12	49	808
	SY601249-WP-2SH-VRT	SY601249-WP-2SH-HZT	60	12	49	833
	-	SY661249-WP-2SH-HZT	66	12	49	858
	-	SY721249-WP-2SH-HZT	72	12	49	883
	-	SY781249-WP-2SH-HZT	78	12	49	932

CONTINUED ON NEXT PAGE

Wall Mounted Panels
(2 Shelves)

SAVOY




Wall Mounted Panel


2 Shelves

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	W	D	H	Price
	Vertical Grain Direction	**Horizontal Grain Direction**				
54" High	SY241254-WP-2SH-VRT	SY241254-WP-2SH-HZT	24	12	54	706
	SY301254-WP-2SH-VRT	SY301254-WP-2SH-HZT	30	12	54	731
	SY361254-WP-2SH-VRT	SY361254-WP-2SH-HZT	36	12	54	756
	SY421254-WP-2SH-VRT	SY421254-WP-2SH-HZT	42	12	54	780
	SY481254-WP-2SH-VRT	SY481254-WP-2SH-HZT	48	12	54	869
	SY541254-WP-2SH-VRT	SY541254-WP-2SH-HZT	54	12	54	894
	SY601254-WP-2SH-VRT	SY601254-WP-2SH-HZT	60	12	54	919
55" High	SY241255-WP-2SH-VRT	SY241255-WP-2SH-HZT	24	12	55	709
	SY301255-WP-2SH-VRT	SY301255-WP-2SH-HZT	30	12	55	734
	SY361255-WP-2SH-VRT	SY361255-WP-2SH-HZT	36	12	55	759
	SY421255-WP-2SH-VRT	SY421255-WP-2SH-HZT	42	12	55	783
	SY481255-WP-2SH-VRT	SY481255-WP-2SH-HZT	48	12	55	873
	SY541255-WP-2SH-VRT	SY541255-WP-2SH-HZT	54	12	55	897
	SY601255-WP-2SH-VRT	SY601255-WP-2SH-HZT	60	12	55	922

Grain Direction Options:




Vertical Grain Direction on Back



Horizontal Grain Direction on Back

Notes:

- The laminate grain direction on the shelf runs horizontally.
- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- Each shelf can hold a maximum of 18kg or 40lbs.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.
- The clearance between each shelf is 14"




What to Specify When Ordering:

1) Specify wall panel backboard laminate finish.
2) Specify shelf laminate finish.

Wall Mounted Panels
(3 Shelves)

SAVOY




Wall Mounted Panel


3 Shelves

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	W	D	H	Price
54" High	SY241254-WP-3SH-VRT	SY241254-WP-3SH-HZT	24	12	54	776
	SY301254-WP-3SH-VRT	SY301254-WP-3SH-HZT	30	12	54	803
	SY361254-WP-3SH-VRT	SY361254-WP-3SH-HZT	36	12	54	830
	SY421254-WP-3SH-VRT	SY421254-WP-3SH-HZT	42	12	54	857
	SY481254-WP-3SH-VRT	SY481254-WP-3SH-HZT	48	12	54	948
	SY541254-WP-3SH-VRT	SY541254-WP-3SH-HZT	54	12	54	975
	SY601254-WP-3SH-VRT	SY601254-WP-3SH-HZT	60	12	54	1002
55" High	SY241255-WP-3SH-VRT	SY241255-WP-3SH-HZT	24	12	55	779
	SY301255-WP-3SH-VRT	SY301255-WP-3SH-HZT	30	12	55	806
	SY361255-WP-3SH-VRT	SY361255-WP-3SH-HZT	36	12	55	833
	SY421255-WP-3SH-VRT	SY421255-WP-3SH-HZT	42	12	55	860
	SY481255-WP-3SH-VRT	SY481255-WP-3SH-HZT	48	12	55	951
	SY541255-WP-3SH-VRT	SY541255-WP-3SH-HZT	54	12	55	978
	SY601255-WP-3SH-VRT	SY601255-WP-3SH-HZT	60	12	55	1005

Grain Direction Options:




Vertical Grain Direction on Back



Horizontal Grain Direction on Back

Notes:

- The laminate grain direction on the shelf runs horizontally.
- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- Each shelf can hold a maximum of 18kg or 40lbs.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.
- The clearance between each shelf is 13"




What to Specify When Ordering:

1) Specify wall panel backboard laminate finish.
2) Specify shelf laminate finish.

Wall Mounted Panels

(1 Full Shelf / 1 Half Shelf on Left)


SAVOY




1 Full Shelf

1 Half Shelf on Left

Grain Direction Options:




Vertical Grain Direction on Back



Horizontal Grain Direction on Back

Notes:

- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- Each shelf can hold a maximum of 18kg or 40lbs.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.
- The clearance between two shelves is 14"



What to Specify When Ordering:


1) Specify wall panel backboard laminate finish.
2) Specify shelf laminate finish.

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	W	D	H	Price
	Vertical Grain Direction	**Horizontal Grain Direction**				
36" High	SY361236-L-WP-1SH-1HF-VRT	SY361236-L-WP-1SH-1HF-HZT	36	12	36	684
	SY421236-L-WP-1SH-1HF-VRT	SY421236-L-WP-1SH-1HF-HZT	42	12	36	709
	SY481236-L-WP-1SH-1HF-VRT	SY481236-L-WP-1SH-1HF-HZT	48	12	36	734
	SY541236-L-WP-1SH-1HF-VRT	SY541236-L-WP-1SH-1HF-HZT	54	12	36	759
	SY601236-L-WP-1SH-1HF-VRT	SY601236-L-WP-1SH-1HF-HZT	60	12	36	783
	-	SY661236-L-WP-1SH-1HF-HZT	66	12	36	808
	-	SY721236-L-WP-1SH-1HF-HZT	72	12	36	833
	-	SY781236-L-WP-1SH-1HF-HZT	78	12	36	882
42" High	SY361242-L-WP-1SH-1HF-VRT	SY361242-L-WP-1SH-1HF-HZT	36	12	42	706
	SY421242-L-WP-1SH-1HF-VRT	SY421242-L-WP-1SH-1HF-HZT	42	12	42	731
	SY481242-L-WP-1SH-1HF-VRT	SY481242-L-WP-1SH-1HF-HZT	48	12	42	756
	SY541242-L-WP-1SH-1HF-VRT	SY541242-L-WP-1SH-1HF-HZT	54	12	42	780
	SY601242-L-WP-1SH-1HF-VRT	SY601242-L-WP-1SH-1HF-HZT	60	12	42	805
	-	SY661242-L-WP-1SH-1HF-HZT	66	12	42	830
	-	SY721242-L-WP-1SH-1HF-HZT	72	12	42	855
	-	SY781242-L-WP-1SH-1HF-HZT	78	12	42	904
43" High	SY361243-L-WP-1SH-1HF-VRT	SY361243-L-WP-1SH-1HF-HZT	36	12	43	709
	SY421243-L-WP-1SH-1HF-VRT	SY421243-L-WP-1SH-1HF-HZT	42	12	43	734
	SY481243-L-WP-1SH-1HF-VRT	SY481243-L-WP-1SH-1HF-HZT	48	12	43	759
	SY541243-L-WP-1SH-1HF-VRT	SY541243-L-WP-1SH-1HF-HZT	54	12	43	783
	SY601243-L-WP-1SH-1HF-VRT	SY601243-L-WP-1SH-1HF-HZT	60	12	43	808
	-	SY661243-L-WP-1SH-1HF-HZT	66	12	43	833
	-	SY721243-L-WP-1SH-1HF-HZT	72	12	43	858
	-	SY781243-L-WP-1SH-1HF-HZT	78	12	43	907
48" High	SY361248-L-WP-1SH-1HF-VRT	SY361248-L-WP-1SH-1HF-HZT	36	12	48	731
	SY421248-L-WP-1SH-1HF-VRT	SY421248-L-WP-1SH-1HF-HZT	42	12	48	756
	SY481248-L-WP-1SH-1HF-VRT	SY481248-L-WP-1SH-1HF-HZT	48	12	48	780
	SY541248-L-WP-1SH-1HF-VRT	SY541248-L-WP-1SH-1HF-HZT	54	12	48	805
	SY601248-L-WP-1SH-1HF-VRT	SY601248-L-WP-1SH-1HF-HZT	60	12	48	830
	-	SY661248-L-WP-1SH-1HF-HZT	66	12	48	855
	-	SY721248-L-WP-1SH-1HF-HZT	72	12	48	880
	-	SY781248-L-WP-1SH-1HF-HZT	78	12	48	927
49"High	SY361249-L-WP-1SH-1HF-VRT	SY361249-L-WP-1SH-1HF-HZT	36	12	49	734
	SY421249-L-WP-1SH-1HF-VRT	SY421249-L-WP-1SH-1HF-HZT	42	12	49	759
	SY481249-L-WP-1SH-1HF-VRT	SY481249-L-WP-1SH-1HF-HZT	48	12	49	783
	SY541249-L-WP-1SH-1HF-VRT	SY541249-L-WP-1SH-1HF-HZT	54	12	49	808
	SY601249-L-WP-1SH-1HF-VRT	SY601249-L-WP-1SH-1HF-HZT	60	12	49	833
	-	SY661249-L-WP-1SH-1HF-HZT	66	12	49	858
	-	SY721249-L-WP-1SH-1HF-HZT	72	12	49	883
	-	SY781249-L-WP-1SH-1HF-HZT	78	12	49	932
54" High	SY361254-L-WP-1SH-1HF-VRT	SY361254-L-WP-1SH-1HF-HZT	36	12	54	756
	SY421254-L-WP-1SH-1HF-VRT	SY421254-L-WP-1SH-1HF-HZT	42	12	54	780
	SY481254-L-WP-1SH-1HF-VRT	SY481254-L-WP-1SH-1HF-HZT	48	12	54	869
	SY541254-L-WP-1SH-1HF-VRT	SY541254-L-WP-1SH-1HF-HZT	54	12	54	894
	SY601254-L-WP-1SH-1HF-VRT	SY601254-L-WP-1SH-1HF-HZT	60	12	54	919
55" High	SY361255-L-WP-1SH-1HF-VRT	SY361255-L-WP-1SH-1HF-HZT	36	12	55	759
	SY421255-L-WP-1SH-1HF-VRT	SY421255-L-WP-1SH-1HF-HZT	42	12	55	783
	SY481255-L-WP-1SH-1HF-VRT	SY481255-L-WP-1SH-1HF-HZT	48	12	55	873
	SY541255-L-WP-1SH-1HF-VRT	SY541255-L-WP-1SH-1HF-HZT	54	12	55	897
	SY601255-L-WP-1SH-1HF-VRT	SY601255-L-WP-1SH-1HF-HZT	60	12	55	922

Wall Mounted Panels

(1 Full Shelf / 1 Half Shelf on Right)


SAVOY



1 Full Shelf

1 Half Shelf on Right

Grain Direction Options:




Vertical Grain Direction on Back

Horizontal Grain Direction on Back

Notes:

- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- Each shelf can hold a maximum of 18kg or 40lbs.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.
- The clearance between two shelves is 14"




What to Specify When Ordering:

1) Specify wall panel backboard laminate finish.
2) Specify shelf laminate finish.

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	W	D	H	Price
	Vertical Grain Direction	**Horizontal Grain Direction**				
36" High	SY361236-R-WP-1SH-1HF-VRT	SY361236-R-WP-1SH-1HF-HZT	36	12	36	684
	SY421236-R-WP-1SH-1HF-VRT	SY421236-R-WP-1SH-1HF-HZT	42	12	36	709
	SY481236-R-WP-1SH-1HF-VRT	SY481236-R-WP-1SH-1HF-HZT	48	12	36	734
	SY541236-R-WP-1SH-1HF-VRT	SY541236-R-WP-1SH-1HF-HZT	54	12	36	759
	SY601236-R-WP-1SH-1HF-VRT	SY601236-R-WP-1SH-1HF-HZT	60	12	36	783
	-	SY661236-R-WP-1SH-1HF-HZT	66	12	36	808
	-	SY721236-R-WP-1SH-1HF-HZT	72	12	36	833
	-	SY781236-R-WP-1SH-1HF-HZT	78	12	36	882
42" High	SY361242-R-WP-1SH-1HF-VRT	SY361242-R-WP-1SH-1HF-HZT	36	12	42	706
	SY421242-R-WP-1SH-1HF-VRT	SY421242-R-WP-1SH-1HF-HZT	42	12	42	731
	SY481242-R-WP-1SH-1HF-VRT	SY481242-R-WP-1SH-1HF-HZT	48	12	42	756
	SY541242-R-WP-1SH-1HF-VRT	SY541242-R-WP-1SH-1HF-HZT	54	12	42	780
	SY601242-R-WP-1SH-1HF-VRT	SY601242-R-WP-1SH-1HF-HZT	60	12	42	805
	-	SY661242-R-WP-1SH-1HF-HZT	66	12	42	830
	-	SY721242-R-WP-1SH-1HF-HZT	72	12	42	855
	-	SY781242-R-WP-1SH-1HF-HZT	78	12	42	904
43" High	SY361243-R-WP-1SH-1HF-VRT	SY361243-R-WP-1SH-1HF-HZT	36	12	43	709
	SY421243-R-WP-1SH-1HF-VRT	SY421243-R-WP-1SH-1HF-HZT	42	12	43	734
	SY481243-R-WP-1SH-1HF-VRT	SY481243-R-WP-1SH-1HF-HZT	48	12	43	759
	SY541243-R-WP-1SH-1HF-VRT	SY541243-R-WP-1SH-1HF-HZT	54	12	43	783
	SY601243-R-WP-1SH-1HF-VRT	SY601243-R-WP-1SH-1HF-HZT	60	12	43	808
	-	SY661243-R-WP-1SH-1HF-HZT	66	12	43	833
	-	SY721243-R-WP-1SH-1HF-HZT	72	12	43	858
	-	SY781243-R-WP-1SH-1HF-HZT	78	12	43	907
48" High	SY361248-R-WP-1SH-1HF-VRT	SY361248-R-WP-1SH-1HF-HZT	36	12	48	731
	SY421248-R-WP-1SH-1HF-VRT	SY421248-R-WP-1SH-1HF-HZT	42	12	48	756
	SY481248-R-WP-1SH-1HF-VRT	SY481248-R-WP-1SH-1HF-HZT	48	12	48	780
	SY541248-R-WP-1SH-1HF-VRT	SY541248-R-WP-1SH-1HF-HZT	54	12	48	805
	SY601248-R-WP-1SH-1HF-VRT	SY601248-R-WP-1SH-1HF-HZT	60	12	48	830
	-	SY661248-R-WP-1SH-1HF-HZT	66	12	48	855
	-	SY721248-R-WP-1SH-1HF-HZT	72	12	48	880
	-	SY781248-R-WP-1SH-1HF-HZT	78	12	48	927
49"High	SY361249-R-WP-1SH-1HF-VRT	SY361249-R-WP-1SH-1HF-HZT	36	12	49	734
	SY421249-R-WP-1SH-1HF-VRT	SY421249-R-WP-1SH-1HF-HZT	42	12	49	759
	SY481249-R-WP-1SH-1HF-VRT	SY481249-R-WP-1SH-1HF-HZT	48	12	49	783
	SY541249-R-WP-1SH-1HF-VRT	SY541249-R-WP-1SH-1HF-HZT	54	12	49	808
	SY601249-R-WP-1SH-1HF-VRT	SY601249-R-WP-1SH-1HF-HZT	60	12	49	833
	-	SY661249-R-WP-1SH-1HF-HZT	66	12	49	858
	-	SY721249-R-WP-1SH-1HF-HZT	72	12	49	883
	-	SY781249-R-WP-1SH-1HF-HZT	78	12	49	932
54" High	SY361254-R-WP-1SH-1HF-VRT	SY361254-R-WP-1SH-1HF-HZT	36	12	54	756
	SY421254-R-WP-1SH-1HF-VRT	SY421254-R-WP-1SH-1HF-HZT	42	12	54	780
	SY481254-R-WP-1SH-1HF-VRT	SY481254-R-WP-1SH-1HF-HZT	48	12	54	869
	SY541254-R-WP-1SH-1HF-VRT	SY541254-R-WP-1SH-1HF-HZT	54	12	54	894
	SY601254-R-WP-1SH-1HF-VRT	SY601254-R-WP-1SH-1HF-HZT	60	12	54	919
55" High	SY361255-R-WP-1SH-1HF-VRT	SY361255-R-WP-1SH-1HF-HZT	36	12	55	759
	SY421255-R-WP-1SH-1HF-VRT	SY421255-R-WP-1SH-1HF-HZT	42	12	55	783
	SY481255-R-WP-1SH-1HF-VRT	SY481255-R-WP-1SH-1HF-HZT	48	12	55	873
	SY541255-R-WP-1SH-1HF-VRT	SY541255-R-WP-1SH-1HF-HZT	54	12	55	897
	SY601255-R-WP-1SH-1HF-VRT	SY601255-R-WP-1SH-1HF-HZT	60	12	55	922

Wall Mounted Panels
(No Shelves)


SAVOY




Wall Mounted Panel

No Shelves

Grain Direction Options:



Vertical Grain Direction on Back



Horizontal Grain Direction on Back

Notes:

- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.

- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

What to Specify When Ordering:


1) Specify wall panel backboard laminate finish.

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	W	D	H	Price
	Vertical Grain Direction	**Horizontal Grain Direction**				
36" High	SY2436-WP-NOSH-VRT	SY2436-WP-NOSH-HZT	24	⅞	36	457
	SY3036-WP-NOSH-VRT	SY3036-WP-NOSH-HZT	30	⅞	36	480
	SY3636-WP-NOSH-VRT	SY3636-WP-NOSH-HZT	36	⅞	36	503
	SY4236-WP-NOSH-VRT	SY4236-WP-NOSH-HZT	42	⅞	36	526
	SY4836-WP-NOSH-VRT	SY4836-WP-NOSH-HZT	48	⅞	36	548
	SY5436-WP-NOSH-VRT	SY5436-WP-NOSH-HZT	54	⅞	36	570
	SY6036-WP-NOSH-VRT	SY6036-WP-NOSH-HZT	60	⅞	36	593
	-	SY6636-WP-NOSH-HZT	66	⅞	36	616
	-	SY7236-WP-NOSH-HZT	72	⅞	36	639
	-	SY7836-WP-NOSH-HZT	78	⅞	36	676
42" High	SY2442-WP-NOSH-VRT	SY2442-WP-NOSH-HZT	24	⅞	42	479
	SY3042-WP-NOSH-VRT	SY3042-WP-NOSH-HZT	30	⅞	42	502
	SY3642-WP-NOSH-VRT	SY3642-WP-NOSH-HZT	36	⅞	42	524
	SY4242-WP-NOSH-VRT	SY4242-WP-NOSH-HZT	42	⅞	42	546
	SY4842-WP-NOSH-VRT	SY4842-WP-NOSH-HZT	48	⅞	42	569
	SY5442-WP-NOSH-VRT	SY5442-WP-NOSH-HZT	54	⅞	42	592
	SY6042-WP-NOSH-VRT	SY6042-WP-NOSH-HZT	60	⅞	42	615
	-	SY6642-WP-NOSH-HZT	66	⅞	42	638
	-	SY7242-WP-NOSH-HZT	72	⅞	42	660
	-	SY7842-WP-NOSH-HZT	78	⅞	42	698
43" High	SY2443-WP-NOSH-VRT	SY2443-WP-NOSH-HZT	24	⅞	43	482
	SY3043-WP-NOSH-VRT	SY3043-WP-NOSH-HZT	30	⅞	43	505
	SY3643-WP-NOSH-VRT	SY3643-WP-NOSH-HZT	36	⅞	43	528
	SY4243-WP-NOSH-VRT	SY4243-WP-NOSH-HZT	42	⅞	43	550
	SY4843-WP-NOSH-VRT	SY4843-WP-NOSH-HZT	48	⅞	43	572
	SY5443-WP-NOSH-VRT	SY5443-WP-NOSH-HZT	54	⅞	43	595
	SY6043-WP-NOSH-VRT	SY6043-WP-NOSH-HZT	60	⅞	43	618
	-	SY6643-WP-NOSH-HZT	66	⅞	43	641
	-	SY7243-WP-NOSH-HZT	72	⅞	43	663
	-	SY7843-WP-NOSH-HZT	78	⅞	43	701
48" High	SY2448-WP-NOSH-VRT	SY2448-WP-NOSH-HZT	24	⅞	48	504
	SY3048-WP-NOSH-VRT	SY3048-WP-NOSH-HZT	30	⅞	48	527
	SY3648-WP-NOSH-VRT	SY3648-WP-NOSH-HZT	36	⅞	48	549
	SY4248-WP-NOSH-VRT	SY4248-WP-NOSH-HZT	42	⅞	48	571
	SY4848-WP-NOSH-VRT	SY4848-WP-NOSH-HZT	48	⅞	48	594
	SY5448-WP-NOSH-VRT	SY5448-WP-NOSH-HZT	54	⅞	48	617
	SY6048-WP-NOSH-VRT	SY6048-WP-NOSH-HZT	60	⅞	48	640
	-	SY6648-WP-NOSH-HZT	66	⅞	48	662
	-	SY7248-WP-NOSH-HZT	72	⅞	48	684
	-	SY7848-WP-NOSH-HZT	78	⅞	48	722
49" High	SY2449-WP-NOSH-VRT	SY2449-WP-NOSH-HZT	24	⅞	49	507
	SY3049-WP-NOSH-VRT	SY3049-WP-NOSH-HZT	30	⅞	49	530
	SY3649-WP-NOSH-VRT	SY3649-WP-NOSH-HZT	36	⅞	49	553
	SY4249-WP-NOSH-VRT	SY4249-WP-NOSH-HZT	42	⅞	49	574
	SY4849-WP-NOSH-VRT	SY4849-WP-NOSH-HZT	48	⅞	49	597
	SY5449-WP-NOSH-VRT	SY5449-WP-NOSH-HZT	54	⅞	49	620
	SY6049-WP-NOSH-VRT	SY6049-WP-NOSH-HZT	60	⅞	49	643
	-	SY6649-WP-NOSH-HZT	66	⅞	49	666
	-	SY7249-WP-NOSH-HZT	72	⅞	49	688
	-	SY7849-WP-NOSH-HZT	78	⅞	49	726

CONTINUED ON NEXT PAGE

Wall Mounted Panels
(No Shelves)

SAVOY




Wall Mounted Panel


No Shelves

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	W	D	H	Price
	Vertical Grain Direction	**Horizontal Grain Direction**				
54" High	SY2454-WP-NOSH-VRT	SY2454-WP-NOSH-HZT	24	7/8	54	529
	SY3054-WP-NOSH-VRT	SY3054-WP-NOSH-HZT	30	7/8	54	551
	SY3654-WP-NOSH-VRT	SY3654-WP-NOSH-HZT	36	7/8	54	573
	SY4254-WP-NOSH-VRT	SY4254-WP-NOSH-HZT	42	7/8	54	596
	SY4854-WP-NOSH-VRT	SY4854-WP-NOSH-HZT	48	7/8	54	683
	SY5454-WP-NOSH-VRT	SY5454-WP-NOSH-HZT	54	7/8	54	706
	SY6054-WP-NOSH-VRT	SY6054-WP-NOSH-HZT	60	7/8	54	729
55" High	SY2455-WP-NOSH-VRT	SY2455-WP-NOSH-HZT	24	7/8	55	532
	SY3055-WP-NOSH-VRT	SY3055-WP-NOSH-HZT	30	7/8	55	555
	SY3655-WP-NOSH-VRT	SY3655-WP-NOSH-HZT	36	7/8	55	576
	SY4255-WP-NOSH-VRT	SY4255-WP-NOSH-HZT	42	7/8	55	599
	SY4855-WP-NOSH-VRT	SY4855-WP-NOSH-HZT	48	7/8	55	687
	SY5455-WP-NOSH-VRT	SY5455-WP-NOSH-HZT	54	7/8	55	709
	SY6055-WP-NOSH-VRT	SY6055-WP-NOSH-HZT	60	7/8	55	732

Grain Direction Options:



Vertical Grain Direction on Back



Horizontal Grain Direction on Back

Notes:


- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- Wall mounting cleats are included. However, the hardware to attach the cleats to the wall must be provided by installer.

What to Specify When Ordering:

1) Specify wall panel backboard laminate finish.

Layered TV - Wall Mounted Panels
(For TV Mount)

SAVOY




Wall Mounted Panel

For TV Mount

With Wire Passthrough

Grain Direction Options:



Vertical Grain Direction on Back

Horizontal Grain Direction on Back

Notes:

- Wall panels cannot be used with extendable arm TV mounts. Each wall panel can carry a maximum weight of 20 lbs per linear foot.
- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- The wall panel is comprised of two layers. A back layer and a front layer. The back layer will extend past the front layer by 1" on the left and right side only.
- Grommet hole for wire passthrough is to be drilled onsite after selecting The position of TV.
- Wall mounting cleats to mount the the wall panel are included. However, the hardware to attach the cleats to the wall must be provided by installer.


	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	*Overall* W	*Front Panel* W	D	H	Price
36" High	SY3036-WP-TV-VRT	SY3036-WP-TV-HZT	30	28	2⅛	36	803
	SY3636-WP-TV-VRT	SY3636-WP-TV-HZT	36	34	2⅛	36	826
	SY4236-WP-TV-VRT	SY4236-WP-TV-HZT	42	40	2⅛	36	849
	SY4836-WP-TV-VRT	SY4836-WP-TV-HZT	48	46	2⅛	36	870
	SY5436-WP-TV-VRT	SY5436-WP-TV-HZT	54	52	2⅛	36	893
	SY6036-WP-TV-VRT	SY6036-WP-TV-HZT	60	58	2⅛	36	916
	-	SY6636-WP-TV-HZT	66	64	2⅛	36	939
	-	SY7236-WP-TV-HZT	72	70	2⅛	36	962
42" High	SY3042-WP-TV-VRT	SY3042-WP-TV-HZT	30	28	2⅛	42	825
	SY3642-WP-TV-VRT	SY3642-WP-TV-HZT	36	34	2⅛	42	847
	SY4242-WP-TV-VRT	SY4242-WP-TV-HZT	42	40	2⅛	42	869
	SY4842-WP-TV-VRT	SY4842-WP-TV-HZT	48	46	2⅛	42	892
	SY5442-WP-TV-VRT	SY5442-WP-TV-HZT	54	52	2⅛	42	915
	SY6042-WP-TV-VRT	SY6042-WP-TV-HZT	60	58	2⅛	42	938
	-	SY6642-WP-TV-HZT	66	64	2⅛	42	960
	-	SY7242-WP-TV-HZT	72	70	2⅛	42	983
43" High	SY3043-WP-TV-VRT	SY3043-WP-TV-HZT	30	28	2⅛	43	828
	SY3643-WP-TV-VRT	SY3643-WP-TV-HZT	36	34	2⅛	43	851
	SY4243-WP-TV-VRT	SY4243-WP-TV-HZT	42	40	2⅛	43	873
	SY4843-WP-TV-VRT	SY4843-WP-TV-HZT	48	46	2⅛	43	895
	SY5443-WP-TV-VRT	SY5443-WP-TV-HZT	54	52	2⅛	43	918
	SY6043-WP-TV-VRT	SY6043-WP-TV-HZT	60	58	2⅛	43	941
	-	SY6643-WP-TV-HZT	66	64	2⅛	43	964
	-	SY7243-WP-TV-HZT	72	70	2⅛	43	986
48" High	SY3048-WP-TV-VRT	SY3048-WP-TV-HZT	30	28	2⅛	48	850
	SY3648-WP-TV-VRT	SY3648-WP-TV-HZT	36	34	2⅛	48	871
	SY4248-WP-TV-VRT	SY4248-WP-TV-HZT	42	40	2⅛	48	894
	SY4848-WP-TV-VRT	SY4848-WP-TV-HZT	48	46	2⅛	48	917
	SY5448-WP-TV-VRT	SY5448-WP-TV-HZT	54	52	2⅛	48	940
	SY6048-WP-TV-VRT	SY6048-WP-TV-HZT	60	58	2⅛	48	963
	-	SY6648-WP-TV-HZT	66	64	2⅛	48	985
	-	SY7248-WP-TV-HZT	72	70	2⅛	48	1007

CONTINUED ON NEXT PAGE

What to Specify When Ordering:


1) Specify wall panel back layer laminate finish.
2) Specify wall panel front layer laminate finish.

Back Layer Laminate Finish Selection:



(3D VIEW) (FRONT VIEW)

Front Layer Laminate Finish Selection:




(3D VIEW) (FRONT VIEW)

Layered TV - Wall Mounted Panels

(For TV Mount)

SAVOY




Wall Mounted Panel

For TV Mount

With Wire Passthrough

Grain Direction Options:



Vertical Grain Direction on Back

Horizontal Grain Direction on Back

	Model # (Vertical Grain Direction)	Model # (Horizontal Grain Direction)	*Overall* W	*Front Panel* W	D	H	Price
49" High	SY3049-WP-TV-VRT	SY3049-WP-TV-HZT	30	28	2⅛	49	853
	SY3649-WP-TV-VRT	SY3649-WP-TV-HZT	36	34	2⅛	49	876
	SY4249-WP-TV-VRT	SY4249-WP-TV-HZT	42	40	2⅛	49	897
	SY4849-WP-TV-VRT	SY4849-WP-TV-HZT	48	46	2⅛	49	920
	SY5449-WP-TV-VRT	SY5449-WP-TV-HZT	54	52	2⅛	49	943
	SY6049-WP-TV-VRT	SY6049-WP-TV-HZT	60	58	2⅛	49	966
	-	SY6649-WP-TV-HZT	66	64	2⅛	49	988
	-	SY7249-WP-TV-HZT	72	70	2⅛	49	1011
54" High	SY3054-WP-TV-VRT	SY3054-WP-TV-HZT	30	28	2⅛	54	874
	SY3654-WP-TV-VRT	SY3654-WP-TV-HZT	36	34	2⅛	54	896
	SY4254-WP-TV-VRT	SY4254-WP-TV-HZT	42	40	2⅛	54	919
	SY4854-WP-TV-VRT	SY4854-WP-TV-HZT	48	46	2⅛	54	1006
	SY5454-WP-TV-VRT	SY5454-WP-TV-HZT	54	52	2⅛	54	1029
	SY6054-WP-TV-VRT	SY6054-WP-TV-HZT	60	58	2⅛	54	1052
55" High	SY3055-WP-TV-VRT	SY3055-WP-TV-HZT	30	28	2⅛	55	878
	SY3655-WP-TV-VRT	SY3655-WP-TV-HZT	36	34	2⅛	55	899
	SY4255-WP-TV-VRT	SY4255-WP-TV-HZT	42	40	2⅛	55	922
	SY4855-WP-TV-VRT	SY4855-WP-TV-HZT	48	46	2⅛	55	1010
	SY5455-WP-TV-VRT	SY5455-WP-TV-HZT	54	52	2⅛	55	1032
	SY6055-WP-TV-VRT	SY6055-WP-TV-HZT	60	58	2⅛	55	1055


Notes:

- Wall panels cannot be used with extendable arm TV mounts.
- Each wall panel can carry a maximum weight of 20 lbs per linear foot.
- The laminate grain direction on the wall panel's backboard is available in vertical and horizontal grain direction options.
- The wall panel is comprised of two layers. A back layer and a front layer. The back layer will extend past the front layer by 1" on the left and right side only.
- Grommet hole for wire passthrough is to be drilled onsite after selecting the position of TV.
- Wall mounting cleats to mount the the wall panel are included. However, the hardware to attach the cleats to the wall must be provided by installer.

What to Specify When Ordering:

1) Specify wall panel back layer laminate finish.
2) Specify wall panel front layer laminate finish.


Back Layer Laminate Finish Selection:



(3D VIEW)

(FRONT VIEW)


Front Layer Laminate Finish Selection:



(3D VIEW)

(FRONT VIEW)

Wall Mounted Tackboards - Horizontal



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2412-ST	24	12	339	371	402	434	465	1
TW3012-ST	30	12	356	388	419	451	482	1
TW3612-ST	36	12	375	407	438	470	501	1.25
TW4212-ST	42	12	389	421	452	484	515	1.5
TW4812-ST	48	12	407	439	470	502	533	1.5
TW5412-ST	54	12	423	455	486	518	549	1.75
TW6012-ST	60	12	442	474	505	537	568	2
TW6612-ST	66	12	457	489	520	552	583	2
TW7212-ST	72	12	475	507	538	570	601	2.25
TW7812-ST	78	12	492	524	555	587	618	2.5
TW8412-ST	84	12	510	542	573	605	636	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2415-ST	24	15	341	373	404	436	467	1
TW3015-ST	30	15	358	390	421	453	484	1
TW3615-ST	36	15	374	406	437	469	500	1.25
TW4215-ST	42	15	391	423	454	486	517	1.5
TW4815-ST	48	15	407	439	470	502	533	1.5
TW5415-ST	54	15	426	458	489	521	552	1.75
TW6015-ST	60	15	441	473	504	536	567	2
TW6615-ST	66	15	459	491	522	554	585	2
TW7215-ST	72	15	476	508	539	571	602	2.25
TW7815-ST	78	15	494	526	557	589	620	2.5
TW8415-ST	84	15	509	541	572	604	635	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2416-ST	24	16	341	373	404	436	467	1
TW3016-ST	30	16	358	390	421	453	484	1
TW3616-ST	36	16	374	406	437	469	500	1.25
TW4216-ST	42	16	391	423	454	486	517	1.5
TW4816-ST	48	16	407	439	470	502	533	1.5
TW5416-ST	54	16	426	458	489	521	552	1.75
TW6016-ST	60	16	441	473	504	536	567	2
TW6616-ST	66	16	459	491	522	554	585	2
TW7216-ST	72	16	476	508	539	571	602	2.25
TW7816-ST	78	16	494	526	557	589	620	2.5
TW8416-ST	84	16	509	541	572	604	635	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2417-ST	24	17	349	381	412	444	475	1
TW3017-ST	30	17	366	398	429	461	492	1
TW3617-ST	36	17	382	414	445	477	508	1.25
TW4217-ST	42	17	400	432	463	495	526	1.5
TW4817-ST	48	17	415	447	478	510	541	1.5
TW5417-ST	54	17	435	467	498	530	561	1.75
TW6017-ST	60	17	449	481	512	544	575	2
TW6617-ST	66	17	467	499	530	562	593	2
TW7217-ST	72	17	484	516	547	579	610	2.25
TW7817-ST	78	17	502	534	565	597	628	2.5
TW8417-ST	84	17	518	550	581	613	644	2.5

Notes:


- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.

Wall Mounted Tackboards - Horizontal



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2418-ST	24	18	356	388	419	451	482	1
TW3018-ST	30	18	375	407	438	470	501	1
TW3618-ST	36	18	389	421	452	484	515	1.25
TW4218-ST	42	18	407	439	470	502	533	1.5
TW4818-ST	48	18	423	455	486	518	549	1.5
TW5418-ST	54	18	442	474	505	537	568	1.75
TW6018-ST	60	18	457	489	520	552	583	2
TW6618-ST	66	18	475	507	538	570	601	2
TW7218-ST	72	18	492	524	555	587	618	2.25
TW7818-ST	78	18	510	542	573	605	636	2.5
TW8418-ST	84	18	526	558	589	621	652	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2419-ST	24	19	356	388	419	451	482	1
TW3019-ST	30	19	375	407	438	470	501	1
TW3619-ST	36	19	389	421	452	484	515	1.25
TW4219-ST	42	19	407	439	470	502	533	1.5
TW4819-ST	48	19	423	455	486	518	549	1.5
TW5419-ST	54	19	442	474	505	537	568	1.75
TW6019-ST	60	19	457	489	520	552	583	2
TW6619-ST	66	19	475	507	538	570	601	2
TW7219-ST	72	19	492	524	555	587	618	2.25
TW7819-ST	78	19	510	542	573	605	636	2.5
TW8419-ST	84	19	526	558	589	621	652	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2420-ST	24	20	356	388	419	451	482	1
TW3020-ST	30	20	375	407	438	470	501	1
TW3620-ST	36	20	389	421	452	484	515	1.25
TW4220-ST	42	20	407	439	470	502	533	1.5
TW4820-ST	48	20	423	455	486	518	549	1.5
TW5420-ST	54	20	442	474	505	537	568	1.75
TW6020-ST	60	20	457	489	520	552	583	2
TW6620-ST	66	20	475	507	538	570	601	2
TW7220-ST	72	20	492	524	555	587	618	2.25
TW7820-ST	78	20	510	542	573	605	636	2.5
TW8420-ST	84	20	526	558	589	621	652	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2421-ST	24	21	372	404	435	467	498	1
TW3021-ST	30	21	386	418	449	481	512	1
TW3621-ST	36	21	404	436	467	499	530	1.25
TW4221-ST	42	21	420	452	483	515	546	1.5
TW4821-ST	48	21	439	471	502	534	565	1.5
TW5421-ST	54	21	454	486	517	549	580	1.75
TW6021-ST	60	21	472	504	535	567	598	2
TW6621-ST	66	21	489	521	552	584	615	2
TW7221-ST	72	21	507	539	570	602	633	2.25
TW7821-ST	78	21	522	554	585	617	648	2.5
TW8421-ST	84	21	538	570	601	633	664	2.5

Notes:


- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.

Wall Mounted Tackboards - Horizontal



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2422-ST	24	22	375	407	438	470	501	1
TW3022-ST	30	22	389	421	452	484	515	1
TW3622-ST	36	22	407	439	470	502	533	1.25
TW4222-ST	42	22	423	455	486	518	549	1.5
TW4822-ST	48	22	442	474	505	537	568	1.5
TW5422-ST	54	22	457	489	520	552	583	1.75
TW6022-ST	60	22	475	507	538	570	601	2
TW6622-ST	66	22	492	524	555	587	618	2
TW7222-ST	72	22	510	542	573	605	636	2.25
TW7822-ST	78	22	526	558	589	621	652	2.5
TW8422-ST	84	22	541	573	604	636	667	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2423-ST	24	23	375	407	438	470	501	1
TW3023-ST	30	23	389	421	452	484	515	1
TW3623-ST	36	23	407	439	470	502	533	1.25
TW4232-ST	42	23	423	455	486	518	549	1.5
TW4823-ST	48	23	442	474	505	537	568	1.5
TW5423-ST	54	23	457	489	520	552	583	1.75
TW6023-ST	60	23	475	507	538	570	601	2
TW6623-ST	66	23	492	524	555	587	618	2
TW7232-ST	72	23	510	542	573	605	636	2.25
TW7823-ST	78	23	526	558	589	621	652	2.5
TW8423-ST	84	23	541	573	604	636	667	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2424-ST	24	24	375	407	438	470	501	1
TW3024-ST	30	24	389	421	452	484	515	1
TW3624-ST	36	24	407	439	470	502	533	1.25
TW4224-ST	42	24	423	455	486	518	549	1.5
TW4824-ST	48	24	442	474	505	537	568	1.5
TW5424-ST	54	24	457	489	520	552	583	1.75
TW6024-ST	60	24	475	507	538	570	601	2
TW6624-ST	66	24	492	524	555	587	618	2
TW7224-ST	72	24	510	542	573	605	636	2.25
TW7824-ST	78	24	526	558	589	621	652	2.5
TW8424-ST	84	24	541	573	604	636	667	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2425-ST	24	25	376	408	439	471	502	1
TW3025-ST	30	25	391	423	454	486	517	1
TW3625-ST	36	25	408	440	471	503	534	1.25
TW4225-ST	42	25	424	456	487	519	550	1.5
TW4825-ST	48	25	443	475	506	538	569	1.5
TW5425-ST	54	25	459	491	522	554	585	1.75
TW6025-ST	60	25	476	508	539	571	602	2
TW6625-ST	66	25	493	525	556	588	619	2
TW7225-ST	72	25	511	543	574	606	637	2.25
TW7825-ST	78	25	527	559	590	622	653	2.5
TW8425-ST	84	25	542	574	605	637	668	2.5

Notes:


- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.

Wall Mounted Tackboards - Horizontal



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2426-ST	24	26	378	410	441	473	504	1
TW3026-ST	30	26	393	425	456	488	519	1
TW3626-ST	36	26	410	442	473	505	536	1.25
TW4226-ST	42	26	426	458	489	521	552	1.5
TW4826-ST	48	26	446	478	509	541	572	1.5
TW5426-ST	54	26	461	493	524	556	587	1.75
TW6026-ST	60	26	478	510	541	573	604	2
TW6626-ST	66	26	495	527	558	590	621	2
TW7226-ST	72	26	513	545	576	608	639	2.25
TW7826-ST	78	26	529	561	592	624	655	2.5
TW8426-ST	84	26	544	576	607	639	670	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2427-ST	24	27	381	413	444	476	507	1
TW3027-ST	30	27	396	428	459	491	522	1
TW3627-ST	36	27	413	445	476	508	539	1.25
TW4227-ST	42	27	430	462	493	525	556	1.5
TW4827-ST	48	27	449	481	512	544	575	1.5
TW5427-ST	54	27	464	496	527	559	590	1.75
TW6027-ST	60	27	481	513	544	576	607	2
TW6627-ST	66	27	499	531	562	594	625	2
TW7227-ST	72	27	516	548	579	611	642	2.25
TW7827-ST	78	27	532	564	595	627	658	2.5
TW8427-ST	84	27	548	580	611	643	674	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2428-ST	24	28	425	457	488	520	551	1
TW3028-ST	30	28	442	474	505	537	568	1
TW3628-ST	36	28	460	492	523	555	586	1.25
TW4228-ST	42	28	478	510	541	573	604	1.5
TW4828-ST	48	28	493	525	556	588	619	1.5
TW5428-ST	54	28	509	541	572	604	635	1.75
TW6028-ST	60	28	527	559	590	622	653	2
TW6628-ST	66	28	545	577	608	640	671	2
TW7228-ST	72	28	560	592	623	655	686	2.25
TW7828-ST	78	28	580	612	643	675	706	2.5
TW8428-ST	84	28	593	625	656	688	719	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2429-ST	24	29	442	474	505	537	568	1
TW2929-ST	30	29	459	491	522	554	585	1
TW3629-ST	36	29	476	508	539	571	602	1
TW4229-ST	42	29	495	527	558	590	621	1.25
TW4829-ST	48	29	509	541	572	604	635	1.5
TW5429-ST	54	29	526	558	589	621	652	1.5
TW6029-ST	60	29	543	575	606	638	669	1.75
TW6629-ST	66	29	562	594	625	657	688	2
TW7229-ST	72	29	576	608	639	671	702	2
TW7829-ST	78	29	596	628	659	691	722	2.25
TW8429-ST	84	29	610	642	673	705	736	2.5

Notes:


- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.

Wall Mounted Tackboards - Horizontal



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2430-ST	24	30	457	489	520	552	583	1
TW3030-ST	30	30	475	507	538	570	601	1
TW3630-ST	36	30	492	524	555	587	618	1
TW4230-ST	42	30	510	542	573	605	636	1.25
TW4830-ST	48	30	526	558	589	621	652	1.5
TW5430-ST	54	30	541	573	604	636	667	1.5
TW6030-ST	60	30	559	591	622	654	685	1.75
TW6630-ST	66	30	578	610	641	673	704	2
TW7230-ST	72	30	592	624	655	687	718	2
TW7830-ST	78	30	612	644	675	707	738	2.25
TW8430-ST	84	30	625	657	688	720	751	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2431-ST	24	31	459	491	522	554	585	1
TW3031-ST	30	31	476	508	539	571	602	1
TW3631-ST	36	31	493	525	556	588	619	1
TW4231-ST	42	31	511	543	574	606	637	1.25
TW4831-ST	48	31	527	559	590	622	653	1.5
TW5431-ST	54	31	542	574	605	637	668	1.5
TW6031-ST	60	31	560	592	623	655	686	1.75
TW6631-ST	66	31	580	612	643	675	706	2
TW7231-ST	72	31	593	625	656	688	719	2
TW7831-ST	78	31	613	645	676	708	739	2.25
TW8431-ST	84	31	626	658	689	721	752	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2433-ST	24	33	463	495	526	558	589	1
TW3033-ST	30	33	480	512	543	575	606	1
TW3633-ST	36	33	497	529	560	592	623	1
TW4233-ST	42	33	515	547	578	610	641	1.25
TW4833-ST	48	33	531	563	594	626	657	1.5
TW5433-ST	54	33	546	578	609	641	672	1.5
TW6033-ST	60	33	564	596	627	659	690	1.75
TW6633-ST	66	33	584	616	647	679	710	2
TW7233-ST	72	33	597	629	660	692	723	2
TW7833-ST	78	33	617	649	680	712	743	2.25
TW8433-ST	84	33	630	662	693	725	756	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2434-ST	24	34	466	498	529	561	592	1
TW3034-ST	30	34	483	515	546	578	609	1
TW3634-ST	36	34	501	533	564	596	627	1
TW4234-ST	42	34	519	551	582	614	645	1.25
TW4834-ST	48	34	534	566	597	629	660	1.5
TW5434-ST	54	34	550	582	613	645	676	1.5
TW6034-ST	60	34	567	599	630	662	693	1.75
TW6634-ST	66	34	587	619	650	682	713	2
TW7234-ST	72	34	600	632	663	695	726	2
TW7834-ST	78	34	620	652	683	715	746	2.25
TW8434-ST	84	34	634	666	697	729	760	2.5

Notes:


- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

CONTINUED ON NEXT PAGE

What to Specify When Ordering:

1) Specify fabric selection when ordering.

Wall Mounted Tackboards - Horizontal



Wall Mounted Tackboard

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2435-ST	24	35	526	558	589	621	652	1
TW3035-ST	30	35	543	575	606	638	669	1
TW3535-ST	36	35	562	594	625	657	688	1
TW4235-ST	42	35	576	608	639	671	702	1.25
TW4835-ST	48	35	596	628	659	691	722	1.5
TW5435-ST	54	35	610	642	673	705	736	1.5
TW6035-ST	60	35	627	659	690	722	753	1.75
TW6635-ST	66	35	645	677	708	740	771	2
TW7235-ST	72	35	661	693	724	756	787	2
TW7835-ST	78	35	679	711	742	774	805	2.25
TW8435-ST	84	35	697	729	760	792	823	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2436-ST	24	36	541	573	604	636	667	1
TW3036-ST	30	36	559	591	622	654	685	1
TW3636-ST	36	36	578	610	641	673	704	1
TW4236-ST	42	36	592	624	655	687	718	1.25
TW4836-ST	48	36	612	644	675	707	738	1.5
TW5436-ST	54	36	625	657	688	720	751	1.5
TW6036-ST	60	36	643	675	706	738	769	1.75
TW6636-ST	66	36	660	692	723	755	786	2
TW7236-ST	72	36	677	709	740	772	803	2
TW7836-ST	78	36	694	726	757	789	820	2.25
TW8436-ST	84	36	712	744	775	807	838	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2439-ST	24	39	563	595	626	658	689	1
TW3039-ST	30	39	581	613	644	676	707	1
TW3639-ST	36	39	599	631	662	694	725	1
TW4239-ST	42	39	614	646	677	709	740	1.25
TW4839-ST	48	39	633	665	696	728	759	1.5
TW5439-ST	54	39	647	679	710	742	773	1.5
TW6039-ST	60	39	664	696	727	759	790	1.75
TW6639-ST	66	39	681	713	744	776	807	2
TW7239-ST	72	39	699	731	762	794	825	2
TW7839-ST	78	39	716	748	779	811	842	2.25
TW8439-ST	84	39	734	766	797	829	860	2.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2440-ST	24	40	566	598	629	661	692	1
TW3040-ST	30	40	584	616	647	679	710	1
TW3640-ST	36	40	602	634	665	697	728	1
TW4240-ST	42	40	617	649	680	712	743	1.25
TW4840-ST	48	40	637	669	700	732	763	1.5
TW5440-ST	54	40	650	682	713	745	776	1.5
TW6040-ST	60	40	668	700	731	763	794	1.75
TW6640-ST	66	40	684	716	747	779	810	2
TW7240-ST	72	40	702	734	765	797	828	2
TW7840-ST	78	40	719	751	782	814	845	2.25
TW8440-ST	84	40	737	769	800	832	863	2.5


Notes:

- Patterned fabrics are cut "up the roll". Non directional fabrics may be cut in either direction on the roll.

What to Specify When Ordering:

1) Specify fabric selection when ordering.

Wall Mounted Tackboards - Vertical



Wall Mounted Tackboard
For Vertical Applications

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2424-ST-VRT	24	24	375	407	438	470	501	1
TW3024-ST-VRT	30	24	389	421	452	484	515	1
TW3624-ST-VRT	36	24	407	439	470	502	533	1.25
TW4224-ST-VRT	42	24	423	455	486	518	549	1.5
TW4824-ST-VRT	48	24	442	474	505	537	568	1.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2431-ST-VRT	24	31	457	489	520	552	583	1
TW3031-ST-VRT	30	31	475	507	538	570	601	1
TW3631-ST-VRT	36	31	492	524	555	587	618	1.25
TW4231-ST-VRT	42	31	510	542	573	605	636	1.5
TW4831-ST-VRT	48	31	526	558	589	621	652	1.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2436-ST-VRT	24	36	541	573	604	636	667	1
TW3036-ST-VRT	30	36	559	591	622	654	685	1
TW3636-ST-VRT	36	36	578	610	641	673	704	1.25
TW4236-ST-VRT	42	36	592	624	655	687	718	1.5
TW4836-ST-VRT	48	36	612	644	675	707	738	1.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2442-ST-VRT	24	42	543	575	606	638	669	1
TW3042-ST-VRT	30	42	561	593	624	656	687	1
TW3642-ST-VRT	36	42	581	613	644	676	707	1.25
TW4242-ST-VRT	42	42	594	626	657	689	720	1.5
TW4842-ST-VRT	48	42	614	646	677	709	740	1.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2443-ST-VRT	24	43	545	577	608	640	671	1
TW3043-ST-VRT	30	43	563	595	626	658	689	1
TW3643-ST-VRT	36	43	583	615	646	678	709	1.25
TW4243-ST-VRT	42	43	596	628	659	691	722	1.5
TW4843-ST-VRT	48	43	616	648	679	711	742	1.5

CONTINUED ON NEXT PAGE


Notes:

- Non directional fabrics may be cut in either direction on the roll. Vertical tackboards up to 49" high which use a patterned fabric, in most cases are cut with the height spaning "across the roll", and if over 49" high the cutting direction will depend on the width of the selected fabric. Please contact customer service if a specific fabric pattern direction is required.

What to Specify When Ordering:

1) Specify fabric selection when ordering.

Wall Mounted Tackboards - Vertical



Wall Mounted Tackboard
For Vertical Applications

Model #	Width	Height	(Grade 3) Price	(Grade 4) Price	(Grade 5) Price	(Grade 6) Price	(Grade 7) Price	YDS
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2448-ST-VRT	24	48	546	578	609	641	672	1
TW3048-ST-VRT	30	48	564	596	627	659	690	1
TW3648-ST-VRT	36	48	584	616	647	679	710	1.25
TW4248-ST-VRT	42	48	597	629	660	692	723	1.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2449-ST-VRT	24	49	550	582	613	645	676	1
TW3049-ST-VRT	30	49	567	599	630	662	693	1
TW3649-ST-VRT	36	49	587	619	650	682	713	1.25
TW4249-ST-VRT	42	49	600	632	663	695	726	1.5
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2454-ST-VRT	24	54	553	585	616	648	679	1
TW3054-ST-VRT	30	54	569	601	632	664	695	1
TW3654-ST-VRT	36	54	589	621	652	684	715	1.25
			Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	
TW2455-ST-VRT	24	55	555	587	618	650	681	1
TW3055-ST-VRT	30	55	571	603	634	666	697	1
TW3655-ST-VRT	36	55	591	623	654	686	717	1.25

Notes:

- Non directional fabrics may be cut in either direction on the roll. Vertical tackboards up to 49" high which use a patterned fabric, in most cases are cut with the height spaning "across the roll", and if over 49" high the cutting direction will depend on the width of the selected fabric. Please contact customer service if a specific fabric pattern direction is required.





What to Specify When Ordering:




1) Specify fabric selection when ordering.






ACCESSORIES & ELECTRICS





PRICE BOOK

OFGO STUDIO

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
							
Laminate Pullout Keyboard	AC22-KB	22	10	4	134	7	1
Available in matching finishes	AC28-KB	28	10	4	199	8.5	1
Fits 20" & 24" depth worksurfaces							
Note: Specify finish when ordering							
							
Articulating Keyboard with Platform	AC20-ARKB	20	10.5	3.5	583	13	1
Black Finish	AC28-ARKB	27.5	10.5	3.5	670	14.5	1
Includes upholstered wrist support							
Fits 24" depth worksurfaces							
							
Non-Swivel CPU Holder							
Supports most CPU sizes	AC0919-CPUHN	9	10	19	296	5	1
Black Finish							
							
Sliding CPU Holder							
Slides Forward and swivels for easy access to rear ports	AC0921-CPUHS	9	10	19	432	16	1
Supports most CPU sizes							
Black Finish							



		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Pencil Holder (Fits slatwall rail) Black Finish	AC1000-PH	4	3.5	4	31	1	0.5
	Legal/A4 Size Paper Tray (Fits slatwall rail) Black Finish	AC1007-LG	10.5	15	2	87	1	0.5
	Binder Holder (Fits slatwall rail) Black Finish	AC1009-BH	5	10.5	9	46	1	0.5







		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Desktop Paper Manager 3 Adjustable Shelves 1 Fixed Bottom Shelf Fits into 16" Open Space Shipped Assembled **Specify finish when ordering**	AC141216-PM	14	12	16	455	20	2
	Desktop Paper Manager 4 Adjustable Shelves 1 Fixed Bottom Shelf Fits into 20" Open Space Shipped Assembled **Specify finish when ordering**	AC141220-PM	14	12	20	500	23	3
	Desktop Paper Manager 5 Adjustable Shelves 1 Fixed Bottom Shelf Fits into 22" Open Space Shipped Assembled **Specify finish when ordering**	AC141222-PM	14	12	22	590	30	3
	Desktop Paper Manager 5 Adjustable Shelves 1 Fixed Bottom Shelf Fits into 26" Open Space Shipped Assembled **Specify finish when ordering**	AC141226-PM	14	12	26	634	34	3
	Laminate Center Drawer Available in matching finishes	AC22-LMCD	22	17	3	202	12	1
	Polymer Center Drawer PVC Finish	AC22-PLCD	22	16	2	202	6	1
	**Worksurface Stiffener**							
	For 48" to 54" wide workurfaces	AC36-STFR	35.5	2.5	1.25	104	2.5	0.03
	For 60" to 66" wide workurfaces	AC48-STFR	47.5	2.5	1.25	116	3	0.04
	For 72" to 84" wide workurfaces	AC60-STFR	59.5	2.5	1.25	133	4	0.05






		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Spare Key Set (Specify Key Number)	AC-KEY				17		
	Master Key	AC-MSK				29		
	Lock Core Removal Key	AC-CRK				22		
 Includes 1 Core and 2 Keys	Lock Core (Black Finish)	AC-LCK-L1				29		
	Lock Core (Silver Finish)	AC-LCK-L3				29		
	Lock Core Removal Key AC-CRK sold separately and is required to remove core. When placing order, indicate number of cores to be supplied with same key number.							
	Factory Installed Locks							
	Black Finish (1 Lock)	AC-L1Q1				78		
	Black Finish (2 Locks)	AC-L1Q2				156		
	Silver Finish (1 Lock)	AC-L3Q1				78		
	Silver Finish (2 Locks)	AC-L3Q2				156		
BLACK GROMMET 	Black Grommet (field installed)	AC-G1	2.5	2	1	42		
SILVER GROMMET 	Silver Grommet (field installed)	AC-G3	2.5	2	1	42		



Note: Grommet drill hole size is 2¾" in diameter





Optional factory installed grommets are also available in standard worksurface positions. For assistance in ordering factory installed grommets, refer to the product specifictations for each individual product line or contact customer service.

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
 Single Monitor arm	AC11-SMTA-Z3				625	8	0.6
Built in Cable Management Vertical range +/- 5.2" (13.2 cm) from horizontal Horizontal range 18.6" (47.2 cm) Rotation 360° at two joints, 180° at base Monitor tilt 90° up, 20° down from center Monitor pivot landscape to portrait Monitor weight capacity 7 – 20 lbs Mount Options: clamp to desk edge, through grommet, or bolt through desk Standard in Silver Finish							
 Dual Monitor arm	AC22-DMTA-Z3				1072	20	2.4
Built in Cable Management Vertical range +/- 5.2" (13.2 cm) from horizontal Horizontal range 18.6" (47.2 cm) Rotation 360° at two joints, 180° at base Monitor tilt 90° up, 20° down from center Monitor pivot landscape to portrait Monitor weight 7 – 20 lbs per monitor Mount Options: clamp to desk edge, through grommet, or bolt through desk Standard in Silver Finish							
 File Rod with 2 Clips	AC12-FILEROD				20		
Required to place Letter files front to back on Box/File drawers.							
 Flatbars for Side to Side Filing in Lateral File Drawers	*for 18"w lateral drawers*	AC18-LTF-FLATBAR			54		
	for 24"w lateral drawers	AC24-LTF-FLATBAR			54		
	for 30"w lateral drawers	AC30-LTF-FLATBAR			54		
	for 36"w lateral drawers	AC36-LTF-FLATBAR			54		

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
 without receptacles	Blank Power Block **Supplied without simplex receptacles** Used with 8 wire / 4 circuit system Note: simplexes must be specified separately	PW8330-PMKT				90		
 with receptacles on **one side**	Power Block (Power on 1 Side) **Supplied with SI1, SI2, and SIG receptacles on one side** Used with 8 wire / 4 circuit system 2 utility share neutral and ground 1 isolated	PW8331-PMKT				159		
 with receptacles on **two sides**	Power Block (Power on 2 Sides) **Supplied with SI1, SI2, and SIG receptacles on two sides** Used with 8 wire / 4 circuit system 2 utility share neutral and ground 1 isolated	PW8332-PMKT				236		
 with receptacles on **one side**	Power Block (Power on 1 Side) **Supplied with SI1, SI2, SI4 and SIG receptacles on one side** Used with 8 wire / 4 circuit system 3 utility share neutral and ground 1 isolated share neutral and ground	PW8441-PMKT				217		
 with receptacles on **two sides**	Power Block (Power on 2 Side) **Supplied with SI1, SI2, SI4 and SIG receptacles on two sides** Used with 8 wire / 4 circuit system 3 utility share neutral and ground 1 isolated share neutral and ground	PW8442-PMKT				320		
 with SI1 receptacles on **two sides** SI1 Receptacles Only	**Use only with a Wall Outlet Base Feed Power Entry (PW0072-WAS-84)** Power Block (SI1 Power on 2 Side) **Supplied with SI1 receptacles on two sides** Used with 8 wire / 4 circuit system 4 utility circuit #1	PW8442-SI1PM				325		

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Wall Outlet Base Feed Power Entry For energizing a **single circuit** 72" length comprised of 24" cord and 48" metal flex cable, connects to power block Fits 15 & 20 AMP outlets Can power up to 20 single circuits	PW0072-WAS-84 Can only be used to power PW-SI1 Circuit #1 receptacles.				421		
 Base Feed Hardware (BFH)	Base Feed Power Entry Connects to Power Block Must be wired to building source power by a Licensed Electrician Rated for 20 AMPs and are energized	PW0072-BFH-84	72			219		
 Ceiling Feed Hardware (CFH)	Ceiling Feed Power Entry Connects to Power Block Must be wired to building source power by a Licensed Electrician Rated for 20 AMPs and are energized	PW0156-CFH-84	156			407		
	New York City Junction Box Can be used on base feed (PW0072-BFH-84) or ceiling feed (PW0072-CFH-84) power entry units.	PW-NY-JB1 Note: standard in black finish				164		
 META FLEX CABLE FEMALE BOTH ENDS	Interconnecting Cable connects Power Block to Power Block	PW0024-FF PW0030-FF PW0036-FF PW0042-FF PW0048-FF PW0060-FF PW0072-FF PW0084-FF PW0096-FF PW0120-FF PW0156-FF	24 30 36 42 48 60 72 84 96 120 156			155 167 173 186 196 218 243 265 287 334 402		
	Simplex Receptacles PW-SI1, PW-SI2, and PW-SI4 have black covers and PW-SIG has an orange cover	PW-SI1 PW-SI2 PW-SI4 PW-SIG				22 22 22 24		

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	Receptacle Extraction Tool Proper tool for safe removal of Simplex Receptacles	PW-SRT				21		
 RJ11/RJ45 Communication Bracket	Communication Bracket Mounts to underside of tops	EL1145-BRKT				80		
	RJ45/Cat 6 Communication Module Insert **Note: Fits into EL-1145-BRKT**	EL1145-CM				54		
	Wire Management Channel with Self Adhesive Tape **Additional widths available upon request.**	EL0072-WMC	72			83		
	Power Pole with Ceiling Cover **Specify Finish:** **Black (BK)** **Silver (SL)**	EL0066-PP EL0084-PP EL0120-PP Power pole attaches to ceiling and base unit, bringing power/data cables from ceiling to base unit. Three separate compartments divide power and data cables. Power pole can be opened on one side for placement of power/data cables.	4 4 4	1 1 1	66 84 120	283 353 493	8 10 12	0.5 0.5 0.5
	Cable Snake Standard in silver finish	AC30-SNK-Z3	6	2	30	162	3	0.19

		Model No.	W	D	H	Price	LB	FT³
	**"M1" and "M3"** Power/Data Module Includes: 2 Simplex Receptacles 2 Open Data Ports 6' Cord Length Available in Black and Silver Finish	AC-M1 (Black Finish) AC-M3 (Silver Finish)				293 293		
	**"U2" Power/Data Module** Includes: 2 Simplex Receptacles 2 Open Data Ports 6' Cord Length Standard with Aluminum Frame Standard with Brushed Nickel Finish	AC-U2				532		
	**"W2" Power/Data Module** Includes: 2 Simplex Receptacles 4 Open Data Ports 10' Cord Length Standard with Aluminum Frame Standard with Brushed Nickel Finish	AC-W2				619		
	**"E3" Power/Data Module** Includes: 2 Simplex Receptacles 1 Dual USB Port (USB-A + USB-C) 10' Cord Length Silver Fog faceplate with matching powder-coated trim	AC-E3				520		
	**"X3" Power/Data Module** Clamp on Unit Includes: 2 Simplex Receptacles 1 Dual USB Port (USB-A + USB-C) 10' Cord Length Silver Fog faceplate with matching powder-coated housing	AC-X3				560		
 CAT6 / RJ45 Coupler	Cat 6 / RJ45 Coupler - 120"	AC-RJ45-COUPLER				114		
 HDMI Coupler	HDMI Coupler - 18"	AC-HDMI-COUPLER				114		
	Tasklight LED Light Silver Finish Note: AC30-TL fits 30" to 48" wide hutches AC42-TL fits 48" to 84" wide hutches	AC30-TL AC42-TL	25 37	3.5 3.5	1 1	344 398	3.5 5.5	1 1

PRIVACY, DESKING ADD-ONS & ACCESSORIES



PANELX

PRICE BOOK

OFGO

STUDIO

Specifications 277
Special Programs 278
Parts and Components 279
Panel Insert Configurations 280
Options and Finishes 281

POSTS 282

TILE INSERTS
Fabric Tile Inserts 283-287
Clear Ribbed Tile Inserts 288-292
Frosted Acrylic Tile Inserts 293-297
Laminate Tile Inserts 298-301
Slatwall Inserts 302

HUTCHES
Hutches 303-304
Corner Hutches 305

COUNTER TOPS 306-307

Overview
- PanelX is a modular desk-mounted partition system offering 360 degree planning possibilities, which can be used on various OFGO desking offerings.
- PanelX uses various post heights to support a variety of partitioning panels.
- PanelX inserts can be vertically stacked to provide varying degrees of privacy.
- PanelX contains universal components offered in various combinations to complement any environment.
- PanelX is designed for ease of installation and reconfiguration with full support from the OFGO team.

Posts
- Each post includes: (a) cover strips, (b) a top cap, and (c) all mounting hardware.
- PanelX posts are available in a black (BK), or silver (SL) finish.
- PanelX posts are available in three standard angles: 90, 120, and 135 degree.
- 1.75”/45mm wide by 1.75”/45mm deep aluminum PanelX posts are available in nine standard heights: 6”/152mm, 9”/229 6m, 12”/305mm, 15”/381mm, 18”/457mm, 21”/533mm, 24”/610mm, 30”/762mm, and 36”/914mm.
- Various post heights allow for the creation of private and semi-private spaces.
- PanelX posts are made from 100% extruded aluminum.
- Aluminum post to post fillers are provided to fill the gap between two posts.

Panel Inserts
- PanelX inserts are available in five materials: fabric, laminate, frosted acrylic, clear ribbed polycarbonate, and slatwall.

- **Fabric Panel Inserts:**
  - Fabric inserts are 3/8” thick and available in nine standard heights (6”, 9”, 12”, 15”, 18”, 21”, 24”, 30”, and 36”).
  - Fabric inserts are tackable and are upholstered on both sides.
  - Fabric inserts are available in a variety of options, including C.O.M. (customer’s own material) textiles upon request.
  - Fabric inserts include 1/2” thick top and bottom aluminum beams.

- **Ribbed Polycarbonate panel inserts:**
  - Ribbed polycarbonate inserts are 3/8” thick and available in nine standard heights: (6”, 9”, 12”, 15”, 18”, 21”, 24”, 30”, and 36”)
  - Ribbed polycarbonate inserts are available in two finishes: clear or bronze.
  - Ribbed polycarbonate inserts include 1/2” thick top and bottom aluminum beams.

- **Frosted Acrylic panel inserts:**
  - Frosted acrylic inserts are 4.5mm thick and available in nine standard heights: (6”, 9”, 12”, 15”, 18”, 21”, 24”, 30”, and 36”)
  - Acrylic inserts standard with frosted finish.
  - Frosted Acrylic inserts include 1/2” thick top and bottom aluminum beams.

- **Laminate Panel Inserts:**
  - Laminate inserts are 5/8” thick and available in six standard heights (6”, 9”, 12”, 15”, 18”, and 21”).
  - Laminate inserts are CARB II compliant and are GREENGUARD Indoor Air Quality Certified®.

- **Slatwall Panel Inserts:**
  - Slatwall inserts are 1/2” thick and available in 6” standard height.
  - Slatwall inserts are stackable up to 36in/914mm high.
  - Slatwall inserts are available in black (BK), or silver (SL) finish.
  - Slatwall inserts are composed of 100% extruded aluminum.
  - Slatwall inserts are dual sided, allowing for slatwall accessories to be mounted on both sides of the insert.

Certifications: PanelX is GREENGUARD Indoor Air Quality Certified® and meets the emission level requirements of LEED Credit 4.5 conformance standards.

Beams
- PanelX beams are available in 24 standard widths. Beam widths start at 6” and increase by 3 inch increments to a maximum of 87”.
- Beams are included on top and bottom of panel inserts.
- PanelX beams are composed of 100% extruded aluminum.


Counter Tops
- Laminate tops are available in 1” thick.
- Laminate tops are edged with 1.5 mm or 2 mm matching color edging.
- Laminate tops are offered in all standard finishes for Modern Series desking.
- Counter tops include all necessary mounting hardware.
- Counter tops feature pre-drilled locating holes, which allow quick alignment with PanelX posts.
- Counter tops are available in various sizes to accommodate all space requirements.
- Counter tops are for use on 6”, 12”, 15”,18”, 21”, or 24” high PanelX posts. Use on taller posts is not recommended.

Post Mounted Hutches
- Post mounted hutches are attached to four 90 degree PanelX posts, which are bolted to the worksurface.
- Post mounted hutches are available in 36” standard height (mounted on a 21” high PanelX Post)
- Post mounted hutches are available with a rod or laminate style organizer shelf.
- 9” wide PanelX tiles may be used to fill space between two posts across the depth of the post mounted hutch.

Wire Management & Electrics
- Wire management is accomplished with various horizontal and vertical solutions that accommodate building infrastructure and workstation requirements.
- Tasklight wiring can be fed through the cavity of the PanelX post, allowing wiring to be kept hidden from view.
- Above worksurface power centers allow for easy user access to power.
- Cables can be routed through notches on PanelX cabinets.

Connections

90 Degree Post:



one way connection | two way connection | three way connection | four way connection

135 Degree Post:



one way connection | two way connection | three way connection

MADE-TO-MEASURE PANEL INSERTS AT NO UPCHARGE PROGRAM

The Made-To-Measure program offers customized panel insert sizing to suit your space's needs.
Customized panel inserts are available in 1in/25mm wide increments only.
Example: a 42" wide worksurface panel insert can be ordered as a 40" wide worksurface panel insert, using the price of the 42" wide worksurface panel insert (next size up in price list).

How the Made-To-Measure program works:

1. Select any standard applicable unit from our price list.
2. Re-size the unit to your required specification (available in 1in/25mm increments only)
3. Select the "next size up" standard unit in our price list, this is your list price. No additional upcharge will apply.
4. Specify product as "Special Size".

Note: Panel insert widths are 3 3/4in/95.25mm shorter than worksurface width.
To order a customized panel insert accurately, indicate the worksurface size and OFGO will supply the correct panel insert size.

The Made-To-Measure Panel Inserts At No Upcharge Program is limited to panel inserts.
For additional custom products please contact your customer service representative for pricing.

OPTIONAL LOCKS PROGRAM

Locks

- Locks are standard with interchangeable lock cores and collapsible keys.

Optional Hutch Locks


- Add L1Q1 for black lock or L3Q1 for silver lock to end of product code for a hutch requiring one lock - add $78 list.
- Add L1Q2 for black locks or L3Q2 for silver locks to end of product code for a hutch requiring two locks - add $156 list
- Note: 24in/610mm to 48in/1219mm wide hutches require one lock, and 54in/1372mm to 84in/2134mm require two locks.



Black Lock
(standard)




Silver Lock
(optional)



Aluminum Beam and Panel Insert Size Examples:

Panel Insert Code:	fits	*Worksurface Width:*	includes	*Top/Bottom Beam Width:*
PX18☐☐-Tile-☐	→	18in/457mm	→	13.75in/349mm
PX24☐☐-Tile-☐	→	24in/610mm	→	19.75in/502mm
PX30☐☐-Tile-☐	→	30in/762mm	→	25.75in/654mm
PX36☐☐-Tile-☐	→	36in/914mm	→	31.75in/806mm
PX42☐☐-Tile-☐	→	42in/1067mm	→	37.75in/959mm
PX48☐☐-Tile-☐	→	48in/1219mm	→	43.75in/1111mm
PX54☐☐-Tile-☐	→	54in/1372mm	→	49.74in/1264mm
PX60☐☐-Tile-☐	→	60in/1524mm	→	55.75in/1416mm
PX66☐☐-Tile-☐	→	66in/1676mm	→	61.75in/1568mm
PX72☐☐-Tile-☐	→	72in/1829mm	→	67.75in/1721mm
PX78☐☐-Tile-☐	→	78in/1981mm	→	73.75in/1873mm



Panel inserts are interchangeable and may be reconfigured to any position.

Post Heights:
6” (152mm)
9” (229mm)
12” (305mm)
15” (381mm)
18” (457mm)
21” (533mm)
24” (610mm)
30” (764mm)
36” (914mm)

Post & Beam Finishes

Black (BK)
Silver (SL))

Panel Insert Options

Fabric Inserts (F)* Provide fabric code when ordering (e.g. VA10 - Black).
Laminate Inserts (L) Provide laminate color code when ordering (e.g. CO - Cognac)
Clear Ribbed Polycarbonate Insert (C)
Frosted Acrylic Insert (Z)
Slatwall Insert (S)

* Price for fabric inserts is based on the use of Grade 3 and Grade 4 fabrics. Additional charge will apply for COM or higher grades of fabric.

Laminate Units and Laminate Panel Insert Finishes

We are constantly upgrading our products, visit ofgo.com for the most up-to-date laminate finishes available

Pull Handle Options




P1 Pull Handle
Black Nickel Finish
(Standard)



P3 Pull Handle
Silver Finish
(Optional)



P7 Pull Handle
Brushed Nickel Finish
(Optional)



P5 Pull Handle
Black Finish
(Optional)



P6 Pull Handle
Silver Finish
(Optional)




P12 Pull Handle
Silver Finish
(Optional)



P9 Pull Handle
Brushed Nickel Finish
(Optional)

To add additional pull handles to units, add handle style (e.g. P1) and quantity (e.g. Q3) to end of product code.
Add $21 list for each additional pull handle.



90 Degree Post

Post includes where required:
Post Cap
Post Cover Strips
Post Mounting Hardware


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX06-POST	1¾	1¾	6	76	0.4	.01
PX09-POST	1¾	1¾	9	80	0.2	.02
PX12-POST	1¾	1¾	12	83	0.8	.02
PX15-POST	1¾	1¾	15	86	1.1	.03
PX18-POST	1¾	1¾	18	88	1.3	.03
PX21-POST	1¾	1¾	21	93	1.5	.04
PX24-POST	1¾	1¾	24	97	1.7	.04
PX30-POST	1¾	1¾	30	115	2.1	.05
PX36-POST	1¾	1¾	36	135	2.5	.06



135 Degree Post

Post includes where required:
Post Cap
Post Cover Strips
Post Mounting Hardware

PX06-POST-135	1¾	1¾	6	76	0.4	.01
PX09-POST-135	1¾	1¾	9	80	0.2	.02
PX12-POST-135	1¾	1¾	12	83	0.9	.02
PX15-POST-135	1¾	1¾	15	86	1.2	.03
PX18-POST-135	1¾	1¾	18	88	1.4	.03
PX21-POST-135	1¾	1¾	21	93	1.7	.04
PX24-POST-135	1¾	1¾	24	97	1.9	.04
PX30-POST-135	1¾	1¾	30	115	2.4	.05
PX36-POST-135	1¾	1¾	36	135	2.8	.06



Post to Post Filler

PX06-PPF			6	34	0.3	0.01
PX09-PPF			9	36	0.3	0.01
PX12-PPF			12	38	0.3	0.01
PX15-PPF			15	43	0.3	0.01
PX18-PPF			18	48	0.4	0.01
PX21-PPF			21	51	0.5	0.01
PX24-PPF			24	54	0.5	0.01
PX30-PPF			30	59	0.7	0.02
PX36-PPF			36	63	0.8	0.02

Specify Finish When Ordering. Available Finishes: Black (BK) or Silver (SL).

FABRIC TILE INSERTS



Fabric Insert

6" High
Fabric Insert

Tackable fabric panel upholstered on both sides

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Prices shown are based on use of Grade 3 or Grade 4 fabrics.
Grade 5 - Add $26 List
Grade 6 - Add $53 List
Grade 7 - Add $79 List
COM fabrics are available upon request.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Grade 3/Grade 4 Price	*LB*	*FT³*
PX0906-TILE-F	9	0.5	6	51	0.1	0.1
PX1506-TILE-F	15	0.5	6	212	1.3	0.1
PX1806-TILE-F	18	0.5	6	212	1.3	0.1
PX2006-TILE-F	20	0.5	6	230	1.7	0.1
PX2106-TILE-F	21	0.5	6	235	1.7	0.1
PX2406-TILE-F	24	0.5	6	235	1.7	0.1
PX2706-TILE-F	27	0.5	6	259	2.1	0.1
PX3006-TILE-F	30	0.5	6	259	2.1	0.1
PX3306-TILE-F	33	0.5	6	285	2.5	0.1
PX3606-TILE-F	36	0.5	6	285	2.5	0.1
PX3906-TILE-F	39	0.5	6	314	3.2	0.1
PX4206-TILE-F	42	0.5	6	314	3.2	0.1
PX4506-TILE-F	45	0.5	6	332	3.6	0.1
PX4806-TILE-F	48	0.5	6	332	3.6	0.1
PX5106-TILE-F	51	0.5	6	360	4	0.1
PX5406-TILE-F	54	0.5	6	360	4	0.1
PX5706-TILE-F	57	0.5	6	381	4.4	0.1
PX6006-TILE-F	60	0.5	6	381	4.4	0.1
PX6306-TILE-F	63	0.5	6	406	4.8	0.1
PX6606-TILE-F	66	0.5	6	406	4.8	0.1
PX6906-TILE-F	69	0.5	6	441	5.4	0.1
PX7206-TILE-F	72	0.5	6	441	5.4	0.1
PX7506-TILE-F	75	0.5	6	462	5.8	0.1
PX7806-TILE-F	78	0.5	6	462	5.8	0.1
PX8106-TILE-F	81	0.5	6	559	6	0.1
PX8406-TILE-F	84	0.5	6	559	6	0.1
PX8706-TILE-F	87	0.5	6	622	6	0.1



Fabric Insert

9" High
Fabric Insert

Tackable fabric panel upholstered on both sides

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Prices shown are based on use of Grade 3 or Grade 4 fabrics.
Grade 5 - Add $26 List
Grade 6 - Add $53 List
Grade 7 - Add $79 List
COM fabrics are available upon request.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Grade 3/Grade 4 Price	*LB*	*FT³*
PX0909-TILE-F	9	0.5	9	63	0.2	0.1
PX1509-TILE-F	15	0.5	9	220	1.5	0.1
PX1809-TILE-F	18	0.5	9	220	1.5	0.1
PX2009-TILE-F	20	0.5	9	240	2.2	0.1
PX2109-TILE-F	21	0.5	9	245	2.2	0.1
PX2409-TILE-F	24	0.5	9	245	2.2	0.1
PX2709-TILE-F	27	0.5	9	272	2.8	0.1
PX3009-TILE-F	30	0.5	9	272	2.8	0.1
PX3309-TILE-F	33	0.5	9	299	3.2	0.1
PX3609-TILE-F	36	0.5	9	299	3.2	0.1
PX3909-TILE-F	39	0.5	9	326	4	0.1
PX4209-TILE-F	42	0.5	9	326	4	0.1
PX4509-TILE-F	45	0.5	9	356	4.4	0.2
PX4809-TILE-F	48	0.5	9	356	4.4	0.2
PX5109-TILE-F	51	0.5	9	382	5	0.2
PX5409-TILE-F	54	0.5	9	382	5	0.2
PX5709-TILE-F	57	0.5	9	408	5.7	0.2
PX6009-TILE-F	60	0.5	9	408	5.7	0.2
PX6309-TILE-F	63	0.5	9	442	6.1	0.2
PX6609-TILE-F	66	0.5	9	442	6.1	0.2
PX6909-TILE-F	69	0.5	9	472	6.9	0.2
PX7209-TILE-F	72	0.5	9	472	6.9	0.2
PX7509-TILE-F	75	0.5	9	495	7.3	0.2
PX7809-TILE-F	78	0.5	9	495	7.3	0.2
PX8109-TILE-F	81	0.5	9	591	8	0.2
PX8409-TILE-F	84	0.5	9	591	8	0.2
PX8709-TILE-F	87	0.5	9	655	8	0.2

Specify fabric code when ordering; e.g. PX7206-TILE-F-VA10

Note: top and bottom beam finish will match selected post finish unless otherwise specified.



Fabric Insert

12" High
Fabric Insert

Tackable fabric panel upholstered on both sides

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Prices shown are based on use of Grade 3 or Grade 4 fabrics.
Grade 5 - Add $26 List
Grade 6 - Add $53 List
Grade 7 - Add $79 List
COM fabrics are available upon request.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Grade 3/Grade 4 Price	*LB*	*FT³*
PX0912-TILE-F	9	0.5	12	81	0.2	0.1
PX1512-TILE-F	15	0.5	12	228	1.9	0.1
PX1812-TILE-F	18	0.5	12	228	1.9	0.1
PX2012-TILE-F	20	0.5	12	248	2.6	0.1
PX2112-TILE-F	21	0.5	12	254	2.6	0.1
PX2412-TILE-F	24	0.5	12	254	2.6	0.1
PX2712-TILE-F	27	0.5	12	280	3.3	0.1
PX3012-TILE-F	30	0.5	12	280	3.3	0.1
PX3312-TILE-F	33	0.5	12	312	3.9	0.1
PX3612-TILE-F	36	0.5	12	312	3.9	0.1
PX3912-TILE-F	39	0.5	12	335	4.8	0.1
PX4212-TILE-F	42	0.5	12	335	4.8	0.1
PX4512-TILE-F	45	0.5	12	362	5.4	0.2
PX4812-TILE-F	48	0.5	12	362	5.4	0.2
PX5112-TILE-F	51	0.5	12	391	6.1	0.2
PX5412-TILE-F	54	0.5	12	391	6.1	0.2
PX5712-TILE-F	57	0.5	12	419	6.8	0.2
PX6012-TILE-F	60	0.5	12	419	6.8	0.2
PX6312-TILE-F	63	0.5	12	450	7.4	0.2
PX6612-TILE-F	66	0.5	12	450	7.4	0.2
PX6912-TILE-F	69	0.5	12	479	8.3	0.3
PX7212-TILE-F	72	0.5	12	479	8.3	0.3
PX7512-TILE-F	75	0.5	12	503	8.9	0.3
PX7812-TILE-F	78	0.5	12	503	8.9	0.3
PX8112-TILE-F	81	0.5	12	597	9.5	0.3
PX8412-TILE-F	84	0.5	12	597	9.5	0.3
PX8712-TILE-F	87	0.5	12	668	9.5	0.3



Fabric Insert

15" High
Fabric Insert

Tackable fabric panel upholstered on both sides

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Prices shown are based on use of Grade 3 or Grade 4 fabrics.
Grade 5 - Add $26 List
Grade 6 - Add $53 List
Grade 7 - Add $79 List
COM fabrics are available upon request.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Grade 3/Grade 4 Price	*LB*	*FT³*
PX0915-TILE-F	9	0.5	15	93	0.3	0.1
PX1515-TILE-F	15	0.5	15	284	2.3	0.1
PX1815-TILE-F	18	0.5	15	284	2.3	0.1
PX2015-TILE-F	20	0.5	15	298	3	0.1
PX2115-TILE-F	21	0.5	15	303	3	0.1
PX2415-TILE-F	24	0.5	15	303	3	0.1
PX2715-TILE-F	27	0.5	15	343	3.8	0.1
PX3015-TILE-F	30	0.5	15	343	3.8	0.1
PX3315-TILE-F	33	0.5	15	377	4.6	0.2
PX3615-TILE-F	36	0.5	15	377	4.6	0.2
PX3915-TILE-F	39	0.5	15	411	5.6	0.2
PX4215-TILE-F	42	0.5	15	411	5.6	0.2
PX4515-TILE-F	45	0.5	15	446	6.4	0.2
PX4815-TILE-F	48	0.5	15	446	6.4	0.2
PX5115-TILE-F	51	0.5	15	481	7.2	0.2
PX5415-TILE-F	54	0.5	15	481	7.2	0.2
PX5715-TILE-F	57	0.5	15	515	7.9	0.3
PX6015-TILE-F	60	0.5	15	515	7.9	0.3
PX6315-TILE-F	63	0.5	15	555	8.7	0.3
PX6615-TILE-F	66	0.5	15	555	8.7	0.3
PX6915-TILE-F	69	0.5	15	582	9.7	0.3
PX7215-TILE-F	72	0.5	15	582	9.7	0.3
PX7515-TILE-F	75	0.5	15	608	10.5	0.3
PX7815-TILE-F	78	0.5	15	608	10.5	0.3
PX8115-TILE-F	81	0.5	15	702	11	0.3
PX8415-TILE-F	84	0.5	15	702	11	0.3
PX8715-TILE-F	87	0.5	15	766	11	0.3

Specify fabric code when ordering; e.g. PX7212-TILE-F-VA10

Note: top and bottom beam finish will match selected post finish unless otherwise specified.



Fabric Insert

18" High
Fabric Insert

Tackable fabric panel upholstered on both sides

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Prices shown are based on use of Grade 3 or Grade 4 fabrics.
Grade 5 - Add $26 List
Grade 6 - Add $53 List
Grade 7 - Add $79 List
COM fabrics are available upon request.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Grade 3/Grade 4 Price	*LB*	*FT³*
PX0918-TILE-F	9	0.5	18	109	1.2	0.1
PX1518-TILE-F	15	0.5	18	335	2.6	0.1
PX1818-TILE-F	18	0.5	18	335	2.6	0.1
PX2018-TILE-F	20	0.5	18	355	3.5	0.1
PX2118-TILE-F	21	0.5	18	360	3.5	0.1
PX2418-TILE-F	24	0.5	18	360	3.5	0.1
PX2718-TILE-F	27	0.5	18	402	4.4	0.2
PX3018-TILE-F	30	0.5	18	402	4.4	0.2
PX3318-TILE-F	33	0.5	18	445	5.3	0.2
PX3618-TILE-F	36	0.5	18	445	5.3	0.2
PX3918-TILE-F	39	0.5	18	486	6.4	0.2
PX4218-TILE-F	42	0.5	18	486	6.4	0.2
PX4518-TILE-F	45	0.5	18	528	7.3	0.3
PX4818-TILE-F	48	0.5	18	528	7.3	0.3
PX5118-TILE-F	51	0.5	18	570	8.2	0.3
PX5418-TILE-F	54	0.5	18	570	8.2	0.3
PX5718-TILE-F	57	0.5	18	614	9.1	0.3
PX6018-TILE-F	60	0.5	18	614	9.1	0.3
PX6318-TILE-F	63	0.5	18	654	10	0.3
PX6618-TILE-F	66	0.5	18	654	10	0.3
PX6918-TILE-F	69	0.5	18	680	11.1	0.4
PX7218-TILE-F	72	0.5	18	680	11.1	0.4
PX7518-TILE-F	75	0.5	18	704	12.1	0.4
PX7818-TILE-F	78	0.5	18	704	12.1	0.4
PX8118-TILE-F	81	0.5	18	803	12.5	0.4
PX8418-TILE-F	84	0.5	18	803	12.5	0.4
PX8718-TILE-F	87	0.5	18	868	12.5	0.4



Fabric Insert

21" High
Fabric Insert

Tackable fabric panel upholstered on both sides

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Prices shown are based on use of Grade 3 or Grade 4 fabrics.
Grade 5 - Add $26 List
Grade 6 - Add $53 List
Grade 7 - Add $79 List
COM fabrics are available upon request.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Grade 3/Grade 4 Price	*LB*	*FT³*
PX0921-TILE-F	9	0.5	21	123	1.2	0.1
PX1521-TILE-F	15	0.5	21	365	2.9	0.1
PX1821-TILE-F	18	0.5	21	365	2.9	0.1
PX2021-TILE-F	20	0.5	21	388	3.9	0.1
PX2121-TILE-F	21	0.5	21	393	3.9	0.1
PX2421-TILE-F	24	0.5	21	393	3.9	0.1
PX2721-TILE-F	27	0.5	21	438	5	0.2
PX3021-TILE-F	30	0.5	21	438	5	0.2
PX3321-TILE-F	33	0.5	21	480	6	0.2
PX3621-TILE-F	36	0.5	21	480	6	0.2
PX3921-TILE-F	39	0.5	21	527	7.2	0.3
PX4221-TILE-F	42	0.5	21	527	7.2	0.3
PX4521-TILE-F	45	0.5	21	566	8.3	0.3
PX4821-TILE-F	48	0.5	21	566	8.3	0.3
PX5121-TILE-F	51	0.5	21	612	9.3	0.3
PX5421-TILE-F	54	0.5	21	612	9.3	0.3
PX5721-TILE-F	57	0.5	21	652	10.3	0.4
PX6021-TILE-F	60	0.5	21	652	10.3	0.4
PX6321-TILE-F	63	0.5	21	702	11.4	0.4
PX6621-TILE-F	66	0.5	21	702	11.4	0.4
PX6921-TILE-F	69	0.5	21	743	12.6	0.4
PX7221-TILE-F	72	0.5	21	743	12.6	0.4
PX7521-TILE-F	75	0.5	21	766	13.6	0.5
PX7821-TILE-F	78	0.5	21	766	13.6	0.5
PX8121-TILE-F	81	0.5	21	863	14	0.5
PX8421-TILE-F	84	0.5	21	863	14	0.5
PX8721-TILE-F	87	0.5	21	930	14	0.5

Specify fabric code when ordering; e.g. PX7218-TILE-F-VA10

Note: top and bottom beam finish will match selected post finish unless otherwise specified.



Fabric Insert

24" High
Fabric Insert

Tackable fabric panel upholstered on both sides

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Prices shown are based on use of Grade 3 or Grade 4 fabrics.
Grade 5 - Add $26 List
Grade 6 - Add $53 List
Grade 7 - Add $79 List
COM fabrics are available upon request.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Grade 3/Grade 4 Price	*LB*	*FT³*
PX0924-TILE-F	9	0.5	24	139	1.2	0.1
PX1524-TILE-F	15	0.5	24	398	3.2	0.1
PX1824-TILE-F	18	0.5	24	398	3.2	0.1
PX2024-TILE-F	20	0.5	24	419	4.4	0.2
PX2124-TILE-F	21	0.5	24	424	4.4	0.2
PX2424-TILE-F	24	0.5	24	424	4.4	0.2
PX2724-TILE-F	27	0.5	24	474	5.5	0.2
PX3024-TILE-F	30	0.5	24	474	5.5	0.2
PX3324-TILE-F	33	0.5	24	515	6.7	0.3
PX3624-TILE-F	36	0.5	24	515	6.7	0.3
PX3924-TILE-F	39	0.5	24	566	8	0.3
PX4224-TILE-F	42	0.5	24	566	8	0.3
PX4524-TILE-F	45	0.5	24	608	9.2	0.3
PX4824-TILE-F	48	0.5	24	608	9.2	0.3
PX5124-TILE-F	51	0.5	24	648	10.3	0.4
PX5424-TILE-F	54	0.5	24	648	10.3	0.4
PX5724-TILE-F	57	0.5	24	694	11.5	0.4
PX6024-TILE-F	60	0.5	24	694	11.5	0.4
PX6324-TILE-F	63	0.5	24	747	12.7	0.5
PX6624-TILE-F	66	0.5	24	747	12.7	0.5
PX6924-TILE-F	69	0.5	24	803	14	0.5
PX7224-TILE-F	72	0.5	24	803	14	0.5
PX7524-TILE-F	75	0.5	24	828	15.2	0.5
PX7824-TILE-F	78	0.5	24	828	15.2	0.5
PX8124-TILE-F	81	0.5	24	924	16	0.5
PX8424-TILE-F	84	0.5	24	924	16	0.5
PX8724-TILE-F	87	0.5	24	990	16	0.5



Fabric Insert

30" High
Fabric Insert

Tackable fabric panel upholstered on both sides

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Prices shown are based on use of Grade 3 or Grade 4 fabrics.
Grade 5 - Add $26 List
Grade 6 - Add $53 List
Grade 7 - Add $79 List
COM fabrics are available upon request.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Grade 3/Grade 4 Price	*LB*	*FT³*
PX0930-TILE-F	9	0.5	30	153	1.25	0.1
PX1530-TILE-F	15	0.5	30	557	3.8	0.1
PX1830-TILE-F	18	0.5	30	557	3.8	0.2
PX2030-TILE-F	20	0.5	30	579	5.2	0.2
PX2130-TILE-F	21	0.5	30	584	5.2	0.2
PX2430-TILE-F	24	0.5	30	584	5.2	0.2
PX2730-TILE-F	27	0.5	30	647	6.6	0.3
PX3030-TILE-F	30	0.5	30	647	6.6	0.3
PX3330-TILE-F	33	0.5	30	706	8	0.3
PX3630-TILE-F	36	0.5	30	706	8	0.3
PX3930-TILE-F	39	0.5	30	775	9.7	0.4
PX4230-TILE-F	42	0.5	30	775	9.7	0.4
PX4530-TILE-F	45	0.5	30	831	11.1	0.4
PX4830-TILE-F	48	0.5	30	831	11.1	0.4
PX5130-TILE-F	51	0.5	30	891	12.5	0.5
PX5430-TILE-F	54	0.5	30	891	12.5	0.5
PX5730-TILE-F	57	0.5	30	953	13.9	0.5
PX6030-TILE-F	60	0.5	30	953	13.9	0.5
PX6330-TILE-F	63	0.5	30	1023	15.3	0.6
PX6630-TILE-F	66	0.5	30	1023	15.3	0.6
PX6930-TILE-F	69	0.5	30	1089	16.9	0.6
PX7230-TILE-F	72	0.5	30	1089	16.9	0.6
PX7530-TILE-F	75	0.5	30	1114	18.3	0.7
PX7830-TILE-F	78	0.5	30	1114	18.3	0.7
PX8130-TILE-F	81	0.5	30	1210	19	0.7
PX8430-TILE-F	84	0.5	30	1210	19	0.7
PX8730-TILE-F	87	0.5	30	1274	19	0.7

Specify fabric code when ordering; e.g. PX7224-TILE-F-VA10

Note: top and bottom beam finish will match selected post finish unless otherwise specified.



Fabric Insert

36" High
Fabric Insert

Tackable fabric panel upholstered on both sides

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Prices shown are based on use of Grade 3 or Grade 4 fabrics.
Grade 5 - Add $26 List
Grade 6 - Add $53 List
Grade 7 - Add $79 List
COM fabrics are available upon request.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Grade 3/Grade 4 Price	*LB*	*FT³*
PX0936-TILE-F	9	0.5	36	158	1.3	0.1
PX1536-TILE-F	15	0.5	36	673	4.4	0.1
PX1836-TILE-F	18	0.5	36	673	4.4	0.2
PX2036-TILE-F	20	0.5	36	691	6.1	0.3
PX2136-TILE-F	21	0.5	36	697	6.1	0.3
PX2436-TILE-F	24	0.5	36	697	6.1	0.3
PX2736-TILE-F	27	0.5	36	773	7.8	0.3
PX3036-TILE-F	30	0.5	36	773	7.8	0.3
PX3336-TILE-F	33	0.5	36	849	9.4	0.4
PX3636-TILE-F	36	0.5	36	849	9.4	0.4
PX3936-TILE-F	39	0.5	36	924	11.3	0.4
PX4236-TILE-F	42	0.5	36	924	11.3	0.4
PX4536-TILE-F	45	0.5	36	996	12.9	0.5
PX4836-TILE-F	48	0.5	36	996	12.9	0.5
PX5136-TILE-F	51	0.5	36	1072	14.6	0.6
PX5436-TILE-F	54	0.5	36	1072	14.6	0.6
PX5736-TILE-F	57	0.5	36	1147	16.3	0.6
PX6036-TILE-F	60	0.5	36	1147	16.3	0.6
PX6336-TILE-F	63	0.5	36	1222	17.9	0.7
PX6636-TILE-F	66	0.5	36	1222	17.9	0.7
PX6936-TILE-F	69	0.5	36	1298	19.8	0.8
PX7236-TILE-F	72	0.5	36	1298	19.8	0.8
PX7536-TILE-F	75	0.5	36	1321	21.4	0.8
PX7836-TILE-F	78	0.5	36	1321	21.4	0.8
PX8136-TILE-F	81	0.5	36	1415	22	0.8
PX8436-TILE-F	84	0.5	36	1415	22	0.8
PX8736-TILE-F	87	0.5	36	1475	22	0.8

Specify fabric code when ordering; e.g. PX7236-TILE-F-VA10

Note: top and bottom beam finish will match selected post finish unless otherwise specified.

CLEAR RIBBED TILE INSERTS



Clear Ribbed Polycarbonate Insert

6" High Ribbed Polycarbonate Insert


Clear finish

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0906-TILE-C	9	0.5	6	43	0.1	0.1
PX1506-TILE-C	15	0.5	6	179	1.2	0.1
PX1806-TILE-C	18	0.5	6	179	1.2	0.1
PX2006-TILE-C	20	0.5	6	199	1.6	0.1
PX2106-TILE-C	21	0.5	6	204	1.6	0.1
PX2406-TILE-C	24	0.5	6	204	1.6	0.1
PX2706-TILE-C	27	0.5	6	218	2	0.1
PX3006-TILE-C	30	0.5	6	218	2	0.1
PX3306-TILE-C	33	0.5	6	239	2.3	0.1
PX3606-TILE-C	36	0.5	6	239	2.3	0.1
PX3906-TILE-C	39	0.5	6	259	2.9	0.1
PX4206-TILE-C	42	0.5	6	259	2.9	0.1
PX4506-TILE-C	45	0.5	6	280	3.3	0.1
PX4806-TILE-C	48	0.5	6	280	3.3	0.1
PX5106-TILE-C	51	0.5	6	300	3.6	0.1
PX5406-TILE-C	54	0.5	6	300	3.6	0.1
PX5706-TILE-C	57	0.5	6	342	4	0.1
PX6006-TILE-C	60	0.5	6	342	4	0.1
PX6306-TILE-C	63	0.5	6	361	4.4	0.1
PX6606-TILE-C	66	0.5	6	361	4.4	0.1
PX6906-TILE-C	69	0.5	6	398	4.9	0.1
PX7206-TILE-C	72	0.5	6	398	4.9	0.1
PX7506-TILE-C	75	0.5	6	422	5.3	0.1
PX7806-TILE-C	78	0.5	6	422	5.3	0.1
PX8106-TILE-C	81	0.5	6	521	5.7	0.1
PX8406-TILE-C	84	0.5	6	521	5.7	0.1
PX8706-TILE-C	87	0.5	6	585	5.7	0.1



Clear Ribbed Polycarbonate Insert

9" High Ribbed Polycarbonate Insert

Clear finish

Includes 1/2" thick top and bottom aluminum beams


9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

PX0909-TILE-C	9	0.5	9	58	0.2	0.1
PX1509-TILE-C	15	0.5	9	198	1.4	0.1
PX1809-TILE-C	18	0.5	9	198	1.4	0.1
PX2009-TILE-C	20	0.5	9	211	2	0.1
PX2109-TILE-C	21	0.5	9	216	2	0.1
PX2409-TILE-C	24	0.5	9	216	2	0.1
PX2709-TILE-C	27	0.5	9	236	2.5	0.1
PX3009-TILE-C	30	0.5	9	236	2.5	0.1
PX3309-TILE-C	33	0.5	9	258	2.8	0.1
PX3609-TILE-C	36	0.5	9	258	2.8	0.1
PX3909-TILE-C	39	0.5	9	284	3.6	0.1
PX4209-TILE-C	42	0.5	9	284	3.6	0.1
PX4509-TILE-C	45	0.5	9	302	4.1	0.2
PX4809-TILE-C	48	0.5	9	302	4.1	0.2
PX5109-TILE-C	51	0.5	9	326	4.4	0.2
PX5409-TILE-C	54	0.5	9	326	4.4	0.2
PX5709-TILE-C	57	0.5	9	347	5	0.2
PX6009-TILE-C	60	0.5	9	347	5	0.2
PX6309-TILE-C	63	0.5	9	375	5.5	0.2
PX6609-TILE-C	66	0.5	9	375	5.5	0.2
PX6909-TILE-C	69	0.5	9	398	6	0.2
PX7209-TILE-C	72	0.5	9	398	6	0.2
PX7509-TILE-C	75	0.5	9	428	6.6	0.2
PX7809-TILE-C	78	0.5	9	428	6.6	0.2
PX8109-TILE-C	81	0.5	9	527	6.9	0.2
PX8409-TILE-C	84	0.5	9	527	6.9	0.2
PX8709-TILE-C	87	0.5	9	591	6.9	0.2

Note: top and bottom beam finish will match selected post finish unless otherwise specified.

CLEAR RIBBED TILE INSERTS



Clear Ribbed Polycarbonate Insert

12" High Ribbed Polycarbonate Insert


Clear finish

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0912-TILE-C	9	0.5	12	72	0.2	0.1
PX1512-TILE-C	15	0.5	12	207	1.7	0.1
PX1812-TILE-C	18	0.5	12	207	1.7	0.1
PX2012-TILE-C	20	0.5	12	218	2.3	0.1
PX2112-TILE-C	21	0.5	12	224	2.3	0.1
PX2412-TILE-C	24	0.5	12	224	2.3	0.1
PX2712-TILE-C	27	0.5	12	245	2.9	0.1
PX3012-TILE-C	30	0.5	12	245	2.9	0.1
PX3312-TILE-C	33	0.5	12	267	3.4	0.1
PX3612-TILE-C	36	0.5	12	267	3.4	0.1
PX3912-TILE-C	39	0.5	12	291	4.2	0.1
PX4212-TILE-C	42	0.5	12	291	4.2	0.1
PX4512-TILE-C	45	0.5	12	315	4.8	0.2
PX4812-TILE-C	48	0.5	12	315	4.8	0.2
PX5112-TILE-C	51	0.5	12	335	5.3	0.2
PX5412-TILE-C	54	0.5	12	335	5.3	0.2
PX5712-TILE-C	57	0.5	12	357	5.9	0.2
PX6012-TILE-C	60	0.5	12	357	5.9	0.2
PX6312-TILE-C	63	0.5	12	381	6.5	0.2
PX6612-TILE-C	66	0.5	12	381	6.5	0.2
PX6912-TILE-C	69	0.5	12	406	7.2	0.3
PX7212-TILE-C	72	0.5	12	406	7.2	0.3
PX7512-TILE-C	75	0.5	12	438	7.8	0.3
PX7812-TILE-C	78	0.5	12	438	7.8	0.3
PX8112-TILE-C	81	0.5	12	535	8.2	0.3
PX8412-TILE-C	84	0.5	12	535	8.2	0.3
PX8712-TILE-C	87	0.5	12	597	8.2	0.3



Clear Ribbed Polycarbonate Insert

15" High Ribbed Polycarbonate Insert

Clear finish


Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

PX0915-TILE-C	9	0.5	15	86	0.2	0.1
PX1515-TILE-C	15	0.5	15	273	2.0	0.1
PX1815-TILE-C	18	0.5	15	273	2	0.1
PX2015-TILE-C	20	0.5	15	274	2.6	0.1
PX2115-TILE-C	21	0.5	15	279	2.6	0.1
PX2415-TILE-C	24	0.5	15	279	2.6	0.1
PX2715-TILE-C	27	0.5	15	301	3.3	0.1
PX3015-TILE-C	30	0.5	15	301	3.3	0.1
PX3315-TILE-C	33	0.5	15	331	4	0.2
PX3615-TILE-C	36	0.5	15	331	4	0.2
PX3915-TILE-C	39	0.5	15	360	4.8	0.2
PX4215-TILE-C	42	0.5	15	360	4.8	0.2
PX4515-TILE-C	45	0.5	15	389	5.5	0.2
PX4815-TILE-C	48	0.5	15	389	5.5	0.2
PX5115-TILE-C	51	0.5	15	421	6.2	0.2
PX5415-TILE-C	54	0.5	15	421	6.2	0.2
PX5715-TILE-C	57	0.5	15	448	6.8	0.3
PX6015-TILE-C	60	0.5	15	448	6.8	0.3
PX6315-TILE-C	63	0.5	15	477	7.5	0.3
PX6615-TILE-C	66	0.5	15	477	7.5	0.3
PX6915-TILE-C	69	0.5	15	506	8.4	0.3
PX7215-TILE-C	72	0.5	15	506	8.4	0.3
PX7515-TILE-C	75	0.5	15	524	9	0.3
PX7815-TILE-C	78	0.5	15	524	9	0.3
PX8115-TILE-C	81	0.5	15	619	9.5	0.3
PX8415-TILE-C	84	0.5	15	619	9.5	0.3
PX8715-TILE-C	87	0.5	15	683	9.5	0.3

Note: top and bottom beam finish will match selected post finish unless otherwise specified.



Clear Ribbed Polycarbonate Insert

18" High Ribbed Polycarbonate Insert


Clear finish

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0918-TILE-C	9	0.5	18	102	1.1	0.1
PX1518-TILE-C	15	0.5	18	324	2.2	0.1
PX1818-TILE-C	18	0.5	18	324	2.2	0.1
PX2018-TILE-C	20	0.5	18	342	3	0.1
PX2118-TILE-C	21	0.5	18	347	3	0.1
PX2418-TILE-C	24	0.5	18	347	3	0.1
PX2718-TILE-C	27	0.5	18	360	3.8	0.2
PX3018-TILE-C	30	0.5	18	360	3.8	0.2
PX3318-TILE-C	33	0.5	18	396	4.5	0.2
PX3618-TILE-C	36	0.5	18	396	4.5	0.2
PX3918-TILE-C	39	0.5	18	428	5.5	0.2
PX4218-TILE-C	42	0.5	18	428	5.5	0.2
PX4518-TILE-C	45	0.5	18	465	6.3	0.3
PX4818-TILE-C	48	0.5	18	465	6.3	0.3
PX5118-TILE-C	51	0.5	18	503	7	0.3
PX5418-TILE-C	54	0.5	18	503	7	0.3
PX5718-TILE-C	57	0.5	18	537	7.8	0.3
PX6018-TILE-C	60	0.5	18	537	7.8	0.3
PX6318-TILE-C	63	0.5	18	574	8.6	0.3
PX6618-TILE-C	66	0.5	18	574	8.6	0.3
PX6918-TILE-C	69	0.5	18	585	9.5	0.4
PX7218-TILE-C	72	0.5	18	585	9.5	0.4
PX7518-TILE-C	75	0.5	18	611	10.3	0.4
PX7818-TILE-C	78	0.5	18	611	10.3	0.4
PX8118-TILE-C	81	0.5	18	704	10.7	0.4
PX8418-TILE-C	84	0.5	18	704	10.7	0.4
PX8718-TILE-C	87	0.5	18	771	10.7	0.4



Clear Ribbed Polycarbonate Insert

21" High Ribbed Polycarbonate Insert

Clear finish

Includes 1/2" thick top and bottom aluminum beams


9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

PX0921-TILE-C	9	0.5	21	115	1.1	0.1
PX1521-TILE-C	15	0.5	21	342	2.5	0.1
PX1821-TILE-C	18	0.5	21	342	2.5	0.1
PX2021-TILE-C	20	0.5	21	359	3.3	0.1
PX2121-TILE-C	21	0.5	21	364	3.3	0.1
PX2421-TILE-C	24	0.5	21	364	3.3	0.1
PX2721-TILE-C	27	0.5	21	400	4.2	0.2
PX3021-TILE-C	30	0.5	21	400	4.2	0.2
PX3321-TILE-C	33	0.5	21	438	5.1	0.2
PX3621-TILE-C	36	0.5	21	438	5.1	0.2
PX3921-TILE-C	39	0.5	21	480	6.1	0.3
PX4221-TILE-C	42	0.5	21	480	6.1	0.3
PX4521-TILE-C	45	0.5	21	506	7	0.3
PX4821-TILE-C	48	0.5	21	506	7	0.3
PX5121-TILE-C	51	0.5	21	541	7.9	0.3
PX5421-TILE-C	54	0.5	21	541	7.9	0.3
PX5721-TILE-C	57	0.5	21	580	8.7	0.4
PX6021-TILE-C	60	0.5	21	580	8.7	0.4
PX6321-TILE-C	63	0.5	21	616	9.6	0.4
PX6621-TILE-C	66	0.5	21	616	9.6	0.4
PX6921-TILE-C	69	0.5	21	655	10.7	0.4
PX7221-TILE-C	72	0.5	21	655	10.7	0.4
PX7521-TILE-C	75	0.5	21	680	11.5	0.5
PX7821-TILE-C	78	0.5	21	680	11.5	0.5
PX8121-TILE-C	81	0.5	21	777	12	0.5
PX8421-TILE-C	84	0.5	21	777	12	0.5
PX8721-TILE-C	87	0.5	21	842	12	0.5

Note: top and bottom beam finish will match selected post finish unless otherwise specified.

CLEAR RIBBED TILE INSERTS



Clear Ribbed Polycarbonate Insert

24" High Ribbed Polycarbonate Insert


Clear finish

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0924-TILE-C	9	0.5	24	131	1.2	0.1
PX1524-TILE-C	15	0.5	24	381	2.7	0.1
PX1824-TILE-C	18	0.5	24	381	2.7	0.1
PX2024-TILE-C	20	0.5	24	401	3.7	0.2
PX2124-TILE-C	21	0.5	24	406	3.7	0.2
PX2424-TILE-C	24	0.5	24	406	3.7	0.2
PX2724-TILE-C	27	0.5	24	438	4.7	0.2
PX3024-TILE-C	30	0.5	24	438	4.7	0.2
PX3324-TILE-C	33	0.5	24	479	5.6	0.3
PX3624-TILE-C	36	0.5	24	479	5.6	0.3
PX3924-TILE-C	39	0.5	24	530	6.8	0.3
PX4224-TILE-C	42	0.5	24	530	6.8	0.3
PX4524-TILE-C	45	0.5	24	550	7.8	0.3
PX4824-TILE-C	48	0.5	24	550	7.8	0.3
PX5124-TILE-C	51	0.5	24	582	8.7	0.4
PX5424-TILE-C	54	0.5	24	582	8.7	0.4
PX5724-TILE-C	57	0.5	24	616	9.7	0.4
PX6024-TILE-C	60	0.5	24	616	9.7	0.4
PX6324-TILE-C	63	0.5	24	658	10.7	0.5
PX6624-TILE-C	66	0.5	24	658	10.7	0.5
PX6924-TILE-C	69	0.5	24	704	11.8	0.5
PX7224-TILE-C	72	0.5	24	704	11.8	0.5
PX7524-TILE-C	75	0.5	24	731	12.8	0.5
PX7824-TILE-C	78	0.5	24	731	12.8	0.5
PX8124-TILE-C	81	0.5	24	828	13.2	0.5
PX8424-TILE-C	84	0.5	24	828	13.2	0.5
PX8724-TILE-C	87	0.5	24	891	13.2	0.5



Clear Ribbed Polycarbonate Insert

30" High Ribbed Polycarbonate Insert

Clear finish

Includes 1/2" thick top and bottom aluminum beams


9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

PX0930-TILE-C	9	0.5	30	144	1.25	0.2
PX1530-TILE-C	15	0.5	30	495	3.2	0.2
PX1830-TILE-C	18	0.5	30	495	3.2	0.2
PX2030-TILE-C	20	0.5	30	515	4.4	0.2
PX2130-TILE-C	21	0.5	30	521	4.4	0.2
PX2430-TILE-C	24	0.5	30	521	4.4	0.2
PX2730-TILE-C	27	0.5	30	566	5.6	0.3
PX3030-TILE-C	30	0.5	30	566	5.6	0.3
PX3330-TILE-C	33	0.5	30	619	6.7	0.3
PX3630-TILE-C	36	0.5	30	619	6.7	0.3
PX3930-TILE-C	39	0.5	30	677	8.1	0.4
PX4230-TILE-C	42	0.5	30	677	8.1	0.4
PX4530-TILE-C	45	0.5	30	719	9.3	0.4
PX4830-TILE-C	48	0.5	30	719	9.3	0.4
PX5130-TILE-C	51	0.5	30	766	10.4	0.5
PX5430-TILE-C	54	0.5	30	766	10.4	0.5
PX5730-TILE-C	57	0.5	30	817	11.6	0.5
PX6030-TILE-C	60	0.5	30	817	11.6	0.5
PX6330-TILE-C	63	0.5	30	871	12.8	0.6
PX6630-TILE-C	66	0.5	30	871	12.8	0.6
PX6930-TILE-C	69	0.5	30	924	14.1	0.6
PX7230-TILE-C	72	0.5	30	924	14.1	0.6
PX7530-TILE-C	75	0.5	30	949	15.3	0.7
PX7830-TILE-C	78	0.5	30	949	15.3	0.7
PX8130-TILE-C	81	0.5	30	1044	15.7	0.7
PX8430-TILE-C	84	0.5	30	1044	15.7	0.7
PX8730-TILE-C	87	0.5	30	1112	15.7	0.7

Note: top and bottom beam finish will match selected post finish unless otherwise specified.

CLEAR RIBBED TILE INSERTS



Clear Ribbed Polycarbonate Insert

36" High Ribbed Polycarbonate Insert

Clear finish

Includes 1/2" thick top and bottom aluminum beams

Model No.	W	D	H	Price	LB	FT³
PX0936-TILE-C	9	0.5	36	152	1.3	0.2
PX1536-TILE-C	15	0.5	36	574	3.7	0.2
PX1836-TILE-C	18	0.5	36	574	3.7	0.2
PX2036-TILE-C	20	0.5	36	594	5.1	0.3
PX2136-TILE-C	21	0.5	36	599	5.1	0.3
PX2436-TILE-C	24	0.5	36	599	5.1	0.3
PX2736-TILE-C	27	0.5	36	658	6.5	0.3
PX3036-TILE-C	30	0.5	36	658	6.5	0.3
PX3336-TILE-C	33	0.5	36	720	7.8	0.4
PX3636-TILE-C	36	0.5	36	720	7.8	0.4
PX3936-TILE-C	39	0.5	36	776	9.4	0.4
PX4236-TILE-C	42	0.5	36	776	9.4	0.4
PX4536-TILE-C	45	0.5	36	840	10.8	0.5
PX4836-TILE-C	48	0.5	36	840	10.8	0.5
PX5136-TILE-C	51	0.5	36	898	12.1	0.6
PX5436-TILE-C	54	0.5	36	898	12.1	0.6
PX5736-TILE-C	57	0.5	36	959	13.5	0.6
PX6036-TILE-C	60	0.5	36	959	13.5	0.6
PX6336-TILE-C	63	0.5	36	1019	14.9	0.7
PX6636-TILE-C	66	0.5	36	1019	14.9	0.7
PX6936-TILE-C	69	0.5	36	1078	16.4	0.8
PX7236-TILE-C	72	0.5	36	1078	16.4	0.8
PX7536-TILE-C	75	0.5	36	1102	17.8	0.8
PX7836-TILE-C	78	0.5	36	1102	17.8	0.8
PX8136-TILE-C	81	0.5	36	1192	18.2	0.8
PX8436-TILE-C	84	0.5	36	1192	18.2	0.8
PX8736-TILE-C	87	0.5	36	1253	18.2	0.8

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Note: top and bottom beam finish will match selected post finish unless otherwise specified.



Frosted Acrylic Insert

6" High
Frosted Acrylic Insert

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0906-TILE-Z	9	0.5	6	54	0.1	0.1
PX1506-TILE-Z	15	0.5	6	254	1.3	0.1
PX1806-TILE-Z	18	0.5	6	254	1.3	0.1
PX2006-TILE-Z	20	0.5	6	278	1.7	0.1
PX2106-TILE-Z	21	0.5	6	284	1.7	0.1
PX2406-TILE-Z	24	0.5	6	284	1.7	0.1
PX2706-TILE-Z	27	0.5	6	314	2.1	0.1
PX3006-TILE-Z	30	0.5	6	314	2.1	0.1
PX3306-TILE-Z	33	0.5	6	342	2.5	0.1
PX3606-TILE-Z	36	0.5	6	342	2.5	0.1
PX3906-TILE-Z	39	0.5	6	375	3.2	0.1
PX4206-TILE-Z	42	0.5	6	375	3.2	0.1
PX4506-TILE-Z	45	0.5	6	400	3.6	0.1
PX4806-TILE-Z	48	0.5	6	400	3.6	0.1
PX5106-TILE-Z	51	0.5	6	431	4	0.1
PX5406-TILE-Z	54	0.5	6	431	4	0.1
PX5706-TILE-Z	57	0.5	6	457	4.4	0.1
PX6006-TILE-Z	60	0.5	6	457	4.4	0.1
PX6306-TILE-Z	63	0.5	6	486	4.8	0.1
PX6606-TILE-Z	66	0.5	6	486	4.8	0.1
PX6906-TILE-Z	69	0.5	6	527	5.4	0.1
PX7206-TILE-Z	72	0.5	6	527	5.4	0.1
PX7506-TILE-Z	75	0.5	6	556	5.8	0.1
PX7806-TILE-Z	78	0.5	6	556	5.8	0.1
PX8106-TILE-Z	81	0.5	6	651	6.2	0.1
PX8406-TILE-Z	84	0.5	6	651	6.2	0.1
PX8706-TILE-Z	87	0.5	6	717	6.2	0.1



Frosted Acrylic Insert

9" High
Frosted Acrylic Insert

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

PX0909-TILE-Z	9	0.5	9	66	0.2	0.1
PX1509-TILE-Z	15	0.5	9	267	1.5	0.1
PX1809-TILE-Z	18	0.5	9	267	1.5	0.1
PX2009-TILE-Z	20	0.5	9	291	2.2	0.1
PX2109-TILE-Z	21	0.5	9	296	2.2	0.1
PX2409-TILE-Z	24	0.5	9	296	2.2	0.1
PX2709-TILE-Z	27	0.5	9	330	2.8	0.1
PX3009-TILE-Z	30	0.5	9	330	2.8	0.1
PX3309-TILE-Z	33	0.5	9	361	3.2	0.1
PX3609-TILE-Z	36	0.5	9	361	3.2	0.1
PX3909-TILE-Z	39	0.5	9	394	4	0.1
PX4209-TILE-Z	42	0.5	9	394	4	0.1
PX4509-TILE-Z	45	0.5	9	427	4.4	0.2
PX4809-TILE-Z	48	0.5	9	427	4.4	0.2
PX5109-TILE-Z	51	0.5	9	460	5	0.2
PX5409-TILE-Z	54	0.5	9	460	5	0.2
PX5709-TILE-Z	57	0.5	9	492	5.7	0.2
PX6009-TILE-Z	60	0.5	9	492	5.7	0.2
PX6309-TILE-Z	63	0.5	9	530	6.1	0.2
PX6609-TILE-Z	66	0.5	9	530	6.1	0.2
PX6909-TILE-Z	69	0.5	9	564	6.9	0.2
PX7209-TILE-Z	72	0.5	9	564	6.9	0.2
PX7509-TILE-Z	75	0.5	9	593	7.3	0.2
PX7809-TILE-Z	78	0.5	9	593	7.3	0.2
PX8109-TILE-Z	81	0.5	9	693	7.6	0.2
PX8409-TILE-Z	84	0.5	9	693	7.6	0.2
PX8709-TILE-Z	87	0.5	9	758	7.6	0.2

Note: top and bottom beam finish will match selected post finish unless otherwise specified.



Frosted Acrylic Insert

12" High
Frosted Acrylic Insert

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0912-TILE-Z	9	0.5	12	83	0.2	0.1
PX1512-TILE-Z	15	0.5	12	273	1.9	0.1
PX1812-TILE-Z	18	0.5	12	273	1.9	0.1
PX2012-TILE-Z	20	0.5	12	296	2.6	0.1
PX2112-TILE-Z	21	0.5	12	301	2.6	0.1
PX2412-TILE-Z	24	0.5	12	301	2.6	0.1
PX2712-TILE-Z	27	0.5	12	337	3.3	0.1
PX3012-TILE-Z	30	0.5	12	337	3.3	0.1
PX3312-TILE-Z	33	0.5	12	368	3.9	0.1
PX3612-TILE-Z	36	0.5	12	368	3.9	0.1
PX3912-TILE-Z	39	0.5	12	402	4.8	0.1
PX4212-TILE-Z	42	0.5	12	402	4.8	0.1
PX4512-TILE-Z	45	0.5	12	436	5.4	0.2
PX4812-TILE-Z	48	0.5	12	436	5.4	0.2
PX5112-TILE-Z	51	0.5	12	468	6.1	0.2
PX5412-TILE-Z	54	0.5	12	468	6.1	0.2
PX5712-TILE-Z	57	0.5	12	500	6.8	0.2
PX6012-TILE-Z	60	0.5	12	500	6.8	0.2
PX6312-TILE-Z	63	0.5	12	537	7.4	0.2
PX6612-TILE-Z	66	0.5	12	537	7.4	0.2
PX6912-TILE-Z	69	0.5	12	576	8.3	0.3
PX7212-TILE-Z	72	0.5	12	576	8.3	0.3
PX7512-TILE-Z	75	0.5	12	607	8.9	0.3
PX7812-TILE-Z	78	0.5	12	607	8.9	0.3
PX8112-TILE-Z	81	0.5	12	701	9.3	0.3
PX8412-TILE-Z	84	0.5	12	701	9.3	0.3
PX8712-TILE-Z	87	0.5	12	765	9.3	0.3



Frosted Acrylic Insert

15" High
Frosted Acrylic Insert

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

PX0915-TILE-Z	9	0.5	15	97	0.3	0.1
PX1515-TILE-Z	15	0.5	15	339	2.3	0.1
PX1815-TILE-Z	18	0.5	15	339	2.3	0.1
PX2015-TILE-Z	20	0.5	15	362	3	0.1
PX2115-TILE-Z	21	0.5	15	367	3	0.1
PX2415-TILE-Z	24	0.5	15	367	3	0.1
PX2715-TILE-Z	27	0.5	15	410	3.8	0.1
PX3015-TILE-Z	30	0.5	15	410	3.8	0.1
PX3315-TILE-Z	33	0.5	15	451	4.6	0.2
PX3615-TILE-Z	36	0.5	15	451	4.6	0.2
PX3915-TILE-Z	39	0.5	15	495	5.6	0.2
PX4215-TILE-Z	42	0.5	15	495	5.6	0.2
PX4515-TILE-Z	45	0.5	15	535	6.4	0.2
PX4815-TILE-Z	48	0.5	15	535	6.4	0.2
PX5115-TILE-Z	51	0.5	15	580	7.2	0.2
PX5415-TILE-Z	54	0.5	15	580	7.2	0.2
PX5715-TILE-Z	57	0.5	15	618	7.9	0.3
PX6015-TILE-Z	60	0.5	15	618	7.9	0.3
PX6315-TILE-Z	63	0.5	15	662	8.7	0.3
PX6615-TILE-Z	66	0.5	15	662	8.7	0.3
PX6915-TILE-Z	69	0.5	15	699	9.7	0.3
PX7215-TILE-Z	72	0.5	15	699	9.7	0.3
PX7515-TILE-Z	75	0.5	15	726	10.5	0.3
PX7815-TILE-Z	78	0.5	15	726	10.5	0.3
PX8115-TILE-Z	81	0.5	15	823	11	0.3
PX8415-TILE-Z	84	0.5	15	823	11	0.3
PX8715-TILE-Z	87	0.5	15	887	11	0.3

Note: top and bottom beam finish will match selected post finish unless otherwise specified.

FROSTED ACRYLIC TILE INSERTS



Frosted Acrylic Insert

18" High
Frosted Acrylic Insert

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0918-TILE-Z	9	0.5	18	112	1.2	0.1
PX1518-TILE-Z	15	0.5	18	402	2.6	0.1
PX1818-TILE-Z	18	0.5	18	402	2.6	0.1
PX2018-TILE-Z	20	0.5	18	425	3.5	0.1
PX2118-TILE-Z	21	0.5	18	431	3.5	0.1
PX2418-TILE-Z	24	0.5	18	431	3.5	0.1
PX2718-TILE-Z	27	0.5	18	482	4.4	0.2
PX3018-TILE-Z	30	0.5	18	482	4.4	0.2
PX3318-TILE-Z	33	0.5	18	533	5.3	0.2
PX3618-TILE-Z	36	0.5	18	533	5.3	0.2
PX3918-TILE-Z	39	0.5	18	585	6.4	0.2
PX4218-TILE-Z	42	0.5	18	585	6.4	0.2
PX4518-TILE-Z	45	0.5	18	637	7.3	0.3
PX4818-TILE-Z	48	0.5	18	637	7.3	0.3
PX5118-TILE-Z	51	0.5	18	682	8.2	0.3
PX5418-TILE-Z	54	0.5	18	682	8.2	0.3
PX5718-TILE-Z	57	0.5	18	737	9.1	0.3
PX6018-TILE-Z	60	0.5	18	737	9.1	0.3
PX6318-TILE-Z	63	0.5	18	785	10	0.3
PX6618-TILE-Z	66	0.5	18	785	10	0.3
PX6918-TILE-Z	69	0.5	18	817	11.1	0.4
PX7218-TILE-Z	72	0.5	18	817	11.1	0.4
PX7518-TILE-Z	75	0.5	18	845	12.1	0.4
PX7818-TILE-Z	78	0.5	18	845	12.1	0.4
PX8118-TILE-Z	81	0.5	18	944	12.5	0.4
PX8418-TILE-Z	84	0.5	18	944	12.5	0.4
PX8718-TILE-Z	87	0.5	18	1010	12.5	0.4



Frosted Acrylic Insert

21" High
Frosted Acrylic Insert

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

PX0921-TILE-Z	9	0.5	21	127	1.2	0.1
PX1521-TILE-Z	15	0.5	21	441	2.9	0.1
PX1821-TILE-Z	18	0.5	21	441	2.9	0.1
PX2021-TILE-Z	20	0.5	21	467	3.9	0.1
PX2121-TILE-Z	21	0.5	21	472	3.9	0.1
PX2421-TILE-Z	24	0.5	21	472	3.9	0.1
PX2721-TILE-Z	27	0.5	21	526	5	0.2
PX3021-TILE-Z	30	0.5	21	526	5	0.2
PX3321-TILE-Z	33	0.5	21	578	6	0.2
PX3621-TILE-Z	36	0.5	21	578	6	0.2
PX3921-TILE-Z	39	0.5	21	635	7.2	0.3
PX4221-TILE-Z	42	0.5	21	635	7.2	0.3
PX4521-TILE-Z	45	0.5	21	680	8.3	0.3
PX4821-TILE-Z	48	0.5	21	680	8.3	0.3
PX5121-TILE-Z	51	0.5	21	732	9.3	0.3
PX5421-TILE-Z	54	0.5	21	732	9.3	0.3
PX5721-TILE-Z	57	0.5	21	783	10.3	0.4
PX6021-TILE-Z	60	0.5	21	783	10.3	0.4
PX6321-TILE-Z	63	0.5	21	842	11.4	0.4
PX6621-TILE-Z	66	0.5	21	842	11.4	0.4
PX6921-TILE-Z	69	0.5	21	891	12.6	0.4
PX7221-TILE-Z	72	0.5	21	891	12.6	0.4
PX7521-TILE-Z	75	0.5	21	921	13.6	0.5
PX7821-TILE-Z	78	0.5	21	921	13.6	0.5
PX8121-TILE-Z	81	0.5	21	1017	14	0.5
PX8421-TILE-Z	84	0.5	21	1017	14	0.5
PX8721-TILE-Z	87	0.5	21	1083	14	0.5

Note: top and bottom beam finish will match selected post finish unless otherwise specified.

FROSTED ACRYLIC TILE INSERTS



Frosted Acrylic Insert


24" High
Frosted Acrylic Insert

Includes 1/2" thick top and bottom aluminum beams

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0924-TILE-Z	9	0.5	24	141	1.2	0.1
PX1524-TILE-Z	15	0.5	24	477	3.2	0.1
PX1824-TILE-Z	18	0.5	24	477	3.2	0.1
PX2024-TILE-Z	20	0.5	24	505	4.4	0.2
PX2124-TILE-Z	21	0.5	24	510	4.4	0.2
PX2424-TILE-Z	24	0.5	24	510	4.4	0.2
PX2724-TILE-Z	27	0.5	24	566	5.5	0.2
PX3024-TILE-Z	30	0.5	24	566	5.5	0.2
PX3324-TILE-Z	33	0.5	24	618	6.7	0.3
PX3624-TILE-Z	36	0.5	24	618	6.7	0.3
PX3924-TILE-Z	39	0.5	24	680	8	0.3
PX4224-TILE-Z	42	0.5	24	680	8	0.3
PX4524-TILE-Z	45	0.5	24	726	9.2	0.3
PX4824-TILE-Z	48	0.5	24	726	9.2	0.3
PX5124-TILE-Z	51	0.5	24	777	10.3	0.4
PX5424-TILE-Z	54	0.5	24	777	10.3	0.4
PX5724-TILE-Z	57	0.5	24	833	11.5	0.4
PX6024-TILE-Z	60	0.5	24	833	11.5	0.4
PX6324-TILE-Z	63	0.5	24	898	12.7	0.5
PX6624-TILE-Z	66	0.5	24	898	12.7	0.5
PX6924-TILE-Z	69	0.5	24	963	14	0.5
PX7224-TILE-Z	72	0.5	24	963	14	0.5
PX7524-TILE-Z	75	0.5	24	993	15.2	0.5
PX7824-TILE-Z	78	0.5	24	993	15.2	0.5
PX8124-TILE-Z	81	0.5	24	1089	15.6	0.5
PX8424-TILE-Z	84	0.5	24	1089	15.6	0.5
PX8724-TILE-Z	87	0.5	24	1153	15.6	0.5



Frosted Acrylic Insert

30" High
Frosted Acrylic Insert

Includes 1/2" thick top and bottom aluminum beams


9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

PX0930-TILE-Z	9	0.5	30	156	1.25	0.2
PX1530-TILE-Z	15	0.5	30	671	3.8	0.2
PX1830-TILE-Z	18	0.5	30	671	3.8	0.2
PX2030-TILE-Z	20	0.5	30	694	5.2	0.2
PX2130-TILE-Z	21	0.5	30	700	5.2	0.2
PX2430-TILE-Z	24	0.5	30	700	5.2	0.2
PX2730-TILE-Z	27	0.5	30	776	6.6	0.3
PX3030-TILE-Z	30	0.5	30	776	6.6	0.3
PX3330-TILE-Z	33	0.5	30	846	8	0.3
PX3630-TILE-Z	36	0.5	30	846	8	0.3
PX3930-TILE-Z	39	0.5	30	932	9.7	0.4
PX4230-TILE-Z	42	0.5	30	932	9.7	0.4
PX4530-TILE-Z	45	0.5	30	996	11.1	0.4
PX4830-TILE-Z	48	0.5	30	996	11.1	0.4
PX5130-TILE-Z	51	0.5	30	1070	12.5	0.5
PX5430-TILE-Z	54	0.5	30	1070	12.5	0.5
PX5730-TILE-Z	57	0.5	30	1146	13.9	0.5
PX6030-TILE-Z	60	0.5	30	1146	13.9	0.5
PX6330-TILE-Z	63	0.5	30	1229	15.3	0.6
PX6630-TILE-Z	66	0.5	30	1229	15.3	0.6
PX6930-TILE-Z	69	0.5	30	1306	16.9	0.6
PX7230-TILE-Z	72	0.5	30	1306	16.9	0.6
PX7530-TILE-Z	75	0.5	30	1335	18.3	0.7
PX7830-TILE-Z	78	0.5	30	1335	18.3	0.7
PX8130-TILE-Z	81	0.5	30	1432	18.7	0.7
PX8430-TILE-Z	84	0.5	30	1432	18.7	0.7
PX8730-TILE-Z	87	0.5	30	1499	18.7	0.7

Note: top and bottom beam finish will match selected post finish unless otherwise specified.

FROSTED ACRYLIC TILE INSERTS



Frosted Acrylic Insert

36" High
Frosted Acrylic Insert

Includes 1/2" thick top and bottom aluminum beams

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0936-TILE-Z	9	0.5	36	160	1.3	0.2
PX1536-TILE-Z	15	0.5	36	807	4.4	0.2
PX1836-TILE-Z	18	0.5	36	807	4.4	0.2
PX2036-TILE-Z	20	0.5	36	830	6.1	0.3
PX2136-TILE-Z	21	0.5	36	835	6.1	0.3
PX2436-TILE-Z	24	0.5	36	835	6.1	0.3
PX2736-TILE-Z	27	0.5	36	925	7.8	0.3
PX3036-TILE-Z	30	0.5	36	925	7.8	0.3
PX3336-TILE-Z	33	0.5	36	1017	9.4	0.4
PX3636-TILE-Z	36	0.5	36	1017	9.4	0.4
PX3936-TILE-Z	39	0.5	36	1110	11.3	0.4
PX4236-TILE-Z	42	0.5	36	1110	11.3	0.4
PX4536-TILE-Z	45	0.5	36	1192	12.9	0.5
PX4836-TILE-Z	48	0.5	36	1192	12.9	0.5
PX5136-TILE-Z	51	0.5	36	1284	14.6	0.6
PX5436-TILE-Z	54	0.5	36	1284	14.6	0.6
PX5736-TILE-Z	57	0.5	36	1377	16.3	0.6
PX6036-TILE-Z	60	0.5	36	1377	16.3	0.6
PX6336-TILE-Z	63	0.5	36	1469	17.9	0.7
PX6636-TILE-Z	66	0.5	36	1469	17.9	0.7
PX6936-TILE-Z	69	0.5	36	1559	19.8	0.8
PX7236-TILE-Z	72	0.5	36	1559	19.8	0.8
PX7536-TILE-Z	75	0.5	36	1585	21.4	0.8
PX7836-TILE-Z	78	0.5	36	1585	21.4	0.8
PX8136-TILE-Z	81	0.5	36	1679	21.8	0.8
PX8436-TILE-Z	84	0.5	36	1679	21.8	0.8
PX8736-TILE-Z	87	0.5	36	1740	21.8	0.8

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Shown insert widths are representative of worksurface widths. Actual Insert widths are 4.25" less than shown.

Note: top and bottom beam finish will match selected post finish unless otherwise specified.



Laminate Insert

6" High
Laminate Insert

5/8" thick thermofused laminate
Finished on both sides
Edged on top and bottom

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0906-TILE-L	9	0.5	6	38	0.1	0.1
PX1506-TILE-L	15	0.5	6	147	1.4	0.1
PX1806-TILE-L	18	0.5	6	147	1.4	0.1
PX2006-TILE-L	20	0.5	6	157	1.8	0.1
PX2106-TILE-L	21	0.5	6	162	1.8	0.1
PX2406-TILE-L	24	0.5	6	162	1.8	0.1
PX2706-TILE-L	27	0.5	6	179	2.2	0.1
PX3006-TILE-L	30	0.5	6	179	2.2	0.1
PX3306-TILE-L	33	0.5	6	188	2.7	0.1
PX3606-TILE-L	36	0.5	6	188	2.7	0.1
PX3906-TILE-L	39	0.5	6	204	3.3	0.1
PX4206-TILE-L	42	0.5	6	204	3.3	0.1
PX4506-TILE-L	45	0.5	6	218	3.7	0.1
PX4806-TILE-L	48	0.5	6	218	3.7	0.1
PX5106-TILE-L	51	0.5	6	233	4.1	0.1
PX5406-TILE-L	54	0.5	6	233	4.1	0.1
PX5706-TILE-L	57	0.5	6	247	4.6	0.1
PX6006-TILE-L	60	0.5	6	247	4.6	0.1
PX6306-TILE-L	63	0.5	6	259	5	0.1
PX6606-TILE-L	66	0.5	6	259	5	0.1
PX6906-TILE-L	69	0.5	6	275	5.6	0.1
PX7206-TILE-L	72	0.5	6	275	5.6	0.1

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.



Laminate Insert

9" High
Laminate Insert

5/8" thick thermofused laminate
Finished on both sides
Edged on top and bottom

PX0909-TILE-L	9	0.5	9	55	0.2	0.1
PX1509-TILE-L	15	0.5	9	151	1.8	0.1
PX1809-TILE-L	18	0.5	9	151	1.8	0.1
PX2009-TILE-L	20	0.5	9	174	2.4	0.1
PX2109-TILE-L	21	0.5	9	179	2.4	0.1
PX2409-TILE-L	24	0.5	9	179	2.4	0.1
PX2709-TILE-L	27	0.5	9	195	2.9	0.1
PX3009-TILE-L	30	0.5	9	195	2.9	0.1
PX3309-TILE-L	33	0.5	9	212	3.5	0.1
PX3609-TILE-L	36	0.5	9	212	3.5	0.1
PX3909-TILE-L	39	0.5	9	227	4.3	0.1
PX4209-TILE-L	42	0.5	9	227	4.3	0.1
PX4509-TILE-L	45	0.5	9	240	4.8	0.2
PX4809-TILE-L	48	0.5	9	240	4.8	0.2
PX5109-TILE-L	51	0.5	9	259	5.4	0.2
PX5409-TILE-L	54	0.5	9	259	5.4	0.2
PX5709-TILE-L	57	0.5	9	275	5.9	0.2
PX6009-TILE-L	60	0.5	9	275	5.9	0.2
PX6309-TILE-L	63	0.5	9	292	6.5	0.2
PX6609-TILE-L	66	0.5	9	292	6.5	0.2
PX6909-TILE-L	69	0.5	9	312	7.3	0.2
PX7209-TILE-L	72	0.5	9	312	7.3	0.2

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Specify laminate finish when ordering.



Laminate Insert

12" High
Laminate Insert

5/8" thick thermofused laminate
Finished on both sides
Edged on top and bottom

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0912-TILE-L	9	0.5	12	64	0.3	0.1
PX1512-TILE-L	15	0.5	12	143	2.1	0.1
PX1812-TILE-L	18	0.5	12	143	2.1	0.1
PX2012-TILE-L	20	0.5	12	172	2.8	0.1
PX2112-TILE-L	21	0.5	12	177	2.8	0.1
PX2412-TILE-L	24	0.5	12	177	2.8	0.1
PX2712-TILE-L	27	0.5	12	193	3.5	0.1
PX3012-TILE-L	30	0.5	12	193	3.5	0.1
PX3312-TILE-L	33	0.5	12	206	4.2	0.1
PX3612-TILE-L	36	0.5	12	206	4.2	0.1
PX3912-TILE-L	39	0.5	12	221	5.1	0.1
PX4212-TILE-L	42	0.5	12	221	5.1	0.1
PX4512-TILE-L	45	0.5	12	234	5.8	0.2
PX4812-TILE-L	48	0.5	12	234	5.8	0.2
PX5112-TILE-L	51	0.5	12	253	6.5	0.2
PX5412-TILE-L	54	0.5	12	253	6.5	0.2
PX5712-TILE-L	57	0.5	12	268	7.2	0.2
PX6012-TILE-L	60	0.5	12	268	7.2	0.2
PX6312-TILE-L	63	0.5	12	284	7.9	0.2
PX6612-TILE-L	66	0.5	12	284	7.9	0.2
PX6912-TILE-L	69	0.5	12	298	8.8	0.3
PX7212-TILE-L	72	0.5	12	298	8.8	0.3

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.



Laminate Insert

15" High
Laminate Insert

5/8" thick thermofused laminate
Finished on both sides
Edged on top and bottom

PX0915-TILE-L	9	0.5	15	80	0.3	0.1
PX1515-TILE-L	15	0.5	15	185	2.4	0.1
PX1815-TILE-L	18	0.5	15	185	2.4	0.1
PX2015-TILE-L	20	0.5	15	210	3.2	0.1
PX2115-TILE-L	21	0.5	15	215	3.2	0.1
PX2415-TILE-L	24	0.5	15	215	3.2	0.1
PX2715-TILE-L	27	0.5	15	236	4.1	0.1
PX3015-TILE-L	30	0.5	15	236	4.1	0.1
PX3315-TILE-L	33	0.5	15	254	4.9	0.2
PX3615-TILE-L	36	0.5	15	254	4.9	0.2
PX3915-TILE-L	39	0.5	15	273	5.9	0.2
PX4215-TILE-L	42	0.5	15	273	5.9	0.2
PX4515-TILE-L	45	0.5	15	294	6.8	0.2
PX4815-TILE-L	48	0.5	15	294	6.8	0.2
PX5115-TILE-L	51	0.5	15	314	7.6	0.2
PX5415-TILE-L	54	0.5	15	314	7.6	0.2
PX5715-TILE-L	57	0.5	15	333	8.5	0.3
PX6015-TILE-L	60	0.5	15	333	8.5	0.3
PX6315-TILE-L	63	0.5	15	355	9.3	0.3
PX6615-TILE-L	66	0.5	15	355	9.3	0.3
PX6915-TILE-L	69	0.5	15	376	10.3	0.3
PX7215-TILE-L	72	0.5	15	376	10.3	0.3

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Specify laminate finish when ordering.




Laminate Insert

18" High
Laminate Insert

5/8" thick thermofused laminate
Finished on both sides
Edged on top and bottom

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0918-TILE-L	9	0.5	18	93	1.2	0.1
PX1518-TILE-L	15	0.5	18	231	2.7	0.1
PX1818-TILE-L	18	0.5	18	231	2.7	0.1
PX2018-TILE-L	20	0.5	18	247	3.7	0.1
PX2118-TILE-L	21	0.5	18	253	3.7	0.1
PX2418-TILE-L	24	0.5	18	253	3.7	0.1
PX2718-TILE-L	27	0.5	18	278	4.7	0.2
PX3018-TILE-L	30	0.5	18	278	4.7	0.2
PX3318-TILE-L	33	0.5	18	300	5.7	0.2
PX3618-TILE-L	36	0.5	18	300	5.7	0.2
PX3918-TILE-L	39	0.5	18	325	6.8	0.2
PX4218-TILE-L	42	0.5	18	325	6.8	0.2
PX4518-TILE-L	45	0.5	18	348	7.8	0.3
PX4818-TILE-L	48	0.5	18	348	7.8	0.3
PX5118-TILE-L	51	0.5	18	376	8.8	0.3
PX5418-TILE-L	54	0.5	18	376	8.8	0.3
PX5718-TILE-L	57	0.5	18	400	9.8	0.3
PX6018-TILE-L	60	0.5	18	400	9.8	0.3
PX6318-TILE-L	63	0.5	18	425	10.7	0.3
PX6618-TILE-L	66	0.5	18	425	10.7	0.3
PX6918-TILE-L	69	0.5	18	450	11.9	0.4
PX7218-TILE-L	72	0.5	18	450	11.9	0.4

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.



Laminate Insert

21" High
Laminate Insert

5/8" thick thermofused laminate
Finished on both sides
Edged on top and bottom

PX0921-TILE-L	9	0.5	21	107	1.2	0.1
PX1521-TILE-L	15	0.5	21	261	3.1	0.1
PX1821-TILE-L	18	0.5	21	261	3.1	0.1
PX2021-TILE-L	20	0.5	21	278	4.2	0.1
PX2121-TILE-L	21	0.5	21	284	4.2	0.1
PX2421-TILE-L	24	0.5	21	284	4.2	0.1
PX2721-TILE-L	27	0.5	21	314	5.3	0.2
PX3021-TILE-L	30	0.5	21	314	5.3	0.2
PX3321-TILE-L	33	0.5	21	338	6.4	0.2
PX3621-TILE-L	36	0.5	21	338	6.4	0.2
PX3921-TILE-L	39	0.5	21	367	7.7	0.3
PX4221-TILE-L	42	0.5	21	367	7.7	0.3
PX4521-TILE-L	45	0.5	21	394	8.8	0.3
PX4821-TILE-L	48	0.5	21	394	8.8	0.3
PX5121-TILE-L	51	0.5	21	423	9.9	0.3
PX5421-TILE-L	54	0.5	21	423	9.9	0.3
PX5721-TILE-L	57	0.5	21	450	11.1	0.4
PX6021-TILE-L	60	0.5	21	450	11.1	0.4
PX6321-TILE-L	63	0.5	21	480	12.2	0.4
PX6621-TILE-L	66	0.5	21	480	12.2	0.4
PX6921-TILE-L	69	0.5	21	506	13.5	0.4
PX7221-TILE-L	72	0.5	21	506	13.5	0.4

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Specify laminate finish when ordering.



Laminate Insert


24" High
Laminate Insert

5/8" thick thermofused laminate
Finished on both sides
Edged on top and bottom

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0924-TILE-L	9	0.5	24	120	1.2	0.1
PX1524-TILE-L	15	0.5	24	293	3.5	0.1
PX1824-TILE-L	18	0.5	24	293	3.5	0.1
PX2024-TILE-L	20	0.5	24	308	4.7	0.1
PX2124-TILE-L	21	0.5	24	314	4.7	0.1
PX2424-TILE-L	24	0.5	24	314	4.7	0.1
PX2724-TILE-L	27	0.5	24	348	5.9	0.2
PX3024-TILE-L	30	0.5	24	348	5.9	0.2
PX3324-TILE-L	33	0.5	24	376	7.1	0.2
PX3624-TILE-L	36	0.5	24	376	7.1	0.2
PX3924-TILE-L	39	0.5	24	407	8.6	0.4
PX4224-TILE-L	42	0.5	24	407	8.6	0.4
PX4524-TILE-L	45	0.5	24	438	9.8	0.3
PX4824-TILE-L	48	0.5	24	438	9.8	0.3
PX5124-TILE-L	51	0.5	24	472	11	0.3
PX5424-TILE-L	54	0.5	24	472	11	0.3
PX5724-TILE-L	57	0.5	24	501	12.4	0.5
PX6024-TILE-L	60	0.5	24	501	12.4	0.5
PX6324-TILE-L	63	0.5	24	535	13.7	0.5
PX6624-TILE-L	66	0.5	24	535	13.7	0.5
PX6924-TILE-L	69	0.5	24	564	15.1	0.5
PX7224-TILE-L	72	0.5	24	564	15.1	0.5

9" wide tile can be used as a Hutch Filler Tile to fit into open space between hutch posts.

Specify laminate finish when ordering.



6" High Slatwall Insert

Dual Sided Slatwall

1/2" thick aluminum

Slatwall is divided into two 3" high sections with a center seam.

Note: Slatwall inserts can be stacked up to 36" high

Specify Finish When Ordering:


Black (BK)

Silver (SL)


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX0906-TILE-S	9	0.5	6	81	1.0	0.1
PX1506-TILE-S	15	0.5	6	227	1.5	0.1
PX1806-TILE-S	18	0.5	6	227	1.5	0.1
PX2006-TILE-S	20	0.5	6	239	1.9	0.1
PX2106-TILE-S	21	0.5	6	252	2.1	0.1
PX2406-TILE-S	24	0.5	6	252	2.1	0.1
PX2706-TILE-S	27	0.5	6	275	2.6	0.1
PX3006-TILE-S	30	0.5	6	275	2.6	0.1
PX3306-TILE-S	33	0.5	6	299	3.2	0.1
PX3606-TILE-S	36	0.5	6	299	3.2	0.1
PX3906-TILE-S	39	0.5	6	332	3.8	0.1
PX4206-TILE-S	42	0.5	6	332	3.8	0.1
PX4506-TILE-S	45	0.5	6	357	4.4	0.1
PX4806-TILE-S	48	0.5	6	357	4.4	0.1
PX5106-TILE-S	51	0.5	6	381	5	0.1
PX5406-TILE-S	54	0.5	6	381	5	0.1
PX5706-TILE-S	57	0.5	6	406	5.6	0.1
PX6006-TILE-S	60	0.5	6	406	5.6	0.1
PX6306-TILE-S	63	0.5	6	428	6.2	0.1
PX6606-TILE-S	66	0.5	6	428	6.2	0.1
PX6906-TILE-S	69	0.5	6	462	6.8	0.1
PX7206-TILE-S	72	0.5	6	462	6.8	0.1
PX7506-TILE-S	75	0.5	6	486	7.3	0.1
PX7806-TILE-S	78	0.5	6	486	7.3	0.1
PX8106-TILE-S	81	0.5	6	585	7.7	0.1
PX8406-TILE-S	84	0.5	6	585	7.7	0.1
PX8706-TILE-S	87	0.5	6	648	7.7	0.1

Shown insert widths are representative of worksurface widths.
Actual Insert widths are 4.25" less than shown.

HINGED DOOR



Laminate Doors = H**D**



Frosted Acrylic Doors = H**Z**

☐ = Specify door type: [D] Laminate Door
[Z] Frosted Acrylic Door


Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC (Z) $	LB	FT³
PX241536-HT-H☐-AS	24	15	36	881	1253	56	4
PX301536-HT-H☐-AS	30	15	36	926	1296	64	5
PX361536-HT-H☐-AS	36	15	36	971	1340	71	6
PX421536-HT-H☐-AS	42	15	36	1098	1668	78	7
PX481536-HT-H☐-AS	48	15	36	1143	1712	85	8
PX541536-HT-H☐-AS	54	15	36	1204	1968	109	9
PX601536-HT-H☐-AS	60	15	36	1252	2011	116	10
PX661536-HT-H☐-AS	66	15	36	1295	2056	123	11
PX721536-HT-H☐-AS	72	15	36	1339	2102	131	12

36" High hutches have a 21" clearance from worksurface.


*Optional pull handles and locks available.

Shipped Assembled.

SLIDING DOOR



Laminate Doors = G**D**



Frosted Acrylic Doors = G**Z**

☐ = Specify door type: [D] Laminate Door
[Z] Frosted Acrylic Door

Model No.	W	D	H	LAMINATE DOOR (D) $	FROSTED ACRYLIC (Z) $	LB	FT³
PX361536-HT-G☐-AS	36	15	36	971	1340	71	6
PX421536-HT-G☐-AS	42	15	36	1098	1668	78	7
PX481536-HT-G☐-AS	48	15	36	1143	1712	85	8
PX541536-HT-G☐-AS	54	15	36	1204	1968	109	9
PX601536-HT-G☐-AS	60	15	36	1252	2011	116	10
PX661536-HT-G☐-AS	66	15	36	1295	2056	123	11
PX721536-HT-G☐-AS	72	15	36	1339	2102	131	12

36" High hutches have a 21" clearance from worksurface.

Standard with silver knobs. Optional silver push lock available.


Shipped Assembled.

*Optional Pull Handles:

24" to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
54" to 72" wide hutch: Add P☐Q4 to end of product code. Add $84 List.
P☐= Specify pull handle style, for optional handle styles see front specifications.

Optional Locks Available.
See front specifications.

FLIP UP DOOR




Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX241536-HT-UD-AS	24	15	36	881	56	4
PX301536-HT-UD-AS	30	15	36	926	64	5
PX361536-HT-UD-AS	36	15	36	971	71	6
PX421536-HT-UD-AS	42	15	36	1098	78	7
PX481536-HT-UD-AS	48	15	36	1143	85	8
PX541536-HT-UD-AS	54	15	36	1204	109	9
PX601536-HT-UD-AS	60	15	36	1252	116	10
PX661536-HT-UD-AS	66	15	36	1295	123	11
PX721536-HT-UD-AS	72	15	36	1339	131	12

36" High hutches have a 21" clearance from worksurface.

Optional locks available.

OPEN



PX241536-HT-OP-AS	24	15	36	660	36	4
PX301536-HT-OP-AS	30	15	36	706	44	5
PX361536-HT-OP-AS	36	15	36	752	71	6
PX421536-HT-OP-AS	42	15	36	799	78	7
PX481536-HT-OP-AS	48	15	36	842	85	8
PX541536-HT-OP-AS	54	15	36	887	109	9
PX601536-HT-OP-AS	60	15	36	934	116	10
PX661536-HT-OP-AS	66	15	36	978	123	11
PX721536-HT-OP-AS	72	15	36	1024	131	12

36" High hutches have a 21" clearance from worksurface.


For optional locks see front specifications.

Note: Hutch units require panel inserts to prevent hutch center from bowing.

CORNER HUTCHES

PANELX SERIES


HINGED DOOR (Laminate)



Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX363636-C-HT-HD-AS	36	36	36	1555	107	14
PX424236-C-HT-HD-AS	42	42	36	1625	122	19
PX484836-C-HT-HD-AS	48	48	36	1724	137	24

36" High hutches have a 21" clearance from worksurface.
*Optional pull handles and locks available.


HINGED DOOR (Frosted Acrylic)



PX363636-C-HT-HZ-AS	36	36	36	1893	105	14
PX424236-C-HT-HZ-AS	42	42	36	1952	120	19
PX484836-C-HT-HZ-AS	48	48	36	2017	135	24

36" High hutches have a 21" clearance from worksurface.
*Optional pull handles and locks available.

OPEN




PX363636-C-HT-OP-AS	36	36	36	1172	90	14
PX424236-C-HT-OP-AS	42	42	36	1270	105	19
PX484836-C-HT-OP-AS	48	48	36	1335	120	24

36" High hutches have a 21" clearance from worksurface.

Optional Pull Handles
36" to 48" wide hutch: Add P☐Q2 to end of product code. Add $42 List.
P☐ = Specify pull handle style, for optional handle styles see front specifications.

*Optional Locks Available.
See front specifications.

RECTANGULAR TOP



1" Thick

Rectangular Top

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
PX1812-TOP-RC-RK	18	12	1	102	6	1
PX2412-TOP-RC-RK	24	12	1	119	7	1
PX3012-TOP-RC-RK	30	12	1	136	9	1
PX3612-TOP-RC-RK	36	12	1	155	11	1
PX4212-TOP-RC-RK	42	12	1	171	13	1
PX4812-TOP-RC-RK	48	12	1	187	14	1
PX5412-TOP-RC-RK	54	12	1	205	16	1
PX5712-TOP-RC-RK	57	12	1	223	17	2
PX6012-TOP-RC-RK	60	12	1	223	18	2
PX6612-TOP-RC-RK	66	12	1	239	20	2
PX7212-TOP-RC-RK	72	12	1	257	21	2
PX7812-TOP-RC-RK	78	12	1	306	23	2
PX8412-TOP-RC-RK	84	12	1	381	24	2

Includes where required:



Post to Top Bracket

All Mounting Hardware

Transaction top front overhangs 6" from edge of worksurface.

COUNTER TOPS - 6 SIDED CORNER UNIT SET

PANELX SERIES

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Fabric Tile Inserts								
	**1" Thick Top**	PX682512-XCA-F-KT (Fits 42" x 42" 6 Sided Corner Unit)	48	48	12	1593	44.5	4.38
Specify fabric code when ordering.	Note: Prices based on Grade 3 or Grade 4 Color Selection. Grade 5 - Add $78 List Grade 6 - Add $159 List Grade 7 - Add $237 List							
Clear Ribbed Tile Inserts								
	**1" Thick Top**	PX682512-XCA-C-KT (Fits 42" x 42" 6 Sided Corner Unit)	48	48	12	1488	43.4	4.38
Frosted Acrylic Tile Inserts								
	**1" Thick Top**	PX682512-XCA-Z-KT (Fits 42" x 42" 6 Sided Corner Unit)	48	48	12	1745	44.5	4.38
Laminate Tile Inserts								
	**1" Thick Top**	PX682512-XCA-L-KT (Fits 42" x 42" 6 Sided Corner Unit)	48	48	12	1333	45.2	4.38
Specify laminate insert and top color code(s) when ordering.								
	**1" Thick Top**	PX6825-TOP-XCA (Fits 42" x 42" 6 Sided Corner Unit)	48	48	1	442	32	4.38

Transaction Top Front Overhangs 6" From Edge of Worksurface.

EXTEND

PRICE BOOK

OFGO

STUDIO

Application Guide 310-311

BASE PANELS

Center Base Panels 312
Left Base Panel 312
Right Base Panel 312

CONNECTORS

Wall Connector 312
"L" Connector 313
"T" Connector 313
"X" Connector 313
Joining Bracket 313
Stabilizing Foot 313

What are Extend Series base panels?

Extend Series is a 3" thick by 29" high laminate base panel system that can attach to laminate casegood components in order to divide personal space or wrap guest seating within a workstation.

Extend Series is all about dividing space while uniting teams. Our changing workplace requires furniture that supports various work styles, balancing the needs of the workplace with the needs of individual employees.


Extend Series panels can provide privacy and control where needed, without sacrificing open plan efficiency.

Extend Series panels can also be combined with PanelX® above worksurface dividers to create a large range of privacy heights, from sitting to standing privacy.

Joining Bracket Example

Joining bracket attaches Extend Series base panel to Modern Series side panel front edge.


To use the joining bracket attach:
(a) Center Base Panel to
(b) Joining bracket, and then attach to
(c) Modern Series side panel front edge



"L" Connection Example

"L" Connection is comprised of:
(a) "L" Connector
(b) Right Base Panel
(c) Center Base Panel


Note:
Top trim on right base panel overhangs 3in/76mm acting as the top cap for the "L" Connector.



"T" Connection Example

"T" Connection is comprised of:
(a) "T" Connector
(b) Center Base Panel
(c) Left Base Panel
(d) Center Base Panel


Note:
Top trim on left base panel overhangs 3in/76mm acting as the top cap for the "T" Connector.




"X" Connection Example

"X" Connection is comprised of:
(a) "X" Connector
(b) Right Base Panel
(c) Center Base Panel
(d) Center Base Panel
(e) Center Base Panel

Note:
Top trim on right base panel overhangs 3in/76mm acting as the top cap for the "X" Connector.





Center Base Panel


Tilting door allows access to panel center

Center Base Panel may be placed in an end position

Base panels accept *PanelX* and *Privacy on Demand* divider panels (mounted on top trim)

Shipped Assembled

Model No.	*Overall Width*	*Base Panel Width*	*Depth*	*Height*	Price	*LB*	*FT³*
EX24-CP-TD	24	24	3	29	524	35	2
EX30-CP-TD	30	30	3	29	557	42	2
EX36-CP-TD	36	36	3	29	590	49	2
EX42-CP-TD	42	42	3	29	620	55	3
EX48-CP-TD	48	48	3	29	654	62	3



Left Base Panel

Tilting door allows access to panel center


Top trim overhangs 3" on left side

3" overhang functions as top cap for:
- 2-way "L" connections
- 3-way "T" connections
- 4-way "X" connections

Base panels accept *PanelX* and *Privacy on Demand* divider panels (mounted on top trim)

Shipped Assembled

EX24-LP-TD	27	24	3	29	524	35	2
EX30-LP-TD	33	30	3	29	557	42	2
EX36-LP-TD	39	36	3	29	590	49	2
EX42-LP-TD	45	42	3	29	620	55	3
EX48-LP-TD	51	48	3	29	654	62	3



Right Base Panel

Tilting door allows access to panel center

Top trim overhangs 3" on right side

3" overhang functions as top cap for:
- 2-way "L" connections
- 3-way "T" connections
- 4-way "X" connections

Base panels accept *PanelX* and *Privacy on Demand* divider panels (mounted on top trim)

Shipped Assembled

EX24-RP-TD	27	24	3	29	524	35	2
EX30-RP-TD	33	30	3	29	557	42	2
EX36-RP-TD	39	36	3	29	590	49	2
EX42-RP-TD	45	42	3	29	620	55	3
EX48-RP-TD	51	48	3	29	654	62	3




Wall Connector

Wall connector attaches Extend Series base panel to permanent building wall

Hardware to attach wall connector to wall is to be provided by installer.

Standard in Black Finish

EX22-WC		3	1	22	156	2	0.12

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	**"L" Connector** Used to create 90 degree 2-way connection Includes connecting brackets and trims **Specify finish when ordering: Black (BK), Silver (SL)**	EX28-LC	3	3	28	156	5	0.25
	**"T" Connector** Used to create 3-way connection Includes connecting brackets and trims **Specify finish when ordering: Black (BK), Silver (SL)**	EX28-TC	3	3	28	156	5	0.25
	**"X" Connector** Used to create 4-way connection Includes connecting brackets	EX28-XC	3	3	2	80	2	0.12
	**Joining Bracket** Joining brackets attach Extend Series base panel to Modern Series side panel front edge Includes all connecting hardware. **Standard in Black Finish**	EX22-J-BRKT	1	1	3	80	1	0.12
	**Stabilizing Foot** Provides additional stability to base panels **Specify finish when ordering: Black (BK) or Silver (SL)**	EX15-E-FOOT	15	2	0.25	156	5	0.25

PRIVACY ON DEMAND (POD)


PRICE BOOK

OFGO STUDIO

ABOVE WORKSURFACE PRIVACY


(Permanent Mount)

PRIVACY ON DEMAND




6" High
Rectangular
Frosted Acrylic Privacy Divider
Mountable above worksurface
Includes Mounting Clips*

Model No.	*W*	*D*	*H*	Price	*LB*
PD1606-ST-Z	16	1	6	335	2
PD2206-ST-Z	22	1	6	351	2
PD2806-ST-Z	28	1	6	366	3
PD3406-ST-Z	34	1	6	380	3
PD4006-ST-Z	40	1	6	397	3
PD4606-ST-Z	46	1	6	426	3
PD5206-ST-Z	52	1	6	457	4
PD5806-ST-Z	58	1	6	486	4
PD6406-ST-Z	64	1	6	519	5
PD7006-ST-Z	70	1	6	548	5




12" High
Rectangular
Frosted Acrylic Privacy Divider
Mountable above worksurface
Includes Mounting Clips*

PD1612-ST-Z	16	1	12	397	3
PD2212-ST-Z	22	1	12	411	3
PD2812-ST-Z	28	1	12	426	4
PD3412-ST-Z	34	1	12	442	4
PD4012-ST-Z	40	1	12	457	5
PD4612-ST-Z	46	1	12	486	5
PD5212-ST-Z	52	1	12	519	6
PD5812-ST-Z	58	1	12	548	7
PD6412-ST-Z	64	1	12	580	7
PD7012-ST-Z	70	1	12	609	8



18" High
Rectangular
Frosted Acrylic Privacy Divider
Mountable above worksurface
Includes Mounting Clips*

PD1618-ST-Z	16	1	18	457	3
PD2218-ST-Z	22	1	18	473	4
PD2818-ST-Z	28	1	18	486	5
PD3418-ST-Z	34	1	18	502	6
PD4018-ST-Z	40	1	18	519	7
PD4618-ST-Z	46	1	18	548	7
PD5218-ST-Z	52	1	18	580	9
PD5818-ST-Z	58	1	18	609	10
PD6418-ST-Z	64	1	18	639	10
PD7018-ST-Z	70	1	18	671	11




24" High
Rectangular
Frosted Acrylic Privacy Divider
Mountable above worksurface
Includes Mounting Clips*

PD1624-ST-Z	16	1	24	519	4
PD2224-ST-Z	22	1	24	533	5
PD2824-ST-Z	28	1	24	548	6
PD3424-ST-Z	34	1	24	562	7
PD4024-ST-Z	40	1	24	580	8
PD4624-ST-Z	46	1	24	609	9
PD5224-ST-Z	52	1	24	639	11
PD5824-ST-Z	58	1	24	671	12
PD6424-ST-Z	64	1	24	701	13
PD7024-ST-Z	70	1	24	731	14

* 16" to 46" Wide Dividers Include 2 Mounting Clips
52" to 70" Wide Dividers Include 3 Mounting Clips


BELOW WORKSURFACE PRIVACY

(Permanent Mount)




6" High
Rectangular
Frosted Acrylic Privacy Divider
Attachable below worksurface
Includes Mounting Clips*

Model No.	*W*	*D*	*H*	Price	*LB*
PD1606-ST-Z-DOWN	16	1	6	335	2
PD2206-ST-Z-DOWN	22	1	6	351	2
PD2806-ST-Z-DOWN	28	1	6	366	3
PD3406-ST-Z-DOWN	34	1	6	380	3
PD4006-ST-Z-DOWN	40	1	6	397	3
PD4606-ST-Z-DOWN	46	1	6	426	3
PD5206-ST-Z-DOWN	52	1	6	457	4
PD5806-ST-Z-DOWN	58	1	6	486	4
PD6406-ST-Z-DOWN	64	1	6	519	5
PD7006-ST-Z-DOWN	70	1	6	548	5




12" High
Rectangular
Frosted Acrylic Privacy Divider
Attachable below worksurface
Includes Mounting Clips*

PD1612-ST-Z-DOWN	16	1	12	397	3
PD2212-ST-Z-DOWN	22	1	12	411	3
PD2812-ST-Z-DOWN	28	1	12	426	4
PD3412-ST-Z-DOWN	34	1	12	442	4
PD4012-ST-Z-DOWN	40	1	12	457	5
PD4612-ST-Z-DOWN	46	1	12	486	5
PD5212-ST-Z-DOWN	52	1	12	519	6
PD5812-ST-Z-DOWN	58	1	12	548	7
PD6412-ST-Z-DOWN	64	1	12	580	7
PD7012-ST-Z-DOWN	70	1	12	609	8



18" High
Rectangular
Frosted Acrylic Privacy Divider
Attachable below worksurface
Includes Mounting Clips*

PD1618-ST-Z-DOWN	16	1	18	457	3
PD2218-ST-Z-DOWN	22	1	18	473	4
PD2818-ST-Z-DOWN	28	1	18	486	5
PD3418-ST-Z-DOWN	34	1	18	502	6
PD4018-ST-Z-DOWN	40	1	18	519	7
PD4618-ST-Z-DOWN	46	1	18	548	7
PD5218-ST-Z-DOWN	52	1	18	580	9
PD5818-ST-Z-DOWN	58	1	18	609	10
PD6418-ST-Z-DOWN	64	1	18	639	10
PD7018-ST-Z-DOWN	70	1	18	671	11



24" High
Rectangular
Frosted Acrylic Privacy Divider
Attachable below worksurface
Includes Mounting Clips*

PD1624-ST-Z-DOWN	16	1	24	519	4
PD2224-ST-Z-DOWN	22	1	24	533	5
PD2824-ST-Z-DOWN	28	1	24	548	6
PD3424-ST-Z-DOWN	34	1	24	562	7
PD4024-ST-Z-DOWN	40	1	24	580	8
PD4624-ST-Z-DOWN	46	1	24	609	9
PD5224-ST-Z-DOWN	52	1	24	639	11
PD5824-ST-Z-DOWN	58	1	24	671	12
PD6424-ST-Z-DOWN	64	1	24	701	13
PD7024-ST-Z-DOWN	70	1	24	731	14

* 16" to 46" Wide Dividers Include 2 Mounting Clips
52" to 70" Wide Dividers Include 3 Mounting Clips




Privacy Divider Clip
Silver Finish

PD-CLIP-SL	2	1	2	91	0.5

ABOVE WORKSURFACE PRIVACY


(Freestanding Mount)



16" High
Rectangular with Radius Edges
Frosted Acrylic Privacy Divider
Freestanding Mount
Positions Above Worksurface
Includes Mounting Clips*

Model No.	*W*	*D*	*H*	Price	*LB*
GR2216-CFW-ST-Z	22	1½	16	467	8
GR2416-CFW-ST-Z	24	1½	16	467	8
GR2816-CFW-ST-Z	28	1½	16	492	9
GR3016-CFW-ST-Z	30	1½	16	492	9
GR3616-CFW-ST-Z	36	1½	16	515	10
GR4216-CFW-ST-Z	42	1½	16	539	11
GR4816-CFW-ST-Z	48	1½	16	574	12
GR5416-CFW-ST-Z	54	1½	16	612	14
GR6016-CFW-ST-Z	60	1½	16	623	15
GR6616-CFW-ST-Z	66	1½	16	635	16
GR7216-CFW-ST-Z	72	1½	16	658	17


Note: Bracket will add 3/16" to overall height.



18" High
Rectangular with Radius Edges
Frosted Acrylic Privacy Divider
Freestanding Mount
Positions Above Worksurface
Includes Mounting Clips*

GR2218-CFW-ST-Z	22	1½	18	509	8
GR2418-CFW-ST-Z	24	1½	18	509	9
GR2818-CFW-ST-Z	28	1½	18	533	10
GR3018-CFW-ST-Z	30	1½	18	533	10
GR3618-CFW-ST-Z	36	1½	18	551	11
GR4218-CFW-ST-Z	42	1½	18	571	13
GR4818-CFW-ST-Z	48	1½	18	603	14
GR5418-CFW-ST-Z	54	1½	18	647	16
GR6018-CFW-ST-Z	60	1½	18	664	17
GR6618-CFW-ST-Z	66	1½	18	707	18
GR7218-CFW-ST-Z	72	1½	18	731	19

Note: Bracket will add 3/16" to overall height.



24" High
Rectangular with Radius Edges
Frosted Acrylic Privacy Divider
Freestanding Mount
Positions Above Worksurface
Includes Mounting Clips*

GR2224-CFW-ST-Z	22	1½	24	551	9
GR2424-CFW-ST-Z	24	1½	24	551	10
GR2824-CFW-ST-Z	28	1½	24	574	11
GR3024-CFW-ST-Z	30	1½	24	574	11
GR3624-CFW-ST-Z	36	1½	24	586	13
GR4224-CFW-ST-Z	42	1½	24	602	14
GR4824-CFW-ST-Z	48	1½	24	633	16
GR5424-CFW-ST-Z	54	1½	24	682	18
GR6024-CFW-ST-Z	60	1½	24	706	19
GR6624-CFW-ST-Z	66	1½	24	778	21
GR7224-CFW-ST-Z	72	1½	24	803	22

Note: Bracket will add 3/16" to overall height.

Freestanding Clip




* 22" to 48" Wide Dividers Include 2 Mounting Clips
54" to 72" Wide Dividers Include 3 Mounting Clips


PANELX PARTITION

PRICE BOOK

OFGO

STUDIO





51" High Screen

Two tile infills

Base feet ordered separately.

Freestanding feet will add 3/8" to the overall height.

Mobile feet will add 2.5" to the overall height.

Specify frame color when ordering:

Silver (SL)
Black (BK)

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* [3]
Tile 1 Insert Selection / Tile 2 Insert Selection						
PP2451-24T□-24T□	24	1¾	51	1184	17	1.2
PP2751-24T□-24T□	27	1¾	51	1194	19	1.4
PP3051-24T□-24T□	30	1¾	51	1206	19	1.5
PP3351-24T□-24T□	33	1¾	51	1216	21	1.7
PP3651-24T□-24T□	36	1¾	51	1228	21	1.9
PP3951-24T□-24T□	39	1¾	51	1238	24	2
PP4251-24T□-24T□	42	1¾	51	1248	24	2.2
PP4551-24T□-24T□	45	1¾	51	1260	26	2.3
PP4851-24T□-24T□	48	1¾	51	1270	26	2.5
PP5151-24T□-24T□	51	1¾	51	1281	29	2.6
PP5451-24T□-24T□	54	1¾	51	1927	29	2.8
PP5751-24T□-24T□	57	1¾	51	1938	31	2.9
PP6051-24T□-24T□	60	1¾	51	1948	31	3.1
PP6351-24T□-24T□	63	1¾	51	1959	33	3.3
PP6651-24T□-24T□	66	1¾	51	1970	33	3.4
PP6951-24T□-24T□	69	1¾	51	1981	36	3.6
PP7251-24T□-24T□	72	1¾	51	1991	36	3.7
PP7551-24T□-24T□	75	1¾	51	2002	38	3.9

RTA - Shipped Ready to Assemble

INFILL OPTIONS

Clear Ribbed Polycarbonate (C)

Frosted Acrylic (Z)

Clear Acrylic (V)*

Note: Clear Ribbed Polycarbonate (C) cannot be used as a bottom tile infill, if Frosted Acrylic (Z) or Clear Acrylic (V) is required as a top tile infill.

How to order:

For example: To order a 24" wide screen with a Frosted Acrylic tile on the bottom and a Clear Acrylic tile on the top, follow the steps below:

STEP 1 Select model number (ex. PP2451)


STEP 2 Fill in the first -24T□ with Tile 1 infill selection (ex. -24TZ)

STEP 3 Fill in second -24T□ with Tile 2 infill selection (ex. -24TV)

STEP 4 Specify frame color (ex. SL)

The final example code will display as: PP2451-24TZ-24TV-SL

***Note: Clear (V) infills may be composed of either acrylic or polycarbonate material.**



75⅝" High Screen

Three tile infills


Base feet ordered separately.

Freestanding feet will add 3/8" to the overall height.

Mobile feet will add 2.5" to the overall height.

Specify frame color when ordering:

Silver (SL)
Black (BK)



Model No.	*W*	*D*	*H*	Price	*LB*	*FT* [3]
Tile 1 Insert Selection / Tile 2 Insert Selection / Tile 3 Insert Selection						
PP2476-24T□-24T□-24T□	24	1¾	75⅝	1539	23	1.8
PP2776-24T□-24T□-24T□	27	1¾	75⅝	1550	27	2.1
PP3076-24T□-24T□-24T□	30	1¾	75⅝	1561	27	2.3
PP3376-24T□-24T□-24T□	33	1¾	75⅝	1571	30	2.5
PP3676-24T□-24T□-24T□	36	1¾	75⅝	1583	30	2.8
PP3976-24T□-24T□-24T□	39	1¾	75⅝	1593	34	3
PP4276-24T□-24T□-24T□	42	1¾	75⅝	1604	34	3.2
PP4576-24T□-24T□-24T□	45	1¾	75⅝	1615	38	3.4
PP4876-24T□-24T□-24T□	48	1¾	75⅝	1625	38	3.7
PP5176-24T□-24T□-24T□	51	1¾	75⅝	1636	41	3.9
PP5476-24T□-24T□-24T□	54	1¾	75⅝	2648	41	4.1
PP5776-24T□-24T□-24T□	57	1¾	75⅝	2659	45	4.4
PP6076-24T□-24T□-24T□	60	1¾	75⅝	2669	45	4.6
PP6376-24T□-24T□-24T□	63	1¾	75⅝	2681	48	4.8
PP6676-24T□-24T□-24T□	66	1¾	75⅝	2691	48	5.1
PP6976-24T□-24T□-24T□	69	1¾	75⅝	2701	52	5.3
PP7276-24T□-24T□-24T□	72	1¾	75⅝	2713	52	5.5
PP7576-24T□-24T□-24T□	75	1¾	75⅝	2723	56	5.7

RTA - Shipped Ready to Assemble

INFILL OPTIONS

Clear Ribbed Polycarbonate (C)

Frosted Acrylic (Z)

Clear Acrylic (V)*

Note: Clear Ribbed Polycarbonate (C) cannot be used as a bottom tile infill, if Frosted Acrylic (Z) or Clear Acrylic (V) is required as a top tile infill.

How to order:

For example: To order a 24" wide screen with a Frosted Acrylic tile on the bottom and two Clear Acrylic tiles on the top, follow the steps below:

STEP 1 Select model number (ex. PP2476)

STEP 2 Fill in the first -24T□ with Tile 1 infill selection (ex. -24TZ)



STEP 3 Fill in second -24T□ with Tile 2 infill selection (ex. -24TV)

STEP 4 Fill in third -24T□ with Tile 3 infill selection (ex. -24TV)

STEP 5 Specify frame color (ex. SL)

The final example code will display as: PP2476-24TZ-24TV-24TV-SL


***Note: Clear (V) infills may be composed of either acrylic or polycarbonate material.**

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT* [3]
	**Half Round Feet (Pair)** Freestanding screen feet Standard with felt pads underneath	PP0816-HRF-PR (For use on 51"H screens)	8	16	0.375	151	10	0.07
	Specify foot color when ordering: **Silver (SL)** **Black (BK)**	PP0818-HRF-PR (For use on 75⅝"H screens)	8	18	0.375	194	11	0.08
	**Mobile Half Round Feet (Pair)** Mobile screen feet Standard with 4 non-locking casters	PP0818-MHR-PR	8	18	2.5	259	12	0.25
	Specify foot color when ordering: **Silver (SL)** **Black (BK)**							

WORKWAY™ PLANTERS

PRICE BOOK

OFGO STUDIO



9" H Topper Planter Box

Available in two depths 8" and 18"

RTA - Shipped Ready to Assemble

Inside clearance width is approx. 1.3" less than overall width.


Inside clearance depth is approx. 1.25" less than overall depth.

Inside clearance height is 5.3"

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
8" Deep:						
WW180809-PLNT-TOPR	18	8	9	300	13	0.2
WW240809-PLNT-TOPR	24	8	9	318	16	0.3
WW300809-PLNT-TOPR	30	8	9	334	20	0.4
WW360809-PLNT-TOPR	36	8	9	351	23	0.5
WW420809-PLNT-TOPR	42	8	9	369	27	0.6
WW480809-PLNT-TOPR	48	8	9	385	30	0.6
WW540809-PLNT-TOPR	54	8	9	404	34	0.7
WW600809-PLNT-TOPR	60	8	9	421	37	0.8
WW660809-PLNT-TOPR	66	8	9	441	40	0.9
WW720809-PLNT-TOPR	72	8	9	457	44	1
18" Deep:						
WW181809-PLNT-TOPR	18	18	9	323	21	0.5
WW241809-PLNT-TOPR	24	18	9	341	26	0.7
WW301809-PLNT-TOPR	30	18	9	357	31	0.9
WW361809-PLNT-TOPR	36	18	9	374	35	1
WW421809-PLNT-TOPR	42	18	9	392	40	1.2
WW481809-PLNT-TOPR	48	18	9	408	45	1.3
WW541809-PLNT-TOPR	54	18	9	426	50	1.5
WW601809-PLNT-TOPR	60	18	9	443	55	1.7
WW661809-PLNT-TOPR	66	18	9	464	59	1.8
WW721809-PLNT-TOPR	72	18	9	480	64	2

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



29"H Planter Bookcase

Available in two depths 12" and 18"

*Includes adjustable shelves

Open bookcase on front side only

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.

Inside planter box clearance depth is approx. 2" less than overall depth.


Inside planter clearance height is 5"

* Units 18" to 36" wide contain 1 adjustable shelf (with no middle panel). Units greater than 36" wide contain 2 adjustable shelves.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW181229-PLNT-BCBC	18	12	29	1010	48	4.1
WW241229-PLNT-BCBC	24	12	29	1032	58	5.4
WW301229-PLNT-BCBC	30	12	29	1055	68	6.7
WW361229-PLNT-BCBC	36	12	29	1071	77	8.1
WW421229-PLNT-BCBC	42	12	29	1088	87	9.4
WW481229-PLNT-BCBC	48	12	29	1105	97	10.7
WW511229-PLNT-BCBC	51	12	29	1115	101	11.4
WW541229-PLNT-BCBC	54	12	29	1123	106	12
WW601229-PLNT-BCBC	60	12	29	1140	116	13.3
WW631229-PLNT-BCBC	63	12	29	1157	121	14
WW661229-PLNT-BCBC	66	12	29	1175	126	14.7
WW721229-PLNT-BCBC	72	12	29	1210	136	16
18" Deep:						
WW181829-PLNT-BCBC	18	18	29	1292	67	6.1
WW241829-PLNT-BCBC	24	18	29	1314	79	8
WW301829-PLNT-BCBC	30	18	29	1337	92	9.9
WW361829-PLNT-BCBC	36	18	29	1354	104	11.9
WW421829-PLNT-BCBC	42	18	29	1371	116	13.8
WW481829-PLNT-BCBC	48	18	29	1388	129	15.7
WW511829-PLNT-BCBC	51	18	29	1396	135	16.7
WW541829-PLNT-BCBC	54	18	29	1404	141	17.7
WW601829-PLNT-BCBC	60	18	29	1423	154	19.6
WW631829-PLNT-BCBC	63	18	29	1440	160	20.5
WW661829-PLNT-BCBC	66	18	29	1456	166	21.5
WW721829-PLNT-BCBC	72	18	29	1491	179	23.5

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



35"H Planter Bookcase

Available in two depths 12" and 18"

*Includes adjustable shelves

Open bookcase on front side only

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.

Inside planter box clearance depth is approx. 2" less than overall depth.


Inside planter clearance height is 8"

* Units 18" to 36" wide contain 1 adjustable shelf (with no middle panel). Units greater than 36" wide contain 2 adjustable shelves.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW181235-PLNT-BCBC	18	12	35	1095	57	5.1
WW241235-PLNT-BCBC	24	12	35	1118	68	6.7
WW301235-PLNT-BCBC	30	12	35	1140	80	8.3
WW361235-PLNT-BCBC	36	12	35	1157	91	10
WW421235-PLNT-BCBC	42	12	35	1176	102	11.6
WW481235-PLNT-BCBC	48	12	35	1193	113	13.2
WW511235-PLNT-BCBC	51	12	35	1202	119	14
WW541235-PLNT-BCBC	54	12	35	1210	125	14.8
WW601235-PLNT-BCBC	60	12	35	1230	136	16.5
WW631235-PLNT-BCBC	63	12	35	1247	141	17.3
WW661235-PLNT-BCBC	66	12	35	1265	147	18.1
WW721235-PLNT-BCBC	72	12	35	1300	158	19.7
18" Deep:						
WW181835-PLNT-BCBC	18	18	35	1390	79	7.5
WW241835-PLNT-BCBC	24	18	35	1411	92	9.9
WW301835-PLNT-BCBC	30	18	35	1433	106	12.3
WW361835-PLNT-BCBC	36	18	35	1452	120	14.7
WW421835-PLNT-BCBC	42	18	35	1469	134	17
WW481835-PLNT-BCBC	48	18	35	1486	148	19.4
WW511835-PLNT-BCBC	51	18	35	1496	155	20.6
WW541835-PLNT-BCBC	54	18	35	1505	162	21.8
WW601835-PLNT-BCBC	60	18	35	1524	176	24.2
WW631835-PLNT-BCBC	63	18	35	1541	183	25.4
WW661835-PLNT-BCBC	66	18	35	1559	190	26.6
WW721835-PLNT-BCBC	72	18	35	1595	204	29

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



41"H Planter Bookcase

Available in two depths 12" and 18"

*Includes adjustable shelves

Open bookcase on front side only

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.

Inside planter box clearance depth is approx. 2" less than overall depth.


Inside planter clearance height is 8"

* Units 18" to 36" wide contain 2 adjustable shelves (with no middle panel). Units greater than 36" wide contain 4 adjustable shelves.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW181241-PLNT-BCBC	18	12	41	1268	67	5.8
WW241241-PLNT-BCBC	24	12	41	1292	81	7.6
WW301241-PLNT-BCBC	30	12	41	1314	94	9.5
WW361241-PLNT-BCBC	36	12	41	1333	107	11.3
WW421241-PLNT-BCBC	42	12	41	1352	121	13.2
WW481241-PLNT-BCBC	48	12	41	1370	134	15
WW511241-PLNT-BCBC	51	12	41	1380	141	15.9
WW541241-PLNT-BCBC	54	12	41	1388	148	16.9
WW601241-PLNT-BCBC	60	12	41	1408	161	18.7
WW631241-PLNT-BCBC	63	12	41	1426	168	19.6
WW661241-PLNT-BCBC	66	12	41	1445	175	20.6
WW721241-PLNT-BCBC	72	12	41	1481	188	22.4
18" Deep:						
WW181841-PLNT-BCBC	18	18	41	1575	93	8.5
WW241841-PLNT-BCBC	24	18	41	1596	110	11.2
WW301841-PLNT-BCBC	30	18	41	1620	127	13.9
WW361841-PLNT-BCBC	36	18	41	1639	144	16.6
WW421841-PLNT-BCBC	42	18	41	1657	161	19.4
WW481841-PLNT-BCBC	48	18	41	1675	178	22.1
WW511841-PLNT-BCBC	51	18	41	1685	186	23.5
WW541841-PLNT-BCBC	54	18	41	1694	195	24.8
WW601841-PLNT-BCBC	60	18	41	1714	212	27.5
WW631841-PLNT-BCBC	63	18	41	1733	220	28.8
WW661841-PLNT-BCBC	66	18	41	1750	229	30.2
WW721841-PLNT-BCBC	72	18	41	1787	246	33

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



47"H Planter Bookcase

Available in two depths 12" and 18"

*Includes adjustable shelves

Open bookcase on front side only

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.

Inside planter box clearance depth is approx. 2" less than overall depth.


Inside planter clearance height is 8"

* Units 18" to 36" wide contain 2 adjustable shelves (with no middle panel). Units greater than 36" wide contain 4 adjustable shelves.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW181247-PLNT-BCBC	18	12	47	1351	72	5.9
WW241247-PLNT-BCBC	24	12	47	1374	86	7.8
WW301247-PLNT-BCBC	30	12	47	1397	99	9.8
WW361247-PLNT-BCBC	36	12	47	1416	112	11.8
WW421247-PLNT-BCBC	42	12	47	1435	126	13.7
WW481247-PLNT-BCBC	48	12	47	1453	139	15.7
WW511247-PLNT-BCBC	51	12	47	1462	146	16.5
WW541247-PLNT-BCBC	54	12	47	1471	153	17.6
WW601247-PLNT-BCBC	60	12	47	1490	166	19.6
WW631247-PLNT-BCBC	63	12	47	1509	173	20.5
WW661247-PLNT-BCBC	66	12	47	1528	180	21.5
WW721247-PLNT-BCBC	72	12	47	1564	193	23.5
18" Deep:						
WW181847-PLNT-BCBC	18	18	47	1663	98	8.8
WW241847-PLNT-BCBC	24	18	47	1684	115	11.8
WW301847-PLNT-BCBC	30	18	47	1708	132	14.7
WW361847-PLNT-BCBC	36	18	47	1727	149	17.6
WW421847-PLNT-BCBC	42	18	47	1745	166	20.6
WW481847-PLNT-BCBC	48	18	47	1763	183	23.5
WW511847-PLNT-BCBC	51	18	47	1773	191	24.9
WW541847-PLNT-BCBC	54	18	47	1782	200	26.4
WW601847-PLNT-BCBC	60	18	47	1802	217	29.4
WW631847-PLNT-BCBC	63	18	47	1821	225	30.8
WW661847-PLNT-BCBC	66	18	47	1838	234	32.3
WW721847-PLNT-BCBC	72	18	47	1875	251	35.3

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



29"H Planter Side Bookcase

Available in two depths 12" and 18"

Open on both ends

Includes 1 adjustable shelf on each end

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.


Inside planter box clearance depth is approx. 2" less than overall depth.

Inside planter clearance height is 5"

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW301229-PLNT-DUSB	30	12	29	1095	72	6.7
WW361229-PLNT-DUSB	36	12	29	1112	87	8.1
WW421229-PLNT-DUSB	42	12	29	1129	97	9.4
WW481229-PLNT-DUSB	48	12	29	1147	107	10.7
WW511229-PLNT-DUSB	51	12	29	1155	112	11.4
WW541229-PLNT-DUSB	54	12	29	1162	117	12
WW601229-PLNT-DUSB	60	12	29	1181	127	13.3
WW631229-PLNT-DUSB	63	12	29	1199	132	14
WW661229-PLNT-DUSB	66	12	29	1215	137	14.7
WW721229-PLNT-DUSB	72	12	29	1249	147	16
18" Deep:						
WW301829-PLNT-DUSB	30	18	29	1116	90	9.9
WW361829-PLNT-DUSB	36	18	29	1133	109	11.9
WW421829-PLNT-DUSB	42	18	29	1151	120	13.8
WW481829-PLNT-DUSB	48	18	29	1167	131	15.7
WW511829-PLNT-DUSB	51	18	29	1176	136	16.7
WW541829-PLNT-DUSB	54	18	29	1184	142	17.7
WW601829-PLNT-DUSB	60	18	29	1203	153	19.6
WW631829-PLNT-DUSB	63	18	29	1220	158	20.5
WW661829-PLNT-DUSB	66	18	29	1237	164	21.5
WW721829-PLNT-DUSB	72	18	29	1271	175	23.5

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



35"H Planter Side Bookcase

Available in two depths 12" and 18"

Open on both ends

Includes 1 adjustable shelf on each end

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.


Inside planter box clearance depth is approx. 2" less than overall depth.

Inside planter clearance height is 8"

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW301235-PLNT-DUSB	30	12	35	1139	85	8.3
WW361235-PLNT-DUSB	36	12	35	1156	103	10
WW421235-PLNT-DUSB	42	12	35	1174	116	11.6
WW481235-PLNT-DUSB	48	12	35	1190	128	13.2
WW511235-PLNT-DUSB	51	12	35	1199	134	14
WW541235-PLNT-DUSB	54	12	35	1207	140	14.8
WW601235-PLNT-DUSB	60	12	35	1225	152	16.5
WW631235-PLNT-DUSB	63	12	35	1243	158	17.3
WW661235-PLNT-DUSB	66	12	35	1260	164	18.1
WW721235-PLNT-DUSB	72	12	35	1294	176	19.7
18" Deep:						
WW301835-PLNT-DUSB	30	18	35	1422	105	12.3
WW361835-PLNT-DUSB	36	18	35	1439	127	14.7
WW421835-PLNT-DUSB	42	18	35	1455	140	17
WW481835-PLNT-DUSB	48	18	35	1473	153	19.4
WW511835-PLNT-DUSB	51	18	35	1481	159	20.6
WW541835-PLNT-DUSB	54	18	35	1489	166	21.8
WW601835-PLNT-DUSB	60	18	35	1508	179	24.2
WW631835-PLNT-DUSB	63	18	35	1525	185	25.4
WW661835-PLNT-DUSB	66	18	35	1541	192	26.6
WW721835-PLNT-DUSB	72	18	35	1577	205	29

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



41"H Planter Side Bookcase

Available in two depths 12" and 18"

Open on both ends

Includes 2 adjustable shelves on each end

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.


Inside planter box clearance depth is approx. 2" less than overall depth.

Inside planter clearance height is 8"

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW301241-PLNT-DUSB	30	12	41	1274	101	9.5
WW361241-PLNT-DUSB	36	12	41	1292	122	11.3
WW421241-PLNT-DUSB	42	12	41	1309	135	13.2
WW481241-PLNT-DUSB	48	12	41	1326	149	15
WW511241-PLNT-DUSB	51	12	41	1334	156	15.9
WW541241-PLNT-DUSB	54	12	41	1342	163	16.9
WW601241-PLNT-DUSB	60	12	41	1361	176	18.7
WW631241-PLNT-DUSB	63	12	41	1379	183	19.6
WW661241-PLNT-DUSB	66	12	41	1395	190	20.6
WW721241-PLNT-DUSB	72	12	41	1429	203	22.4
18" Deep:						
WW301841-PLNT-DUSB	30	18	41	1558	126	13.9
WW361841-PLNT-DUSB	36	18	41	1575	151	16.6
WW421841-PLNT-DUSB	42	18	41	1591	166	19.4
WW481841-PLNT-DUSB	48	18	41	1608	180	22.1
WW511841-PLNT-DUSB	51	18	41	1617	188	23.45
WW541841-PLNT-DUSB	54	18	41	1625	195	24.8
WW601841-PLNT-DUSB	60	18	41	1644	209	27.5
WW631841-PLNT-DUSB	63	18	41	1660	217	28.85
WW661841-PLNT-DUSB	66	18	41	1677	224	30.2
WW721841-PLNT-DUSB	72	18	41	1713	238	33

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



47"H Planter Side Bookcase

Available in two depths 12" and 18"

Open on both ends

Includes 2 adjustable shelves on each end

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.


Inside planter box clearance depth is approx. 2" less than overall depth.

Inside planter clearance height is 8"

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW301247-PLNT-DUSB	30	12	47	1357	106	9.8
WW361247-PLNT-DUSB	36	12	47	1374	127	11.8
WW421247-PLNT-DUSB	42	12	47	1392	140	13.7
WW481247-PLNT-DUSB	48	12	47	1409	154	15.7
WW511247-PLNT-DUSB	51	12	47	1417	161	16.5
WW541247-PLNT-DUSB	54	12	47	1425	168	17.6
WW601247-PLNT-DUSB	60	12	47	1444	181	19.6
WW631247-PLNT-DUSB	63	12	47	1461	188	20.5
WW661247-PLNT-DUSB	66	12	47	1478	195	21.5
WW721247-PLNT-DUSB	72	12	47	1512	208	23.5
18" Deep:						
WW301847-PLNT-DUSB	30	18	47	1646	131	14.7
WW361847-PLNT-DUSB	36	18	47	1663	156	17.6
WW421847-PLNT-DUSB	42	18	47	1679	171	20.6
WW481847-PLNT-DUSB	48	18	47	1696	185	23.5
WW511847-PLNT-DUSB	51	18	47	1705	192	24.9
WW541847-PLNT-DUSB	54	18	47	1713	200	26.4
WW601847-PLNT-DUSB	60	18	47	1732	214	29.4
WW631847-PLNT-DUSB	63	18	47	1748	221	30.8
WW661847-PLNT-DUSB	66	18	47	1765	229	32.3
WW721847-PLNT-DUSB	72	18	47	1801	243	35.3

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



29"H Enclosed Planter

Available in two depths 12" and 18"

Enclosed on all all four sides

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.


Inside planter box clearance depth is approx. 2" less than overall depth.

Inside planter clearance height is 5"

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW301229-PLNT-BOX	30	12	29	1095	72	6.7
WW361229-PLNT-BOX	36	12	29	1112	87	8.1
WW421229-PLNT-BOX	42	12	29	1129	97	9.4
WW481229-PLNT-BOX	48	12	29	1147	107	10.7
WW511229-PLNT-BOX	51	12	29	1155	112	11.3
WW541229-PLNT-BOX	54	12	29	1162	117	12
WW601229-PLNT-BOX	60	12	29	1181	127	13.3
WW631229-PLNT-BOX	63	12	29	1199	132	14
WW661229-PLNT-BOX	66	12	29	1215	137	14.7
WW721229-PLNT-BOX	72	12	29	1249	147	16
18" Deep:						
WW301829-PLNT-BOX	30	18	29	1116	90	9.9
WW361829-PLNT-BOX	36	18	29	1133	109	11.9
WW421829-PLNT-BOX	42	18	29	1151	120	13.8
WW481829-PLNT-BOX	48	18	29	1167	131	15.7
WW511829-PLNT-BOX	51	18	29	1176	136	16.7
WW541829-PLNT-BOX	54	18	29	1184	142	17.7
WW601829-PLNT-BOX	60	18	29	1203	153	19.6
WW631829-PLNT-BOX	63	18	29	1220	158	20.5
WW661829-PLNT-BOX	66	18	29	1237	164	21.5
WW721829-PLNT-BOX	72	18	29	1271	175	23.5

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



35"H Enclosed Planter

Available in two depths 12" and 18"

Enclosed on all all four sides

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.


Inside planter box clearance depth is approx. 2" less than overall depth.

Inside planter clearance height is 8"

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW301235-PLNT-BOX	30	12	35	1139	85	8.3
WW361235-PLNT-BOX	36	12	35	1156	103	10
WW421235-PLNT-BOX	42	12	35	1174	116	11.6
WW481235-PLNT-BOX	48	12	35	1190	128	13.2
WW511235-PLNT-BOX	51	12	35	1199	134	14
WW541235-PLNT-BOX	54	12	35	1207	140	14.8
WW601235-PLNT-BOX	60	12	35	1225	152	16.5
WW631235-PLNT-BOX	63	12	35	1243	158	17.3
WW661235-PLNT-BOX	66	12	35	1260	164	18.1
WW721235-PLNT-BOX	72	12	35	1294	176	19.7
18" Deep:						
WW301835-PLNT-BOX	30	18	35	1422	105	12.3
WW361835-PLNT-BOX	36	18	35	1439	127	14.7
WW421835-PLNT-BOX	42	18	35	1455	140	17
WW481835-PLNT-BOX	48	18	35	1473	153	19.4
WW511835-PLNT-BOX	51	18	35	1481	159	20.6
WW541835-PLNT-BOX	54	18	35	1489	166	21.8
WW601835-PLNT-BOX	60	18	35	1508	179	24.2
WW631835-PLNT-BOX	63	18	35	1525	185	25.4
WW661835-PLNT-BOX	66	18	35	1541	192	26.6
WW721835-PLNT-BOX	72	18	35	1577	205	29

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



41"H Enclosed Planter

Available in two depths 12" and 18"

Enclosed on all all four sides

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.


Inside planter box clearance depth is approx. 2" less than overall depth.

Inside planter clearance height is 8"

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW301241-PLNT-BOX	30	12	41	1274	101	9.5
WW361241-PLNT-BOX	36	12	41	1292	122	11.3
WW421241-PLNT-BOX	42	12	41	1309	135	13.2
WW481241-PLNT-BOX	48	12	41	1326	149	15
WW511241-PLNT-BOX	51	12	41	1334	156	15.9
WW541241-PLNT-BOX	54	12	41	1342	163	16.9
WW601241-PLNT-BOX	60	12	41	1361	176	18.7
WW631241-PLNT-BOX	63	12	41	1379	183	19.7
WW661241-PLNT-BOX	66	12	41	1395	190	20.6
WW721241-PLNT-BOX	72	12	41	1429	203	22.4
18" Deep:						
WW301841-PLNT-BOX	30	18	41	1558	126	13.9
WW361841-PLNT-BOX	36	18	41	1575	151	16.6
WW421841-PLNT-BOX	42	18	41	1591	166	19.4
WW481841-PLNT-BOX	48	18	41	1608	180	22.1
WW511841-PLNT-BOX	51	18	41	1617	187	23.5
WW541841-PLNT-BOX	54	18	41	1625	195	24.8
WW601841-PLNT-BOX	60	18	41	1644	209	27.5
WW631841-PLNT-BOX	63	18	41	1660	216	28.8
WW661841-PLNT-BOX	66	18	41	1677	224	30.2
WW721841-PLNT-BOX	72	18	41	1713	238	33

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.



47"H Enclosed Planter

Available in two depths 12" and 18"

Enclosed on all all four sides

Shipped Assembled

Inside planter box clearance width is approx. 2" less than overall width.

Inside planter box clearance depth is approx. 2" less than overall depth.

Inside planter clearance height is 8"

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
12" Deep:						
WW301247-PLNT-BOX	30	12	47	1357	106	9.8
WW361247-PLNT-BOX	36	12	47	1374	127	11.8
WW421247-PLNT-BOX	42	12	47	1392	140	13.7
WW481247-PLNT-BOX	48	12	47	1409	154	15.7
WW511247-PLNT-BOX	51	12	47	1417	161	16.5
WW541247-PLNT-BOX	54	12	47	1425	168	17.6
WW601247-PLNT-BOX	60	12	47	1444	181	19.6
WW631247-PLNT-BOX	63	12	47	1461	188	20.5
WW661247-PLNT-BOX	66	12	47	1478	195	21.5
WW721247-PLNT-BOX	72	12	47	1512	208	23.5
18" Deep:						
WW301847-PLNT-BOX	30	18	47	1646	131	14.7
WW361847-PLNT-BOX	36	18	47	1663	156	17.6
WW421847-PLNT-BOX	42	18	47	1679	171	20.6
WW481847-PLNT-BOX	48	18	47	1696	185	23.5
WW511847-PLNT-BOX	51	18	47	1705	192	24.9
WW541847-PLNT-BOX	54	18	47	1713	200	26.4
WW601847-PLNT-BOX	60	18	47	1732	214	29.4
WW631847-PLNT-BOX	63	18	47	1748	221	30.8
WW661847-PLNT-BOX	66	18	47	1765	229	32.3
WW721847-PLNT-BOX	72	18	47	1801	243	35.3

Important Note:

Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.

WORKWAY™ LOCKERS

PRICE BOOK

OFGO

STUDIO

CONTENTS

WORKWAY LOCKERS

Specifications 338
Locker Size Matrix 339

Lockers: Digital Lock
1 Wide Lockers (Digital Lock) 340-350
2 Wide Lockers (Digital Lock) 351-360
3 Wide Lockers (Digital Lock) 361-368

Lockers: Hasp Lock
1 Wide Lockers (Hasp Lock) 369-379
2 Wide Lockers (Hasp Lock) 380-389
3 Wide Lockers (Hasp Lock) 390-397

Lockers: Open Bookcase
1 Wide Lockers (Open Bookcase) 398-403
2 Wide Lockers (Open Bookcase) 404-409

Corner Fillers
Inline Corner Filler 410
Adjustable Corner Filler 411

Platforms & Common Tops
Riser Base Platform 412
Metal Riser Legs 413
Common Tops 414-419
Slope Tops 420
Planter Topper 421

Add Ons & Accessories
Locker Bench 422
Master Key 423
Add On Coat Hook 423
Boot Tray 423


In today's evolving workplace, adaptability and smart space utilization are essential, with hybrid and flexible work models driving the need for efficient and adaptable storage solutions.

WORKWAY™ Lockers offer a versatile storage solution, available in a wide range of sizes and configurations to accommodate personal devices, bags, outerwear, and workplace essentials.

FEATURES

- Available in heights from 29" to 83", widths from 12" to 36", and depths from 15" to 20".
- Lockers can be grouped along walls to create dedicated locker zones or arranged back-to-back to form functional locker islands.
- Includes two standard locking options: digital and hasp locks.
- Standard with soft close hinges for a premium user experience.
- Dual prong coat hook included with 1, 2, and 3, tier locker units as a standard.
- Lockers with boot storage compartment for separating footwear from personal belongings are available in 3 and 4 tier units.
- Optional boot trays comprised of high impact polystyrene (sold separately) are available to aid in the protection of bottom shelves.
- Slope top and laminate riser base platform available on all units as an optional add on.
- All locker units are shipped assembled.
- Available in all OFGO STUDIO laminate finishes, with optional two-tone combinations across doors and locker shells for a personalized design.
- Standard with INVISA Edge, providing a clean tamper, heat, and moisture-resistant edge finish.
- Standard with REFORCE construction, offering enhanced durability through a robust dado joint.
- Manufactured with environmentally friendly preferred products (EPP) which meet indoor air quality standards.
- Manufactured in ISO 9001 compliant facility.

CONFIGURATIONS



Note: Doors available in left hand and right hand configurations.

LOCK OPTIONS

Digital Lock (DH3):

- Nickel exterior integrated pull handle with a black faceplate.
- Available with optional master USB key (sold separately) that can reset the lock.
- Two mode settings: public mode and private mode. Public mode is the default lock setting.
- Standard with auto alarm function: If an incorrect password is entered in 4 times an alarm will sound and the lock will not accept codes for 60 seconds.
- The lock contains optional fake pin anti-theft technology. This allows you to input any code(s) before or after your real password to prevent your real password from being compromised.

Hasp Lock (HS):


- Available in two finishes: silver (nickel finish) or black finish.
- Padlock not included. The loop of the padlock should have a diameter between 4-8 mm.

DIMENSIONS BY CONFIGURATION

* All dimensions are overall unit size, not individual locker or door size.

	1-Wide	2-Wide	3-Wide
6 Tier	Widths: 12”, 15”, 18” Heights: 71”, 77”, 83”	Widths: 24”, 30”, 36” Heights: 71”, 77”, 83”	Width: 36” Heights: 71”, 77”, 83”
5 Tier	Widths: 12”, 15”, 18” Heights: 71”, 77”, 83”	Widths: 24”, 30”, 36” Heights: 71”, 77”, 83”	Width: 36” Heights: 71”, 77”, 83”
4 Tier	Widths: 12”, 15”, 18” Heights: 59”, 65”, 71”, 77”, 83”	Widths: 24”, 30”, 36” Heights: 59”, 65”, 71”, 77”, 83”	Width: 36” Heights: 59”, 65”, 71”, 77”, 83”
3 Tier	Widths: 12”, 15”, 18” Heights: 59”, 65”, 71”, 77”, 83”	Widths: 24”, 30”, 36” Heights: 59”, 65”, 71”, 77”, 83”	Width: 36” Heights: 59”, 65”, 71”, 77”, 83”
2 Tier	Widths: 12”, 15”, 18” Heights: 41”, 47”, 53”, 59”, 65”, 71”, 77”, 83”	Widths: 24”, 30”, 36” Heights: 41”, 47”, 53”, 59”, 65”, 71”, 77”, 83”W	Width: 36” Heights: 41”, 47”, 53”, 59”, 65”, 71”, 77”, 83
1 Tier	Widths: 12”, 15”, 18” Heights: 29”, 35”, 41”, 47”, 53”, 59”, 65”, 71”, 77”, 83”	Widths: 24”, 30”, 36” Heights: 29”, 35”, 41”, 47”, 53”, 59”, 65”, 71”, 77”, 83”	Width: 36” Heights: 29”, 35”, 41”, 47”, 53”, 59”, 65”, 71”, 77”, 83

*** All configurations are available in depths of 15”, 18”, or 20”.**




One Wide - One Tier Locker

With Hinged Door


Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (29" to 83" High).


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK121529-☐-1W-1H-CK-DH3	12	15	29	749	
LK151529-☐-1W-1H-CK-DH3	15	15	29	752	
LK181529-☐-1W-1H-CK-DH3	18	15	29	755	
LK121829-☐-1W-1H-CK-DH3	12	18	29	758	
LK151829-☐-1W-1H-CK-DH3	15	18	29	761	
LK181829-☐-1W-1H-CK-DH3	18	18	29	764	
LK122029-☐-1W-1H-CK-DH3	12	20	29	767	
LK152029-☐-1W-1H-CK-DH3	15	20	29	770	
LK182029-☐-1W-1H-CK-DH3	18	20	29	773	
LK121535-☐-1W-1H-CK-DH3	12	15	35	849	
LK151535-☐-1W-1H-CK-DH3	15	15	35	852	
LK181535-☐-1W-1H-CK-DH3	18	15	35	855	
LK121835-☐-1W-1H-CK-DH3	12	18	35	858	
LK151835-☐-1W-1H-CK-DH3	15	18	35	861	
LK181835-☐-1W-1H-CK-DH3	18	18	35	864	
LK122035-☐-1W-1H-CK-DH3	12	20	35	867	
LK152035-☐-1W-1H-CK-DH3	15	20	35	870	
LK182035-☐-1W-1H-CK-DH3	18	20	35	873	
LK121541-☐-1W-1H-CK-DH3	12	15	41	929	
LK151541-☐-1W-1H-CK-DH3	15	15	41	932	
LK181541-☐-1W-1H-CK-DH3	18	15	41	935	
LK121841-☐-1W-1H-CK-DH3	12	18	41	938	
LK151841-☐-1W-1H-CK-DH3	15	18	41	941	
LK181841-☐-1W-1H-CK-DH3	18	18	41	944	
LK122041-☐-1W-1H-CK-DH3	12	20	41	947	
LK152041-☐-1W-1H-CK-DH3	15	20	41	950	
LK182041-☐-1W-1H-CK-DH3	18	20	41	953	
LK121547-☐-1W-1H-CK-DH3	12	15	47	1019	
LK151547-☐-1W-1H-CK-DH3	15	15	47	1022	
LK181547-☐-1W-1H-CK-DH3	18	15	47	1025	
LK121847-☐-1W-1H-CK-DH3	12	18	47	1028	
LK151847-☐-1W-1H-CK-DH3	15	18	47	1031	
LK181847-☐-1W-1H-CK-DH3	18	18	47	1034	
LK122047-☐-1W-1H-CK-DH3	12	20	47	1037	
LK152047-☐-1W-1H-CK-DH3	15	20	47	1040	
LK182047-☐-1W-1H-CK-DH3	18	20	47	1043	
LK121553-☐-1W-1H-CK-DH3	12	15	53	1069	
LK151553-☐-1W-1H-CK-DH3	15	15	53	1072	
LK181553-☐-1W-1H-CK-DH3	18	15	53	1075	
LK121853-☐-1W-1H-CK-DH3	12	18	53	1078	
LK151853-☐-1W-1H-CK-DH3	15	18	53	1081	
LK181853-☐-1W-1H-CK-DH3	18	18	53	1084	
LK122053-☐-1W-1H-CK-DH3	12	20	53	1087	
LK152053-☐-1W-1H-CK-DH3	15	20	53	1090	
LK182053-☐-1W-1H-CK-DH3	18	20	53	1093	


CONTINUED ON NEXT PAGE.




One Wide - One Tier Locker
With Hinged Door
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):


- Dual prong coat hook included in all heights (29" to 83" High).

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK121559-☐-1W-1H-CK-DH3	12	15	59	1119	
LK151559-☐-1W-1H-CK-DH3	15	15	59	1122	
LK181559-☐-1W-1H-CK-DH3	18	15	59	1125	
LK121859-☐-1W-1H-CK-DH3	12	18	59	1128	
LK151859-☐-1W-1H-CK-DH3	15	18	59	1131	
LK181859-☐-1W-1H-CK-DH3	18	18	59	1134	
LK122059-☐-1W-1H-CK-DH3	12	20	59	1137	
LK152059-☐-1W-1H-CK-DH3	15	20	59	1140	
LK182059-☐-1W-1H-CK-DH3	18	20	59	1143	
LK121565-☐-1W-1H-CK-DH3	12	15	65	1179	
LK151565-☐-1W-1H-CK-DH3	15	15	65	1182	
LK181565-☐-1W-1H-CK-DH3	18	15	65	1185	
LK121865-☐-1W-1H-CK-DH3	12	18	65	1188	
LK151865-☐-1W-1H-CK-DH3	15	18	65	1191	
LK181865-☐-1W-1H-CK-DH3	18	18	65	1194	
LK122065-☐-1W-1H-CK-DH3	12	20	65	1197	
LK152065-☐-1W-1H-CK-DH3	15	20	65	1200	
LK182065-☐-1W-1H-CK-DH3	18	20	65	1203	
LK121571-☐-1W-1H-CK-DH3	12	15	71	1239	
LK151571-☐-1W-1H-CK-DH3	15	15	71	1242	
LK181571-☐-1W-1H-CK-DH3	18	15	71	1245	
LK121871-☐-1W-1H-CK-DH3	12	18	71	1248	
LK151871-☐-1W-1H-CK-DH3	15	18	71	1251	
LK181871-☐-1W-1H-CK-DH3	18	18	71	1254	
LK122071-☐-1W-1H-CK-DH3	12	20	71	1257	
LK152071-☐-1W-1H-CK-DH3	15	20	71	1260	
LK182071-☐-1W-1H-CK-DH3	18	20	71	1263	
LK121577-☐-1W-1H-CK-DH3	12	15	77	1389	
LK151577-☐-1W-1H-CK-DH3	15	15	77	1392	
LK181577-☐-1W-1H-CK-DH3	18	15	77	1395	
LK121877-☐-1W-1H-CK-DH3	12	18	77	1398	
LK151877-☐-1W-1H-CK-DH3	15	18	77	1401	
LK181877-☐-1W-1H-CK-DH3	18	18	77	1404	
LK122077-☐-1W-1H-CK-DH3	12	20	77	1407	
LK152077-☐-1W-1H-CK-DH3	15	20	77	1410	
LK182077-☐-1W-1H-CK-DH3	18	20	77	1413	
LK121583-☐-1W-1H-CK-DH3	12	15	83	1539	
LK151583-☐-1W-1H-CK-DH3	15	15	83	1542	
LK181583-☐-1W-1H-CK-DH3	18	15	83	1545	
LK121883-☐-1W-1H-CK-DH3	12	18	83	1548	
LK151883-☐-1W-1H-CK-DH3	15	18	83	1551	
LK181883-☐-1W-1H-CK-DH3	18	18	83	1554	
LK122083-☐-1W-1H-CK-DH3	12	20	83	1557	
LK152083-☐-1W-1H-CK-DH3	15	20	83	1560	
LK182083-☐-1W-1H-CK-DH3	18	20	83	1563	




One Wide - Two Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK121541-☐-1W-2H-CK-DH3	12	15	41	1179	
LK151541-☐-1W-2H-CK-DH3	15	15	41	1182	
LK181541-☐-1W-2H-CK-DH3	18	15	41	1185	
LK121841-☐-1W-2H-CK-DH3	12	18	41	1188	
LK151841-☐-1W-2H-CK-DH3	15	18	41	1191	
LK181841-☐-1W-2H-CK-DH3	18	18	41	1194	
LK122041-☐-1W-2H-CK-DH3	12	20	41	1197	
LK152041-☐-1W-2H-CK-DH3	15	20	41	1200	
LK182041-☐-1W-2H-CK-DH3	18	20	41	1203	
LK121547-☐-1W-2H-CK-DH3	12	15	47	1269	
LK151547-☐-1W-2H-CK-DH3	15	15	47	1272	
LK181547-☐-1W-2H-CK-DH3	18	15	47	1275	
LK121847-☐-1W-2H-CK-DH3	12	18	47	1278	
LK151847-☐-1W-2H-CK-DH3	15	18	47	1281	
LK181847-☐-1W-2H-CK-DH3	18	18	47	1284	
LK122047-☐-1W-2H-CK-DH3	12	20	47	1287	
LK152047-☐-1W-2H-CK-DH3	15	20	47	1290	
LK182047-☐-1W-2H-CK-DH3	18	20	47	1293	
LK121553-☐-1W-2H-CK-DH3	12	15	53	1319	
LK151553-☐-1W-2H-CK-DH3	15	15	53	1322	
LK181553-☐-1W-2H-CK-DH3	18	15	53	1325	
LK121853-☐-1W-2H-CK-DH3	12	18	53	1328	
LK151853-☐-1W-2H-CK-DH3	15	18	53	1331	
LK181853-☐-1W-2H-CK-DH3	18	18	53	1334	
LK122053-☐-1W-2H-CK-DH3	12	20	53	1337	
LK152053-☐-1W-2H-CK-DH3	15	20	53	1340	
LK182053-☐-1W-2H-CK-DH3	18	20	53	1343	
LK121559-☐-1W-2H-CK-DH3	12	15	59	1369	
LK151559-☐-1W-2H-CK-DH3	15	15	59	1372	
LK181559-☐-1W-2H-CK-DH3	18	15	59	1375	
LK121859-☐-1W-2H-CK-DH3	12	18	59	1378	
LK151859-☐-1W-2H-CK-DH3	15	18	59	1381	
LK181859-☐-1W-2H-CK-DH3	18	18	59	1384	
LK122059-☐-1W-2H-CK-DH3	12	20	59	1387	
LK152059-☐-1W-2H-CK-DH3	15	20	59	1390	
LK182059-☐-1W-2H-CK-DH3	18	20	59	1393	
LK121565-☐-1W-2H-CK-DH3	12	15	65	1439	
LK151565-☐-1W-2H-CK-DH3	15	15	65	1442	
LK181565-☐-1W-2H-CK-DH3	18	15	65	1445	
LK121865-☐-1W-2H-CK-DH3	12	18	65	1448	
LK151865-☐-1W-2H-CK-DH3	15	18	65	1451	
LK181865-☐-1W-2H-CK-DH3	18	18	65	1454	
LK122065-☐-1W-2H-CK-DH3	12	20	65	1457	
LK152065-☐-1W-2H-CK-DH3	15	20	65	1460	
LK182065-☐-1W-2H-CK-DH3	18	20	65	1463	

CONTINUED ON NEXT PAGE.




One Wide - Two Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK121571-☐-1W-2H-CK-DH3	12	15	71	1499	
LK151571-☐-1W-2H-CK-DH3	15	15	71	1502	
LK181571-☐-1W-2H-CK-DH3	18	15	71	1505	
LK121871-☐-1W-2H-CK-DH3	12	18	71	1508	
LK151871-☐-1W-2H-CK-DH3	15	18	71	1511	
LK181871-☐-1W-2H-CK-DH3	18	18	71	1514	
LK122071-☐-1W-2H-CK-DH3	12	20	71	1517	
LK152071-☐-1W-2H-CK-DH3	15	20	71	1520	
LK182071-☐-1W-2H-CK-DH3	18	20	71	1523	
LK121577-☐-1W-2H-CK-DH3	12	15	77	1649	
LK151577-☐-1W-2H-CK-DH3	15	15	77	1652	
LK181577-☐-1W-2H-CK-DH3	18	15	77	1655	
LK121877-☐-1W-2H-CK-DH3	12	18	77	1658	
LK151877-☐-1W-2H-CK-DH3	15	18	77	1661	
LK181877-☐-1W-2H-CK-DH3	18	18	77	1664	
LK122077-☐-1W-2H-CK-DH3	12	20	77	1667	
LK152077-☐-1W-2H-CK-DH3	15	20	77	1670	
LK182077-☐-1W-2H-CK-DH3	18	20	77	1673	
LK121583-☐-1W-2H-CK-DH3	12	15	83	1799	
LK151583-☐-1W-2H-CK-DH3	15	15	83	1802	
LK181583-☐-1W-2H-CK-DH3	18	15	83	1805	
LK121883-☐-1W-2H-CK-DH3	12	18	83	1808	
LK151883-☐-1W-2H-CK-DH3	15	18	83	1811	
LK181883-☐-1W-2H-CK-DH3	18	18	83	1814	
LK122083-☐-1W-2H-CK-DH3	12	20	83	1817	
LK152083-☐-1W-2H-CK-DH3	15	20	83	1820	
LK182083-☐-1W-2H-CK-DH3	18	20	83	1823	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L) **Right Opening (R)**

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.


1 WIDE - 2 TIER Z-LOCKERS
(With Digital Lock)



One Wide - Two Tier Z-Locker
With Hinged Doors
Digital Lock (DH3) Included

Model No.	*W*	*D*	*H*	Price	*LB*
LK181565-LR-1W-Z2H-CK-DH3	18	15	65	1885	
LK181865-LR-1W-Z2H-CK-DH3	18	18	65	1894	
LK182065-LR-1W-Z2H-CK-DH3	18	20	65	1903	
LK181571-LR-1W-Z2H-CK-DH3	18	15	71	1945	
LK181871-LR-1W-Z2H-CK-DH3	18	18	71	1954	
LK182071-LR-1W-Z2H-CK-DH3	18	20	71	1963	
LK181577-LR-1W-Z2H-CK-DH3	18	15	77	2095	
LK181877-LR-1W-Z2H-CK-DH3	18	18	77	2104	
LK182077-LR-1W-Z2H-CK-DH3	18	20	77	2113	

Door Orientation:



Right Opening Top Door
Left Opening Bottom Door

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.


1 WIDE - 3 TIER LOCKERS
(With Digital Lock)




One Wide - Three Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.

□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK121559-□-1W-3H-CK-DH3	12	15	59	1579	
LK151559-□-1W-3H-CK-DH3	15	15	59	1582	
LK181559-□-1W-3H-CK-DH3	18	15	59	1585	
LK121859-□-1W-3H-CK-DH3	12	18	59	1588	
LK151859-□-1W-3H-CK-DH3	15	18	59	1591	
LK181859-□-1W-3H-CK-DH3	18	18	59	1594	
LK122059-□-1W-3H-CK-DH3	12	20	59	1597	
LK152059-□-1W-3H-CK-DH3	15	20	59	1600	
LK182059-□-1W-3H-CK-DH3	18	20	59	1603	
LK121565-□-1W-3H-CK-DH3	12	15	65	1649	
LK151565-□-1W-3H-CK-DH3	15	15	65	1652	
LK181565-□-1W-3H-CK-DH3	18	15	65	1655	
LK121865-□-1W-3H-CK-DH3	12	18	65	1658	
LK151865-□-1W-3H-CK-DH3	15	18	65	1661	
LK181865-□-1W-3H-CK-DH3	18	18	65	1664	
LK122065-□-1W-3H-CK-DH3	12	20	65	1667	
LK152065-□-1W-3H-CK-DH3	15	20	65	1670	
LK182065-□-1W-3H-CK-DH3	18	20	65	1673	
LK121571-□-1W-3H-CK-DH3	12	15	71	1709	
LK151571-□-1W-3H-CK-DH3	15	15	71	1712	
LK181571-□-1W-3H-CK-DH3	18	15	71	1715	
LK121871-□-1W-3H-CK-DH3	12	18	71	1718	
LK151871-□-1W-3H-CK-DH3	15	18	71	1721	
LK181871-□-1W-3H-CK-DH3	18	18	71	1724	
LK122071-□-1W-3H-CK-DH3	12	20	71	1727	
LK152071-□-1W-3H-CK-DH3	15	20	71	1730	
LK182071-□-1W-3H-CK-DH3	18	20	71	1733	
LK121577-□-1W-3H-CK-DH3	12	15	77	1859	
LK151577-□-1W-3H-CK-DH3	15	15	77	1862	
LK181577-□-1W-3H-CK-DH3	18	15	77	1865	
LK121877-□-1W-3H-CK-DH3	12	18	77	1868	
LK151877-□-1W-3H-CK-DH3	15	18	77	1871	
LK181877-□-1W-3H-CK-DH3	18	18	77	1874	
LK122077-□-1W-3H-CK-DH3	12	20	77	1877	
LK152077-□-1W-3H-CK-DH3	15	20	77	1880	
LK182077-□-1W-3H-CK-DH3	18	20	77	1883	
LK121583-□-1W-3H-CK-DH3	12	15	83	2009	
LK151583-□-1W-3H-CK-DH3	15	15	83	2012	
LK181583-□-1W-3H-CK-DH3	18	15	83	2015	
LK121883-□-1W-3H-CK-DH3	12	18	83	2018	
LK151883-□-1W-3H-CK-DH3	15	18	83	2021	
LK181883-□-1W-3H-CK-DH3	18	18	83	2024	
LK122083-□-1W-3H-CK-DH3	12	20	83	2027	
LK152083-□-1W-3H-CK-DH3	15	20	83	2030	
LK182083-□-1W-3H-CK-DH3	18	20	83	2033	


1 WIDE - 3 TIER LOCKERS - WITH BOOT OPENING
(With Digital Lock)




One Wide - Three Tier Locker
With 2 Hinged Doors
With 1 Boot Opening
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).
- Dual prong coat hook included in hinged doors only.


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK121559-☐-1W-3H1B-CK-DH3	12	15	59	1364	
LK151559-☐-1W-3H1B-CK-DH3	15	15	59	1367	
LK181559-☐-1W-3H1B-CK-DH3	18	15	59	1370	
LK121859-☐-1W-3H1B-CK-DH3	12	18	59	1373	
LK151859-☐-1W-3H1B-CK-DH3	15	18	59	1376	
LK181859-☐-1W-3H1B-CK-DH3	18	18	59	1379	
LK122059-☐-1W-3H1B-CK-DH3	12	20	59	1382	
LK152059-☐-1W-3H1B-CK-DH3	15	20	59	1385	
LK182059-☐-1W-3H1B-CK-DH3	18	20	59	1388	
LK121565-☐-1W-3H1B-CK-DH3	12	15	65	1434	
LK151565-☐-1W-3H1B-CK-DH3	15	15	65	1437	
LK181565-☐-1W-3H1B-CK-DH3	18	15	65	1440	
LK121865-☐-1W-3H1B-CK-DH3	12	18	65	1443	
LK151865-☐-1W-3H1B-CK-DH3	15	18	65	1446	
LK181865-☐-1W-3H1B-CK-DH3	18	18	65	1449	
LK122065-☐-1W-3H1B-CK-DH3	12	20	65	1452	
LK152065-☐-1W-3H1B-CK-DH3	15	20	65	1455	
LK182065-☐-1W-3H1B-CK-DH3	18	20	65	1458	
LK121571-☐-1W-3H1B-CK-DH3	12	15	71	1494	
LK151571-☐-1W-3H1B-CK-DH3	15	15	71	1497	
LK181571-☐-1W-3H1B-CK-DH3	18	15	71	1500	
LK121871-☐-1W-3H1B-CK-DH3	12	18	71	1503	
LK151871-☐-1W-3H1B-CK-DH3	15	18	71	1506	
LK181871-☐-1W-3H1B-CK-DH3	18	18	71	1509	
LK122071-☐-1W-3H1B-CK-DH3	12	20	71	1512	
LK152071-☐-1W-3H1B-CK-DH3	15	20	71	1515	
LK182071-☐-1W-3H1B-CK-DH3	18	20	71	1518	
LK121577-☐-1W-3H1B-CK-DH3	12	15	77	1644	
LK151577-☐-1W-3H1B-CK-DH3	15	15	77	1647	
LK181577-☐-1W-3H1B-CK-DH3	18	15	77	1650	
LK121877-☐-1W-3H1B-CK-DH3	12	18	77	1653	
LK151877-☐-1W-3H1B-CK-DH3	15	18	77	1656	
LK181877-☐-1W-3H1B-CK-DH3	18	18	77	1659	
LK122077-☐-1W-3H1B-CK-DH3	12	20	77	1662	
LK152077-☐-1W-3H1B-CK-DH3	15	20	77	1665	
LK182077-☐-1W-3H1B-CK-DH3	18	20	77	1668	
LK121583-☐-1W-3H1B-CK-DH3	12	15	83	1794	
LK151583-☐-1W-3H1B-CK-DH3	15	15	83	1797	
LK181583-☐-1W-3H1B-CK-DH3	18	15	83	1800	
LK121883-☐-1W-3H1B-CK-DH3	12	18	83	1803	
LK151883-☐-1W-3H1B-CK-DH3	15	18	83	1806	
LK181883-☐-1W-3H1B-CK-DH3	18	18	83	1809	
LK122083-☐-1W-3H1B-CK-DH3	12	20	83	1812	
LK152083-☐-1W-3H1B-CK-DH3	15	20	83	1815	
LK182083-☐-1W-3H1B-CK-DH3	18	20	83	1818	


1 WIDE - 4 TIER LOCKERS
(With Digital Lock)




One Wide - Four Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK121559-☐-1W-4H-DH3	12	15	59	1829	
LK151559-☐-1W-4H-DH3	15	15	59	1832	
LK181559-☐-1W-4H-DH3	18	15	59	1835	
LK121859-☐-1W-4H-DH3	12	18	59	1838	
LK151859-☐-1W-4H-DH3	15	18	59	1841	
LK181859-☐-1W-4H-DH3	18	18	59	1844	
LK122059-☐-1W-4H-DH3	12	20	59	1847	
LK152059-☐-1W-4H-DH3	15	20	59	1850	
LK182059-☐-1W-4H-DH3	18	20	59	1853	
LK121565-☐-1W-4H-DH3	12	15	65	1899	
LK151565-☐-1W-4H-DH3	15	15	65	1902	
LK181565-☐-1W-4H-DH3	18	15	65	1905	
LK121865-☐-1W-4H-DH3	12	18	65	1908	
LK151865-☐-1W-4H-DH3	15	18	65	1911	
LK181865-☐-1W-4H-DH3	18	18	65	1914	
LK122065-☐-1W-4H-DH3	12	20	65	1917	
LK152065-☐-1W-4H-DH3	15	20	65	1920	
LK182065-☐-1W-4H-DH3	18	20	65	1923	
LK121571-☐-1W-4H-DH3	12	15	71	1959	
LK151571-☐-1W-4H-DH3	15	15	71	1962	
LK181571-☐-1W-4H-DH3	18	15	71	1965	
LK121871-☐-1W-4H-DH3	12	18	71	1968	
LK151871-☐-1W-4H-DH3	15	18	71	1971	
LK181871-☐-1W-4H-DH3	18	18	71	1974	
LK122071-☐-1W-4H-DH3	12	20	71	1977	
LK152071-☐-1W-4H-DH3	15	20	71	1980	
LK182071-☐-1W-4H-DH3	18	20	71	1983	
LK121577-☐-1W-4H-DH3	12	15	77	2109	
LK151577-☐-1W-4H-DH3	15	15	77	2112	
LK181577-☐-1W-4H-DH3	18	15	77	2115	
LK121877-☐-1W-4H-DH3	12	18	77	2118	
LK151877-☐-1W-4H-DH3	15	18	77	2121	
LK181877-☐-1W-4H-DH3	18	18	77	2124	
LK122077-☐-1W-4H-DH3	12	20	77	2127	
LK152077-☐-1W-4H-DH3	15	20	77	2130	
LK182077-☐-1W-4H-DH3	18	20	77	2133	
LK121583-☐-1W-4H-DH3	12	15	83	2259	
LK151583-☐-1W-4H-DH3	15	15	83	2262	
LK181583-☐-1W-4H-DH3	18	15	83	2265	
LK121883-☐-1W-4H-DH3	12	18	83	2268	
LK151883-☐-1W-4H-DH3	15	18	83	2271	
LK181883-☐-1W-4H-DH3	18	18	83	2274	
LK122083-☐-1W-4H-DH3	12	20	83	2277	
LK152083-☐-1W-4H-DH3	15	20	83	2280	
LK182083-☐-1W-4H-DH3	18	20	83	2283	


1 WIDE - 4 TIER LOCKERS - WITH BOOT OPENING
(With Digital Lock)




One Wide - Four Tier Locker
With 3 Hinged Doors
With 1 Boot Opening
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):


- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK121565-☐-1W-4H1B-DH3	12	15	65	1644	
LK151565-☐-1W-4H1B-DH3	15	15	65	1647	
LK181565-☐-1W-4H1B-DH3	18	15	65	1650	
LK121865-☐-1W-4H1B-DH3	12	18	65	1653	
LK151865-☐-1W-4H1B-DH3	15	18	65	1656	
LK181865-☐-1W-4H1B-DH3	18	18	65	1659	
LK122065-☐-1W-4H1B-DH3	12	20	65	1662	
LK152065-☐-1W-4H1B-DH3	15	20	65	1665	
LK182065-☐-1W-4H1B-DH3	18	20	65	1668	
LK121571-☐-1W-4H1B-DH3	12	15	71	1704	
LK151571-☐-1W-4H1B-DH3	15	15	71	1707	
LK181571-☐-1W-4H1B-DH3	18	15	71	1710	
LK121871-☐-1W-4H1B-DH3	12	18	71	1713	
LK151871-☐-1W-4H1B-DH3	15	18	71	1716	
LK181871-☐-1W-4H1B-DH3	18	18	71	1719	
LK122071-☐-1W-4H1B-DH3	12	20	71	1722	
LK152071-☐-1W-4H1B-DH3	15	20	71	1725	
LK182071-☐-1W-4H1B-DH3	18	20	71	1728	
LK121577-☐-1W-4H1B-DH3	12	15	77	1854	
LK151577-☐-1W-4H1B-DH3	15	15	77	1857	
LK181577-☐-1W-4H1B-DH3	18	15	77	1860	
LK121877-☐-1W-4H1B-DH3	12	18	77	1863	
LK151877-☐-1W-4H1B-DH3	15	18	77	1866	
LK181877-☐-1W-4H1B-DH3	18	18	77	1869	
LK122077-☐-1W-4H1B-DH3	12	20	77	1872	
LK152077-☐-1W-4H1B-DH3	15	20	77	1875	
LK182077-☐-1W-4H1B-DH3	18	20	77	1878	
LK121583-☐-1W-4H1B-DH3	12	15	83	2004	
LK151583-☐-1W-4H1B-DH3	15	15	83	2007	
LK181583-☐-1W-4H1B-DH3	18	15	83	2010	
LK121883-☐-1W-4H1B-DH3	12	18	83	2013	
LK151883-☐-1W-4H1B-DH3	15	18	83	2016	
LK181883-☐-1W-4H1B-DH3	18	18	83	2019	
LK122083-☐-1W-4H1B-DH3	12	20	83	2022	
LK152083-☐-1W-4H1B-DH3	15	20	83	2025	
LK182083-☐-1W-4H1B-DH3	18	20	83	2028	




One Wide - Five Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK121571-☐-1W-5H-DH3	12	15	71	2259	
LK151571-☐-1W-5H-DH3	15	15	71	2262	
LK181571-☐-1W-5H-DH3	18	15	71	2265	
LK121871-☐-1W-5H-DH3	12	18	71	2268	
LK151871-☐-1W-5H-DH3	15	18	71	2271	
LK181871-☐-1W-5H-DH3	18	18	71	2274	
LK122071-☐-1W-5H-DH3	12	20	71	2277	
LK152071-☐-1W-5H-DH3	15	20	71	2280	
LK182071-☐-1W-5H-DH3	18	20	71	2283	
LK121577-☐-1W-5H-DH3	12	15	77	2409	
LK151577-☐-1W-5H-DH3	15	15	77	2412	
LK181577-☐-1W-5H-DH3	18	15	77	2415	
LK121877-☐-1W-5H-DH3	12	18	77	2418	
LK151877-☐-1W-5H-DH3	15	18	77	2421	
LK181877-☐-1W-5H-DH3	18	18	77	2424	
LK122077-☐-1W-5H-DH3	12	20	77	2427	
LK152077-☐-1W-5H-DH3	15	20	77	2430	
LK182077-☐-1W-5H-DH3	18	20	77	2433	
LK121583-☐-1W-5H-DH3	12	15	83	2559	
LK151583-☐-1W-5H-DH3	15	15	83	2562	
LK181583-☐-1W-5H-DH3	18	15	83	2565	
LK121883-☐-1W-5H-DH3	12	18	83	2568	
LK151883-☐-1W-5H-DH3	15	18	83	2571	
LK181883-☐-1W-5H-DH3	18	18	83	2574	
LK122083-☐-1W-5H-DH3	12	20	83	2577	
LK152083-☐-1W-5H-DH3	15	20	83	2580	
LK182083-☐-1W-5H-DH3	18	20	83	2583	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:


- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.




One Wide - Six Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):


- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.

□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK121571-□-1W-6H-DH3	12	15	71	2599	
LK151571-□-1W-6H-DH3	15	15	71	2602	
LK181571-□-1W-6H-DH3	18	15	71	2605	
LK121871-□-1W-6H-DH3	12	18	71	2608	
LK151871-□-1W-6H-DH3	15	18	71	2611	
LK181871-□-1W-6H-DH3	18	18	71	2614	
LK122071-□-1W-6H-DH3	12	20	71	2617	
LK152071-□-1W-6H-DH3	15	20	71	2620	
LK182071-□-1W-6H-DH3	18	20	71	2623	
LK121577-□-1W-6H-DH3	12	15	77	2749	
LK151577-□-1W-6H-DH3	15	15	77	2752	
LK181577-□-1W-6H-DH3	18	15	77	2755	
LK121877-□-1W-6H-DH3	12	18	77	2758	
LK151877-□-1W-6H-DH3	15	18	77	2761	
LK181877-□-1W-6H-DH3	18	18	77	2764	
LK122077-□-1W-6H-DH3	12	20	77	2767	
LK152077-□-1W-6H-DH3	15	20	77	2770	
LK182077-□-1W-6H-DH3	18	20	77	2773	
LK121583-□-1W-6H-DH3	12	15	83	2899	
LK151583-□-1W-6H-DH3	15	15	83	2902	
LK181583-□-1W-6H-DH3	18	15	83	2905	
LK121883-□-1W-6H-DH3	12	18	83	2908	
LK151883-□-1W-6H-DH3	15	18	83	2911	
LK181883-□-1W-6H-DH3	18	18	83	2914	
LK122083-□-1W-6H-DH3	12	20	83	2917	
LK152083-□-1W-6H-DH3	15	20	83	2920	
LK182083-□-1W-6H-DH3	18	20	83	2923	




Two Wide - One Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (29" to 83" High).


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK241529-☐-2W-1H-CK-DH3	24	15	29	1464	
LK301529-☐-2W-1H-CK-DH3	30	15	29	1467	
LK361529-☐-2W-1H-CK-DH3	36	15	29	1470	
LK241829-☐-2W-1H-CK-DH3	24	18	29	1473	
LK301829-☐-2W-1H-CK-DH3	30	18	29	1476	
LK361829-☐-2W-1H-CK-DH3	36	18	29	1479	
LK242029-☐-2W-1H-CK-DH3	24	20	29	1482	
LK302029-☐-2W-1H-CK-DH3	30	20	29	1485	
LK362029-☐-2W-1H-CK-DH3	36	20	29	1488	
LK241535-☐-2W-1H-CK-DH3	24	15	35	1564	
LK301535-☐-2W-1H-CK-DH3	30	15	35	1567	
LK361535-☐-2W-1H-CK-DH3	36	15	35	1570	
LK241835-☐-2W-1H-CK-DH3	24	18	35	1573	
LK301835-☐-2W-1H-CK-DH3	30	18	35	1576	
LK361835-☐-2W-1H-CK-DH3	36	18	35	1579	
LK242035-☐-2W-1H-CK-DH3	24	20	35	1582	
LK302035-☐-2W-1H-CK-DH3	30	20	35	1585	
LK362035-☐-2W-1H-CK-DH3	36	20	35	1588	
LK241541-☐-2W-1H-CK-DH3	24	15	41	1644	
LK301541-☐-2W-1H-CK-DH3	30	15	41	1647	
LK361541-☐-2W-1H-CK-DH3	36	15	41	1650	
LK241841-☐-2W-1H-CK-DH3	24	18	41	1653	
LK301841-☐-2W-1H-CK-DH3	30	18	41	1656	
LK361841-☐-2W-1H-CK-DH3	36	18	41	1659	
LK242041-☐-2W-1H-CK-DH3	24	20	41	1662	
LK302041-☐-2W-1H-CK-DH3	30	20	41	1665	
LK362041-☐-2W-1H-CK-DH3	36	20	41	1668	
LK241547-☐-2W-1H-CK-DH3	24	15	47	1734	
LK301547-☐-2W-1H-CK-DH3	30	15	47	1737	
LK361547-☐-2W-1H-CK-DH3	36	15	47	1740	
LK241847-☐-2W-1H-CK-DH3	24	18	47	1743	
LK301847-☐-2W-1H-CK-DH3	30	18	47	1746	
LK361847-☐-2W-1H-CK-DH3	36	18	47	1749	
LK242047-☐-2W-1H-CK-DH3	24	20	47	1752	
LK302047-☐-2W-1H-CK-DH3	30	20	47	1755	
LK362047-☐-2W-1H-CK-DH3	36	20	47	1758	
LK241553-☐-2W-1H-CK-DH3	24	15	53	1784	
LK301553-☐-2W-1H-CK-DH3	30	15	53	1787	
LK361553-☐-2W-1H-CK-DH3	36	15	53	1790	
LK241853-☐-2W-1H-CK-DH3	24	18	53	1793	
LK301853-☐-2W-1H-CK-DH3	30	18	53	1796	
LK361853-☐-2W-1H-CK-DH3	36	18	53	1799	
LK242053-☐-2W-1H-CK-DH3	24	20	53	1802	
LK302053-☐-2W-1H-CK-DH3	30	20	53	1805	
LK362053-☐-2W-1H-CK-DH3	36	20	53	1808	


CONTINUED ON NEXT PAGE.




Two Wide - One Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):


- Dual prong coat hook included in all heights (29" to 83" High).

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-☐-2W-1H-CK-DH3	24	15	59	1834	
LK301559-☐-2W-1H-CK-DH3	30	15	59	1837	
LK361559-☐-2W-1H-CK-DH3	36	15	59	1840	
LK241859-☐-2W-1H-CK-DH3	24	18	59	1843	
LK301859-☐-2W-1H-CK-DH3	30	18	59	1846	
LK361859-☐-2W-1H-CK-DH3	36	18	59	1849	
LK242059-☐-2W-1H-CK-DH3	24	20	59	1852	
LK302059-☐-2W-1H-CK-DH3	30	20	59	1855	
LK362059-☐-2W-1H-CK-DH3	36	20	59	1858	
LK241565-☐-2W-1H-CK-DH3	24	15	65	1904	
LK301565-☐-2W-1H-CK-DH3	30	15	65	1907	
LK361565-☐-2W-1H-CK-DH3	36	15	65	1910	
LK241865-☐-2W-1H-CK-DH3	24	18	65	1913	
LK301865-☐-2W-1H-CK-DH3	30	18	65	1916	
LK361865-☐-2W-1H-CK-DH3	36	18	65	1919	
LK242065-☐-2W-1H-CK-DH3	24	20	65	1922	
LK302065-☐-2W-1H-CK-DH3	30	20	65	1925	
LK362065-☐-2W-1H-CK-DH3	36	20	65	1928	
LK241571-☐-2W-1H-CK-DH3	24	15	71	1964	
LK301571-☐-2W-1H-CK-DH3	30	15	71	1967	
LK361571-☐-2W-1H-CK-DH3	36	15	71	1970	
LK241871-☐-2W-1H-CK-DH3	24	18	71	1973	
LK301871-☐-2W-1H-CK-DH3	30	18	71	1976	
LK361871-☐-2W-1H-CK-DH3	36	18	71	1979	
LK242071-☐-2W-1H-CK-DH3	24	20	71	1982	
LK302071-☐-2W-1H-CK-DH3	30	20	71	1985	
LK362071-☐-2W-1H-CK-DH3	36	20	71	1988	
LK241577-☐-2W-1H-CK-DH3	24	15	77	2114	
LK301577-☐-2W-1H-CK-DH3	30	15	77	2117	
LK361577-☐-2W-1H-CK-DH3	36	15	77	2120	
LK241877-☐-2W-1H-CK-DH3	24	18	77	2123	
LK301877-☐-2W-1H-CK-DH3	30	18	77	2126	
LK361877-☐-2W-1H-CK-DH3	36	18	77	2129	
LK242077-☐-2W-1H-CK-DH3	24	20	77	2132	
LK302077-☐-2W-1H-CK-DH3	30	20	77	2135	
LK362077-☐-2W-1H-CK-DH3	36	20	77	2138	
LK241583-☐-2W-1H-CK-DH3	24	15	83	2264	
LK301583-☐-2W-1H-CK-DH3	30	15	83	2267	
LK361583-☐-2W-1H-CK-DH3	36	15	83	2270	
LK241883-☐-2W-1H-CK-DH3	24	18	83	2273	
LK301883-☐-2W-1H-CK-DH3	30	18	83	2276	
LK361883-☐-2W-1H-CK-DH3	36	18	83	2279	
LK242083-☐-2W-1H-CK-DH3	24	20	83	2282	
LK302083-☐-2W-1H-CK-DH3	30	20	83	2285	
LK362083-☐-2W-1H-CK-DH3	36	20	83	2288	




Two Wide - Two Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK241541-☐-2W-2H-CK-DH3	24	15	41	2124	
LK301541-☐-2W-2H-CK-DH3	30	15	41	2127	
LK361541-☐-2W-2H-CK-DH3	36	15	41	2130	
LK241841-☐-2W-2H-CK-DH3	24	18	41	2133	
LK301841-☐-2W-2H-CK-DH3	30	18	41	2136	
LK361841-☐-2W-2H-CK-DH3	36	18	41	2139	
LK242041-☐-2W-2H-CK-DH3	24	20	41	2142	
LK302041-☐-2W-2H-CK-DH3	30	20	41	2145	
LK362041-☐-2W-2H-CK-DH3	36	20	41	2148	
LK241547-☐-2W-2H-CK-DH3	24	15	47	2214	
LK301547-☐-2W-2H-CK-DH3	30	15	47	2217	
LK361547-☐-2W-2H-CK-DH3	36	15	47	2220	
LK241847-☐-2W-2H-CK-DH3	24	18	47	2223	
LK301847-☐-2W-2H-CK-DH3	30	18	47	2226	
LK361847-☐-2W-2H-CK-DH3	36	18	47	2229	
LK242047-☐-2W-2H-CK-DH3	24	20	47	2232	
LK302047-☐-2W-2H-CK-DH3	30	20	47	2235	
LK362047-☐-2W-2H-CK-DH3	36	20	47	2238	
LK241553-☐-2W-2H-CK-DH3	24	15	53	2264	
LK301553-☐-2W-2H-CK-DH3	30	15	53	2267	
LK361553-☐-2W-2H-CK-DH3	36	15	53	2270	
LK241853-☐-2W-2H-CK-DH3	24	18	53	2273	
LK301853-☐-2W-2H-CK-DH3	30	18	53	2276	
LK361853-☐-2W-2H-CK-DH3	36	18	53	2279	
LK242053-☐-2W-2H-CK-DH3	24	20	53	2282	
LK302053-☐-2W-2H-CK-DH3	30	20	53	2285	
LK362053-☐-2W-2H-CK-DH3	36	20	53	2288	
LK241559-☐-2W-2H-CK-DH3	24	15	59	2314	
LK301559-☐-2W-2H-CK-DH3	30	15	59	2317	
LK361559-☐-2W-2H-CK-DH3	36	15	59	2320	
LK241859-☐-2W-2H-CK-DH3	24	18	59	2323	
LK301859-☐-2W-2H-CK-DH3	30	18	59	2326	
LK361859-☐-2W-2H-CK-DH3	36	18	59	2329	
LK242059-☐-2W-2H-CK-DH3	24	20	59	2332	
LK302059-☐-2W-2H-CK-DH3	30	20	59	2335	
LK362059-☐-2W-2H-CK-DH3	36	20	59	2338	
LK241565-☐-2W-2H-CK-DH3	24	15	65	2384	
LK301565-☐-2W-2H-CK-DH3	30	15	65	2387	
LK361565-☐-2W-2H-CK-DH3	36	15	65	2390	
LK241865-☐-2W-2H-CK-DH3	24	18	65	2393	
LK301865-☐-2W-2H-CK-DH3	30	18	65	2396	
LK361865-☐-2W-2H-CK-DH3	36	18	65	2399	
LK242065-☐-2W-2H-CK-DH3	24	20	65	2402	
LK302065-☐-2W-2H-CK-DH3	30	20	65	2405	
LK362065-☐-2W-2H-CK-DH3	36	20	65	2408	

CONTINUED ON NEXT PAGE.




Two Wide - Two Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK241571-☐-2W-2H-CK-DH3	24	15	71	2444	
LK301571-☐-2W-2H-CK-DH3	30	15	71	2447	
LK361571-☐-2W-2H-CK-DH3	36	15	71	2450	
LK241871-☐-2W-2H-CK-DH3	24	18	71	2453	
LK301871-☐-2W-2H-CK-DH3	30	18	71	2456	
LK361871-☐-2W-2H-CK-DH3	36	18	71	2459	
LK242071-☐-2W-2H-CK-DH3	24	20	71	2462	
LK302071-☐-2W-2H-CK-DH3	30	20	71	2465	
LK362071-☐-2W-2H-CK-DH3	36	20	71	2468	
LK241577-☐-2W-2H-CK-DH3	24	15	77	2594	
LK301577-☐-2W-2H-CK-DH3	30	15	77	2597	
LK361577-☐-2W-2H-CK-DH3	36	15	77	2600	
LK241877-☐-2W-2H-CK-DH3	24	18	77	2603	
LK301877-☐-2W-2H-CK-DH3	30	18	77	2606	
LK361877-☐-2W-2H-CK-DH3	36	18	77	2609	
LK242077-☐-2W-2H-CK-DH3	24	20	77	2612	
LK302077-☐-2W-2H-CK-DH3	30	20	77	2615	
LK362077-☐-2W-2H-CK-DH3	36	20	77	2618	
LK241583-☐-2W-2H-CK-DH3	24	15	83	2744	
LK301583-☐-2W-2H-CK-DH3	30	15	83	2747	
LK361583-☐-2W-2H-CK-DH3	36	15	83	2750	
LK241883-☐-2W-2H-CK-DH3	24	18	83	2753	
LK301883-☐-2W-2H-CK-DH3	30	18	83	2756	
LK361883-☐-2W-2H-CK-DH3	36	18	83	2759	
LK242083-☐-2W-2H-CK-DH3	24	20	83	2762	
LK302083-☐-2W-2H-CK-DH3	30	20	83	2765	
LK362083-☐-2W-2H-CK-DH3	36	20	83	2768	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:


- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.




Two Wide - Three Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-☐-2W-3H-CK-DH3	24	15	59	2724	
LK301559-☐-2W-3H-CK-DH3	30	15	59	2727	
LK361559-☐-2W-3H-CK-DH3	36	15	59	2730	
LK241859-☐-2W-3H-CK-DH3	24	18	59	2733	
LK301859-☐-2W-3H-CK-DH3	30	18	59	2736	
LK361859-☐-2W-3H-CK-DH3	36	18	59	2739	
LK242059-☐-2W-3H-CK-DH3	24	20	59	2742	
LK302059-☐-2W-3H-CK-DH3	30	20	59	2745	
LK362059-☐-2W-3H-CK-DH3	36	20	59	2748	
LK241565-☐-2W-3H-CK-DH3	24	15	65	2794	
LK301565-☐-2W-3H-CK-DH3	30	15	65	2797	
LK361565-☐-2W-3H-CK-DH3	36	15	65	2800	
LK241865-☐-2W-3H-CK-DH3	24	18	65	2803	
LK301865-☐-2W-3H-CK-DH3	30	18	65	2806	
LK361865-☐-2W-3H-CK-DH3	36	18	65	2809	
LK242065-☐-2W-3H-CK-DH3	24	20	65	2812	
LK302065-☐-2W-3H-CK-DH3	30	20	65	2815	
LK362065-☐-2W-3H-CK-DH3	36	20	65	2818	
LK241571-☐-2W-3H-CK-DH3	24	15	71	2854	
LK301571-☐-2W-3H-CK-DH3	30	15	71	2857	
LK361571-☐-2W-3H-CK-DH3	36	15	71	2860	
LK241871-☐-2W-3H-CK-DH3	24	18	71	2863	
LK301871-☐-2W-3H-CK-DH3	30	18	71	2866	
LK361871-☐-2W-3H-CK-DH3	36	18	71	2869	
LK242071-☐-2W-3H-CK-DH3	24	20	71	2872	
LK302071-☐-2W-3H-CK-DH3	30	20	71	2875	
LK362071-☐-2W-3H-CK-DH3	36	20	71	2878	
LK241577-☐-2W-3H-CK-DH3	24	15	77	3004	
LK301577-☐-2W-3H-CK-DH3	30	15	77	3007	
LK361577-☐-2W-3H-CK-DH3	36	15	77	3010	
LK241877-☐-2W-3H-CK-DH3	24	18	77	3013	
LK301877-☐-2W-3H-CK-DH3	30	18	77	3016	
LK361877-☐-2W-3H-CK-DH3	36	18	77	3019	
LK242077-☐-2W-3H-CK-DH3	24	20	77	3022	
LK302077-☐-2W-3H-CK-DH3	30	20	77	3025	
LK362077-☐-2W-3H-CK-DH3	36	20	77	3028	
LK241583-☐-2W-3H-CK-DH3	24	15	83	3154	
LK301583-☐-2W-3H-CK-DH3	30	15	83	3157	
LK361583-☐-2W-3H-CK-DH3	36	15	83	3160	
LK241883-☐-2W-3H-CK-DH3	24	18	83	3163	
LK301883-☐-2W-3H-CK-DH3	30	18	83	3166	
LK361883-☐-2W-3H-CK-DH3	36	18	83	3169	
LK242083-☐-2W-3H-CK-DH3	24	20	83	3172	
LK302083-☐-2W-3H-CK-DH3	30	20	83	3175	
LK362083-☐-2W-3H-CK-DH3	36	20	83	3178	


2 WIDE - 3 TIER LOCKERS - WITH BOOT OPENING
(With Digital Lock)




Two Wide - Three Tier Locker
With 4 Hinged Doors
With 2 Open Compartments
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).
- Dual prong coat hook included in hinged doors only.


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-☐-2W-3H1B-CK-DH3	24	15	59	2309	
LK301559-☐-2W-3H1B-CK-DH3	30	15	59	2312	
LK361559-☐-2W-3H1B-CK-DH3	36	15	59	2315	
LK241859-☐-2W-3H1B-CK-DH3	24	18	59	2318	
LK301859-☐-2W-3H1B-CK-DH3	30	18	59	2321	
LK361859-☐-2W-3H1B-CK-DH3	36	18	59	2324	
LK242059-☐-2W-3H1B-CK-DH3	24	20	59	2327	
LK302059-☐-2W-3H1B-CK-DH3	30	20	59	2330	
LK362059-☐-2W-3H1B-CK-DH3	36	20	59	2333	
LK241565-☐-2W-3H1B-CK-DH3	24	15	65	2379	
LK301565-☐-2W-3H1B-CK-DH3	30	15	65	2382	
LK361565-☐-2W-3H1B-CK-DH3	36	15	65	2385	
LK241865-☐-2W-3H1B-CK-DH3	24	18	65	2388	
LK301865-☐-2W-3H1B-CK-DH3	30	18	65	2391	
LK361865-☐-2W-3H1B-CK-DH3	36	18	65	2394	
LK242065-☐-2W-3H1B-CK-DH3	24	20	65	2397	
LK302065-☐-2W-3H1B-CK-DH3	30	20	65	2400	
LK362065-☐-2W-3H1B-CK-DH3	36	20	65	2403	
LK241571-☐-2W-3H1B-CK-DH3	24	15	71	2439	
LK301571-☐-2W-3H1B-CK-DH3	30	15	71	2442	
LK361571-☐-2W-3H1B-CK-DH3	36	15	71	2445	
LK241871-☐-2W-3H1B-CK-DH3	24	18	71	2448	
LK301871-☐-2W-3H1B-CK-DH3	30	18	71	2451	
LK361871-☐-2W-3H1B-CK-DH3	36	18	71	2454	
LK242071-☐-2W-3H1B-CK-DH3	24	20	71	2457	
LK302071-☐-2W-3H1B-CK-DH3	30	20	71	2460	
LK362071-☐-2W-3H1B-CK-DH3	36	20	71	2463	
LK241577-☐-2W-3H1B-CK-DH3	24	15	77	2589	
LK301577-☐-2W-3H1B-CK-DH3	30	15	77	2592	
LK361577-☐-2W-3H1B-CK-DH3	36	15	77	2595	
LK241877-☐-2W-3H1B-CK-DH3	24	18	77	2598	
LK301877-☐-2W-3H1B-CK-DH3	30	18	77	2601	
LK361877-☐-2W-3H1B-CK-DH3	36	18	77	2604	
LK242077-☐-2W-3H1B-CK-DH3	24	20	77	2607	
LK302077-☐-2W-3H1B-CK-DH3	30	20	77	2610	
LK362077-☐-2W-3H1B-CK-DH3	36	20	77	2613	
LK241583-☐-2W-3H1B-CK-DH3	24	15	83	2739	
LK301583-☐-2W-3H1B-CK-DH3	30	15	83	2742	
LK361583-☐-2W-3H1B-CK-DH3	36	15	83	2745	
LK241883-☐-2W-3H1B-CK-DH3	24	18	83	2748	
LK301883-☐-2W-3H1B-CK-DH3	30	18	83	2751	
LK361883-☐-2W-3H1B-CK-DH3	36	18	83	2754	
LK242083-☐-2W-3H1B-CK-DH3	24	20	83	2757	
LK302083-☐-2W-3H1B-CK-DH3	30	20	83	2760	
LK362083-☐-2W-3H1B-CK-DH3	36	20	83	2763	


2 WIDE - 4 TIER LOCKERS
(With Digital Lock)




Two Wide - Four Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-☐-2W-4H-DH3	24	15	59	3144	
LK301559-☐-2W-4H-DH3	30	15	59	3147	
LK361559-☐-2W-4H-DH3	36	15	59	3150	
LK241859-☐-2W-4H-DH3	24	18	59	3153	
LK301859-☐-2W-4H-DH3	30	18	59	3156	
LK361859-☐-2W-4H-DH3	36	18	59	3159	
LK242059-☐-2W-4H-DH3	24	20	59	3162	
LK302059-☐-2W-4H-DH3	30	20	59	3165	
LK362059-☐-2W-4H-DH3	36	20	59	3168	
LK241565-☐-2W-4H-DH3	24	15	65	3214	
LK301565-☐-2W-4H-DH3	30	15	65	3217	
LK361565-☐-2W-4H-DH3	36	15	65	3220	
LK241865-☐-2W-4H-DH3	24	18	65	3223	
LK301865-☐-2W-4H-DH3	30	18	65	3226	
LK361865-☐-2W-4H-DH3	36	18	65	3229	
LK242065-☐-2W-4H-DH3	24	20	65	3232	
LK302065-☐-2W-4H-DH3	30	20	65	3235	
LK362065-☐-2W-4H-DH3	36	20	65	3238	
LK241571-☐-2W-4H-DH3	24	15	71	3274	
LK301571-☐-2W-4H-DH3	30	15	71	3277	
LK361571-☐-2W-4H-DH3	36	15	71	3280	
LK241871-☐-2W-4H-DH3	24	18	71	3283	
LK301871-☐-2W-4H-DH3	30	18	71	3286	
LK361871-☐-2W-4H-DH3	36	18	71	3289	
LK242071-☐-2W-4H-DH3	24	20	71	3292	
LK302071-☐-2W-4H-DH3	30	20	71	3295	
LK362071-☐-2W-4H-DH3	36	20	71	3298	
LK241577-☐-2W-4H-DH3	24	15	77	3424	
LK301577-☐-2W-4H-DH3	30	15	77	3427	
LK361577-☐-2W-4H-DH3	36	15	77	3430	
LK241877-☐-2W-4H-DH3	24	18	77	3433	
LK301877-☐-2W-4H-DH3	30	18	77	3436	
LK361877-☐-2W-4H-DH3	36	18	77	3439	
LK242077-☐-2W-4H-DH3	24	20	77	3442	
LK302077-☐-2W-4H-DH3	30	20	77	3445	
LK362077-☐-2W-4H-DH3	36	20	77	3448	
LK241583-☐-2W-4H-DH3	24	15	83	3574	
LK301583-☐-2W-4H-DH3	30	15	83	3577	
LK361583-☐-2W-4H-DH3	36	15	83	3580	
LK241883-☐-2W-4H-DH3	24	18	83	3583	
LK301883-☐-2W-4H-DH3	30	18	83	3586	
LK361883-☐-2W-4H-DH3	36	18	83	3589	
LK242083-☐-2W-4H-DH3	24	20	83	3592	
LK302083-☐-2W-4H-DH3	30	20	83	3595	
LK362083-☐-2W-4H-DH3	36	20	83	3598	


2 WIDE - 4 TIER LOCKERS - WITH BOOT OPENING
(With Digital Lock)




Two Wide - Four Tier Locker
With 6 Hinged Doors
With 2 Open Compartments
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):


- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK241565-☐-2W-4H1B-DH3	24	15	65	2789	
LK301565-☐-2W-4H1B-DH3	30	15	65	2792	
LK361565-☐-2W-4H1B-DH3	36	15	65	2795	
LK241865-☐-2W-4H1B-DH3	24	18	65	2798	
LK301865-☐-2W-4H1B-DH3	30	18	65	2801	
LK361865-☐-2W-4H1B-DH3	36	18	65	2804	
LK242065-☐-2W-4H1B-DH3	24	20	65	2807	
LK302065-☐-2W-4H1B-DH3	30	20	65	2810	
LK362065-☐-2W-4H1B-DH3	36	20	65	2813	
LK241571-☐-2W-4H1B-DH3	24	15	71	2849	
LK301571-☐-2W-4H1B-DH3	30	15	71	2852	
LK361571-☐-2W-4H1B-DH3	36	15	71	2855	
LK241871-☐-2W-4H1B-DH3	24	18	71	2858	
LK301871-☐-2W-4H1B-DH3	30	18	71	2861	
LK361871-☐-2W-4H1B-DH3	36	18	71	2864	
LK242071-☐-2W-4H1B-DH3	24	20	71	2867	
LK302071-☐-2W-4H1B-DH3	30	20	71	2870	
LK362071-☐-2W-4H1B-DH3	36	20	71	2873	
LK241577-☐-2W-4H1B-DH3	24	15	77	2999	
LK301577-☐-2W-4H1B-DH3	30	15	77	3002	
LK361577-☐-2W-4H1B-DH3	36	15	77	3005	
LK241877-☐-2W-4H1B-DH3	24	18	77	3008	
LK301877-☐-2W-4H1B-DH3	30	18	77	3011	
LK361877-☐-2W-4H1B-DH3	36	18	77	3014	
LK242077-☐-2W-4H1B-DH3	24	20	77	3017	
LK302077-☐-2W-4H1B-DH3	30	20	77	3020	
LK362077-☐-2W-4H1B-DH3	36	20	77	3023	
LK241583-☐-2W-4H1B-DH3	24	15	83	3149	
LK301583-☐-2W-4H1B-DH3	30	15	83	3152	
LK361583-☐-2W-4H1B-DH3	36	15	83	3155	
LK241883-☐-2W-4H1B-DH3	24	18	83	3158	
LK301883-☐-2W-4H1B-DH3	30	18	83	3161	
LK361883-☐-2W-4H1B-DH3	36	18	83	3164	
LK242083-☐-2W-4H1B-DH3	24	20	83	3167	
LK302083-☐-2W-4H1B-DH3	30	20	83	3170	
LK362083-☐-2W-4H1B-DH3	36	20	83	3173	




Two Wide - Five Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK241571-☐-2W-5H-DH3	24	15	71	3724	
LK301571-☐-2W-5H-DH3	30	15	71	3727	
LK361571-☐-2W-5H-DH3	36	15	71	3730	
LK241871-☐-2W-5H-DH3	24	18	71	3733	
LK301871-☐-2W-5H-DH3	30	18	71	3736	
LK361871-☐-2W-5H-DH3	36	18	71	3739	
LK242071-☐-2W-5H-DH3	24	20	71	3742	
LK302071-☐-2W-5H-DH3	30	20	71	3745	
LK362071-☐-2W-5H-DH3	36	20	71	3748	
LK241577-☐-2W-5H-DH3	24	15	77	3874	
LK301577-☐-2W-5H-DH3	30	15	77	3877	
LK361577-☐-2W-5H-DH3	36	15	77	3880	
LK241877-☐-2W-5H-DH3	24	18	77	3883	
LK301877-☐-2W-5H-DH3	30	18	77	3886	
LK361877-☐-2W-5H-DH3	36	18	77	3889	
LK242077-☐-2W-5H-DH3	24	20	77	3892	
LK302077-☐-2W-5H-DH3	30	20	77	3895	
LK362077-☐-2W-5H-DH3	36	20	77	3898	
LK241583-☐-2W-5H-DH3	24	15	83	4024	
LK301583-☐-2W-5H-DH3	30	15	83	4027	
LK361583-☐-2W-5H-DH3	36	15	83	4030	
LK241883-☐-2W-5H-DH3	24	18	83	4033	
LK301883-☐-2W-5H-DH3	30	18	83	4036	
LK361883-☐-2W-5H-DH3	36	18	83	4039	
LK242083-☐-2W-5H-DH3	24	20	83	4042	
LK302083-☐-2W-5H-DH3	30	20	83	4045	
LK362083-☐-2W-5H-DH3	36	20	83	4048	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.


2 WIDE - 6 TIER LOCKERS
(With Digital Lock)




Two Wide - Six Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK241571-☐-2W-6H-DH3	24	15	71	4174	
LK301571-☐-2W-6H-DH3	30	15	71	4177	
LK361571-☐-2W-6H-DH3	36	15	71	4180	
LK241871-☐-2W-6H-DH3	24	18	71	4183	
LK301871-☐-2W-6H-DH3	30	18	71	4186	
LK361871-☐-2W-6H-DH3	36	18	71	4189	
LK242071-☐-2W-6H-DH3	24	20	71	4192	
LK302071-☐-2W-6H-DH3	30	20	71	4195	
LK362071-☐-2W-6H-DH3	36	20	71	4198	
LK241577-☐-2W-6H-DH3	24	15	77	4324	
LK301577-☐-2W-6H-DH3	30	15	77	4327	
LK361577-☐-2W-6H-DH3	36	15	77	4330	
LK241877-☐-2W-6H-DH3	24	18	77	4333	
LK301877-☐-2W-6H-DH3	30	18	77	4336	
LK361877-☐-2W-6H-DH3	36	18	77	4339	
LK242077-☐-2W-6H-DH3	24	20	77	4342	
LK302077-☐-2W-6H-DH3	30	20	77	4345	
LK362077-☐-2W-6H-DH3	36	20	77	4348	
LK241583-☐-2W-6H-DH3	24	15	83	4474	
LK301583-☐-2W-6H-DH3	30	15	83	4477	
LK361583-☐-2W-6H-DH3	36	15	83	4480	
LK241883-☐-2W-6H-DH3	24	18	83	4483	
LK301883-☐-2W-6H-DH3	30	18	83	4486	
LK361883-☐-2W-6H-DH3	36	18	83	4489	
LK242083-☐-2W-6H-DH3	24	20	83	4492	
LK302083-☐-2W-6H-DH3	30	20	83	4495	
LK362083-☐-2W-6H-DH3	36	20	83	4498	


3 WIDE - 1 TIER LOCKERS
(With Digital Lock)




Three Wide - One Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (29" to 83" High).


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK361529-☐-3W-1H-CK-DH3	36	15	29	1970	
LK361829-☐-3W-1H-CK-DH3	36	18	29	1979	
LK362029-☐-3W-1H-CK-DH3	36	20	29	1988	
LK361535-☐-3W-1H-CK-DH3	36	15	35	2060	
LK361835-☐-3W-1H-CK-DH3	36	18	35	2069	
LK362035-☐-3W-1H-CK-DH3	36	20	35	2078	
LK361541-☐-3W-1H-CK-DH3	36	15	41	2130	
LK361841-☐-3W-1H-CK-DH3	36	18	41	2139	
LK362041-☐-3W-1H-CK-DH3	36	20	41	2148	
LK361547-☐-3W-1H-CK-DH3	36	15	47	2220	
LK361847-☐-3W-1H-CK-DH3	36	18	47	2229	
LK362047-☐-3W-1H-CK-DH3	36	20	47	2238	
LK361553-☐-3W-1H-CK-DH3	36	15	53	2320	
LK361853-☐-3W-1H-CK-DH3	36	18	53	2329	
LK362053-☐-3W-1H-CK-DH3	36	20	53	2338	
LK361559-☐-3W-1H-CK-DH3	36	15	59	2420	
LK361859-☐-3W-1H-CK-DH3	36	18	59	2479	
LK362059-☐-3W-1H-CK-DH3	36	20	59	2488	
LK361565-☐-3W-1H-CK-DH3	36	15	65	2520	
LK361865-☐-3W-1H-CK-DH3	36	18	65	2629	
LK362065-☐-3W-1H-CK-DH3	36	20	65	2638	
LK361571-☐-3W-1H-CK-DH3	36	15	71	2650	
LK361871-☐-3W-1H-CK-DH3	36	18	71	2779	
LK362071-☐-3W-1H-CK-DH3	36	20	71	2788	
LK361577-☐-3W-1H-CK-DH3	36	15	77	2850	
LK361877-☐-3W-1H-CK-DH3	36	18	77	2979	
LK362077-☐-3W-1H-CK-DH3	36	20	77	2988	
LK361583-☐-3W-1H-CK-DH3	36	15	83	3050	
LK361883-☐-3W-1H-CK-DH3	36	18	83	3179	
LK362083-☐-3W-1H-CK-DH3	36	20	83	3188	


3 WIDE - 2 TIER LOCKERS
(With Digital Lock)




Three Wide - Two Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.

□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

Model No.	*W*	*D*	*H*	Price	*LB*
LK361541-□-3W-2H-CK-DH3	36	15	41	2780	
LK361841-□-3W-2H-CK-DH3	36	18	41	2789	
LK362041-□-3W-2H-CK-DH3	36	20	41	2798	
LK361547-□-3W-2H-CK-DH3	36	15	47	2870	
LK361847-□-3W-2H-CK-DH3	36	18	47	2879	
LK362047-□-3W-2H-CK-DH3	36	20	47	2888	
LK361553-□-3W-2H-CK-DH3	36	15	53	2970	
LK361853-□-3W-2H-CK-DH3	36	18	53	2979	
LK362053-□-3W-2H-CK-DH3	36	20	53	2988	
LK361559-□-3W-2H-CK-DH3	36	15	59	3070	
LK361859-□-3W-2H-CK-DH3	36	18	59	3129	
LK362059-□-3W-2H-CK-DH3	36	20	59	3138	
LK361565-□-3W-2H-CK-DH3	36	15	65	3170	
LK361865-□-3W-2H-CK-DH3	36	18	65	3279	
LK362065-□-3W-2H-CK-DH3	36	20	65	3288	
LK361571-□-3W-2H-CK-DH3	36	15	71	3300	
LK361871-□-3W-2H-CK-DH3	36	18	71	3429	
LK362071-□-3W-2H-CK-DH3	36	20	71	3438	
LK361577-□-3W-2H-CK-DH3	36	15	77	3500	
LK361877-□-3W-2H-CK-DH3	36	18	77	3629	
LK362077-□-3W-2H-CK-DH3	36	20	77	3638	
LK361583-□-3W-2H-CK-DH3	36	15	83	3700	
LK361883-□-3W-2H-CK-DH3	36	18	83	3829	
LK362083-□-3W-2H-CK-DH3	36	20	83	3838	

3 WIDE - 3 TIER LOCKERS
(With Digital Lock)




Three Wide - Three Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK361559-☐-3W-3H-CK-DH3	36	15	59	3870	
LK361859-☐-3W-3H-CK-DH3	36	18	59	3929	
LK362059-☐-3W-3H-CK-DH3	36	20	59	3938	
LK361565-☐-3W-3H-CK-DH3	36	15	65	3970	
LK361865-☐-3W-3H-CK-DH3	36	18	65	4079	
LK362065-☐-3W-3H-CK-DH3	36	20	65	4088	
LK361571-☐-3W-3H-CK-DH3	36	15	71	4100	
LK361871-☐-3W-3H-CK-DH3	36	18	71	4229	
LK362071-☐-3W-3H-CK-DH3	36	20	71	4238	
LK361577-☐-3W-3H-CK-DH3	36	15	77	4300	
LK361877-☐-3W-3H-CK-DH3	36	18	77	4429	
LK362077-☐-3W-3H-CK-DH3	36	20	77	4438	
LK361583-☐-3W-3H-CK-DH3	36	15	83	4500	
LK361883-☐-3W-3H-CK-DH3	36	18	83	4629	
LK362083-☐-3W-3H-CK-DH3	36	20	83	4638	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

3 WIDE - 3 TIER LOCKERS - WITH BOOT OPENING
(With Digital Lock)




Three Wide - Three Tier Locker
With 6 Hinged Doors
With 3 Open Compartments
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK361559-☐-3W-3H1B-CK-DH3	36	15	59	3065	
LK361859-☐-3W-3H1B-CK-DH3	36	18	59	3124	
LK362059-☐-3W-3H1B-CK-DH3	36	20	59	3133	
LK361565-☐-3W-3H1B-CK-DH3	36	15	65	3165	
LK361865-☐-3W-3H1B-CK-DH3	36	18	65	3274	
LK362065-☐-3W-3H1B-CK-DH3	36	20	65	3283	
LK361571-☐-3W-3H1B-CK-DH3	36	15	71	3295	
LK361871-☐-3W-3H1B-CK-DH3	36	18	71	3424	
LK362071-☐-3W-3H1B-CK-DH3	36	20	71	3433	
LK361577-☐-3W-3H1B-CK-DH3	36	15	77	3495	
LK361877-☐-3W-3H1B-CK-DH3	36	18	77	3624	
LK362077-☐-3W-3H1B-CK-DH3	36	20	77	3633	
LK361583-☐-3W-3H1B-CK-DH3	36	15	83	3695	
LK361883-☐-3W-3H1B-CK-DH3	36	18	83	3824	
LK362083-☐-3W-3H1B-CK-DH3	36	20	83	3833	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).
- Dual prong coat hook included in hinged doors only.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

3 WIDE - 4 TIER LOCKERS
(With Digital Lock)




Three Wide - Four Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK361559-☐-3W-4H-DH3	36	15	59	4620	
LK361859-☐-3W-4H-DH3	36	18	59	4679	
LK362059-☐-3W-4H-DH3	36	20	59	4688	
LK361565-☐-3W-4H-DH3	36	15	65	4720	
LK361865-☐-3W-4H-DH3	36	18	65	4829	
LK362065-☐-3W-4H-DH3	36	20	65	4838	
LK361571-☐-3W-4H-DH3	36	15	71	4850	
LK361871-☐-3W-4H-DH3	36	18	71	4979	
LK362071-☐-3W-4H-DH3	36	20	71	4988	
LK361577-☐-3W-4H-DH3	36	15	77	5050	
LK361877-☐-3W-4H-DH3	36	18	77	5179	
LK362077-☐-3W-4H-DH3	36	20	77	5188	
LK361583-☐-3W-4H-DH3	36	15	83	5250	
LK361883-☐-3W-4H-DH3	36	18	83	5379	
LK362083-☐-3W-4H-DH3	36	20	83	5388	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

3 WIDE - 4 TIER LOCKERS - WITH BOOT OPENING
(With Digital Lock)




Three Wide - Four Tier Locker
With 9 Hinged Doors
With 3 Open Compartments
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK361565-☐-3W-4H1B-DH3	36	15	65	3965	
LK361865-☐-3W-4H1B-DH3	36	18	65	4074	
LK362065-☐-3W-4H1B-DH3	36	20	65	4083	
LK361571-☐-3W-4H1B-DH3	36	15	71	4095	
LK361871-☐-3W-4H1B-DH3	36	18	71	4224	
LK362071-☐-3W-4H1B-DH3	36	20	71	4233	
LK361577-☐-3W-4H1B-DH3	36	15	77	4295	
LK361877-☐-3W-4H1B-DH3	36	18	77	4424	
LK362077-☐-3W-4H1B-DH3	36	20	77	4433	
LK361583-☐-3W-4H1B-DH3	36	15	83	4495	
LK361883-☐-3W-4H1B-DH3	36	18	83	4624	
LK362083-☐-3W-4H1B-DH3	36	20	83	4633	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.
- Dual prong coat hook included in hinged doors only.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

3 WIDE - 5 TIER LOCKERS
(With Digital Lock)




Three Wide - Five Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK361571-☐-3W-5H-DH3	36	15	71	5630	
LK361871-☐-3W-5H-DH3	36	18	71	5759	
LK362071-☐-3W-5H-DH3	36	20	71	5768	
LK361577-☐-3W-5H-DH3	36	15	77	5830	
LK361877-☐-3W-5H-DH3	36	18	77	5959	
LK362077-☐-3W-5H-DH3	36	20	77	5968	
LK361583-☐-3W-5H-DH3	36	15	83	6030	
LK361883-☐-3W-5H-DH3	36	18	83	6159	
LK362083-☐-3W-5H-DH3	36	20	83	6168	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.

3 WIDE - 6 TIER LOCKERS
(With Digital Lock)




Three Wide - Six Tier Locker
With Hinged Doors
Digital Lock (DH3) Included

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door


Model No.	*W*	*D*	*H*	Price	*LB*
LK361571-☐-3W-6H-DH3	36	15	71	6430	
LK361871-☐-3W-6H-DH3	36	18	71	6559	
LK362071-☐-3W-6H-DH3	36	20	71	6568	
LK361577-☐-3W-6H-DH3	36	15	77	6630	
LK361877-☐-3W-6H-DH3	36	18	77	6759	
LK362077-☐-3W-6H-DH3	36	20	77	6768	
LK361583-☐-3W-6H-DH3	36	15	83	6830	
LK361883-☐-3W-6H-DH3	36	18	83	6959	
LK362083-☐-3W-6H-DH3	36	20	83	6968	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:


- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.




One Wide - One Tier Locker
With Hinged Door
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook.
- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (29" to 83" High).

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK121529-□-1W-1H-CK-HS□	12	15	29	741	
LK151529-□-1W-1H-CK-HS□	15	15	29	744	
LK181529-□-1W-1H-CK-HS□	18	15	29	747	
LK121829-□-1W-1H-CK-HS□	12	18	29	750	
LK151829-□-1W-1H-CK-HS□	15	18	29	753	
LK181829-□-1W-1H-CK-HS□	18	18	29	756	
LK122029-□-1W-1H-CK-HS□	12	20	29	759	
LK152029-□-1W-1H-CK-HS□	15	20	29	762	
LK182029-□-1W-1H-CK-HS□	18	20	29	765	
LK121535-□-1W-1H-CK-HS□	12	15	35	841	
LK151535-□-1W-1H-CK-HS□	15	15	35	844	
LK181535-□-1W-1H-CK-HS□	18	15	35	847	
LK121835-□-1W-1H-CK-HS□	12	18	35	850	
LK151835-□-1W-1H-CK-HS□	15	18	35	853	
LK181835-□-1W-1H-CK-HS□	18	18	35	856	
LK122035-□-1W-1H-CK-HS□	12	20	35	859	
LK152035-□-1W-1H-CK-HS□	15	20	35	862	
LK182035-□-1W-1H-CK-HS□	18	20	35	865	
LK121541-□-1W-1H-CK-HS□	12	15	41	921	
LK151541-□-1W-1H-CK-HS□	15	15	41	924	
LK181541-□-1W-1H-CK-HS□	18	15	41	927	
LK121841-□-1W-1H-CK-HS□	12	18	41	930	
LK151841-□-1W-1H-CK-HS□	15	18	41	933	
LK181841-□-1W-1H-CK-HS□	18	18	41	936	
LK122041-□-1W-1H-CK-HS□	12	20	41	939	
LK152041-□-1W-1H-CK-HS□	15	20	41	942	
LK182041-□-1W-1H-CK-HS□	18	20	41	945	
LK121547-□-1W-1H-CK-HS□	12	15	47	1011	
LK151547-□-1W-1H-CK-HS□	15	15	47	1014	
LK181547-□-1W-1H-CK-HS□	18	15	47	1017	
LK121847-□-1W-1H-CK-HS□	12	18	47	1020	
LK151847-□-1W-1H-CK-HS□	15	18	47	1023	
LK181847-□-1W-1H-CK-HS□	18	18	47	1026	
LK122047-□-1W-1H-CK-HS□	12	20	47	1029	
LK152047-□-1W-1H-CK-HS□	15	20	47	1032	
LK182047-□-1W-1H-CK-HS□	18	20	47	1035	
LK121553-□-1W-1H-CK-HS□	12	15	53	1061	
LK151553-□-1W-1H-CK-HS□	15	15	53	1064	
LK181553-□-1W-1H-CK-HS□	18	15	53	1067	
LK121853-□-1W-1H-CK-HS□	12	18	53	1070	
LK151853-□-1W-1H-CK-HS□	15	18	53	1073	
LK181853-□-1W-1H-CK-HS□	18	18	53	1076	
LK122053-□-1W-1H-CK-HS□	12	20	53	1079	
LK152053-□-1W-1H-CK-HS□	15	20	53	1082	
LK182053-□-1W-1H-CK-HS□	18	20	53	1085	


CONTINUED ON NEXT PAGE.




One Wide - One Tier Locker
With Hinged Door
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook.
- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (29" to 83" High).

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	W	D	H	Price	LB
LK121559-☐-1W-1H-CK-HS☐	12	15	59	1111	
LK151559-☐-1W-1H-CK-HS☐	15	15	59	1114	
LK181559-☐-1W-1H-CK-HS☐	18	15	59	1117	
LK121859-☐-1W-1H-CK-HS☐	12	18	59	1120	
LK151859-☐-1W-1H-CK-HS☐	15	18	59	1123	
LK181859-☐-1W-1H-CK-HS☐	18	18	59	1126	
LK122059-☐-1W-1H-CK-HS☐	12	20	59	1129	
LK152059-☐-1W-1H-CK-HS☐	15	20	59	1132	
LK182059-☐-1W-1H-CK-HS☐	18	20	59	1135	
LK121565-☐-1W-1H-CK-HS☐	12	15	65	1181	
LK151565-☐-1W-1H-CK-HS☐	15	15	65	1184	
LK181565-☐-1W-1H-CK-HS☐	18	15	65	1187	
LK121865-☐-1W-1H-CK-HS☐	12	18	65	1190	
LK151865-☐-1W-1H-CK-HS☐	15	18	65	1193	
LK181865-☐-1W-1H-CK-HS☐	18	18	65	1196	
LK122065-☐-1W-1H-CK-HS☐	12	20	65	1199	
LK152065-☐-1W-1H-CK-HS☐	15	20	65	1202	
LK182065-☐-1W-1H-CK-HS☐	18	20	65	1205	
LK121571-☐-1W-1H-CK-HS☐	12	15	71	1241	
LK151571-☐-1W-1H-CK-HS☐	15	15	71	1244	
LK181571-☐-1W-1H-CK-HS☐	18	15	71	1247	
LK121871-☐-1W-1H-CK-HS☐	12	18	71	1250	
LK151871-☐-1W-1H-CK-HS☐	15	18	71	1253	
LK181871-☐-1W-1H-CK-HS☐	18	18	71	1256	
LK122071-☐-1W-1H-CK-HS☐	12	20	71	1259	
LK152071-☐-1W-1H-CK-HS☐	15	20	71	1262	
LK182071-☐-1W-1H-CK-HS☐	18	20	71	1265	
LK121577-☐-1W-1H-CK-HS☐	12	15	77	1391	
LK151577-☐-1W-1H-CK-HS☐	15	15	77	1394	
LK181577-☐-1W-1H-CK-HS☐	18	15	77	1397	
LK121877-☐-1W-1H-CK-HS☐	12	18	77	1400	
LK151877-☐-1W-1H-CK-HS☐	15	18	77	1403	
LK181877-☐-1W-1H-CK-HS☐	18	18	77	1406	
LK122077-☐-1W-1H-CK-HS☐	12	20	77	1409	
LK152077-☐-1W-1H-CK-HS☐	15	20	77	1412	
LK182077-☐-1W-1H-CK-HS☐	18	20	77	1415	
LK121583-☐-1W-1H-CK-HS☐	12	15	83	1541	
LK151583-☐-1W-1H-CK-HS☐	15	15	83	1544	
LK181583-☐-1W-1H-CK-HS☐	18	15	83	1547	
LK121883-☐-1W-1H-CK-HS☐	12	18	83	1550	
LK151883-☐-1W-1H-CK-HS☐	15	18	83	1553	
LK181883-☐-1W-1H-CK-HS☐	18	18	83	1556	
LK122083-☐-1W-1H-CK-HS☐	12	20	83	1559	
LK152083-☐-1W-1H-CK-HS☐	15	20	83	1562	
LK182083-☐-1W-1H-CK-HS☐	18	20	83	1565	


1 WIDE - 2 TIER LOCKERS
(With Hasp Lock)




One Wide - Two Tier Locker
With Hinged Doors
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK121541-□-1W-2H-CK-HS□	12	15	41	1163	
LK151541-□-1W-2H-CK-HS□	15	15	41	1166	
LK181541-□-1W-2H-CK-HS□	18	15	41	1169	
LK121841-□-1W-2H-CK-HS□	12	18	41	1172	
LK151841-□-1W-2H-CK-HS□	15	18	41	1175	
LK181841-□-1W-2H-CK-HS□	18	18	41	1178	
LK122041-□-1W-2H-CK-HS□	12	20	41	1181	
LK152041-□-1W-2H-CK-HS□	15	20	41	1184	
LK182041-□-1W-2H-CK-HS□	18	20	41	1187	
LK121547-□-1W-2H-CK-HS□	12	15	47	1253	
LK151547-□-1W-2H-CK-HS□	15	15	47	1256	
LK181547-□-1W-2H-CK-HS□	18	15	47	1259	
LK121847-□-1W-2H-CK-HS□	12	18	47	1262	
LK151847-□-1W-2H-CK-HS□	15	18	47	1265	
LK181847-□-1W-2H-CK-HS□	18	18	47	1268	
LK122047-□-1W-2H-CK-HS□	12	20	47	1271	
LK152047-□-1W-2H-CK-HS□	15	20	47	1274	
LK182047-□-1W-2H-CK-HS□	18	20	47	1277	
LK121553-□-1W-2H-CK-HS□	12	15	53	1303	
LK151553-□-1W-2H-CK-HS□	15	15	53	1306	
LK181553-□-1W-2H-CK-HS□	18	15	53	1309	
LK121853-□-1W-2H-CK-HS□	12	18	53	1312	
LK151853-□-1W-2H-CK-HS□	15	18	53	1315	
LK181853-□-1W-2H-CK-HS□	18	18	53	1318	
LK122053-□-1W-2H-CK-HS□	12	20	53	1321	
LK152053-□-1W-2H-CK-HS□	15	20	53	1324	
LK182053-□-1W-2H-CK-HS□	18	20	53	1327	
LK121559-□-1W-2H-CK-HS□	12	15	59	1353	
LK151559-□-1W-2H-CK-HS□	15	15	59	1356	
LK181559-□-1W-2H-CK-HS□	18	15	59	1359	
LK121859-□-1W-2H-CK-HS□	12	18	59	1362	
LK151859-□-1W-2H-CK-HS□	15	18	59	1365	
LK181859-□-1W-2H-CK-HS□	18	18	59	1368	
LK122059-□-1W-2H-CK-HS□	12	20	59	1371	
LK152059-□-1W-2H-CK-HS□	15	20	59	1374	
LK182059-□-1W-2H-CK-HS□	18	20	59	1377	
LK121565-□-1W-2H-CK-HS□	12	15	65	1423	
LK151565-□-1W-2H-CK-HS□	15	15	65	1426	
LK181565-□-1W-2H-CK-HS□	18	15	65	1429	
LK121865-□-1W-2H-CK-HS□	12	18	65	1432	
LK151865-□-1W-2H-CK-HS□	15	18	65	1435	
LK181865-□-1W-2H-CK-HS□	18	18	65	1438	
LK122065-□-1W-2H-CK-HS□	12	20	65	1441	
LK152065-□-1W-2H-CK-HS□	15	20	65	1444	
LK182065-□-1W-2H-CK-HS□	18	20	65	1447	

CONTINUED ON NEXT PAGE.



One Wide - Two Tier Locker
With Hinged Doors
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK121571-□-1W-2H-CK-HS□	12	15	71	1483	
LK151571-□-1W-2H-CK-HS□	15	15	71	1486	
LK181571-□-1W-2H-CK-HS□	18	15	71	1489	
LK121871-□-1W-2H-CK-HS□	12	18	71	1492	
LK151871-□-1W-2H-CK-HS□	15	18	71	1495	
LK181871-□-1W-2H-CK-HS□	18	18	71	1498	
LK122071-□-1W-2H-CK-HS□	12	20	71	1501	
LK152071-□-1W-2H-CK-HS□	15	20	71	1504	
LK182071-□-1W-2H-CK-HS□	18	20	71	1507	
LK121577-□-1W-2H-CK-HS□	12	15	77	1633	
LK151577-□-1W-2H-CK-HS□	15	15	77	1636	
LK181577-□-1W-2H-CK-HS□	18	15	77	1639	
LK121877-□-1W-2H-CK-HS□	12	18	77	1642	
LK151877-□-1W-2H-CK-HS□	15	18	77	1645	
LK181877-□-1W-2H-CK-HS□	18	18	77	1648	
LK122077-□-1W-2H-CK-HS□	12	20	77	1651	
LK152077-□-1W-2H-CK-HS□	15	20	77	1654	
LK182077-□-1W-2H-CK-HS□	18	20	77	1657	
LK121583-□-1W-2H-CK-HS□	12	15	83	1783	
LK151583-□-1W-2H-CK-HS□	15	15	83	1786	
LK181583-□-1W-2H-CK-HS□	18	15	83	1789	
LK121883-□-1W-2H-CK-HS□	12	18	83	1792	
LK151883-□-1W-2H-CK-HS□	15	18	83	1795	
LK181883-□-1W-2H-CK-HS□	18	18	83	1798	
LK122083-□-1W-2H-CK-HS□	12	20	83	1801	
LK152083-□-1W-2H-CK-HS□	15	20	83	1804	
LK182083-□-1W-2H-CK-HS□	18	20	83	1807	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.


1 WIDE - 2 TIER Z-LOCKERS
(With Hasp Lock)



One Wide - Two Tier Z-Locker
With Hinged Doors
Hasp Lock Included

Model No.	*W*	*D*	*H*	Price	*LB*
HS□ = Specify Hasp Lock Color: = [3] Silver Hasp Lock = [1] Black Hasp Lock					
LK181565-LR-1W-Z2H-CK-HS□	18	15	65	1869	
LK181865-LR-1W-Z2H-CK-HS□	18	18	65	1878	
LK182065-LR-1W-Z2H-CK-HS□	18	20	65	1887	
LK181571-LR-1W-Z2H-CK-HS□	18	15	71	1929	
LK181871-LR-1W-Z2H-CK-HS□	18	18	71	1938	
LK182071-LR-1W-Z2H-CK-HS□	18	20	71	1947	
LK181577-LR-1W-Z2H-CK-HS□	18	15	77	2079	
LK181877-LR-1W-Z2H-CK-HS□	18	18	77	2088	
LK182077-LR-1W-Z2H-CK-HS□	18	20	77	2097	

Door Orientation:



Right Opening Top Door
Left Opening Bottom Door

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.


1 WIDE - 3 TIER LOCKERS
(With Hasp Lock)




One Wide - Three Tier Locker
With Hinged Doors
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK121559-□-1W-3H-CK-HS□	12	15	59	1555	
LK151559-□-1W-3H-CK-HS□	15	15	59	1558	
LK181559-□-1W-3H-CK-HS□	18	15	59	1561	
LK121859-□-1W-3H-CK-HS□	12	18	59	1564	
LK151859-□-1W-3H-CK-HS□	15	18	59	1567	
LK181859-□-1W-3H-CK-HS□	18	18	59	1570	
LK122059-□-1W-3H-CK-HS□	12	20	59	1573	
LK152059-□-1W-3H-CK-HS□	15	20	59	1576	
LK182059-□-1W-3H-CK-HS□	18	20	59	1579	
LK121565-□-1W-3H-CK-HS□	12	15	65	1625	
LK151565-□-1W-3H-CK-HS□	15	15	65	1628	
LK181565-□-1W-3H-CK-HS□	18	15	65	1631	
LK121865-□-1W-3H-CK-HS□	12	18	65	1634	
LK151865-□-1W-3H-CK-HS□	15	18	65	1637	
LK181865-□-1W-3H-CK-HS□	18	18	65	1640	
LK122065-□-1W-3H-CK-HS□	12	20	65	1643	
LK152065-□-1W-3H-CK-HS□	15	20	65	1646	
LK182065-□-1W-3H-CK-HS□	18	20	65	1649	
LK121571-□-1W-3H-CK-HS□	12	15	71	1685	
LK151571-□-1W-3H-CK-HS□	15	15	71	1688	
LK181571-□-1W-3H-CK-HS□	18	15	71	1691	
LK121871-□-1W-3H-CK-HS□	12	18	71	1694	
LK151871-□-1W-3H-CK-HS□	15	18	71	1697	
LK181871-□-1W-3H-CK-HS□	18	18	71	1700	
LK122071-□-1W-3H-CK-HS□	12	20	71	1703	
LK152071-□-1W-3H-CK-HS□	15	20	71	1706	
LK182071-□-1W-3H-CK-HS□	18	20	71	1709	
LK121577-□-1W-3H-CK-HS□	12	15	77	1835	
LK151577-□-1W-3H-CK-HS□	15	15	77	1838	
LK181577-□-1W-3H-CK-HS□	18	15	77	1841	
LK121877-□-1W-3H-CK-HS□	12	18	77	1844	
LK151877-□-1W-3H-CK-HS□	15	18	77	1847	
LK181877-□-1W-3H-CK-HS□	18	18	77	1850	
LK122077-□-1W-3H-CK-HS□	12	20	77	1853	
LK152077-□-1W-3H-CK-HS□	15	20	77	1856	
LK182077-□-1W-3H-CK-HS□	18	20	77	1859	
LK121583-□-1W-3H-CK-HS□	12	15	83	1985	
LK151583-□-1W-3H-CK-HS□	15	15	83	1988	
LK181583-□-1W-3H-CK-HS□	18	15	83	1991	
LK121883-□-1W-3H-CK-HS□	12	18	83	1994	
LK151883-□-1W-3H-CK-HS□	15	18	83	1997	
LK181883-□-1W-3H-CK-HS□	18	18	83	2000	
LK122083-□-1W-3H-CK-HS□	12	20	83	2003	
LK152083-□-1W-3H-CK-HS□	15	20	83	2006	
LK182083-□-1W-3H-CK-HS□	18	20	83	2009	


1 WIDE - 3 TIER LOCKERS - WITH BOOT OPENING
(With Hasp Lock)




One Wide - Three Tier Locker
With 2 Hinged Doors
With 1 Boot Opening
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).
- Dual prong coat hook included in hinged doors only.

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK121559-☐-1W-3H1B-CK-HS☐	12	15	59	1348	
LK151559-☐-1W-3H1B-CK-HS☐	15	15	59	1351	
LK181559-☐-1W-3H1B-CK-HS☐	18	15	59	1354	
LK121859-☐-1W-3H1B-CK-HS☐	12	18	59	1357	
LK151859-☐-1W-3H1B-CK-HS☐	15	18	59	1360	
LK181859-☐-1W-3H1B-CK-HS☐	18	18	59	1363	
LK122059-☐-1W-3H1B-CK-HS☐	12	20	59	1366	
LK152059-☐-1W-3H1B-CK-HS☐	15	20	59	1369	
LK182059-☐-1W-3H1B-CK-HS☐	18	20	59	1372	
LK121565-☐-1W-3H1B-CK-HS☐	12	15	65	1418	
LK151565-☐-1W-3H1B-CK-HS☐	15	15	65	1421	
LK181565-☐-1W-3H1B-CK-HS☐	18	15	65	1424	
LK121865-☐-1W-3H1B-CK-HS☐	12	18	65	1427	
LK151865-☐-1W-3H1B-CK-HS☐	15	18	65	1430	
LK181865-☐-1W-3H1B-CK-HS☐	18	18	65	1433	
LK122065-☐-1W-3H1B-CK-HS☐	12	20	65	1436	
LK152065-☐-1W-3H1B-CK-HS☐	15	20	65	1439	
LK182065-☐-1W-3H1B-CK-HS☐	18	20	65	1442	
LK121571-☐-1W-3H1B-CK-HS☐	12	15	71	1478	
LK151571-☐-1W-3H1B-CK-HS☐	15	15	71	1481	
LK181571-☐-1W-3H1B-CK-HS☐	18	15	71	1484	
LK121871-☐-1W-3H1B-CK-HS☐	12	18	71	1487	
LK151871-☐-1W-3H1B-CK-HS☐	15	18	71	1490	
LK181871-☐-1W-3H1B-CK-HS☐	18	18	71	1493	
LK122071-☐-1W-3H1B-CK-HS☐	12	20	71	1496	
LK152071-☐-1W-3H1B-CK-HS☐	15	20	71	1499	
LK182071-☐-1W-3H1B-CK-HS☐	18	20	71	1502	
LK121577-☐-1W-3H1B-CK-HS☐	12	15	77	1628	
LK151577-☐-1W-3H1B-CK-HS☐	15	15	77	1631	
LK181577-☐-1W-3H1B-CK-HS☐	18	15	77	1634	
LK121877-☐-1W-3H1B-CK-HS☐	12	18	77	1637	
LK151877-☐-1W-3H1B-CK-HS☐	15	18	77	1640	
LK181877-☐-1W-3H1B-CK-HS☐	18	18	77	1643	
LK122077-☐-1W-3H1B-CK-HS☐	12	20	77	1646	
LK152077-☐-1W-3H1B-CK-HS☐	15	20	77	1649	
LK182077-☐-1W-3H1B-CK-HS☐	18	20	77	1652	
LK121583-☐-1W-3H1B-CK-HS☐	12	15	83	1778	
LK151583-☐-1W-3H1B-CK-HS☐	15	15	83	1781	
LK181583-☐-1W-3H1B-CK-HS☐	18	15	83	1784	
LK121883-☐-1W-3H1B-CK-HS☐	12	18	83	1787	
LK151883-☐-1W-3H1B-CK-HS☐	15	18	83	1790	
LK181883-☐-1W-3H1B-CK-HS☐	18	18	83	1793	
LK122083-☐-1W-3H1B-CK-HS☐	12	20	83	1796	
LK152083-☐-1W-3H1B-CK-HS☐	15	20	83	1799	
LK182083-☐-1W-3H1B-CK-HS☐	18	20	83	1802	


1 WIDE - 4 TIER LOCKERS
(With Hasp Lock)




One Wide - Four Tier Locker
With Hinged Doors
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK121559-☐-1W-4H-HS☐	12	15	59	1797	
LK151559-☐-1W-4H-HS☐	15	15	59	1800	
LK181559-☐-1W-4H-HS☐	18	15	59	1803	
LK121859-☐-1W-4H-HS☐	12	18	59	1806	
LK151859-☐-1W-4H-HS☐	15	18	59	1809	
LK181859-☐-1W-4H-HS☐	18	18	59	1812	
LK122059-☐-1W-4H-HS☐	12	20	59	1815	
LK152059-☐-1W-4H-HS☐	15	20	59	1818	
LK182059-☐-1W-4H-HS☐	18	20	59	1821	
LK121565-☐-1W-4H-HS☐	12	15	65	1867	
LK151565-☐-1W-4H-HS☐	15	15	65	1870	
LK181565-☐-1W-4H-HS☐	18	15	65	1873	
LK121865-☐-1W-4H-HS☐	12	18	65	1876	
LK151865-☐-1W-4H-HS☐	15	18	65	1879	
LK181865-☐-1W-4H-HS☐	18	18	65	1882	
LK122065-☐-1W-4H-HS☐	12	20	65	1885	
LK152065-☐-1W-4H-HS☐	15	20	65	1888	
LK182065-☐-1W-4H-HS☐	18	20	65	1891	
LK121571-☐-1W-4H-HS☐	12	15	71	1927	
LK151571-☐-1W-4H-HS☐	15	15	71	1930	
LK181571-☐-1W-4H-HS☐	18	15	71	1933	
LK121871-☐-1W-4H-HS☐	12	18	71	1936	
LK151871-☐-1W-4H-HS☐	15	18	71	1939	
LK181871-☐-1W-4H-HS☐	18	18	71	1942	
LK122071-☐-1W-4H-HS☐	12	20	71	1945	
LK152071-☐-1W-4H-HS☐	15	20	71	1948	
LK182071-☐-1W-4H-HS☐	18	20	71	1951	
LK121577-☐-1W-4H-HS☐	12	15	77	2077	
LK151577-☐-1W-4H-HS☐	15	15	77	2080	
LK181577-☐-1W-4H-HS☐	18	15	77	2083	
LK121877-☐-1W-4H-HS☐	12	18	77	2086	
LK151877-☐-1W-4H-HS☐	15	18	77	2089	
LK181877-☐-1W-4H-HS☐	18	18	77	2092	
LK122077-☐-1W-4H-HS☐	12	20	77	2095	
LK152077-☐-1W-4H-HS☐	15	20	77	2098	
LK182077-☐-1W-4H-HS☐	18	20	77	2101	
LK121583-☐-1W-4H-HS☐	12	15	83	2227	
LK151583-☐-1W-4H-HS☐	15	15	83	2230	
LK181583-☐-1W-4H-HS☐	18	15	83	2233	
LK121883-☐-1W-4H-HS☐	12	18	83	2236	
LK151883-☐-1W-4H-HS☐	15	18	83	2239	
LK181883-☐-1W-4H-HS☐	18	18	83	2242	
LK122083-☐-1W-4H-HS☐	12	20	83	2245	
LK152083-☐-1W-4H-HS☐	15	20	83	2248	
LK182083-☐-1W-4H-HS☐	18	20	83	2251	

1 WIDE - 4 TIER LOCKERS - WITH BOOT OPENING
(With Hasp Lock)



One Wide - Four Tier Locker
With 3 Hinged Doors
With 1 Boot Opening
Hasp Lock Included


☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK121565-☐-1W-4H1B-HS☐	12	15	65	1620	
LK151565-☐-1W-4H1B-HS☐	15	15	65	1623	
LK181565-☐-1W-4H1B-HS☐	18	15	65	1626	
LK121865-☐-1W-4H1B-HS☐	12	18	65	1629	
LK151865-☐-1W-4H1B-HS☐	15	18	65	1632	
LK181865-☐-1W-4H1B-HS☐	18	18	65	1635	
LK122065-☐-1W-4H1B-HS☐	12	20	65	1638	
LK152065-☐-1W-4H1B-HS☐	15	20	65	1641	
LK182065-☐-1W-4H1B-HS☐	18	20	65	1644	
LK121571-☐-1W-4H1B-HS☐	12	15	71	1680	
LK151571-☐-1W-4H1B-HS☐	15	15	71	1683	
LK181571-☐-1W-4H1B-HS☐	18	15	71	1686	
LK121871-☐-1W-4H1B-HS☐	12	18	71	1689	
LK151871-☐-1W-4H1B-HS☐	15	18	71	1692	
LK181871-☐-1W-4H1B-HS☐	18	18	71	1695	
LK122071-☐-1W-4H1B-HS☐	12	20	71	1698	
LK152071-☐-1W-4H1B-HS☐	15	20	71	1701	
LK182071-☐-1W-4H1B-HS☐	18	20	71	1704	
LK121577-☐-1W-4H1B-HS☐	12	15	77	1830	
LK151577-☐-1W-4H1B-HS☐	15	15	77	1833	
LK181577-☐-1W-4H1B-HS☐	18	15	77	1836	
LK121877-☐-1W-4H1B-HS☐	12	18	77	1839	
LK151877-☐-1W-4H1B-HS☐	15	18	77	1842	
LK181877-☐-1W-4H1B-HS☐	18	18	77	1845	
LK122077-☐-1W-4H1B-HS☐	12	20	77	1848	
LK152077-☐-1W-4H1B-HS☐	15	20	77	1851	
LK182077-☐-1W-4H1B-HS☐	18	20	77	1854	
LK121583-☐-1W-4H1B-HS☐	12	15	83	1980	
LK151583-☐-1W-4H1B-HS☐	15	15	83	1983	
LK181583-☐-1W-4H1B-HS☐	18	15	83	1986	
LK121883-☐-1W-4H1B-HS☐	12	18	83	1989	
LK151883-☐-1W-4H1B-HS☐	15	18	83	1992	
LK181883-☐-1W-4H1B-HS☐	18	18	83	1995	
LK122083-☐-1W-4H1B-HS☐	12	20	83	1998	
LK152083-☐-1W-4H1B-HS☐	15	20	83	2001	
LK182083-☐-1W-4H1B-HS☐	18	20	83	2004	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.
- Dual prong coat hook included in hinged doors only.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

1 WIDE - 5 TIER LOCKERS
(With Hasp Lock)



One Wide - Five Tier Locker
With Hinged Doors
Hasp Lock Included


☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK121571-☐-1W-5H-HS☐	12	15	71	2219	
LK151571-☐-1W-5H-HS☐	15	15	71	2222	
LK181571-☐-1W-5H-HS☐	18	15	71	2225	
LK121871-☐-1W-5H-HS☐	12	18	71	2228	
LK151871-☐-1W-5H-HS☐	15	18	71	2231	
LK181871-☐-1W-5H-HS☐	18	18	71	2234	
LK122071-☐-1W-5H-HS☐	12	20	71	2237	
LK152071-☐-1W-5H-HS☐	15	20	71	2240	
LK182071-☐-1W-5H-HS☐	18	20	71	2243	
LK121577-☐-1W-5H-HS☐	12	15	77	2369	
LK151577-☐-1W-5H-HS☐	15	15	77	2372	
LK181577-☐-1W-5H-HS☐	18	15	77	2375	
LK121877-☐-1W-5H-HS☐	12	18	77	2378	
LK151877-☐-1W-5H-HS☐	15	18	77	2381	
LK181877-☐-1W-5H-HS☐	18	18	77	2384	
LK122077-☐-1W-5H-HS☐	12	20	77	2387	
LK152077-☐-1W-5H-HS☐	15	20	77	2390	
LK182077-☐-1W-5H-HS☐	18	20	77	2393	
LK121583-☐-1W-5H-HS☐	12	15	83	2519	
LK151583-☐-1W-5H-HS☐	15	15	83	2522	
LK181583-☐-1W-5H-HS☐	18	15	83	2525	
LK121883-☐-1W-5H-HS☐	12	18	83	2528	
LK151883-☐-1W-5H-HS☐	15	18	83	2531	
LK181883-☐-1W-5H-HS☐	18	18	83	2534	
LK122083-☐-1W-5H-HS☐	12	20	83	2537	
LK152083-☐-1W-5H-HS☐	15	20	83	2540	
LK182083-☐-1W-5H-HS☐	18	20	83	2543	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:


- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.



One Wide - Six Tier Locker
With Hinged Doors
Hasp Lock Included


☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK121571-☐-1W-6H-HS☐	12	15	71	2551	
LK151571-☐-1W-6H-HS☐	15	15	71	2554	
LK181571-☐-1W-6H-HS☐	18	15	71	2557	
LK121871-☐-1W-6H-HS☐	12	18	71	2560	
LK151871-☐-1W-6H-HS☐	15	18	71	2563	
LK181871-☐-1W-6H-HS☐	18	18	71	2566	
LK122071-☐-1W-6H-HS☐	12	20	71	2569	
LK152071-☐-1W-6H-HS☐	15	20	71	2572	
LK182071-☐-1W-6H-HS☐	18	20	71	2575	
LK121577-☐-1W-6H-HS☐	12	15	77	2701	
LK151577-☐-1W-6H-HS☐	15	15	77	2704	
LK181577-☐-1W-6H-HS☐	18	15	77	2707	
LK121877-☐-1W-6H-HS☐	12	18	77	2710	
LK151877-☐-1W-6H-HS☐	15	18	77	2713	
LK181877-☐-1W-6H-HS☐	18	18	77	2716	
LK122077-☐-1W-6H-HS☐	12	20	77	2719	
LK152077-☐-1W-6H-HS☐	15	20	77	2722	
LK182077-☐-1W-6H-HS☐	18	20	77	2725	
LK121583-☐-1W-6H-HS☐	12	15	83	2851	
LK151583-☐-1W-6H-HS☐	15	15	83	2854	
LK181583-☐-1W-6H-HS☐	18	15	83	2857	
LK121883-☐-1W-6H-HS☐	12	18	83	2860	
LK151883-☐-1W-6H-HS☐	15	18	83	2863	
LK181883-☐-1W-6H-HS☐	18	18	83	2866	
LK122083-☐-1W-6H-HS☐	12	20	83	2869	
LK152083-☐-1W-6H-HS☐	15	20	83	2872	
LK182083-☐-1W-6H-HS☐	18	20	83	2875	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:


- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.




Two Wide - One Tier Locker
With Hinged Doors
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook.
- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (29" to 83" High).

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK241529-☐-2W-1H-CK-HS☐	24	15	29	1448	
LK301529-☐-2W-1H-CK-HS☐	30	15	29	1451	
LK361529-☐-2W-1H-CK-HS☐	36	15	29	1454	
LK241829-☐-2W-1H-CK-HS☐	24	18	29	1457	
LK301829-☐-2W-1H-CK-HS☐	30	18	29	1460	
LK361829-☐-2W-1H-CK-HS☐	36	18	29	1463	
LK242029-☐-2W-1H-CK-HS☐	24	20	29	1466	
LK302029-☐-2W-1H-CK-HS☐	30	20	29	1469	
LK362029-☐-2W-1H-CK-HS☐	36	20	29	1472	
LK241535-☐-2W-1H-CK-HS☐	24	15	35	1548	
LK301535-☐-2W-1H-CK-HS☐	30	15	35	1551	
LK361535-☐-2W-1H-CK-HS☐	36	15	35	1554	
LK241835-☐-2W-1H-CK-HS☐	24	18	35	1557	
LK301835-☐-2W-1H-CK-HS☐	30	18	35	1560	
LK361835-☐-2W-1H-CK-HS☐	36	18	35	1563	
LK242035-☐-2W-1H-CK-HS☐	24	20	35	1566	
LK302035-☐-2W-1H-CK-HS☐	30	20	35	1569	
LK362035-☐-2W-1H-CK-HS☐	36	20	35	1572	
LK241541-☐-2W-1H-CK-HS☐	24	15	41	1628	
LK301541-☐-2W-1H-CK-HS☐	30	15	41	1631	
LK361541-☐-2W-1H-CK-HS☐	36	15	41	1634	
LK241841-☐-2W-1H-CK-HS☐	24	18	41	1637	
LK301841-☐-2W-1H-CK-HS☐	30	18	41	1640	
LK361841-☐-2W-1H-CK-HS☐	36	18	41	1643	
LK242041-☐-2W-1H-CK-HS☐	24	20	41	1646	
LK302041-☐-2W-1H-CK-HS☐	30	20	41	1649	
LK362041-☐-2W-1H-CK-HS☐	36	20	41	1652	
LK241547-☐-2W-1H-CK-HS☐	24	15	47	1718	
LK301547-☐-2W-1H-CK-HS☐	30	15	47	1721	
LK361547-☐-2W-1H-CK-HS☐	36	15	47	1724	
LK241847-☐-2W-1H-CK-HS☐	24	18	47	1727	
LK301847-☐-2W-1H-CK-HS☐	30	18	47	1730	
LK361847-☐-2W-1H-CK-HS☐	36	18	47	1733	
LK242047-☐-2W-1H-CK-HS☐	24	20	47	1736	
LK302047-☐-2W-1H-CK-HS☐	30	20	47	1739	
LK362047-☐-2W-1H-CK-HS☐	36	20	47	1742	
LK241553-☐-2W-1H-CK-HS☐	24	15	53	1768	
LK301553-☐-2W-1H-CK-HS☐	30	15	53	1771	
LK361553-☐-2W-1H-CK-HS☐	36	15	53	1774	
LK241853-☐-2W-1H-CK-HS☐	24	18	53	1777	
LK301853-☐-2W-1H-CK-HS☐	30	18	53	1780	
LK361853-☐-2W-1H-CK-HS☐	36	18	53	1783	
LK242053-☐-2W-1H-CK-HS☐	24	20	53	1786	
LK302053-☐-2W-1H-CK-HS☐	30	20	53	1789	
LK362053-☐-2W-1H-CK-HS☐	36	20	53	1792	


CONTINUED ON NEXT PAGE.




Two Wide - One Tier Locker
With Hinged Doors
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook.
- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (29" to 83" High).


What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-☐-2W-1H-CK-HS☐	24	15	59	1818	
LK301559-☐-2W-1H-CK-HS☐	30	15	59	1821	
LK361559-☐-2W-1H-CK-HS☐	36	15	59	1824	
LK241859-☐-2W-1H-CK-HS☐	24	18	59	1827	
LK301859-☐-2W-1H-CK-HS☐	30	18	59	1830	
LK361859-☐-2W-1H-CK-HS☐	36	18	59	1833	
LK242059-☐-2W-1H-CK-HS☐	24	20	59	1836	
LK302059-☐-2W-1H-CK-HS☐	30	20	59	1839	
LK362059-☐-2W-1H-CK-HS☐	36	20	59	1842	
LK241565-☐-2W-1H-CK-HS☐	24	15	65	1888	
LK301565-☐-2W-1H-CK-HS☐	30	15	65	1891	
LK361565-☐-2W-1H-CK-HS☐	36	15	65	1894	
LK241865-☐-2W-1H-CK-HS☐	24	18	65	1897	
LK301865-☐-2W-1H-CK-HS☐	30	18	65	1900	
LK361865-☐-2W-1H-CK-HS☐	36	18	65	1903	
LK242065-☐-2W-1H-CK-HS☐	24	20	65	1906	
LK302065-☐-2W-1H-CK-HS☐	30	20	65	1909	
LK362065-☐-2W-1H-CK-HS☐	36	20	65	1912	
LK241571-☐-2W-1H-CK-HS☐	24	15	71	1948	
LK301571-☐-2W-1H-CK-HS☐	30	15	71	1951	
LK361571-☐-2W-1H-CK-HS☐	36	15	71	1954	
LK241871-☐-2W-1H-CK-HS☐	24	18	71	1957	
LK301871-☐-2W-1H-CK-HS☐	30	18	71	1960	
LK361871-☐-2W-1H-CK-HS☐	36	18	71	1963	
LK242071-☐-2W-1H-CK-HS☐	24	20	71	1966	
LK302071-☐-2W-1H-CK-HS☐	30	20	71	1969	
LK362071-☐-2W-1H-CK-HS☐	36	20	71	1972	
LK241577-☐-2W-1H-CK-HS☐	24	15	77	2098	
LK301577-☐-2W-1H-CK-HS☐	30	15	77	2101	
LK361577-☐-2W-1H-CK-HS☐	36	15	77	2104	
LK241877-☐-2W-1H-CK-HS☐	24	18	77	2107	
LK301877-☐-2W-1H-CK-HS☐	30	18	77	2110	
LK361877-☐-2W-1H-CK-HS☐	36	18	77	2113	
LK242077-☐-2W-1H-CK-HS☐	24	20	77	2116	
LK302077-☐-2W-1H-CK-HS☐	30	20	77	2119	
LK362077-☐-2W-1H-CK-HS☐	36	20	77	2122	
LK241583-☐-2W-1H-CK-HS☐	24	15	83	2248	
LK301583-☐-2W-1H-CK-HS☐	30	15	83	2251	
LK361583-☐-2W-1H-CK-HS☐	36	15	83	2254	
LK241883-☐-2W-1H-CK-HS☐	24	18	83	2257	
LK301883-☐-2W-1H-CK-HS☐	30	18	83	2260	
LK361883-☐-2W-1H-CK-HS☐	36	18	83	2263	
LK242083-☐-2W-1H-CK-HS☐	24	20	83	2266	
LK302083-☐-2W-1H-CK-HS☐	30	20	83	2269	
LK362083-☐-2W-1H-CK-HS☐	36	20	83	2272	




Two Wide - Two Tier Locker
With Hinged Doors
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK241541-☐-2W-2H-CK-HS☐	24	15	41	2092	
LK301541-☐-2W-2H-CK-HS☐	30	15	41	2095	
LK361541-☐-2W-2H-CK-HS☐	36	15	41	2098	
LK241841-☐-2W-2H-CK-HS☐	24	18	41	2101	
LK301841-☐-2W-2H-CK-HS☐	30	18	41	2104	
LK361841-☐-2W-2H-CK-HS☐	36	18	41	2107	
LK242041-☐-2W-2H-CK-HS☐	24	20	41	2110	
LK302041-☐-2W-2H-CK-HS☐	30	20	41	2113	
LK362041-☐-2W-2H-CK-HS☐	36	20	41	2116	
LK241547-☐-2W-2H-CK-HS☐	24	15	47	2182	
LK301547-☐-2W-2H-CK-HS☐	30	15	47	2185	
LK361547-☐-2W-2H-CK-HS☐	36	15	47	2188	
LK241847-☐-2W-2H-CK-HS☐	24	18	47	2191	
LK301847-☐-2W-2H-CK-HS☐	30	18	47	2194	
LK361847-☐-2W-2H-CK-HS☐	36	18	47	2197	
LK242047-☐-2W-2H-CK-HS☐	24	20	47	2200	
LK302047-☐-2W-2H-CK-HS☐	30	20	47	2203	
LK362047-☐-2W-2H-CK-HS☐	36	20	47	2206	
LK241553-☐-2W-2H-CK-HS☐	24	15	53	2232	
LK301553-☐-2W-2H-CK-HS☐	30	15	53	2235	
LK361553-☐-2W-2H-CK-HS☐	36	15	53	2238	
LK241853-☐-2W-2H-CK-HS☐	24	18	53	2241	
LK301853-☐-2W-2H-CK-HS☐	30	18	53	2244	
LK361853-☐-2W-2H-CK-HS☐	36	18	53	2247	
LK242053-☐-2W-2H-CK-HS☐	24	20	53	2250	
LK302053-☐-2W-2H-CK-HS☐	30	20	53	2253	
LK362053-☐-2W-2H-CK-HS☐	36	20	53	2256	
LK241559-☐-2W-2H-CK-HS☐	24	15	59	2282	
LK301559-☐-2W-2H-CK-HS☐	30	15	59	2285	
LK361559-☐-2W-2H-CK-HS☐	36	15	59	2288	
LK241859-☐-2W-2H-CK-HS☐	24	18	59	2291	
LK301859-☐-2W-2H-CK-HS☐	30	18	59	2294	
LK361859-☐-2W-2H-CK-HS☐	36	18	59	2297	
LK242059-☐-2W-2H-CK-HS☐	24	20	59	2300	
LK302059-☐-2W-2H-CK-HS☐	30	20	59	2303	
LK362059-☐-2W-2H-CK-HS☐	36	20	59	2306	
LK241565-☐-2W-2H-CK-HS☐	24	15	65	2352	
LK301565-☐-2W-2H-CK-HS☐	30	15	65	2355	
LK361565-☐-2W-2H-CK-HS☐	36	15	65	2358	
LK241865-☐-2W-2H-CK-HS☐	24	18	65	2361	
LK301865-☐-2W-2H-CK-HS☐	30	18	65	2364	
LK361865-☐-2W-2H-CK-HS☐	36	18	65	2367	
LK242065-☐-2W-2H-CK-HS☐	24	20	65	2370	
LK302065-☐-2W-2H-CK-HS☐	30	20	65	2373	
LK362065-☐-2W-2H-CK-HS☐	36	20	65	2376	

CONTINUED ON NEXT PAGE.



Two Wide - Two Tier Locker
With Hinged Doors
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK241571-□-2W-2H-CK-HS□	24	15	71	2412	
LK301571-□-2W-2H-CK-HS□	30	15	71	2415	
LK361571-□-2W-2H-CK-HS□	36	15	71	2418	
LK241871-□-2W-2H-CK-HS□	24	18	71	2421	
LK301871-□-2W-2H-CK-HS□	30	18	71	2424	
LK361871-□-2W-2H-CK-HS□	36	18	71	2427	
LK242071-□-2W-2H-CK-HS□	24	20	71	2430	
LK302071-□-2W-2H-CK-HS□	30	20	71	2433	
LK362071-□-2W-2H-CK-HS□	36	20	71	2436	
LK241577-□-2W-2H-CK-HS□	24	15	77	2562	
LK301577-□-2W-2H-CK-HS□	30	15	77	2565	
LK361577-□-2W-2H-CK-HS□	36	15	77	2568	
LK241877-□-2W-2H-CK-HS□	24	18	77	2571	
LK301877-□-2W-2H-CK-HS□	30	18	77	2574	
LK361877-□-2W-2H-CK-HS□	36	18	77	2577	
LK242077-□-2W-2H-CK-HS□	24	20	77	2580	
LK302077-□-2W-2H-CK-HS□	30	20	77	2583	
LK362077-□-2W-2H-CK-HS□	36	20	77	2586	
LK241583-□-2W-2H-CK-HS□	24	15	83	2712	
LK301583-□-2W-2H-CK-HS□	30	15	83	2715	
LK361583-□-2W-2H-CK-HS□	36	15	83	2718	
LK241883-□-2W-2H-CK-HS□	24	18	83	2721	
LK301883-□-2W-2H-CK-HS□	30	18	83	2724	
LK361883-□-2W-2H-CK-HS□	36	18	83	2727	
LK242083-□-2W-2H-CK-HS□	24	20	83	2730	
LK302083-□-2W-2H-CK-HS□	30	20	83	2733	
LK362083-□-2W-2H-CK-HS□	36	20	83	2736	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.


2 WIDE - 3 TIER LOCKERS
(With Hasp Lock)




Two Wide - Three Tier Locker
With Hinged Doors
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-□-2W-3H-CK-HS□	24	15	59	2676	
LK301559-□-2W-3H-CK-HS□	30	15	59	2679	
LK361559-□-2W-3H-CK-HS□	36	15	59	2682	
LK241859-□-2W-3H-CK-HS□	24	18	59	2685	
LK301859-□-2W-3H-CK-HS□	30	18	59	2688	
LK361859-□-2W-3H-CK-HS□	36	18	59	2691	
LK242059-□-2W-3H-CK-HS□	24	20	59	2694	
LK302059-□-2W-3H-CK-HS□	30	20	59	2697	
LK362059-□-2W-3H-CK-HS□	36	20	59	2700	
LK241565-□-2W-3H-CK-HS□	24	15	65	2746	
LK301565-□-2W-3H-CK-HS□	30	15	65	2749	
LK361565-□-2W-3H-CK-HS□	36	15	65	2752	
LK241865-□-2W-3H-CK-HS□	24	18	65	2755	
LK301865-□-2W-3H-CK-HS□	30	18	65	2758	
LK361865-□-2W-3H-CK-HS□	36	18	65	2761	
LK242065-□-2W-3H-CK-HS□	24	20	65	2764	
LK302065-□-2W-3H-CK-HS□	30	20	65	2767	
LK362065-□-2W-3H-CK-HS□	36	20	65	2770	
LK241571-□-2W-3H-CK-HS□	24	15	71	2806	
LK301571-□-2W-3H-CK-HS□	30	15	71	2809	
LK361571-□-2W-3H-CK-HS□	36	15	71	2812	
LK241871-□-2W-3H-CK-HS□	24	18	71	2815	
LK301871-□-2W-3H-CK-HS□	30	18	71	2818	
LK361871-□-2W-3H-CK-HS□	36	18	71	2821	
LK242071-□-2W-3H-CK-HS□	24	20	71	2824	
LK302071-□-2W-3H-CK-HS□	30	20	71	2827	
LK362071-□-2W-3H-CK-HS□	36	20	71	2830	
LK241577-□-2W-3H-CK-HS□	24	15	77	2956	
LK301577-□-2W-3H-CK-HS□	30	15	77	2959	
LK361577-□-2W-3H-CK-HS□	36	15	77	2962	
LK241877-□-2W-3H-CK-HS□	24	18	77	2965	
LK301877-□-2W-3H-CK-HS□	30	18	77	2968	
LK361877-□-2W-3H-CK-HS□	36	18	77	2971	
LK242077-□-2W-3H-CK-HS□	24	20	77	2974	
LK302077-□-2W-3H-CK-HS□	30	20	77	2977	
LK362077-□-2W-3H-CK-HS□	36	20	77	2980	
LK241583-□-2W-3H-CK-HS□	24	15	83	3106	
LK301583-□-2W-3H-CK-HS□	30	15	83	3109	
LK361583-□-2W-3H-CK-HS□	36	15	83	3112	
LK241883-□-2W-3H-CK-HS□	24	18	83	3115	
LK301883-□-2W-3H-CK-HS□	30	18	83	3118	
LK361883-□-2W-3H-CK-HS□	36	18	83	3121	
LK242083-□-2W-3H-CK-HS□	24	20	83	3124	
LK302083-□-2W-3H-CK-HS□	30	20	83	3127	
LK362083-□-2W-3H-CK-HS□	36	20	83	3130	


2 WIDE - 3 TIER LOCKERS - WITH BOOT OPENING
(With Hasp Lock)




Two Wide - Three Tier Locker
With 4 Hinged Doors
With 2 Open Compartments
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).
- Dual prong coat hook included in hinged doors only.

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-☐-2W-3H1B-CK-HS☐	24	15	59	2277	
LK301559-☐-2W-3H1B-CK-HS☐	30	15	59	2280	
LK361559-☐-2W-3H1B-CK-HS☐	36	15	59	2283	
LK241859-☐-2W-3H1B-CK-HS☐	24	18	59	2286	
LK301859-☐-2W-3H1B-CK-HS☐	30	18	59	2289	
LK361859-☐-2W-3H1B-CK-HS☐	36	18	59	2292	
LK242059-☐-2W-3H1B-CK-HS☐	24	20	59	2295	
LK302059-☐-2W-3H1B-CK-HS☐	30	20	59	2298	
LK362059-☐-2W-3H1B-CK-HS☐	36	20	59	2301	
LK241565-☐-2W-3H1B-CK-HS☐	24	15	65	2347	
LK301565-☐-2W-3H1B-CK-HS☐	30	15	65	2350	
LK361565-☐-2W-3H1B-CK-HS☐	36	15	65	2353	
LK241865-☐-2W-3H1B-CK-HS☐	24	18	65	2356	
LK301865-☐-2W-3H1B-CK-HS☐	30	18	65	2359	
LK361865-☐-2W-3H1B-CK-HS☐	36	18	65	2362	
LK242065-☐-2W-3H1B-CK-HS☐	24	20	65	2365	
LK302065-☐-2W-3H1B-CK-HS☐	30	20	65	2368	
LK362065-☐-2W-3H1B-CK-HS☐	36	20	65	2371	
LK241571-☐-2W-3H1B-CK-HS☐	24	15	71	2407	
LK301571-☐-2W-3H1B-CK-HS☐	30	15	71	2410	
LK361571-☐-2W-3H1B-CK-HS☐	36	15	71	2413	
LK241871-☐-2W-3H1B-CK-HS☐	24	18	71	2416	
LK301871-☐-2W-3H1B-CK-HS☐	30	18	71	2419	
LK361871-☐-2W-3H1B-CK-HS☐	36	18	71	2422	
LK242071-☐-2W-3H1B-CK-HS☐	24	20	71	2425	
LK302071-☐-2W-3H1B-CK-HS☐	30	20	71	2428	
LK362071-☐-2W-3H1B-CK-HS☐	36	20	71	2431	
LK241577-☐-2W-3H1B-CK-HS☐	24	15	77	2557	
LK301577-☐-2W-3H1B-CK-HS☐	30	15	77	2560	
LK361577-☐-2W-3H1B-CK-HS☐	36	15	77	2563	
LK241877-☐-2W-3H1B-CK-HS☐	24	18	77	2566	
LK301877-☐-2W-3H1B-CK-HS☐	30	18	77	2569	
LK361877-☐-2W-3H1B-CK-HS☐	36	18	77	2572	
LK242077-☐-2W-3H1B-CK-HS☐	24	20	77	2575	
LK302077-☐-2W-3H1B-CK-HS☐	30	20	77	2578	
LK362077-☐-2W-3H1B-CK-HS☐	36	20	77	2581	
LK241583-☐-2W-3H1B-CK-HS☐	24	15	83	2707	
LK301583-☐-2W-3H1B-CK-HS☐	30	15	83	2710	
LK361583-☐-2W-3H1B-CK-HS☐	36	15	83	2713	
LK241883-☐-2W-3H1B-CK-HS☐	24	18	83	2716	
LK301883-☐-2W-3H1B-CK-HS☐	30	18	83	2719	
LK361883-☐-2W-3H1B-CK-HS☐	36	18	83	2722	
LK242083-☐-2W-3H1B-CK-HS☐	24	20	83	2725	
LK302083-☐-2W-3H1B-CK-HS☐	30	20	83	2728	
LK362083-☐-2W-3H1B-CK-HS☐	36	20	83	2731	


2 WIDE - 4 TIER LOCKERS
(With Hasp Lock)




Two Wide - Four Tier Locker
With Hinged Doors
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-☐-2W-4H-HS☐	24	15	59	3080	
LK301559-☐-2W-4H-HS☐	30	15	59	3083	
LK361559-☐-2W-4H-HS☐	36	15	59	3086	
LK241859-☐-2W-4H-HS☐	24	18	59	3089	
LK301859-☐-2W-4H-HS☐	30	18	59	3092	
LK361859-☐-2W-4H-HS☐	36	18	59	3095	
LK242059-☐-2W-4H-HS☐	24	20	59	3098	
LK302059-☐-2W-4H-HS☐	30	20	59	3101	
LK362059-☐-2W-4H-HS☐	36	20	59	3104	
LK241565-☐-2W-4H-HS☐	24	15	65	3150	
LK301565-☐-2W-4H-HS☐	30	15	65	3153	
LK361565-☐-2W-4H-HS☐	36	15	65	3156	
LK241865-☐-2W-4H-HS☐	24	18	65	3159	
LK301865-☐-2W-4H-HS☐	30	18	65	3162	
LK361865-☐-2W-4H-HS☐	36	18	65	3165	
LK242065-☐-2W-4H-HS☐	24	20	65	3168	
LK302065-☐-2W-4H-HS☐	30	20	65	3171	
LK362065-☐-2W-4H-HS☐	36	20	65	3174	
LK241571-☐-2W-4H-HS☐	24	15	71	3210	
LK301571-☐-2W-4H-HS☐	30	15	71	3213	
LK361571-☐-2W-4H-HS☐	36	15	71	3216	
LK241871-☐-2W-4H-HS☐	24	18	71	3219	
LK301871-☐-2W-4H-HS☐	30	18	71	3222	
LK361871-☐-2W-4H-HS☐	36	18	71	3225	
LK242071-☐-2W-4H-HS☐	24	20	71	3228	
LK302071-☐-2W-4H-HS☐	30	20	71	3231	
LK362071-☐-2W-4H-HS☐	36	20	71	3234	
LK241577-☐-2W-4H-HS☐	24	15	77	3360	
LK301577-☐-2W-4H-HS☐	30	15	77	3363	
LK361577-☐-2W-4H-HS☐	36	15	77	3366	
LK241877-☐-2W-4H-HS☐	24	18	77	3369	
LK301877-☐-2W-4H-HS☐	30	18	77	3372	
LK361877-☐-2W-4H-HS☐	36	18	77	3375	
LK242077-☐-2W-4H-HS☐	24	20	77	3378	
LK302077-☐-2W-4H-HS☐	30	20	77	3381	
LK362077-☐-2W-4H-HS☐	36	20	77	3384	
LK241583-☐-2W-4H-HS☐	24	15	83	3510	
LK301583-☐-2W-4H-HS☐	30	15	83	3513	
LK361583-☐-2W-4H-HS☐	36	15	83	3516	
LK241883-☐-2W-4H-HS☐	24	18	83	3519	
LK301883-☐-2W-4H-HS☐	30	18	83	3522	
LK361883-☐-2W-4H-HS☐	36	18	83	3525	
LK242083-☐-2W-4H-HS☐	24	20	83	3528	
LK302083-☐-2W-4H-HS☐	30	20	83	3531	
LK362083-☐-2W-4H-HS☐	36	20	83	3534	

2 WIDE - 4 TIER LOCKERS - WITH BOOT OPENING
(With Hasp Lock)



Two Wide - Four Tier Locker
With 2 Hinged Doors
With 2 Open Compartments
Hasp Lock Included


☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK241565-☐-2W-4H1B-HS☐	24	15	65	2741	
LK301565-☐-2W-4H1B-HS☐	30	15	65	2744	
LK361565-☐-2W-4H1B-HS☐	36	15	65	2747	
LK241865-☐-2W-4H1B-HS☐	24	18	65	2750	
LK301865-☐-2W-4H1B-HS☐	30	18	65	2753	
LK361865-☐-2W-4H1B-HS☐	36	18	65	2756	
LK242065-☐-2W-4H1B-HS☐	24	20	65	2759	
LK302065-☐-2W-4H1B-HS☐	30	20	65	2762	
LK362065-☐-2W-4H1B-HS☐	36	20	65	2765	
LK241571-☐-2W-4H1B-HS☐	24	15	71	2801	
LK301571-☐-2W-4H1B-HS☐	30	15	71	2804	
LK361571-☐-2W-4H1B-HS☐	36	15	71	2807	
LK241871-☐-2W-4H1B-HS☐	24	18	71	2810	
LK301871-☐-2W-4H1B-HS☐	30	18	71	2813	
LK361871-☐-2W-4H1B-HS☐	36	18	71	2816	
LK242071-☐-2W-4H1B-HS☐	24	20	71	2819	
LK302071-☐-2W-4H1B-HS☐	30	20	71	2822	
LK362071-☐-2W-4H1B-HS☐	36	20	71	2825	
LK241577-☐-2W-4H1B-HS☐	24	15	77	2951	
LK301577-☐-2W-4H1B-HS☐	30	15	77	2954	
LK361577-☐-2W-4H1B-HS☐	36	15	77	2957	
LK241877-☐-2W-4H1B-HS☐	24	18	77	2960	
LK301877-☐-2W-4H1B-HS☐	30	18	77	2963	
LK361877-☐-2W-4H1B-HS☐	36	18	77	2966	
LK242077-☐-2W-4H1B-HS☐	24	20	77	2969	
LK302077-☐-2W-4H1B-HS☐	30	20	77	2972	
LK362077-☐-2W-4H1B-HS☐	36	20	77	2975	
LK241583-☐-2W-4H1B-HS☐	24	15	83	3101	
LK301583-☐-2W-4H1B-HS☐	30	15	83	3104	
LK361583-☐-2W-4H1B-HS☐	36	15	83	3107	
LK241883-☐-2W-4H1B-HS☐	24	18	83	3110	
LK301883-☐-2W-4H1B-HS☐	30	18	83	3113	
LK361883-☐-2W-4H1B-HS☐	36	18	83	3116	
LK242083-☐-2W-4H1B-HS☐	24	20	83	3119	
LK302083-☐-2W-4H1B-HS☐	30	20	83	3122	
LK362083-☐-2W-4H1B-HS☐	36	20	83	3125	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:


- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.
- Dual prong coat hook included in hinged doors only.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.



Two Wide - Five Tier Locker
With Hinged Doors
Hasp Lock Included


☐ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS☐ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK241571-☐-2W-5H-HS☐	24	15	71	3644	
LK301571-☐-2W-5H-HS☐	30	15	71	3647	
LK361571-☐-2W-5H-HS☐	36	15	71	3650	
LK241871-☐-2W-5H-HS☐	24	18	71	3653	
LK301871-☐-2W-5H-HS☐	30	18	71	3656	
LK361871-☐-2W-5H-HS☐	36	18	71	3659	
LK242071-☐-2W-5H-HS☐	24	20	71	3662	
LK302071-☐-2W-5H-HS☐	30	20	71	3665	
LK362071-☐-2W-5H-HS☐	36	20	71	3668	
LK241577-☐-2W-5H-HS☐	24	15	77	3794	
LK301577-☐-2W-5H-HS☐	30	15	77	3797	
LK361577-☐-2W-5H-HS☐	36	15	77	3800	
LK241877-☐-2W-5H-HS☐	24	18	77	3803	
LK301877-☐-2W-5H-HS☐	30	18	77	3806	
LK361877-☐-2W-5H-HS☐	36	18	77	3809	
LK242077-☐-2W-5H-HS☐	24	20	77	3812	
LK302077-☐-2W-5H-HS☐	30	20	77	3815	
LK362077-☐-2W-5H-HS☐	36	20	77	3818	
LK241583-☐-2W-5H-HS☐	24	15	83	3944	
LK301583-☐-2W-5H-HS☐	30	15	83	3947	
LK361583-☐-2W-5H-HS☐	36	15	83	3950	
LK241883-☐-2W-5H-HS☐	24	18	83	3953	
LK301883-☐-2W-5H-HS☐	30	18	83	3956	
LK361883-☐-2W-5H-HS☐	36	18	83	3959	
LK242083-☐-2W-5H-HS☐	24	20	83	3962	
LK302083-☐-2W-5H-HS☐	30	20	83	3965	
LK362083-☐-2W-5H-HS☐	36	20	83	3968	

Door Orientation:

Specify door orientation within the product code: ☐ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: ☐ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS☐ = [3] Silver or [1] Black.

2 WIDE - 6 TIER LOCKERS
(With Hasp Lock)



Two Wide - Six Tier Locker
With Hinged Doors
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK241571-□-2W-6H-HS□	24	15	71	4078	
LK301571-□-2W-6H-HS□	30	15	71	4081	
LK361571-□-2W-6H-HS□	36	15	71	4084	
LK241871-□-2W-6H-HS□	24	18	71	4087	
LK301871-□-2W-6H-HS□	30	18	71	4090	
LK361871-□-2W-6H-HS□	36	18	71	4093	
LK242071-□-2W-6H-HS□	24	20	71	4096	
LK302071-□-2W-6H-HS□	30	20	71	4099	
LK362071-□-2W-6H-HS□	36	20	71	4102	
LK241577-□-2W-6H-HS□	24	15	77	4228	
LK301577-□-2W-6H-HS□	30	15	77	4231	
LK361577-□-2W-6H-HS□	36	15	77	4234	
LK241877-□-2W-6H-HS□	24	18	77	4237	
LK301877-□-2W-6H-HS□	30	18	77	4240	
LK361877-□-2W-6H-HS□	36	18	77	4243	
LK242077-□-2W-6H-HS□	24	20	77	4246	
LK302077-□-2W-6H-HS□	30	20	77	4249	
LK362077-□-2W-6H-HS□	36	20	77	4252	
LK241583-□-2W-6H-HS□	24	15	83	4378	
LK301583-□-2W-6H-HS□	30	15	83	4381	
LK361583-□-2W-6H-HS□	36	15	83	4384	
LK241883-□-2W-6H-HS□	24	18	83	4387	
LK301883-□-2W-6H-HS□	30	18	83	4390	
LK361883-□-2W-6H-HS□	36	18	83	4393	
LK242083-□-2W-6H-HS□	24	20	83	4396	
LK302083-□-2W-6H-HS□	30	20	83	4399	
LK362083-□-2W-6H-HS□	36	20	83	4402	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.


3 WIDE - 1 TIER LOCKERS
(With Hasp Lock)




Three Wide - One Tier Locker
With Hinged Doors
Hasp Lock Included

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Lockers 71" to 83" in height include 1 fixed shelf above the coat hook.
- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (29" to 83" High).

What to Specify When Ordering:


1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock

Model No.	*W*	*D*	*H*	Price	*LB*
LK361529-□-3W-1H-CK-HS□	36	15	29	1946	
LK361829-□-3W-1H-CK-HS□	36	18	29	1955	
LK362029-□-3W-1H-CK-HS□	36	20	29	1964	
LK361535-□-3W-1H-CK-HS□	36	15	35	2036	
LK361835-□-3W-1H-CK-HS□	36	18	35	2045	
LK362035-□-3W-1H-CK-HS□	36	20	35	2054	
LK361541-□-3W-1H-CK-HS□	36	15	41	2106	
LK361841-□-3W-1H-CK-HS□	36	18	41	2115	
LK362041-□-3W-1H-CK-HS□	36	20	41	2124	
LK361547-□-3W-1H-CK-HS□	36	15	47	2196	
LK361847-□-3W-1H-CK-HS□	36	18	47	2205	
LK362047-□-3W-1H-CK-HS□	36	20	47	2214	
LK361553-□-3W-1H-CK-HS□	36	15	53	2296	
LK361853-□-3W-1H-CK-HS□	36	18	53	2305	
LK362053-□-3W-1H-CK-HS□	36	20	53	2314	
LK361559-□-3W-1H-CK-HS□	36	15	59	2396	
LK361859-□-3W-1H-CK-HS□	36	18	59	2455	
LK362059-□-3W-1H-CK-HS□	36	20	59	2464	
LK361565-□-3W-1H-CK-HS□	36	15	65	2496	
LK361865-□-3W-1H-CK-HS□	36	18	65	2605	
LK362065-□-3W-1H-CK-HS□	36	20	65	2614	
LK361571-□-3W-1H-CK-HS□	36	15	71	2626	
LK361871-□-3W-1H-CK-HS□	36	18	71	2755	
LK362071-□-3W-1H-CK-HS□	36	20	71	2764	
LK361577-□-3W-1H-CK-HS□	36	15	77	2826	
LK361877-□-3W-1H-CK-HS□	36	18	77	2955	
LK362077-□-3W-1H-CK-HS□	36	20	77	2964	
LK361583-□-3W-1H-CK-HS□	36	15	83	3026	
LK361883-□-3W-1H-CK-HS□	36	18	83	3155	
LK362083-□-3W-1H-CK-HS□	36	20	83	3164	

3 WIDE - 2 TIER LOCKERS
(With Hasp Lock)



Three Wide - Two Tier Locker
With Hinged Doors
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK361541-□-3W-2H-CK-HS□	36	15	41	2732	
LK361841-□-3W-2H-CK-HS□	36	18	41	2741	
LK362041-□-3W-2H-CK-HS□	36	20	41	2750	
LK361547-□-3W-2H-CK-HS□	36	15	47	2822	
LK361847-□-3W-2H-CK-HS□	36	18	47	2831	
LK362047-□-3W-2H-CK-HS□	36	20	47	2840	
LK361553-□-3W-2H-CK-HS□	36	15	53	2922	
LK361853-□-3W-2H-CK-HS□	36	18	53	2931	
LK362053-□-3W-2H-CK-HS□	36	20	53	2940	
LK361559-□-3W-2H-CK-HS□	36	15	59	3022	
LK361859-□-3W-2H-CK-HS□	36	18	59	3081	
LK362059-□-3W-2H-CK-HS□	36	20	59	3090	
LK361565-□-3W-2H-CK-HS□	36	15	65	3122	
LK361865-□-3W-2H-CK-HS□	36	18	65	3231	
LK362065-□-3W-2H-CK-HS□	36	20	65	3240	
LK361571-□-3W-2H-CK-HS□	36	15	71	3252	
LK361871-□-3W-2H-CK-HS□	36	18	71	3381	
LK362071-□-3W-2H-CK-HS□	36	20	71	3390	
LK361577-□-3W-2H-CK-HS□	36	15	77	3452	
LK361877-□-3W-2H-CK-HS□	36	18	77	3581	
LK362077-□-3W-2H-CK-HS□	36	20	77	3590	
LK361583-□-3W-2H-CK-HS□	36	15	83	3652	
LK361883-□-3W-2H-CK-HS□	36	18	83	3781	
LK362083-□-3W-2H-CK-HS□	36	20	83	3790	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (41" to 83" High).

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

3 WIDE - 3 TIER LOCKERS
(With Hasp Lock)



Three Wide - Three Tier Locker
With Hinged Doors
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK361559-□-3W-3H-CK-HS□	36	15	59	3798	
LK361859-□-3W-3H-CK-HS□	36	18	59	3857	
LK362059-□-3W-3H-CK-HS□	36	20	59	3866	
LK361565-□-3W-3H-CK-HS□	36	15	65	3898	
LK361865-□-3W-3H-CK-HS□	36	18	65	4007	
LK362065-□-3W-3H-CK-HS□	36	20	65	4016	
LK361571-□-3W-3H-CK-HS□	36	15	71	4028	
LK361871-□-3W-3H-CK-HS□	36	18	71	4157	
LK362071-□-3W-3H-CK-HS□	36	20	71	4166	
LK361577-□-3W-3H-CK-HS□	36	15	77	4228	
LK361877-□-3W-3H-CK-HS□	36	18	77	4357	
LK362077-□-3W-3H-CK-HS□	36	20	77	4366	
LK361583-□-3W-3H-CK-HS□	36	15	83	4428	
LK361883-□-3W-3H-CK-HS□	36	18	83	4557	
LK362083-□-3W-3H-CK-HS□	36	20	83	4566	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

3 WIDE - 3 TIER LOCKERS
(With Hasp Lock)



Three Wide - Three Tier Locker
With 6 Hinged Doors
With 3 Open Compartments
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK361559-□-3W-3H1B-CK-HS□	36	15	59	3017	
LK361859-□-3W-3H1B-CK-HS□	36	18	59	3076	
LK362059-□-3W-3H1B-CK-HS□	36	20	59	3085	
LK361565-□-3W-3H1B-CK-HS□	36	15	65	3117	
LK361865-□-3W-3H1B-CK-HS□	36	18	65	3226	
LK362065-□-3W-3H1B-CK-HS□	36	20	65	3235	
LK361571-□-3W-3H1B-CK-HS□	36	15	71	3247	
LK361871-□-3W-3H1B-CK-HS□	36	18	71	3376	
LK362071-□-3W-3H1B-CK-HS□	36	20	71	3385	
LK361577-□-3W-3H1B-CK-HS□	36	15	77	3447	
LK361877-□-3W-3H1B-CK-HS□	36	18	77	3576	
LK362077-□-3W-3H1B-CK-HS□	36	20	77	3585	
LK361583-□-3W-3H1B-CK-HS□	36	15	83	3647	
LK361883-□-3W-3H1B-CK-HS□	36	18	83	3776	
LK362083-□-3W-3H1B-CK-HS□	36	20	83	3785	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Dual prong coat hook included in all heights (59" to 83" High).
- Dual prong coat hook included in hinged doors only.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

3 WIDE - 4 TIER LOCKERS
(With Hasp Lock)



Three Wide - Four Tier Locker
With Hinged Doors
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK361559-□-3W-4H-HS□	36	15	59	4524	
LK361859-□-3W-4H-HS□	36	18	59	4583	
LK362059-□-3W-4H-HS□	36	20	59	4592	
LK361565-□-3W-4H-HS□	36	15	65	4624	
LK361865-□-3W-4H-HS□	36	18	65	4733	
LK362065-□-3W-4H-HS□	36	20	65	4742	
LK361571-□-3W-4H-HS□	36	15	71	4754	
LK361871-□-3W-4H-HS□	36	18	71	4883	
LK362071-□-3W-4H-HS□	36	20	71	4892	
LK361577-□-3W-4H-HS□	36	15	77	4954	
LK361877-□-3W-4H-HS□	36	18	77	5083	
LK362077-□-3W-4H-HS□	36	20	77	5092	
LK361583-□-3W-4H-HS□	36	15	83	5154	
LK361883-□-3W-4H-HS□	36	18	83	5283	
LK362083-□-3W-4H-HS□	36	20	83	5292	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

3 WIDE - 4 TIER LOCKERS
(With Hasp Lock)



Three Wide - Four Tier Locker
With 9 Hinged Doors
With 3 Open Compartments
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK361565-□-3W-4H1B-HS□	36	15	65	3893	
LK361865-□-3W-4H1B-HS□	36	18	65	4002	
LK362065-□-3W-4H1B-HS□	36	20	65	4011	
LK361571-□-3W-4H1B-HS□	36	15	71	4023	
LK361871-□-3W-4H1B-HS□	36	18	71	4152	
LK362071-□-3W-4H1B-HS□	36	20	71	4161	
LK361577-□-3W-4H1B-HS□	36	15	77	4223	
LK361877-□-3W-4H1B-HS□	36	18	77	4352	
LK362077-□-3W-4H1B-HS□	36	20	77	4361	
LK361583-□-3W-4H1B-HS□	36	15	83	4423	
LK361883-□-3W-4H1B-HS□	36	18	83	4552	
LK362083-□-3W-4H1B-HS□	36	20	83	4561	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

3 WIDE - 5 TIER LOCKERS
(With Hasp Lock)



Three Wide - Five Tier Locker
With Hinged Doors
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK361571-□-3W-5H-HS□	36	15	71	5510	
LK361871-□-3W-5H-HS□	36	18	71	5639	
LK362071-□-3W-5H-HS□	36	20	71	5648	
LK361577-□-3W-5H-HS□	36	15	77	5710	
LK361877-□-3W-5H-HS□	36	18	77	5839	
LK362077-□-3W-5H-HS□	36	20	77	5848	
LK361583-□-3W-5H-HS□	36	15	83	5910	
LK361883-□-3W-5H-HS□	36	18	83	6039	
LK362083-□-3W-5H-HS□	36	20	83	6048	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.

3 WIDE - 6 TIER LOCKERS
(With Hasp Lock)



Three Wide - Six Tier Locker
With Hinged Doors
Hasp Lock Included


□ = Specify door orientation:
[L] Left Opening Door
[R] Right Opening Door

HS□ = Specify Hasp Lock Color:
= [3] Silver Hasp Lock
= [1] Black Hasp Lock


Model No.	*W*	*D*	*H*	Price	*LB*
LK361571-□-3W-6H-HS□	36	15	71	6286	
LK361871-□-3W-6H-HS□	36	18	71	6415	
LK362071-□-3W-6H-HS□	36	20	71	6424	
LK361577-□-3W-6H-HS□	36	15	77	6486	
LK361877-□-3W-6H-HS□	36	18	77	6615	
LK362077-□-3W-6H-HS□	36	20	77	6624	
LK361583-□-3W-6H-HS□	36	15	83	6686	
LK361883-□-3W-6H-HS□	36	18	83	6815	
LK362083-□-3W-6H-HS□	36	20	83	6824	

Door Orientation:

Specify door orientation within the product code: □ = [L] Left or [R] Right.



Left Opening (L)



Right Opening (R)

Notes:

- Hasp lock features a knob style design.
- Hasp lock is suitable with padlocks containing a 4mm to 8mm shackle.
- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides and door fronts run vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.
2) Specify door fronts laminate finish.
3) Specify door orientation within the product code: □ = [L] Left or [R] Right.
4) Specify hasp lock color within the product code: HS□ = [3] Silver or [1] Black.



1 Wide - Two Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK121541-1W-2H-BC	12	14.25	41	979	
LK151541-1W-2H-BC	15	14.25	41	982	
LK181541-1W-2H-BC	18	14.25	41	985	
LK121841-1W-2H-BC	12	17.25	41	988	
LK151841-1W-2H-BC	15	17.25	41	991	
LK181841-1W-2H-BC	18	17.25	41	994	
LK122041-1W-2H-BC	12	19.25	41	997	
LK152041-1W-2H-BC	15	19.25	41	1000	
LK182041-1W-2H-BC	18	19.25	41	1003	
LK121547-1W-2H-BC	12	14.25	47	1069	
LK151547-1W-2H-BC	15	14.25	47	1072	
LK181547-1W-2H-BC	18	14.25	47	1075	
LK121847-1W-2H-BC	12	17.25	47	1078	
LK151847-1W-2H-BC	15	17.25	47	1081	
LK181847-1W-2H-BC	18	17.25	47	1084	
LK122047-1W-2H-BC	12	19.25	47	1087	
LK152047-1W-2H-BC	15	19.25	47	1090	
LK182047-1W-2H-BC	18	19.25	47	1093	
LK121553-1W-2H-BC	12	14.25	53	1019	
LK151553-1W-2H-BC	15	14.25	53	1022	
LK181553-1W-2H-BC	18	14.25	53	1025	
LK121853-1W-2H-BC	12	17.25	53	1028	
LK151853-1W-2H-BC	15	17.25	53	1031	
LK181853-1W-2H-BC	18	17.25	53	1034	
LK122053-1W-2H-BC	12	19.25	53	1037	
LK152053-1W-2H-BC	15	19.25	53	1040	
LK182053-1W-2H-BC	18	19.25	53	1043	
LK121559-1W-2H-BC	12	14.25	59	1044	
LK151559-1W-2H-BC	15	14.25	59	1047	
LK181559-1W-2H-BC	18	14.25	59	1050	
LK121859-1W-2H-BC	12	17.25	59	1053	
LK151859-1W-2H-BC	15	17.25	59	1056	
LK181859-1W-2H-BC	18	17.25	59	1059	
LK122059-1W-2H-BC	12	19.25	59	1062	
LK152059-1W-2H-BC	15	19.25	59	1065	
LK182059-1W-2H-BC	18	19.25	59	1068	
LK121565-1W-2H-BC	12	14.25	65	1139	
LK151565-1W-2H-BC	15	14.25	65	1142	
LK181565-1W-2H-BC	18	14.25	65	1145	
LK121865-1W-2H-BC	12	17.25	65	1148	
LK151865-1W-2H-BC	15	17.25	65	1151	
LK181865-1W-2H-BC	18	17.25	65	1154	
LK122065-1W-2H-BC	12	19.25	65	1157	
LK152065-1W-2H-BC	15	19.25	65	1160	
LK182065-1W-2H-BC	18	19.25	65	1163	

Notes:

- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.

CONTINUED ON NEXT PAGE.



1 Wide - Two Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK121571-1W-2H-BC	12	14.25	71	1199	
LK151571-1W-2H-BC	15	14.25	71	1202	
LK181571-1W-2H-BC	18	14.25	71	1205	
LK121871-1W-2H-BC	12	17.25	71	1208	
LK151871-1W-2H-BC	15	17.25	71	1211	
LK181871-1W-2H-BC	18	17.25	71	1214	
LK122071-1W-2H-BC	12	19.25	71	1217	
LK152071-1W-2H-BC	15	19.25	71	1220	
LK182071-1W-2H-BC	18	19.25	71	1223	
LK121577-1W-2H-BC	12	14.25	77	1349	
LK151577-1W-2H-BC	15	14.25	77	1352	
LK181577-1W-2H-BC	18	14.25	77	1355	
LK121877-1W-2H-BC	12	17.25	77	1358	
LK151877-1W-2H-BC	15	17.25	77	1361	
LK181877-1W-2H-BC	18	17.25	77	1364	
LK122077-1W-2H-BC	12	19.25	77	1367	
LK152077-1W-2H-BC	15	19.25	77	1370	
LK182077-1W-2H-BC	18	19.25	77	1373	
LK121583-1W-2H-BC	12	14.25	83	1249	
LK151583-1W-2H-BC	15	14.25	83	1252	
LK181583-1W-2H-BC	18	14.25	83	1255	
LK121883-1W-2H-BC	12	17.25	83	1258	
LK151883-1W-2H-BC	15	17.25	83	1261	
LK181883-1W-2H-BC	18	17.25	83	1264	
LK122083-1W-2H-BC	12	19.25	83	1267	
LK152083-1W-2H-BC	15	19.25	83	1270	
LK182083-1W-2H-BC	18	19.25	83	1273	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.



1 Wide - Three Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK121559-1W-3H-BC	12	14.25	59	1194	
LK151559-1W-3H-BC	15	14.25	59	1197	
LK181559-1W-3H-BC	18	14.25	59	1200	
LK121859-1W-3H-BC	12	17.25	59	1203	
LK151859-1W-3H-BC	15	17.25	59	1206	
LK181859-1W-3H-BC	18	17.25	59	1209	
LK122059-1W-3H-BC	12	19.25	59	1212	
LK152059-1W-3H-BC	15	19.25	59	1215	
LK182059-1W-3H-BC	18	19.25	59	1218	
LK121565-1W-3H-BC	12	14.25	65	1289	
LK151565-1W-3H-BC	15	14.25	65	1292	
LK181565-1W-3H-BC	18	14.25	65	1295	
LK121865-1W-3H-BC	12	17.25	65	1298	
LK151865-1W-3H-BC	15	17.25	65	1301	
LK181865-1W-3H-BC	18	17.25	65	1304	
LK122065-1W-3H-BC	12	19.25	65	1307	
LK152065-1W-3H-BC	15	19.25	65	1310	
LK182065-1W-3H-BC	18	19.25	65	1313	
LK121571-1W-3H-BC	12	14.25	71	1349	
LK151571-1W-3H-BC	15	14.25	71	1352	
LK181571-1W-3H-BC	18	14.25	71	1355	
LK121871-1W-3H-BC	12	17.25	71	1358	
LK151871-1W-3H-BC	15	17.25	71	1361	
LK181871-1W-3H-BC	18	17.25	71	1364	
LK122071-1W-3H-BC	12	19.25	71	1367	
LK152071-1W-3H-BC	15	19.25	71	1370	
LK182071-1W-3H-BC	18	19.25	71	1373	
LK121577-1W-3H-BC	12	14.25	77	1499	
LK151577-1W-3H-BC	15	14.25	77	1502	
LK181577-1W-3H-BC	18	14.25	77	1505	
LK121877-1W-3H-BC	12	17.25	77	1508	
LK151877-1W-3H-BC	15	17.25	77	1511	
LK181877-1W-3H-BC	18	17.25	77	1514	
LK122077-1W-3H-BC	12	19.25	77	1517	
LK152077-1W-3H-BC	15	19.25	77	1520	
LK182077-1W-3H-BC	18	19.25	77	1523	
LK121583-1W-3H-BC	12	14.25	83	1399	
LK151583-1W-3H-BC	15	14.25	83	1402	
LK181583-1W-3H-BC	18	14.25	83	1405	
LK121883-1W-3H-BC	12	17.25	83	1408	
LK151883-1W-3H-BC	15	17.25	83	1411	
LK181883-1W-3H-BC	18	17.25	83	1414	
LK122083-1W-3H-BC	12	19.25	83	1417	
LK152083-1W-3H-BC	15	19.25	83	1420	
LK182083-1W-3H-BC	18	19.25	83	1423	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.



1 Wide - Four Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK121559-1W-4H-BC	12	14.25	59	1344	
LK151559-1W-4H-BC	15	14.25	59	1347	
LK181559-1W-4H-BC	18	14.25	59	1350	
LK121859-1W-4H-BC	12	17.25	59	1353	
LK151859-1W-4H-BC	15	17.25	59	1356	
LK181859-1W-4H-BC	18	17.25	59	1359	
LK122059-1W-4H-BC	12	19.25	59	1362	
LK152059-1W-4H-BC	15	19.25	59	1365	
LK182059-1W-4H-BC	18	19.25	59	1368	
LK121565-1W-4H-BC	12	14.25	65	1439	
LK151565-1W-4H-BC	15	14.25	65	1442	
LK181565-1W-4H-BC	18	14.25	65	1445	
LK121865-1W-4H-BC	12	17.25	65	1448	
LK151865-1W-4H-BC	15	17.25	65	1451	
LK181865-1W-4H-BC	18	17.25	65	1454	
LK122065-1W-4H-BC	12	19.25	65	1457	
LK152065-1W-4H-BC	15	19.25	65	1460	
LK182065-1W-4H-BC	18	19.25	65	1463	
LK121571-1W-4H-BC	12	14.25	71	1499	
LK151571-1W-4H-BC	15	14.25	71	1502	
LK181571-1W-4H-BC	18	14.25	71	1505	
LK121871-1W-4H-BC	12	17.25	71	1508	
LK151871-1W-4H-BC	15	17.25	71	1511	
LK181871-1W-4H-BC	18	17.25	71	1514	
LK122071-1W-4H-BC	12	19.25	71	1517	
LK152071-1W-4H-BC	15	19.25	71	1520	
LK182071-1W-4H-BC	18	19.25	71	1523	
LK121577-1W-4H-BC	12	14.25	77	1649	
LK151577-1W-4H-BC	15	14.25	77	1652	
LK181577-1W-4H-BC	18	14.25	77	1655	
LK121877-1W-4H-BC	12	17.25	77	1658	
LK151877-1W-4H-BC	15	17.25	77	1661	
LK181877-1W-4H-BC	18	17.25	77	1664	
LK122077-1W-4H-BC	12	19.25	77	1667	
LK152077-1W-4H-BC	15	19.25	77	1670	
LK182077-1W-4H-BC	18	19.25	77	1673	
LK121583-1W-4H-BC	12	14.25	83	1549	
LK151583-1W-4H-BC	15	14.25	83	1552	
LK181583-1W-4H-BC	18	14.25	83	1555	
LK121883-1W-4H-BC	12	17.25	83	1558	
LK151883-1W-4H-BC	15	17.25	83	1561	
LK181883-1W-4H-BC	18	17.25	83	1564	
LK122083-1W-4H-BC	12	19.25	83	1567	
LK152083-1W-4H-BC	15	19.25	83	1570	
LK182083-1W-4H-BC	18	19.25	83	1573	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.



1 Wide - Five Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK121571-1W-5H-BC	12	14.25	71	1649	
LK151571-1W-5H-BC	15	14.25	71	1652	
LK181571-1W-5H-BC	18	14.25	71	1655	
LK121871-1W-5H-BC	12	17.25	71	1658	
LK151871-1W-5H-BC	15	17.25	71	1661	
LK181871-1W-5H-BC	18	17.25	71	1664	
LK122071-1W-5H-BC	12	19.25	71	1667	
LK152071-1W-5H-BC	15	19.25	71	1670	
LK182071-1W-5H-BC	18	19.25	71	1673	
LK121577-1W-5H-BC	12	14.25	77	1799	
LK151577-1W-5H-BC	15	14.25	77	1802	
LK181577-1W-5H-BC	18	14.25	77	1805	
LK121877-1W-5H-BC	12	17.25	77	1808	
LK151877-1W-5H-BC	15	17.25	77	1811	
LK181877-1W-5H-BC	18	17.25	77	1814	
LK122077-1W-5H-BC	12	19.25	77	1817	
LK152077-1W-5H-BC	15	19.25	77	1820	
LK182077-1W-5H-BC	18	19.25	77	1823	
LK121583-1W-5H-BC	12	14.25	83	1699	
LK151583-1W-5H-BC	15	14.25	83	1702	
LK181583-1W-5H-BC	18	14.25	83	1705	
LK121883-1W-5H-BC	12	17.25	83	1708	
LK151883-1W-5H-BC	15	17.25	83	1711	
LK181883-1W-5H-BC	18	17.25	83	1714	
LK122083-1W-5H-BC	12	19.25	83	1717	
LK152083-1W-5H-BC	15	19.25	83	1720	
LK182083-1W-5H-BC	18	19.25	83	1723	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.



1 Wide - Six Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK121571-1W-6H-BC	12	14.25	71	1799	
LK151571-1W-6H-BC	15	14.25	71	1802	
LK181571-1W-6H-BC	18	14.25	71	1805	
LK121871-1W-6H-BC	12	17.25	71	1808	
LK151871-1W-6H-BC	15	17.25	71	1811	
LK181871-1W-6H-BC	18	17.25	71	1814	
LK122071-1W-6H-BC	12	19.25	71	1817	
LK152071-1W-6H-BC	15	19.25	71	1820	
LK182071-1W-6H-BC	18	19.25	71	1823	
LK121577-1W-6H-BC	12	14.25	77	1949	
LK151577-1W-6H-BC	15	14.25	77	1952	
LK181577-1W-6H-BC	18	14.25	77	1955	
LK121877-1W-6H-BC	12	17.25	77	1958	
LK151877-1W-6H-BC	15	17.25	77	1961	
LK181877-1W-6H-BC	18	17.25	77	1964	
LK122077-1W-6H-BC	12	19.25	77	1967	
LK152077-1W-6H-BC	15	19.25	77	1970	
LK182077-1W-6H-BC	18	19.25	77	1973	
LK121583-1W-6H-BC	12	14.25	83	1849	
LK151583-1W-6H-BC	15	14.25	83	1852	
LK181583-1W-6H-BC	18	14.25	83	1855	
LK121883-1W-6H-BC	12	17.25	83	1858	
LK151883-1W-6H-BC	15	17.25	83	1861	
LK181883-1W-6H-BC	18	17.25	83	1864	
LK122083-1W-6H-BC	12	19.25	83	1867	
LK152083-1W-6H-BC	15	19.25	83	1870	
LK182083-1W-6H-BC	18	19.25	83	1873	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.



Two Wide - Two Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK241541-2W-2H-BC	24	14.25	41	1344	
LK301541-2W-2H-BC	30	14.25	41	1347	
LK361541-2W-2H-BC	36	14.25	41	1350	
LK241841-2W-2H-BC	24	17.25	41	1353	
LK301841-2W-2H-BC	30	17.25	41	1356	
LK361841-2W-2H-BC	36	17.25	41	1359	
LK242041-2W-2H-BC	24	19.25	41	1362	
LK302041-2W-2H-BC	30	19.25	41	1365	
LK362041-2W-2H-BC	36	19.25	41	1368	
LK241547-2W-2H-BC	24	14.25	47	1434	
LK301547-2W-2H-BC	30	14.25	47	1437	
LK361547-2W-2H-BC	36	14.25	47	1440	
LK241847-2W-2H-BC	24	17.25	47	1443	
LK301847-2W-2H-BC	30	17.25	47	1446	
LK361847-2W-2H-BC	36	17.25	47	1449	
LK242047-2W-2H-BC	24	19.25	47	1452	
LK302047-2W-2H-BC	30	19.25	47	1455	
LK362047-2W-2H-BC	36	19.25	47	1458	
LK241553-2W-2H-BC	24	14.25	53	1484	
LK301553-2W-2H-BC	30	14.25	53	1487	
LK361553-2W-2H-BC	36	14.25	53	1490	
LK241853-2W-2H-BC	24	17.25	53	1493	
LK301853-2W-2H-BC	30	17.25	53	1496	
LK361853-2W-2H-BC	36	17.25	53	1499	
LK242053-2W-2H-BC	24	19.25	53	1502	
LK302053-2W-2H-BC	30	19.25	53	1505	
LK362053-2W-2H-BC	36	19.25	53	1508	
LK241559-2W-2H-BC	24	14.25	59	1534	
LK301559-2W-2H-BC	30	14.25	59	1537	
LK361559-2W-2H-BC	36	14.25	59	1540	
LK241859-2W-2H-BC	24	17.25	59	1543	
LK301859-2W-2H-BC	30	17.25	59	1546	
LK361859-2W-2H-BC	36	17.25	59	1549	
LK242059-2W-2H-BC	24	19.25	59	1552	
LK302059-2W-2H-BC	30	19.25	59	1555	
LK362059-2W-2H-BC	36	19.25	59	1558	
LK241565-2W-2H-BC	24	14.25	65	1554	
LK301565-2W-2H-BC	30	14.25	65	1557	
LK361565-2W-2H-BC	36	14.25	65	1560	
LK241865-2W-2H-BC	24	17.25	65	1563	
LK301865-2W-2H-BC	30	17.25	65	1566	
LK361865-2W-2H-BC	36	17.25	65	1569	
LK242065-2W-2H-BC	24	19.25	65	1572	
LK302065-2W-2H-BC	30	19.25	65	1575	
LK362065-2W-2H-BC	36	19.25	65	1578	

Notes:

- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.


Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.

CONTINUED ON NEXT PAGE.



Two Wide - Two Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK241571-2W-2H-BC	24	14.25	71	1564	
LK301571-2W-2H-BC	30	14.25	71	1567	
LK361571-2W-2H-BC	36	14.25	71	1570	
LK241871-2W-2H-BC	24	17.25	71	1573	
LK301871-2W-2H-BC	30	17.25	71	1576	
LK361871-2W-2H-BC	36	17.25	71	1579	
LK242071-2W-2H-BC	24	19.25	71	1582	
LK302071-2W-2H-BC	30	19.25	71	1585	
LK362071-2W-2H-BC	36	19.25	71	1588	
LK241577-2W-2H-BC	24	14.25	77	1614	
LK301577-2W-2H-BC	30	14.25	77	1617	
LK361577-2W-2H-BC	36	14.25	77	1620	
LK241877-2W-2H-BC	24	17.25	77	1623	
LK301877-2W-2H-BC	30	17.25	77	1626	
LK361877-2W-2H-BC	36	17.25	77	1629	
LK242077-2W-2H-BC	24	19.25	77	1632	
LK302077-2W-2H-BC	30	19.25	77	1635	
LK362077-2W-2H-BC	36	19.25	77	1638	
LK241583-2W-2H-BC	24	14.25	83	1864	
LK301583-2W-2H-BC	30	14.25	83	1867	
LK361583-2W-2H-BC	36	14.25	83	1870	
LK241883-2W-2H-BC	24	17.25	83	1873	
LK301883-2W-2H-BC	30	17.25	83	1876	
LK361883-2W-2H-BC	36	17.25	83	1879	
LK242083-2W-2H-BC	24	19.25	83	1882	
LK302083-2W-2H-BC	30	19.25	83	1885	
LK362083-2W-2H-BC	36	19.25	83	1888	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.



Two Wide - Three Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-2W-3H-BC	24	14.25	59	1684	
LK301559-2W-3H-BC	30	14.25	59	1687	
LK361559-2W-3H-BC	36	14.25	59	1690	
LK241859-2W-3H-BC	24	17.25	59	1693	
LK301859-2W-3H-BC	30	17.25	59	1696	
LK361859-2W-3H-BC	36	17.25	59	1699	
LK242059-2W-3H-BC	24	19.25	59	1702	
LK302059-2W-3H-BC	30	19.25	59	1705	
LK362059-2W-3H-BC	36	19.25	59	1708	
LK241565-2W-3H-BC	24	14.25	65	1704	
LK301565-2W-3H-BC	30	14.25	65	1707	
LK361565-2W-3H-BC	36	14.25	65	1710	
LK241865-2W-3H-BC	24	17.25	65	1713	
LK301865-2W-3H-BC	30	17.25	65	1716	
LK361865-2W-3H-BC	36	17.25	65	1719	
LK242065-2W-3H-BC	24	19.25	65	1722	
LK302065-2W-3H-BC	30	19.25	65	1725	
LK362065-2W-3H-BC	36	19.25	65	1728	
LK241571-2W-3H-BC	24	14.25	71	1714	
LK301571-2W-3H-BC	30	14.25	71	1717	
LK361571-2W-3H-BC	36	14.25	71	1720	
LK241871-2W-3H-BC	24	17.25	71	1723	
LK301871-2W-3H-BC	30	17.25	71	1726	
LK361871-2W-3H-BC	36	17.25	71	1729	
LK242071-2W-3H-BC	24	19.25	71	1732	
LK302071-2W-3H-BC	30	19.25	71	1735	
LK362071-2W-3H-BC	36	19.25	71	1738	
LK241577-2W-3H-BC	24	14.25	77	1764	
LK301577-2W-3H-BC	30	14.25	77	1767	
LK361577-2W-3H-BC	36	14.25	77	1770	
LK241877-2W-3H-BC	24	17.25	77	1773	
LK301877-2W-3H-BC	30	17.25	77	1776	
LK361877-2W-3H-BC	36	17.25	77	1779	
LK242077-2W-3H-BC	24	19.25	77	1782	
LK302077-2W-3H-BC	30	19.25	77	1785	
LK362077-2W-3H-BC	36	19.25	77	1788	
LK241583-2W-3H-BC	24	14.25	83	2014	
LK301583-2W-3H-BC	30	14.25	83	2017	
LK361583-2W-3H-BC	36	14.25	83	2020	
LK241883-2W-3H-BC	24	17.25	83	2023	
LK301883-2W-3H-BC	30	17.25	83	2026	
LK361883-2W-3H-BC	36	17.25	83	2029	
LK242083-2W-3H-BC	24	19.25	83	2032	
LK302083-2W-3H-BC	30	19.25	83	2035	
LK362083-2W-3H-BC	36	19.25	83	2038	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.



Two Wide - Four Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK241559-2W-4H-BC	24	14.25	59	1834	
LK301559-2W-4H-BC	30	14.25	59	1837	
LK361559-2W-4H-BC	36	14.25	59	1840	
LK241859-2W-4H-BC	24	17.25	59	1843	
LK301859-2W-4H-BC	30	17.25	59	1846	
LK361859-2W-4H-BC	36	17.25	59	1849	
LK242059-2W-4H-BC	24	19.25	59	1852	
LK302059-2W-4H-BC	30	19.25	59	1855	
LK362059-2W-4H-BC	36	19.25	59	1858	
LK241565-2W-4H-BC	24	14.25	65	1854	
LK301565-2W-4H-BC	30	14.25	65	1857	
LK361565-2W-4H-BC	36	14.25	65	1860	
LK241865-2W-4H-BC	24	17.25	65	1863	
LK301865-2W-4H-BC	30	17.25	65	1866	
LK361865-2W-4H-BC	36	17.25	65	1869	
LK242065-2W-4H-BC	24	19.25	65	1872	
LK302065-2W-4H-BC	30	19.25	65	1875	
LK362065-2W-4H-BC	36	19.25	65	1878	
LK241571-2W-4H-BC	24	14.25	71	1864	
LK301571-2W-4H-BC	30	14.25	71	1867	
LK361571-2W-4H-BC	36	14.25	71	1870	
LK241871-2W-4H-BC	24	17.25	71	1873	
LK301871-2W-4H-BC	30	17.25	71	1876	
LK361871-2W-4H-BC	36	17.25	71	1879	
LK242071-2W-4H-BC	24	19.25	71	1882	
LK302071-2W-4H-BC	30	19.25	71	1885	
LK362071-2W-4H-BC	36	19.25	71	1888	
LK241577-2W-4H-BC	24	14.25	77	1914	
LK301577-2W-4H-BC	30	14.25	77	1917	
LK361577-2W-4H-BC	36	14.25	77	1920	
LK241877-2W-4H-BC	24	17.25	77	1923	
LK301877-2W-4H-BC	30	17.25	77	1926	
LK361877-2W-4H-BC	36	17.25	77	1929	
LK242077-2W-4H-BC	24	19.25	77	1932	
LK302077-2W-4H-BC	30	19.25	77	1935	
LK362077-2W-4H-BC	36	19.25	77	1938	
LK241583-2W-4H-BC	24	14.25	83	2164	
LK301583-2W-4H-BC	30	14.25	83	2167	
LK361583-2W-4H-BC	36	14.25	83	2170	
LK241883-2W-4H-BC	24	17.25	83	2173	
LK301883-2W-4H-BC	30	17.25	83	2176	
LK361883-2W-4H-BC	36	17.25	83	2179	
LK242083-2W-4H-BC	24	19.25	83	2182	
LK302083-2W-4H-BC	30	19.25	83	2185	
LK362083-2W-4H-BC	36	19.25	83	2188	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.



Two Wide - Five Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK241571-2W-5H-BC	24	14.25	71	2014	
LK301571-2W-5H-BC	30	14.25	71	2017	
LK361571-2W-5H-BC	36	14.25	71	2020	
LK241871-2W-5H-BC	24	17.25	71	2023	
LK301871-2W-5H-BC	30	17.25	71	2026	
LK361871-2W-5H-BC	36	17.25	71	2029	
LK242071-2W-5H-BC	24	19.25	71	2032	
LK302071-2W-5H-BC	30	19.25	71	2035	
LK362071-2W-5H-BC	36	19.25	71	2038	
LK241577-2W-5H-BC	24	14.25	77	2064	
LK301577-2W-5H-BC	30	14.25	77	2067	
LK361577-2W-5H-BC	36	14.25	77	2070	
LK241877-2W-5H-BC	24	17.25	77	2073	
LK301877-2W-5H-BC	30	17.25	77	2076	
LK361877-2W-5H-BC	36	17.25	77	2079	
LK242077-2W-5H-BC	24	19.25	77	2082	
LK302077-2W-5H-BC	30	19.25	77	2085	
LK362077-2W-5H-BC	36	19.25	77	2088	
LK241583-2W-5H-BC	24	14.25	83	2314	
LK301583-2W-5H-BC	30	14.25	83	2317	
LK361583-2W-5H-BC	36	14.25	83	2320	
LK241883-2W-5H-BC	24	17.25	83	2323	
LK301883-2W-5H-BC	30	17.25	83	2326	
LK361883-2W-5H-BC	36	17.25	83	2329	
LK242083-2W-5H-BC	24	19.25	83	2332	
LK302083-2W-5H-BC	30	19.25	83	2335	
LK362083-2W-5H-BC	36	19.25	83	2338	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:

1) Specify base unit laminate finish.



Two Wide - Six Tier Locker
Open
with Fixed Shelves

Model No.	*W*	*D*	*H*	Price	*LB*
LK241571-2W-6H-BC	24	14.25	71	2164	
LK301571-2W-6H-BC	30	14.25	71	2167	
LK361571-2W-6H-BC	36	14.25	71	2170	
LK241871-2W-6H-BC	24	17.25	71	2173	
LK301871-2W-6H-BC	30	17.25	71	2176	
LK361871-2W-6H-BC	36	17.25	71	2179	
LK242071-2W-6H-BC	24	19.25	71	2182	
LK302071-2W-6H-BC	30	19.25	71	2185	
LK362071-2W-6H-BC	36	19.25	71	2188	
LK241577-2W-6H-BC	24	14.25	77	2214	
LK301577-2W-6H-BC	30	14.25	77	2217	
LK361577-2W-6H-BC	36	14.25	77	2220	
LK241877-2W-6H-BC	24	17.25	77	2223	
LK301877-2W-6H-BC	30	17.25	77	2226	
LK361877-2W-6H-BC	36	17.25	77	2229	
LK242077-2W-6H-BC	24	19.25	77	2232	
LK302077-2W-6H-BC	30	19.25	77	2235	
LK362077-2W-6H-BC	36	19.25	77	2238	
LK241583-2W-6H-BC	24	14.25	83	2464	
LK301583-2W-6H-BC	30	14.25	83	2467	
LK361583-2W-6H-BC	36	14.25	83	2470	
LK241883-2W-6H-BC	24	17.25	83	2473	
LK301883-2W-6H-BC	30	17.25	83	2476	
LK361883-2W-6H-BC	36	17.25	83	2479	
LK242083-2W-6H-BC	24	19.25	83	2482	
LK302083-2W-6H-BC	30	19.25	83	2485	
LK362083-2W-6H-BC	36	19.25	83	2488	

Notes:


- The laminate grain direction on the top and shelves runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Optional common top sold separately.
- Shipped assembled.
- Lockers over 48" high are not freestanding and must be secured to eachother as well as to a riser base; they are not to be fixed to the building structure per NY state contract terms.

Dual Prong Coat Hook (CK):

- Unit is not standard with coat hooks.

What to Specify When Ordering:


1) Specify base unit laminate finish.



Inline Corner Filler

Placed at the junction where lockers meet at a 90-degree angle.

Model No.	*W*	*D*	*H*	Price	*LB*
LK161629-CRTP	15.75	15.75	29	350	
LK161635-CRTP	15.75	15.75	35	375	
LK161641-CRTP	15.75	15.75	41	400	
LK161647-CRTP	15.75	15.75	47	425	
LK161653-CRTP	15.75	15.75	53	450	
LK161659-CRTP	15.75	15.75	59	475	
LK161665-CRTP	15.75	15.75	65	500	
LK161671-CRTP	15.75	15.75	71	525	
LK161677-CRTP	15.75	15.75	77	545	
LK161683-CRTP	15.75	15.75	83	590	
LK191929-CRTP	18.75	18.75	29	365	
LK191935-CRTP	18.75	18.75	35	390	
LK191941-CRTP	18.75	18.75	41	415	
LK191947-CRTP	18.75	18.75	47	440	
LK191953-CRTP	18.75	18.75	53	465	
LK191959-CRTP	18.75	18.75	59	490	
LK191965-CRTP	18.75	18.75	65	515	
LK191971-CRTP	18.75	18.75	71	540	
LK191977-CRTP	18.75	18.75	77	560	
LK191983-CRTP	18.75	18.75	83	605	
LK212129-CRTP	20.75	20.75	29	380	
LK212135-CRTP	20.75	20.75	35	405	
LK212141-CRTP	20.75	20.75	41	430	
LK212147-CRTP	20.75	20.75	47	455	
LK212153-CRTP	20.75	20.75	53	480	
LK212159-CRTP	20.75	20.75	59	505	
LK212165-CRTP	20.75	20.75	65	530	
LK212171-CRTP	20.75	20.75	71	555	
LK212177-CRTP	20.75	20.75	77	575	
LK212183-CRTP	20.75	20.75	83	620	




Notes:

- The laminate grain direction on the sides runs vertically.
- Unit is shipped knock down and requires assembly.
- The inline corner filler extends lockers outward by 0.75" on each end.
- The surface of the inline corner filler sits flush with the height of the adjacent lockers. For applications where the tops of the lockers are visible, a common top is recommended to provide a clean, finished look.

What to Specify When Ordering:

1) Specify units laminate finish.




Adjustable Corner Filler


Placed where lockers meet at a 90-degree angle.

The adjustable module is interchangeable and can be installed on the left or right hand side.

Model No.	*W*	*D*	*H*	Price	*LB*
LK150929-CRAJ	15	9	29	385	
LK150935-CRAJ	15	9	35	410	
LK150941-CRAJ	15	9	41	435	
LK150947-CRAJ	15	9	47	460	
LK150953-CRAJ	15	9	53	485	
LK150959-CRAJ	15	9	59	510	
LK150965-CRAJ	15	9	65	535	
LK150971-CRAJ	15	9	71	560	
LK150977-CRAJ	15	9	77	610	
LK150983-CRAJ	15	9	83	655	

Top View Detail:





Notes:

- The laminate grain direction on the sides runs vertically.
- Unit is shipped knock down and requires assembly.
- The adjustable 90-degree corner filler does not include a surface. For applications where the tops of the lockers are visible, a common top must be specified. The common top should be installed to rest on the adjacent locker and extend beyond it to fully cover the depth of the corner filler, ensuring a clean and continuous appearance.

What to Specify When Ordering:

1) Specify units laminate finish.



Locker Riser Base

The locker riser base is an optional unit which may be added on to act as a platform for the lockers.

Model No.	*W*	*D*	*H*	Price	*LB*
LK241506-RISER	24	15	6	384	
LK271506-RISER	27	15	6	397	
LK301506-RISER	30	15	6	410	
LK331506-RISER	33	15	6	416	
LK361506-RISER	36	15	6	422	
LK391506-RISER	39	15	6	429	
LK421506-RISER	42	15	6	436	
LK451506-RISER	45	15	6	448	
LK481506-RISER	48	15	6	459	
LK511506-RISER	51	15	6	463	
LK541506-RISER	54	15	6	467	
LK571506-RISER	57	15	6	472	
LK601506-RISER	60	15	6	477	
LK631506-RISER	63	15	6	490	
LK661506-RISER	66	15	6	503	
LK691506-RISER	69	15	6	515	
LK721506-RISER	72	15	6	526	
LK241806-RISER	24	18	6	394	
LK271806-RISER	27	18	6	407	
LK301806-RISER	30	18	6	420	
LK331806-RISER	33	18	6	426	
LK361806-RISER	36	18	6	432	
LK391806-RISER	39	18	6	439	
LK421806-RISER	42	18	6	446	
LK451806-RISER	45	18	6	458	
LK481806-RISER	48	18	6	469	
LK511806-RISER	51	18	6	473	
LK541806-RISER	54	18	6	477	
LK571806-RISER	57	18	6	482	
LK601806-RISER	60	18	6	487	
LK631806-RISER	63	18	6	500	
LK661806-RISER	66	18	6	513	
LK691806-RISER	69	18	6	525	
LK721806-RISER	72	18	6	536	
LK242006-RISER	24	20	6	404	
LK272006-RISER	27	20	6	417	
LK302006-RISER	30	20	6	430	
LK332006-RISER	33	20	6	436	
LK362006-RISER	36	20	6	442	
LK392006-RISER	39	20	6	449	
LK422006-RISER	42	20	6	456	
LK452006-RISER	45	20	6	468	
LK482006-RISER	48	20	6	479	
LK512006-RISER	51	20	6	483	
LK542006-RISER	54	20	6	487	
LK572006-RISER	57	20	6	492	
LK602006-RISER	60	20	6	497	
LK632006-RISER	63	20	6	510	
LK662006-RISER	66	20	6	523	
LK692006-RISER	69	20	6	535	
LK722006-RISER	72	20	6	546	

Notes:


- The laminate grain direction on the top, back, and sides, runs horizontally.
- Shipped assembled.

What to Specify When Ordering:

1) Specify base unit laminate finish (i.e. sides & back).
2) Specify front laminate finish.




Base



Front

	Model No.	*W*	*D*	*H*	Price	*LB*
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**					
 **End Leg** **Square Metal Riser Leg** For use at beginning and end of a locker bank. This optional leg attaches to the underside of lockers.	AC06-EQHL☐	1.25	1.25	6	75	


When using riser legs, all four bottom corners of each locker (where the floor glides are located) must be supported by either an End Leg or a Middle Leg.

	Model No.	*W*	*D*	*H*	Price	*LB*
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**					
 **Middle Leg** **Square Metal Riser Leg** For use in between two locker units. This optional leg attaches to the underside of lockers.	AC06-MQHL☐	1.25	1.25	6	115	

When using riser legs, all four bottom corners of each locker (where the floor glides are located) must be supported by either an End Leg or a Middle Leg.



COMMON TOP
(15" Deep)



Common Top

1" Thick

Installed on top of lockers and secured from the inside on site.

Model No.	*W*	*D*	*H*	Price	*LB*
LK1215-TP	12	15	1	80	
LK1515-TP	15	15	1	90	
LK1815-TP	18	15	1	88	
LK2115-TP	21	15	1	93	
LK2415-TP	24	15	1	107	
LK2715-TP	27	15	1	102	
LK3015-TP	30	15	1	111	
LK3315-TP	33	15	1	125	
LK3615-TP	36	15	1	139	
LK3915-TP	39	15	1	161	
LK4215-TP	42	15	1	182	
LK4515-TP	45	15	1	204	
LK4815-TP	48	15	1	205	
LK5115-TP	51	15	1	219	
LK5415-TP	54	15	1	232	
LK5715-TP	57	15	1	254	
LK6015-TP	60	15	1	255	
LK6315-TP	63	15	1	270	
LK6615-TP	66	15	1	285	
LK6915-TP	69	15	1	306	
LK7215-TP	72	15	1	287	
LK7515-TP	75	15	1	308	
LK7815-TP	78	15	1	328	
LK8115-TP	81	15	1	353	
LK8415-TP	84	15	1	367	
LK8715-TP	87	15	1	387	
LK9015-TP	90	15	1	407	
LK9315-TP	93	15	1	427	
LK9615-TP	96	15	1	454	

Notes:

- The laminate grain direction on the top runs horizontally.
- For lockers 60"H and under, it is recommended to add a common top to achieve a clean design appearance.

What to Specify When Ordering:

1) Specify top laminate finish.

COMMON TOP
(18" Deep)



Common Top

1" Thick

Installed on top of lockers and secured from the inside on site.

Model No.	*W*	*D*	*H*	Price	*LB*
LK1218-TP	12	18	1	83	
LK1518-TP	15	18	1	93	
LK1818-TP	18	18	1	98	
LK2118-TP	21	18	1	113	
LK2418-TP	24	18	1	127	
LK2718-TP	27	18	1	132	
LK3018-TP	30	18	1	141	
LK3318-TP	33	18	1	155	
LK3618-TP	36	18	1	169	
LK3918-TP	39	18	1	191	
LK4218-TP	42	18	1	212	
LK4518-TP	45	18	1	234	
LK4818-TP	48	18	1	245	
LK5118-TP	51	18	1	259	
LK5418-TP	54	18	1	272	
LK5718-TP	57	18	1	294	
LK6018-TP	60	18	1	305	
LK6318-TP	63	18	1	320	
LK6618-TP	66	18	1	335	
LK6918-TP	69	18	1	356	
LK7218-TP	72	18	1	357	
LK7518-TP	75	18	1	378	
LK7818-TP	78	18	1	398	
LK8118-TP	81	18	1	423	
LK8418-TP	84	18	1	437	
LK8718-TP	87	18	1	457	
LK9018-TP	90	18	1	477	
LK9318-TP	93	18	1	497	
LK9618-TP	96	18	1	524	

Notes:

- The laminate grain direction on the top runs horizontally.
- For lockers 60"H and under, it is recommended to add a common top to achieve a clean design appearance.

What to Specify When Ordering:

1) Specify top laminate finish.



Common Top

1" Thick

Installed on top of lockers and secured from the inside on site.

Model No.	*W*	*D*	*H*	Price	*LB*
LK1220-TP	12	20	1	93	
LK1520-TP	15	20	1	103	
LK1820-TP	18	20	1	113	
LK2120-TP	21	20	1	128	
LK2420-TP	24	20	1	142	
LK2720-TP	27	20	1	157	
LK3020-TP	30	20	1	171	
LK3320-TP	33	20	1	185	
LK3620-TP	36	20	1	199	
LK3920-TP	39	20	1	221	
LK4220-TP	42	20	1	242	
LK4520-TP	45	20	1	264	
LK4820-TP	48	20	1	285	
LK5120-TP	51	20	1	299	
LK5420-TP	54	20	1	312	
LK5720-TP	57	20	1	334	
LK6020-TP	60	20	1	355	
LK6320-TP	63	20	1	370	
LK6620-TP	66	20	1	385	
LK6920-TP	69	20	1	406	
LK7220-TP	72	20	1	427	
LK7520-TP	75	20	1	448	
LK7820-TP	78	20	1	468	
LK8120-TP	81	20	1	483	
LK8420-TP	84	20	1	497	
LK8720-TP	87	20	1	517	
LK9020-TP	90	20	1	537	
LK9320-TP	93	20	1	557	
LK9620-TP	96	20	1	584	

Notes:

- The laminate grain direction on the top runs horizontally.
- For lockers 60"H and under, it is recommended to add a common top to achieve a clean design appearance.

What to Specify When Ordering:

1) Specify top laminate finish.

COMMON TOP
(30" Deep)



Common Top

1" Thick

Installed on top of lockers and secured from the inside on site.

Model No.	*W*	*D*	*H*	Price	*LB*
LK2430-TP	24	30	1	298	
LK2730-TP	27	30	1	313	
LK3030-TP	30	30	1	328	
LK3330-TP	33	30	1	342	
LK3630-TP	36	30	1	355	
LK3930-TP	39	30	1	370	
LK4230-TP	42	30	1	385	
LK4530-TP	45	30	1	399	
LK4830-TP	48	30	1	412	
LK5130-TP	51	30	1	427	
LK5430-TP	54	30	1	441	
LK5730-TP	57	30	1	455	
LK6030-TP	60	30	1	468	
LK6330-TP	63	30	1	490	
LK6630-TP	66	30	1	512	
LK6930-TP	69	30	1	534	
LK7230-TP	72	30	1	555	
LK7530-TP	75	30	1	576	
LK7830-TP	78	30	1	596	
LK8130-TP	81	30	1	618	
LK8430-TP	84	30	1	640	
LK8730-TP	87	30	1	660	
LK9030-TP	90	30	1	680	
LK9330-TP	93	30	1	700	
LK9630-TP	96	30	1	754	

Notes:

- The laminate grain direction on the top runs horizontally.
- For lockers 60"H and under, it is recommended to add a common top to achieve a clean design appearance.

What to Specify When Ordering:

1) Specify top laminate finish.



Common Top

1" Thick

Installed on top of lockers and secured from the inside on site.

Model No.	*W*	*D*	*H*	Price	*LB*
LK2436-TP	24	36	1	378	
LK2736-TP	27	36	1	393	
LK3036-TP	30	36	1	408	
LK3336-TP	33	36	1	422	
LK3636-TP	36	36	1	435	
LK3936-TP	39	36	1	442	
LK4236-TP	42	36	1	449	
LK4536-TP	45	36	1	456	
LK4836-TP	48	36	1	463	
LK5136-TP	51	36	1	484	
LK5436-TP	54	36	1	504	
LK5736-TP	57	36	1	532	
LK6036-TP	60	36	1	560	
LK6336-TP	63	36	1	588	
LK6636-TP	66	36	1	615	
LK6936-TP	69	36	1	644	
LK7236-TP	72	36	1	672	
LK7536-TP	75	36	1	700	
LK7836-TP	78	36	1	727	
LK8136-TP	81	36	1	755	
LK8436-TP	84	36	1	782	
LK8736-TP	87	36	1	802	
LK9036-TP	90	36	1	822	
LK9336-TP	93	36	1	842	
LK9636-TP	96	36	1	895	

Notes:

- The laminate grain direction on the top runs horizontally.
- For lockers 60"H and under, it is recommended to add a common top to achieve a clean design appearance.

What to Specify When Ordering:

1) Specify top laminate finish.

COMMON TOP
(40" Deep)



Common Top

1" Thick

Installed on top of lockers and secured from the inside on site.


Model No.	*W*	*D*	*H*	Price	*LB*
LK2440-TP	24	40	1	388	
LK2740-TP	27	40	1	403	
LK3040-TP	30	40	1	418	
LK3340-TP	33	40	1	432	
LK3640-TP	36	40	1	445	
LK3940-TP	39	40	1	452	
LK4240-TP	42	40	1	459	
LK4540-TP	45	40	1	466	
LK4840-TP	48	40	1	473	
LK5140-TP	51	40	1	494	
LK5440-TP	54	40	1	514	
LK5740-TP	57	40	1	542	
LK6040-TP	60	40	1	570	
LK6340-TP	63	40	1	598	
LK6640-TP	66	40	1	625	
LK6940-TP	69	40	1	654	
LK7240-TP	72	40	1	682	
LK7540-TP	75	40	1	710	
LK7840-TP	78	40	1	737	
LK8140-TP	81	40	1	765	
LK8440-TP	84	40	1	792	
LK8740-TP	87	40	1	812	
LK9040-TP	90	40	1	832	
LK9340-TP	93	40	1	852	
LK9640-TP	96	40	1	905	

Notes:

- The laminate grain direction on the top runs horizontally.
- For lockers 60"H and under, it is recommended to add a common top to achieve a clean design appearance.

What to Specify When Ordering:

1) Specify top laminate finish.



Slope Top

Installed on top of lockers and secured from the inside on site.

Slope top is open in the back.


Model No.	*W*	*D*	*H*	Price	*LB*
LK241506-SLPTP	24	14.25	5.75	309	
LK271506-SLPTP	27	14.25	5.75	317	
LK301506-SLPTP	30	14.25	5.75	325	
LK331506-SLPTP	33	14.25	5.75	333	
LK361506-SLPTP	36	14.25	5.75	341	
LK391506-SLPTP	39	14.25	5.75	350	
LK421506-SLPTP	42	14.25	5.75	359	
LK451506-SLPTP	45	14.25	5.75	367	
LK481506-SLPTP	48	14.25	5.75	374	
LK511506-SLPTP	51	14.25	5.75	383	
LK541506-SLPTP	54	14.25	5.75	392	
LK571506-SLPTP	57	14.25	5.75	400	
LK601506-SLPTP	60	14.25	5.75	408	
LK631506-SLPTP	63	14.25	5.75	418	
LK661506-SLPTP	66	14.25	5.75	428	
LK691506-SLPTP	69	14.25	5.75	436	
LK721506-SLPTP	72	14.25	5.75	444	
LK241807-SLPTP	24	17.25	6.87	319	
LK271807-SLPTP	27	17.25	6.87	327	
LK301807-SLPTP	30	17.25	6.87	335	
LK331807-SLPTP	33	17.25	6.87	343	
LK361807-SLPTP	36	17.25	6.87	351	
LK391807-SLPTP	39	17.25	6.87	360	
LK421807-SLPTP	42	17.25	6.87	369	
LK451807-SLPTP	45	17.25	6.87	377	
LK481807-SLPTP	48	17.25	6.87	384	
LK511807-SLPTP	51	17.25	6.87	393	
LK541807-SLPTP	54	17.25	6.87	402	
LK571807-SLPTP	57	17.25	6.87	410	
LK601807-SLPTP	60	17.25	6.87	418	
LK631807-SLPTP	63	17.25	6.87	428	
LK661807-SLPTP	66	17.25	6.87	438	
LK691807-SLPTP	69	17.25	6.87	446	
LK721807-SLPTP	72	17.25	6.87	454	
LK242008-SLPTP	24	19.25	7.58	339	
LK272008-SLPTP	27	19.25	7.58	347	
LK302008-SLPTP	30	19.25	7.58	355	
LK332008-SLPTP	33	19.25	7.58	363	
LK362008-SLPTP	36	19.25	7.58	371	
LK392008-SLPTP	39	19.25	7.58	380	
LK422008-SLPTP	42	19.25	7.58	389	
LK452008-SLPTP	45	19.25	7.58	397	
LK482008-SLPTP	48	19.25	7.58	404	
LK512008-SLPTP	51	19.25	7.58	413	
LK542008-SLPTP	54	19.25	7.58	422	
LK572008-SLPTP	57	19.25	7.58	430	
LK602008-SLPTP	60	19.25	7.58	438	
LK632008-SLPTP	63	19.25	7.58	448	
LK662008-SLPTP	66	19.25	7.58	458	
LK692008-SLPTP	69	19.25	7.58	466	
LK722008-SLPTP	72	19.25	7.58	474	

Notes:

- The laminate grain direction on the top runs horizontally.
- The laminate grain direction on the sides runs vertically.
- Unit is shipped knock down and requires assembly.

What to Specify When Ordering:

1) Specify units laminate finish.



9" High Topper Planter Box

Installed on top of lockers and secured from the inside on site.

Inside clearance width is approx. 1.3" less than overall width.

Inside clearance depth is approx. 1.25" less than overall depth.

Inside clearance height is 5.3"


Model No.	*W*	*D*	*H*	Price	*LB*
LK241509-PLNT-TOPR	24	15	9	319	
LK271509-PLNT-TOPR	27	15	9	327	
LK301509-PLNT-TOPR	30	15	9	335	
LK331509-PLNT-TOPR	33	15	9	343	
LK361509-PLNT-TOPR	36	15	9	351	
LK391509-PLNT-TOPR	39	15	9	360	
LK421509-PLNT-TOPR	42	15	9	369	
LK451509-PLNT-TOPR	45	15	9	377	
LK481509-PLNT-TOPR	48	15	9	384	
LK511509-PLNT-TOPR	51	15	9	393	
LK541509-PLNT-TOPR	54	15	9	402	
LK571509-PLNT-TOPR	57	15	9	410	
LK601509-PLNT-TOPR	60	15	9	418	
LK631509-PLNT-TOPR	63	15	9	428	
LK661509-PLNT-TOPR	66	15	9	438	
LK691509-PLNT-TOPR	69	15	9	446	
LK721509-PLNT-TOPR	72	15	9	454	
LK241809-PLNT-TOPR	24	18	9	329	
LK271809-PLNT-TOPR	27	18	9	337	
LK301809-PLNT-TOPR	30	18	9	345	
LK331809-PLNT-TOPR	33	18	9	353	
LK361809-PLNT-TOPR	36	18	9	361	
LK391809-PLNT-TOPR	39	18	9	370	
LK421809-PLNT-TOPR	42	18	9	379	
LK451809-PLNT-TOPR	45	18	9	387	
LK481809-PLNT-TOPR	48	18	9	394	
LK511809-PLNT-TOPR	51	18	9	403	
LK541809-PLNT-TOPR	54	18	9	412	
LK571809-PLNT-TOPR	57	18	9	420	
LK601809-PLNT-TOPR	60	18	9	428	
LK631809-PLNT-TOPR	63	18	9	438	
LK661809-PLNT-TOPR	66	18	9	448	
LK691809-PLNT-TOPR	69	18	9	456	
LK721809-PLNT-TOPR	72	18	9	464	
LK242009-PLNT-TOPR	24	20	9	349	
LK272009-PLNT-TOPR	27	20	9	357	
LK302009-PLNT-TOPR	30	20	9	365	
LK332009-PLNT-TOPR	33	20	9	373	
LK362009-PLNT-TOPR	36	20	9	381	
LK392009-PLNT-TOPR	39	20	9	390	
LK422009-PLNT-TOPR	42	20	9	399	
LK452009-PLNT-TOPR	45	20	9	407	
LK482009-PLNT-TOPR	48	20	9	414	
LK512009-PLNT-TOPR	51	20	9	423	
LK542009-PLNT-TOPR	54	20	9	432	
LK572009-PLNT-TOPR	57	20	9	440	
LK602009-PLNT-TOPR	60	20	9	448	
LK632009-PLNT-TOPR	63	20	9	458	
LK662009-PLNT-TOPR	66	20	9	468	
LK692009-PLNT-TOPR	69	20	9	476	
LK722009-PLNT-TOPR	72	20	9	484	

Notes:

- The laminate grain direction on the top, back, and sides, runs horizontally.
- Unit is shipped knock down and requires assembly.
- Planter boxes can be used with artificial plants or live potted plants that contain water collection trays only. Do not fill directly with soil. Planter boxes are not waterproof; should water leak into the planter box, please wipe dry immediately to avoid damage.
- The depth of the planter toppers aligns flush with locker doors. Planter toppers overhang by 3/4" when placed on open bookcase lockers.

What to Specify When Ordering:

1) Specify units laminate finish.




18" Deep Bench

17.5" Height

1" Thick Top & Side Panels

Full Height Modesty Panel

Model No.	*W*	*D*	*H*	Price	*LB*
LM481817-GM-GM-FP	48	18	17.5	710	64
LM601817-GM-GM-FP	60	18	17.5	773	70
LM721817-GM-GM-FP	72	18	17.5	837	75
LM841817-GM-GM-FP	84	18	17.5	902	80
LM961817-GM-GM-FP	96	18	17.5	966	85





Seat Cushion

For 18" Deep Bench

Price based on seat cushions upholstered in OFGO Grade 3 textiles.

Other OFGO textile grades available:
Grade 4 - Add $32 List
Grade 5 - Add $42 List
Grade 6 - Add $53 List
Grade 7 - Add $63 List

LM2018-SE	20	18	1.25	328	5
LM2418-SE	24	18	1.25	328	6
LM2818-SE	28	18	1.25	355	6
LM3018-SE	30	18	1.25	355	7
LM3218-SE	32	18	1.25	385	7
LM3618-SE	36	18	1.25	385	9
LM4218-SE	42	18	1.25	489	10
LM4818-SE	48	18	1.25	489	11

		Model No.	*W*	*D*	*H*	Price
	**Master Key**	LK-USB-MSK				65
	**Add On Coat Hook** Dual Prong Silver Finish Field Installed	AC-HOOK2V-SL				23
	**Boot Tray** Black Plastic High Impact Polystyrene	AC1112-BOOTRAY	10.4	12.05	1	90
		AC1315-BOOTRAY	12.9	14.9		90

See matrix below for suggested boot tray sizes:

	Locker Outide Dimensions (A)		Locker Inside Cavity Dimensions (B)		Boot Tray Size (C)		Space Between Boot Tray and Locker Cavity =(B-C)/2		
Locker Type	Locker Overall Width (in)	Locker Overall Depth (in)	Locker Cavity Width (in)	Locker Cavity Depth (in)	Boot Tray Width (in)	Boot Tray Depth (in)	Remaining Width (in) Per Side	Remaining Depth (in) Per Side	Boot Tray Code
1 Wide	12	15	10.740	13.374	10.4	12.1	0.170	0.662	AC1112-BOOTRAY
1 Wide	15	15	13.740	13.374	10.4	12.1	1.670	0.662	AC1112-BOOTRAY
1 Wide	18	15	16.740	13.374	14.9	12.9	0.920	0.237	AC1315-BOOTRAY

	Locker Outide Dimensions (A)		Locker Inside Cavity Dimensions (B)		Boot Tray Size (C)		Space Between Boot Tray and Locker Cavity =(B-C)/2		
Locker Type	Locker Overall Width (in)	Locker Overall Depth (in)	Locker Cavity Width (in)	Locker Cavity Depth (in)	Boot Tray Width (in)	Boot Tray Depth (in)	Remaining Width (in) Per Side	Remaining Depth (in) Per Side	Boot Tray Code
1 Wide	12	15	10.740	13.374	10.4	12.1	0.170	0.662	AC1112-BOOTRAY
1 Wide	15	15	13.740	13.374	10.4	12.1	1.670	0.662	AC1112-BOOTRAY
1 Wide	18	15	16.740	13.374	14.9	12.9	0.920	0.237	AC1315-BOOTRAY
1 Wide	12	18	10.740	16.374	10.4	12.1	0.170	2.162	AC1112-BOOTRAY
1 Wide	15	18	13.740	16.374	12.9	14.9	0.420	0.737	AC1315-BOOTRAY
1 Wide	18	18	16.740	16.374	14.9	12.9	0.920	1.737	AC1315-BOOTRAY
1 Wide	12	20	10.740	18.374	10.4	12.1	0.170	3.162	AC1112-BOOTRAY
1 Wide	15	20	13.740	18.374	12.9	14.9	0.420	1.737	AC1315-BOOTRAY
1 Wide	18	20	16.740	18.374	12.9	14.9	1.920	1.737	AC1315-BOOTRAY
2 Wide	24	15	11.055	13.374	10.4	12.1	0.327	0.662	AC1112-BOOTRAY
2 Wide	30	15	14.055	13.374	12.1	10.4	1.003	1.487	AC1112-BOOTRAY
2 Wide	36	15	17.055	13.374	14.9	12.9	1.078	0.237	AC1315-BOOTRAY
2 Wide	24	18	11.055	16.374	10.4	12.1	0.327	2.162	AC1112-BOOTRAY
2 Wide	30	18	14.055	16.374	12.9	14.9	0.577	0.737	AC1315-BOOTRAY
2 Wide	36	18	17.055	16.374	14.9	12.9	1.078	1.737	AC1315-BOOTRAY
2 Wide	24	20	11.055	18.374	10.4	12.1	0.327	3.162	AC1112-BOOTRAY
2 Wide	30	20	14.055	18.374	12.9	14.9	0.577	1.737	AC1315-BOOTRAY
2 Wide	36	20	17.055	18.374	14.9	12.9	1.078	2.737	AC1315-BOOTRAY
3 Wide	36	15	11.160	13.374	10.4	12.1	0.380	0.662	AC1112-BOOTRAY
3 Wide	36	18	11.160	16.374	10.4	12.1	0.380	2.162	AC1112-BOOTRAY
3 Wide	36	20	11.160	18.374	10.4	12.1	0.380	3.162	AC1112-BOOTRAY



SIT TO STAND

INDEX+

PRICE BOOK

OFGO

STUDIO



Height Adjustable Table
Rectangular Top
T Style Leg
3 Stage
Non Handed
Dual Motor
4 Programmable Settings
Height range of 22.9" to 49"

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Freestanding - Without Pinch Point

Model No.	*W* A	*D* B	Price	*LB*	*FT³*
DX4824-RC-TB☐	48	24	1501	90	3.8
DX5424-RC-TB☐	54	24	1522	94	4
DX6024-RC-TB☐	60	24	1544	97	4.3
DX6624-RC-TB☐	66	24	1566	101	4.5
DX7224-RC-TB☐	72	24	1588	104	4.7
DX7824-RC-TB☐	78	24	1608	107	4.9
DX8424-RC-TB☐	84	24	1629	110	5
DX4830-RC-TB☐	48	30	1555	97	4.3
DX5430-RC-TB☐	54	30	1576	101	4.6
DX6030-RC-TB☐	60	30	1598	106	4.9
DX6630-RC-TB☐	66	30	1620	110	5.1
DX7230-RC-TB☐	72	30	1653	115	5.3
DX7830-RC-TB☐	78	30	1674	107	5.5
DX8430-RC-TB☐	84	30	1694	110	5.7

Freestanding - With Pinch Point


	A	B			
DX4623-RC-TB☐	46	23	1501	90	3.8
DX5223-RC-TB☐	52	23	1522	94	4
DX5823-RC-TB☐	58	23	1544	97	4.3
DX6423-RC-TB☐	64	23	1566	101	4.5
DX7023-RC-TB☐	70	23	1588	104	4.7
DX7623-RC-TB☐	76	23	1608	107	4.9
DX8223-RC-TB☐	82	23	1629	110	5
DX4629-RC-TB☐	46	29	1555	97	4.3
DX5229-RC-TB☐	52	29	1576	101	4.6
DX5829-RC-TB☐	58	29	1598	106	4.9
DX6429-RC-TB☐	64	29	1620	110	5.1
DX7029-RC-TB☐	70	29	1653	115	5.3
DX7629-RC-TB☐	76	29	1674	107	5.5
DX8229-RC-TB☐	82	29	1694	110	5.7

Notes:

- All tables larger then 72" in width will ship with an additional set of separate center support beams.
- All worksurface are standard as 1" thick with the woodgrain running along the width of the top.
- Tables with pinch point tops are pre-drilled for a 1" pinch point on the left and right, and a 0.5" pinch point on the front and back.
- Unit is shipped knock down and requires assembly.

What to Specify when Ordering:

1) Specify top surface laminate finish.
2) Specify metal height adjustable base finish within the product code ([1] = Black , [3] = Silver, [5] = White)
3) Specify any optional grommet or power module locations. See specifications. Upcharge will apply.




90 Degree Corner
Rectangular Worksurfaces
T Style Leg
3 Stage
Dual Motor
4 Programmable Settings
Height range of 22.9" to 49"
Interchangable Right or Left Side return

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

	Model No.	*W*	*D*			Price	*LB*	*FT³*
	Freestanding - Without Pinch Point							
		A	B	C	D			
(60" x 24") Table, (36" x 24") Return	DX6024-T3624-RC-TB☐	60	60	24	24	2452	149	8
(60" x 24") Table, (36" x 30") Return	DX6024-T3630-RC-TB☐	60	60	24	30	2550	154	8.4
(60" x 30") Table, (30" x 24") Return	DX6030-T3024-RC-TB☐	60	60	30	24	2482	159	8.7
(60" x 30") Table, (30" x 30") Return	DX6030-T3030-RC-TB☐	60	60	30	30	2580	163	9
(66" x 24") Table, (42" x 24") Return	DX6624-T4224-RC-TB☐	66	66	24	24	2526	157	8.5
(66" x 24") Table, (42" x 30") Return	DX6624-T4230-RC-TB☐	66	66	24	30	2625	163	8.9
(66" x 30") Table, (36" x 24") Return	DX6630-T3624-RC-TB☐	66	66	30	24	2547	162	8.9
(66" x 30") Table, (36" x 30") Return	DX6630-T3630-RC-TB☐	66	66	30	30	2645	167	9.3
(72" x 24") Table, (48" x 24") Return	DX7224-T4824-RC-TB☐	72	72	24	24	2591	163	9.1
(72" x 24") Table, (48" x 30") Return	DX7224-T4830-RC-TB☐	72	72	24	30	2689	170	9.6
(72" x 30") Table, (42" x 24") Return	DX7230-T4224-RC-TB☐	72	72	30	24	2611	171	9.6
(72" x 30") Table, (42" x 30") Return	DX7230-T4230-RC-TB☐	72	72	30	30	2710	177	10
	Freestanding - With Pinch Point							
		A	B	C	D			
(58" x 23") Table, (35" x 23") Return	DX5823-T3523-RC-TB☐	58	58	23	23	2452	149	8
(58" x 23") Table, (35" x 29") Return	DX5823-T3529-RC-TB☐	58	58	23	29	2550	154	8.4
(58" x 29") Table, (29" x 23") Return	DX5829-T2923-RC-TB☐	58	58	29	23	2482	159	8.7
(58" x 29") Table, (29" x 29") Return	DX5829-T2929-RC-TB☐	58	58	29	29	2580	163	9
(64" x 23") Table, (41" x 23") Return	DX6423-T4123-RC-TB☐	64	64	23	23	2526	157	8.5
(64" x 23") Table, (41" x 29") Return	DX6423-T4129-RC-TB☐	64	64	23	29	2625	163	8.9
(64" x 29") Table, (35" x 23") Return	DX6429-T3523-RC-TB☐	64	64	29	23	2547	162	8.9
(64" x 29") Table, (35" x 29") Return	DX6429-T3529-RC-TB☐	64	64	29	29	2645	167	9.3
(70" x 23") Table, (47" x 23") Return	DX7023-T4723-RC-TB☐	70	70	23	23	2591	163	9.1
(70" x 23") Table, (47" x 29") Return	DX7023-T4729-RC-TB☐	70	70	23	29	2689	170	9.6
(70" x 29") Table, (41" x 23") Return	DX7029-T4123-RC-TB☐	70	70	29	23	2611	171	9.6
(70" x 29") Table, (41" x 29") Return	DX7029-T4129-RC-TB☐	70	70	29	29	2710	177	10

Specify worksurface laminate finish when ordering.



Height Adjustable Table

Left Extended Corner Worksurface

T Style Leg

3 Stage


Dual Motor

4 Programmable Settings

Height range of 22.9" to 49"


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

*72" x 72" Table illustration below:



	Model No.	W	D			Price (LP)	LB	FT³
	Freestanding - Without Pinch Point							
		A	B	C	D			
(60" x 48"/24" Top, Connects to 24")	DX604824-L-ECC-TB☐	60	48	24	24	2832	142	5.8
(66" x 48"/24" Top, Connects to 24")	DX664824-L-ECC-TB☐	66	48	24	24	2887	146	6
(72" x 48"/24" Top, Connects to 24")	DX724824-L-ECC-TB☐	72	48	24	24	2940	149	6.2
(60" x 60"/24" Top, Connects to 24")	DX606024-L-ECC-TB☐	60	60	24	24	2995	149	6.3
(66" x 60"/24" Top, Connects to 24")	DX666024-L-ECC-TB☐	66	60	24	24	3049	153	7
(72" x 60"/24" Top, Connects to 24")	DX726024-L-ECC-TB☐	72	60	24	24	3104	156	6.8
(72" x 72"/24" Top, Connects to 24")	DX724824-T2424-L-ECC-TB☐	72	72	24	24	3169	177	7.1
**Note: 72" x 72" table top is shipped in two pieces.*								
(60" x 48"/30" Top, Connects to 24")	DX604824-L-ETC-TB☐	60	48	30	24	2859	147	5.8
(66" x 48"/30" Top, Connects to 24")	DX664824-L-ETC-TB☐	66	48	30	24	2914	152	6
(72" x 48"/30" Top, Connects to 24")	DX724824-L-ETC-TB☐	72	48	30	24	2967	156	6.2
(60" x 60"/30" Top, Connects to 24")	DX606024-L-ETC-TB☐	60	60	30	24	3022	154	6.3
(66" x 60"/30" Top, Connects to 24")	DX666024-L-ETC-TB☐	66	60	30	24	3076	159	7
(72" x 60"/30" Top, Connects to 24")	DX726024-L-ETC-TB☐	72	60	30	24	3131	163	6.8
(72" x 72"/30" Top, Connects to 24")	DX724824-T2424-L-ETC-TB☐	72	72	30	24	3196	184	7.3
**Note: 72" x 72" table top is shipped in two pieces.*								
	Freestanding - With Pinch Point							
		A	B	C	D			
(58" x 46"/23" Top, Connects to 23")	DX584623-L-ECC-TB☐	58	46	23	23	2832	142	5.8
(64" x 46"/23" Top, Connects to 23")	DX644623-L-ECC-TB☐	64	46	23	23	2887	146	6
(70" x 46"/23" Top, Connects to 23")	DX704623-L-ECC-TB☐	70	46	23	23	2940	149	6.2
(58" x 58"/23" Top, Connects to 23")	DX585823-L-ECC-TB☐	58	58	23	23	2995	149	6.3
(64" x 58"/23" Top, Connects to 23")	DX645823-L-ECC-TB☐	64	58	23	23	3049	153	7
(70" x 58"/23" Top, Connects to 23")	DX705823-L-ECC-TB☐	70	58	23	23	3104	156	6.8
(70" x 70"/23" Top, Connects to 23")	DX704623-T2423-L-ECC-TB☐	70	70	23	23	3169	177	7.1
**Note: 70" x 70" table top is shipped in two pieces.*								
(58" x 46"/29" Top, Connects to 23")	DX584623-L-ETC-TB☐	58	46	29	23	2859	147	5.8
(64" x 46"/29" Top, Connects to 23")	DX644623-L-ETC-TB☐	64	46	29	23	2914	152	6
(70" x 46"/29" Top, Connects to 23")	DX704623-L-ETC-TB☐	70	46	29	23	2967	156	6.2
(58" x 58"/29" Top, Connects to 23")	DX585823-L-ETC-TB☐	58	58	29	23	3022	154	6.3
(64" x 58"/29" Top, Connects to 23")	DX645823-L-ETC-TB☐	64	58	29	23	3076	159	7
(70" x 58"/29" Top, Connects to 23")	DX705823-L-ETC-TB☐	70	58	29	23	3131	163	6.8
(70" x 70"/29" Top, Connects to 23")	DX704623-T2423-L-ETC-TB☐	70	70	29	23	3196	184	7.3
**Note: 70" x 70" table top is shipped in two pieces.*								

Specify worksurface laminate finish when ordering.



Height Adjustable Table

Right Extended Corner Worksurface

T Style Leg

3 Stage


Dual Motor

4 Programmable Settings

Height range of 22.9" to 49"

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

*72" x 72" Table illustration below:




	Model No.	W	D			Price (LP)	LB	FT³
Freestanding - Without Pinch Point								
		A	B	C	D			
(60" x 48"/24" Top, Connects to 24")	DX604824-R-ECC-TB☐	60	48	24	24	2832	142	5.8
(66" x 48"/24" Top, Connects to 24")	DX664824-R-ECC-TB☐	66	48	24	24	2887	146	6
(72" x 48"/24" Top, Connects to 24")	DX724824-R-ECC-TB☐	72	48	24	24	2940	149	6.2
(60" x 60"/24" Top, Connects to 24")	DX606024-R-ECC-TB☐	60	60	24	24	2995	149	6.3
(66" x 60"/24" Top, Connects to 24")	DX666024-R-ECC-TB☐	66	60	24	24	3049	153	7
(72" x 60"/24" Top, Connects to 24")	DX726024-R-ECC-TB☐	72	60	24	24	3104	156	6.8
(72" x 72"/24" Top, Connects to 24")	DX724824-T2424-R-ECC-TB☐	72	72	24	24	3169	177	7.1
**Note: 72" x 72" table top is shipped in two pieces.*								
(60" x 48"/30" Top, Connects to 24")	DX604824-R-ETC-TB☐	60	48	30	24	2859	147	5.8
(66" x 48"/30" Top, Connects to 24")	DX664824-R-ETC-TB☐	66	48	30	24	2914	152	6
(72" x 48"/30" Top, Connects to 24")	DX724824-R-ETC-TB☐	72	48	30	24	2967	156	6.2
(60" x 60"/30" Top, Connects to 24")	DX606024-R-ETC-TB☐	60	60	30	24	3022	154	6.3
(66" x 60"/30" Top, Connects to 24")	DX666024-R-ETC-TB☐	66	60	30	24	3076	159	7
(72" x 60"/30" Top, Connects to 24")	DX726024-R-ETC-TB☐	72	60	30	24	3131	163	6.8
(72" x 72"/30" Top, Connects to 24")	DX724824-T2424-R-ETC-TB☐	72	72	30	24	3196	184	7.3
**Note: 72" x 72" table top is shipped in two pieces.*								
Freestanding - With Pinch Point								
		A	B	C	D			
(58" x 46"/23" Top, Connects to 23")	DX584623-R-ECC-TB☐	58	46	23	23	2832	142	5.8
(64" x 46"/23" Top, Connects to 23")	DX644623-R-ECC-TB☐	64	46	23	23	2887	146	6
(70" x 46"/23" Top, Connects to 23")	DX704623-R-ECC-TB☐	70	46	23	23	2940	149	6.2
(58" x 58"/23" Top, Connects to 23")	DX585823-R-ECC-TB☐	58	58	23	23	2995	149	6.3
(64" x 58"/23" Top, Connects to 23")	DX645823-R-ECC-TB☐	64	58	23	23	3049	153	7
(70" x 58"/23" Top, Connects to 23")	DX705823-R-ECC-TB☐	70	58	23	23	3104	156	6.8
(70" x 70"/23" Top, Connects to 23")	DX704623-T2423-R-ECC-TB☐	70	70	23	23	3169	177	7.1
**Note: 70" x 70" table top is shipped in two pieces.*								
(58" x 46"/29" Top, Connects to 23")	DX584623-R-ETC-TB☐	58	46	29	23	2859	147	5.8
(64" x 46"/29" Top, Connects to 23")	DX644623-R-ETC-TB☐	64	46	29	23	2914	152	6
(70" x 46"/29" Top, Connects to 23")	DX704623-R-ETC-TB☐	70	46	29	23	2967	156	6.2
(58" x 58"/29" Top, Connects to 23")	DX585823-R-ETC-TB☐	58	58	29	23	3022	154	6.3
(64" x 58"/29" Top, Connects to 23")	DX645823-R-ETC-TB☐	64	58	29	23	3076	159	7
(70" x 58"/29" Top, Connects to 23")	DX705823-R-ETC-TB☐	70	58	29	23	3131	163	6.8
(70" x 70"/29" Top, Connects to 23")	DX704623-T2423-R-ETC-TB☐	70	70	29	23	3196	184	7.3
**Note: 70" x 70" table top is shipped in two pieces.*								

Specify worksurface laminate finish when ordering.

Grommet Options:

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - add **$42 list**.

☐☐ **= Specify Grommet [G1] or [G3]**
☐☐ LL - Left/Left User Side
☐☐ LC - Left/Center User Side
☐☐ CC - Center/Center User Side
☐☐ RC - Right/Center User Side
☐☐ RR - Right/Right User Side





G1
Black Grommet
$42 List




G3
Silver Grommet
$42 List

In Surface Power/Data Placement Options:

Add optional power/data modules code (ex. O3CC) to end of product code and adjust list price.

☐☐ **= Specify power/data module [O3] or [E3] /or daisy chain electrical [O3DAS] or [E3DAS]**
☐☐ LC - Left/Center User Side
☐☐ CC - Center/Center User Side
☐☐ RC - Right/Center User Side





"O3" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
Standard Plug



"E3" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB-A+C Charger
Standard Plug



"O3DAS" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
60" Daisy Chain Cord



"E3DAS" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 USB A+C Charger
60" Daisy Chain Cord

Standard Electrical Options:

Description	*Model #*	*Price*
O3 Power (2 Power) - 120" Cord	O3	312
E3 Power (2 Power / 1 Dual USB) - 120" Cord	E3	520

Optional Daisy Chain Electrical:


Description	*Model #*	*Price*
O3DAS Daisy Chain Power Module - 60" Cord	O3DAS	520
E3DAS Daisy Chain Power Module - 60" Cord	E3DAS	728
Daisy Chain Starter Cord - 120" Cord	AC120-DAS-START	520

For worksurfaces greater than 60" wide an additional Jumper Cable is required to attach to the 60" cord on the O3DAS or E3DAS Daisy chain power module unit.

18" Jumper (For 66", 72", and 78" wide tables)	AC18-DAS-JUMP	156


Note: Allowed up to 8 total connection points (O3DAS/E3DAS or Jumper) before requiring another starter.

Note: Daisy Chain electrical may be shipped separate from the remainder of the order.



Freestanding Wrap Around Desk Shell

Model No.	*W*	*D*	*H*	Price
DX543025-S-NT-WW	54	30	25	882
DX603025-S-NT-WW	60	30	25	909
DX663025-S-NT-WW	66	30	25	941
DX723025-S-NT-WW	72	30	25	976



NOTE: These units must be ordered with the INDEX series height adjustable table bases.


These units are not compatible with SAVOY height adjustable table bases (without feet).

Notes:

- The laminate grain direction on the shelf runs horizontally.
- The laminate grain direction on the side panels runs vertically.
- For units up to 60" wide, the laminate grain direction on the back panel runs vertically.
- For units greater than 60" wide, the grain direction on the back panel runs horizontally.
- The units structural inside brace is 12" deep and therefore storage cannot be placed inside.
- Unit is shipped knock down and requires assembly.

What to Specify When Ordering:

1) Specify laminate finish.




Fabric
Divider Screen

23.5" High

Installed divider measures **12"** above the worksurface and **10.5"** below the worksurface.

	Model No.	W	D	H	Price (LP) Grade 3 (COM)	LB	FT³
*	DX2223-FDS-12H-Z☐	22	1	23.5	424	11	0.6
*	DX2823-FDS-12H-Z☐	28	1	23.5	437	13	0.7
	DX3423-FDS-12H-Z☐	34	1	23.5	452	16	0.9
	DX4023-FDS-12H-Z☐	40	1	23.5	464	18	1.1
	DX4623-FDS-12H-Z☐	46	1	23.5	479	20	1.2
	DX5223-FDS-12H-Z☐	52	1	23.5	536	23	1.4
	DX5823-FDS-12H-Z☐	58	1	23.5	604	25	1.5
	DX6423-FDS-12H-Z☐	64	1	23.5	618	29	1.7
	DX7023-FDS-12H-Z☐	70	1	23.5	632	31	1.9



Fabric
Divider Screen

23.5" High

Installed divider measures **18"** above the worksurface and **4.5"** below the worksurface.

	Model No.	W	D	H	Price (LP) Grade 3 (COM)	LB	FT³
*	DX2223-FDS-18H-Z☐	22	1	23.5	446	12	0.6
*	DX2823-FDS-18H-Z☐	28	1	23.5	459	14	0.8
	DX3423-FDS-18H-Z☐	34	1	23.5	474	17	1
	DX4023-FDS-18H-Z☐	40	1	23.5	485	19	1.2
	DX4623-FDS-18H-Z☐	46	1	23.5	501	22	1.3
	DX5223-FDS-18H-Z☐	52	1	23.5	558	25	1.5
	DX5823-FDS-18H-Z☐	58	1	23.5	626	27	1.7
	DX6423-FDS-18H-Z☐	64	1	23.5	640	31	1.9
	DX7023-FDS-18H-Z☐	70	1	23.5	654	33	2

☐ = Specify bracket finish:
[1] Black
[3] Silver

Notes:


- Fastens to underside of worksurface.
- 22" to 46" wide dividers include 2 support brackets.
- 52" to 70" wide dividers include 3 support brackets.
- Screens are not tackable.

* When installing Index Fabric Divider Screens along the depth of height adjustable table surfaces, the installer may need to inset the table base by 3" on each side during installation.

Fabric Grade Matrix	GR 4	GR 5	GR 6	GR 7
22" Wide	+25	+50	+75	+100
28" Wide	+25	+50	+75	+100
34" Wide	+25	+50	+75	+100
40" Wide	+38	+75	+113	+150
46" Wide	+38	+75	+113	+150
52" Wide	+38	+75	+113	+150
58" Wide	+50	+100	+150	+200
64" Wide	+50	+100	+150	+200
70" Wide	+50	+100	+150	+200

To order a fabric divider screen in Grade 4 to 7 textile selections, locate the applicable screen width and add the corresponding price onto the Grade 3 List price.

Example:
To order a 22" wide screen in Grade 4 add $25 List to the Grade 3 Price.



12" Laminate Modesty Panel

Mounts below worksurfaceto provide privacy.

Attaches to worksurface with wood screws.

Mounting brackets included.

34" to 46" wide dividers include 2 support brackets.

52" to 70" wide dividers include 3 support brackets.

Specify laminate color when ordering.

	ZN4612-MOD-L-Z☐	46	0.625	12	177	14	0.6
	ZN5212-MOD-L-Z☐	52	0.625	12	198	16	0.6
	ZN5812-MOD-L-Z☐	58	0.625	12	220	18	0.7
	ZN6412-MOD-L-Z☐	64	0.625	12	242	19	0.8
	ZN7012-MOD-L-Z☐	70	0.625	12	264	21	0.8

☐ = Specify bracket finish:
[1] Black
[3] Silver

		Model No.	*W*	*D*	*H*	Price (LP)	*LB*	*FT³*
		AC52-FBS	3	3	52	170	3	0.15


Fabric Cable Sleeve

Fabric cable management sleeve with zip closure.

Standard in gray fabric.

Available in 52" height.

A 52" high fabric cable sleeve is used when cables are running from below the worksurface down to the floor, or when cables are running from below the worksurface into an 22"H electrical box.

	(for use on 42"w & 48"w worksurfaces)	ZN35-WCT-Z3	35¾	6	4.5	220	2	0.2
	(for use on 54"w & 60"w worksurfaces)	ZN47-WCT-Z3	47¾	6	4.5	295	2.6	0.3
	(for use on 66"w & 72"w worksurfaces)	ZN59-WCT-Z3	59¾	6	4.5	367	3.3	0.4

Cable Tray

Standard in silver finish

		AC-PCLIP-Q100 (Set of 100 Clips)				108		

Wire Manager Mounting Clips

With mounting screws



TABLES

LETS MEET


PRICE BOOK

OFGO

STUDIO


COLLABORATIVE TABLE - 41" HEIGHT

(Bar Height)



Collaborative Table
41" Height
1" Thick Top
Two 12" High Modesty Panels
Wire Access Base on Two Sides
Wire Access Base Includes Doors on Each End
Wire Access Base is 6" Wide with a 4" Inside Cavity


Model No.	*W*	*D*	*H*	Price (LP)	*LB*	*FT³*
30" Depth:						
LM723041-AB-AB-12P	72	30	41	2740	203	11.9
LM843041-AB-AB-12P	84	30	41	2900	213	11.5
LM963041-AB-AB-12P	96	30	41	3060	224	12.0
36" Depth:						
LM723641-AB-AB-12P	72	36	41	2841	237	14.1
LM843641-AB-AB-12P	84	36	41	3002	249	13.8
LM963641-AB-AB-12P	96	36	41	3160	261	14.3
42" Depth:						
LM724241-AB-AB-12P	72	42	41	2934	270	15.4
LM844241-AB-AB-12P	84	42	41	3094	284	16.0
LM964241-AB-AB-12P	96	42	41	3254	298	16.7



Collaborative Table - Adjoining Unit
41" Height
1" Thick Top
Two 12" High Modesty Panels
1" Thick Side Panel on One Side
Wire Access Base on One Side
Wire Access Base Includes Doors on Each End
Wire Access Base is 6" Wide with a 4" Inside Cavity


30" Depth:						
LM723041-AB-GM-12P	72	30	41	2074	172	8.8
LM843041-AB-GM-12P	84	30	41	2235	184	9.4
LM963041-AB-GM-12P	96	30	41	2394	197	10.0
36" Depth:						
LM723641-AB-GM-12P	72	36	41	2175	200	10.4
LM843641-AB-GM-12P	84	36	41	2334	214	11.0
LM963641-AB-GM-12P	96	36	41	2494	228	11.7
42" Depth:						
LM724241-AB-GM-12P	72	42	41	2267	228	11.9
LM844241-AB-GM-12P	84	42	41	2427	244	12.7
LM964241-AB-GM-12P	96	42	41	2586	260	13.4

Note: This unit is designed for its 1" thick side panel to adjoin with a neighboring unit. See example below:




COLLABORATIVE TABLE - 41" HEIGHT

(Bar Height)



Collaborative Table
41" Height
1" Thick Top & Side Panels
6" High Modesty Panel on One Side
Full Height Modesty Panel on One Side

Model No.	*W*	*D*	*H*	Price (LP)	*LB*	*FT³*
36" Depth:						
LM483641-GM-GM-FP	48	36	41	1426	189	5
LM603641-GM-GM-FP	60	36	41	1519	201	5.6
LM723641-GM-GM-FP	72	36	41	1614	213	6.2
LM843641-GM-GM-FP	84	36	41	1775	235	6.8
LM963641-GM-GM-FP	96	36	41	1934	259	7.4
42" Depth:						
LM484241-GM-GM-FP	48	42	41	1519	219	6
LM604241-GM-GM-FP	60	42	41	1614	233	6.5
LM724241-GM-GM-FP	72	42	41	1708	247	7.2
LM844241-GM-GM-FP	84	42	41	1866	259	7.8
LM964241-GM-GM-FP	96	42	41	2028	285	8.5




Collaborative Table
41" Height
1" Thick Top & Side Panels
Two 12" High Modesty Panels

30" Depth:						
LM483041-GM-GM-12P	48	30	41	1253	107	5
LM603041-GM-GM-12P	60	30	41	1349	119	5.1
LM723041-GM-GM-12P	72	30	41	1441	131	5.7
36" Depth:						
LM483641-GM-GM-12P	48	36	41	1320	125	5
LM603641-GM-GM-12P	60	36	41	1415	139	6
LM723641-GM-GM-12P	72	36	41	1507	153	6.6
42" Depth:						
LM484241-GM-GM-12P	48	42	41	1415	144	6
LM604241-GM-GM-12P	60	42	41	1507	160	6.8
LM724241-GM-GM-12P	72	42	41	1600	176	7.6


COLLABORATIVE TABLE - 35" HEIGHT

(Counter Height)



Collaborative Table
35" Height
1" Thick Top
Two 12" High Modesty Panels
Wire Access Base on Two Sides
Wire Access Base Includes Doors on Each End
Wire Access Base is 6" Wide with a 4" Inside Cavity


Model No.	*W*	*D*	*H*	Price (LP)	*LB*	*FT³*
30" Depth:						
LM723035-AB-AB-12P	72	30	35	2723	203	10.6
LM843035-AB-AB-12P	84	30	35	2884	213	10.3
LM963035-AB-AB-12P	96	30	35	3044	224	10.7
36" Depth:						
LM723635-AB-AB-12P	72	36	35	2825	237	12.6
LM843635-AB-AB-12P	84	36	35	2985	249	12.3
LM963635-AB-AB-12P	96	36	35	3144	261	12.8
42" Depth:						
LM724235-AB-AB-12P	72	42	35	2918	270	13.7
LM844235-AB-AB-12P	84	42	35	3077	284	14.3
LM964235-AB-AB-12P	96	42	35	3237	298	14.9



Collaborative Table - Adjoining Unit
35" Height
1" Thick Top
Two 12" High Modesty Panels
1" Thick Side Panel on One Side
Wire Access Base on One Side
Wire Access Base Includes Doors on Each End
Wire Access Base is 6" Wide with a 4" Inside Cavity


30" Depth:						
LM723035-AB-GM-12P	72	30	35	2058	172	8.0
LM843035-AB-GM-12P	84	30	35	2218	184	8.6
LM963035-AB-GM-12P	96	30	35	2377	197	9.2
36" Depth:						
LM723635-AB-GM-12P	72	36	35	2158	200	9.4
LM843635-AB-GM-12P	84	36	35	2317	214	10.1
LM963635-AB-GM-12P	96	36	35	2478	228	10.7
42" Depth:						
LM724235-AB-GM-12P	72	42	35	2251	228	10.8
LM844235-AB-GM-12P	84	42	35	2412	244	11.6
LM964235-AB-GM-12P	96	42	35	2571	260	12.3

Note: This unit is designed for its 1" thick side panel to adjoin with a neighboring unit. See example below:




COLLABORATIVE TABLE - 35" HEIGHT

(Counter Height)



Collaborative Table
35" Height
1" Thick Top & Side Panels
6" High Modesty Panel on One Side
Full Height Modesty Panel on One Side


Model No.	*W*	*D*	*H*	Price (LP)	*LB*	*FT³*
36" Depth:						
LM483635-GM-GM-FP	48	36	35	1410	189	5
LM603635-GM-GM-FP	60	36	35	1504	201	5.3
LM723635-GM-GM-FP	72	36	35	1597	213	5.8
LM843635-GM-GM-FP	84	36	35	1758	235	6.4
LM963635-GM-GM-FP	96	36	35	1918	259	7
42" Depth:						
LM484235-GM-GM-FP	48	42	35	1504	219	5
LM604235-GM-GM-FP	60	42	35	1597	233	6
LM724235-GM-GM-FP	72	42	35	1692	247	6.7
LM844235-GM-GM-FP	84	42	35	1851	259	7.4
LM964235-GM-GM-FP	96	42	35	2012	285	8.1



Collaborative Table
35" Height
1" Thick Top & Side Panels
Two 12" High Modesty Panels


30" Depth:						
LM483035-GM-GM-12P	48	30	35	1237	107	4
LM603035-GM-GM-12P	60	30	35	1333	119	4.8
LM723035-GM-GM-12P	72	30	35	1424	131	5.4
36" Depth:						
LM483635-GM-GM-12P	48	36	35	1303	125	5
LM603635-GM-GM-12P	60	36	35	1398	139	5.6
LM723635-GM-GM-12P	72	36	35	1490	153	6.3
42" Depth:						
LM484235-GM-GM-12P	48	42	35	1398	144	6
LM604235-GM-GM-12P	60	42	35	1490	160	6.4
LM724235-GM-GM-12P	72	42	35	1585	176	7.1

COLLABORATIVE TABLE - 29" HEIGHT



Collaborative Table
29" Height
1" Thick Top & Side Panels
6" High Modesty Panel on One Side
Full Height Modesty Panel on One Side


Model No.	W	D	H	Price (LP)	LB	FT³
36" Depth:						
LM483629-GM-GM-FP	48	36	29	1160	147	4
LM603629-GM-GM-FP	60	36	29	1253	159	4.9
LM723629-GM-GM-FP	72	36	29	1349	171	5.5
LM843629-GM-GM-FP	84	36	29	1507	190	6.1
LM963629-GM-GM-FP	96	36	29	1668	211	6.7
42" Depth:						
LM484229-GM-GM-FP	48	42	29	1253	170	5
LM604229-GM-GM-FP	60	42	29	1349	184	5.6
LM724229-GM-GM-FP	72	42	29	1441	198	6.3
LM844229-GM-GM-FP	84	42	29	1600	211	7
LM964229-GM-GM-FP	96	42	29	1760	233	7.6




Collaborative Table
29" Height
1" Thick Top & Side Panels
Two 12" High Modesty Panels

Model No.	W	D	H	Price (LP)	LB	FT³
30" Depth:						
LM483029-GM-GM-12P	48	30	29	1000	89	4
LM603029-GM-GM-12P	60	30	29	1094	102	4.5
LM723029-GM-GM-12P	72	30	29	1187	114	5.1
LM843029-GM-GM-12P	84	30	29	1349	126	5.6
36" Depth:						
LM483629-GM-GM-12P	48	36	29	1055	104	5
LM603629-GM-GM-12P	60	36	29	1147	118	5.2
LM723629-GM-GM-12P	72	36	29	1241	132	5.9
LM843629-GM-GM-12P	84	36	29	1400	146	6.5
42" Depth:						
LM484229-GM-GM-12P	48	42	29	1147	120	5
LM604229-GM-GM-12P	60	42	29	1241	135	5.9
LM724229-GM-GM-12P	72	42	29	1334	151	6.7
LM844229-GM-GM-12P	84	42	29	1495	167	7.4

COLLABORATIVE BENCH - 17.5" HEIGHT



	Model No.	*W*	*D*	*H*	Price (LP)	*LB*	*FT³*
	18" Depth:						
Bench	LM481817-GM-GM-FP	48	18	17.5	735	64	2
17.5" Height	LM601817-GM-GM-FP	60	18	17.5	800	70	2
1" Thick Top & Side Panels	LM721817-GM-GM-FP	72	18	17.5	866	75	2.3
Full Height Modesty Panel	LM841817-GM-GM-FP	84	18	17.5	934	80	2.5
	LM961817-GM-GM-FP	96	18	17.5	1000	85	2.8



Seat Cushion	LM2018-SE	20	18	1.25	339	5	0.4
For 18" Deep Bench	LM2418-SE	24	18	1.25	339	6	0.5
	LM2818-SE	28	18	1.25	367	6	0.5
Price based on seat cushions upholstered in OFGO Grade 3 textiles.	LM3018-SE	30	18	1.25	367	7	0.6
	LM3218-SE	32	18	1.25	398	7	0.6
Other OFGO textile grades available:	LM3618-SE	36	18	1.25	398	9	0.7
Grade 4 - Add $32 List	LM4218-SE	42	18	1.25	506	10	0.8
Grade 5 - Add $42 List	LM4818-SE	48	18	1.25	506	11	0.9
Grade 6 - Add $53 List							
Grade 7 - Add $63 List							



Coat Hook		
Silver Finish	AC-HOOK2V-SL	24

Grommet Options:

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - add **$42 list**.


☐ ☐ **= Specify Grommet [G1] or [G3]**
☐ ☐ HL - Middle/Left User Side
☐ ☐ HC - Middle/Center User Side
☐ ☐ HR - Middle/Right User Side



G1
Black Grommet



G3
Silver Grommet




In Surface Power/Data Placement Options:

Add optional power/data modules code (ex. O3HC) to end of product code and adjust list price.

☐ ☐ **= Specify power/data module [O3] or [E3] /or daisy chain electrical [O3DAS] or [E3DAS]**
☐ ☐ HL - Middle/Left User Side (Horizontal Positioning)
☐ ☐ HC - Middle/Center User Side (Horizontal Positioning)
☐ ☐ HR - Middle/Right User Side (Horizontal Positioning)

Note: HL and HR positions are not available on 30" Depth Tables





"O3" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
Standard Plug



"E3" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB-A+C Charger
Standard Plug



"O3DAS" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
60" Daisy Chain Cord



"E3DAS" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 USB A+C Charger
60" Daisy Chain Cord

Standard Electrical Options:

Description	*Model #*	*Price*
O3 Power (2 Power) - 120" Cord	O3	312
E3 Power (2 Power / 1 Dual USB) - 120" Cord	E3	520

Optional Daisy Chain Electrical:

Description	*Model #*	*Price*
O3DAS Daisy Chain Power Module - 60" Cord	O3DAS	520
E3DAS Daisy Chain Power Module - 60" Cord	E3DAS	728
Daisy Chain Starter Cord - 120" Cord	AC120-DAS-START	520

For tops greater than 60" wide an additional Jumper Cable is required to attach to the 60" cord on the O3DAS or E3DAS Daisy chain power module unit.

18" Jumper (For 66" to 78" wide tables)	AC18-DAS-JUMP	156
36" Jumper (For 84" to 96" wide tables)	AC36-DAS-JUMP	172

Note: Allowed up to 8 total connection points (O3DAS/E3DAS or Jumper) before requiring another starter.


Note: Daisy chain electrical may be shipped separate from the remainder of the order.

LETS MEET MEDIA

PRICE BOOK

OFGO

STUDIO



Collaborative Media Table

41" Height

1" Thick Top & Side Panels

Two 12" High Modesty Panels

TV mountable on both sides

Grommet on Front Side

TV & TV Mount Not Included


Media cabinet is 8" Deep with hinged doors allowing for cable access.

1" Thick Top
1" Thick Side Panels


Model No.	*table W*	*overall W*	*overall D*	*table H*	*overall H*	Price	*LB*	*FT³*
30" Depth:	Table Width	Overall Width	Overall Depth	Table Height	Overall Height			
LM683041-TV71H-GM-12P	60	68	30	41	71	3480	254	17
LM743041-TV71H-GM-12P	66	74	30	41	71	3527	262	17
LM803041-TV71H-GM-12P	72	80	30	41	71	3574	270	18
LM863041-TV71H-GM-12P	78	86	30	41	71	3655	278	18
LM923041-TV71H-GM-12P	84	92	30	41	71	3733	286	19
36" Depth:	Table Width	Overall Width	Overall Depth	Table Height	Overall Height			
LM683641-TV71H-GM-12P	60	68	36	41	71	3614	290	20
LM743641-TV71H-GM-12P	66	74	36	41	71	3660	299	21
LM803641-TV71H-GM-12P	72	80	36	41	71	3707	308	21
LM863641-TV71H-GM-12P	78	86	36	41	71	3788	316	22
LM923641-TV71H-GM-12P	84	92	36	41	71	3868	325	22
42" Depth:	Table Width	Overall Width	Overall Depth	Table Height	Overall Height			
LM684241-TV71H-GM-12P	60	68	42	41	71	3707	326	23
LM744241-TV71H-GM-12P	66	74	42	41	71	3753	336	24
LM804241-TV71H-GM-12P	72	80	42	41	71	3801	345	25
LM864241-TV71H-GM-12P	78	86	42	41	71	3880	355	25
LM924241-TV71H-GM-12P	84	92	42	41	71	3960	365	26

Color Combination Options:


(A) Tabe Top Color:



(B) Table Base Color:



(C) Media Cabinet Case Color:



How to Order:

STEP ONE - Select model number: _____ (Example: LM744241-TV71H-GM-12P)


STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Media Cabinet Case Color: _____

NOTE: If the media cabinet case color is not specified then the media cabinet case will match the table base color.



Collaborative Media Table

29" Height

1" Thick Top & Side Panels

Two 12" High Modesty Panels

TV mountable on both sides

Grommet on Front Side

TV & TV Mount Not Included


Media cabinet is 8" Deep with hinged doors allowing for cable access.

1" Thick Top
1" Thick Side Panels


Model No.	*table W*	*overall W*	*overall D*	*table H*	*overall H*	Price	*LB*	*FT³*
30" Depth:	Table Width	Overall Width	Overall Depth	Table Height	Overall Height			
LM683029-TV59H-GM-12P	60	68	30	29	59	3214	224	15
LM743029-TV59H-GM-12P	66	74	30	29	59	3259	232	15
LM803029-TV59H-GM-12P	72	80	30	29	59	3307	240	16
LM863029-TV59H-GM-12P	78	86	30	29	59	3388	248	16
LM923029-TV59H-GM-12P	84	92	30	29	59	3467	256	17
36" Depth:	Table Width	Overall Width	Overall Depth	Table Height	Overall Height			
LM683629-TV59H-GM-12P	60	68	36	29	59	3347	255	18
LM743629-TV59H-GM-12P	66	74	36	29	59	3393	264	18
LM803629-TV59H-GM-12P	72	80	36	29	59	3440	273	19
LM863629-TV59H-GM-12P	78	86	36	29	59	3520	281	19
LM923629-TV59H-GM-12P	84	92	36	29	59	3600	290	20
42" Depth:	Table Width	Overall Width	Overall Depth	Table Height	Overall Height			
LM684229-TV59H-GM-12P	60	68	42	29	59	3440	286	20
LM744229-TV59H-GM-12P	66	74	42	29	59	3488	295	21
LM804229-TV59H-GM-12P	72	80	42	29	59	3533	305	21.5
LM864229-TV59H-GM-12P	78	86	42	29	59	3614	315	22
LM924229-TV59H-GM-12P	84	92	42	29	59	3694	324	23

Color Combination Options:


(A) Tabe Top Color:



(B) Table Base Color:



(C) Media Cabinet Case Color:



How to Order:

STEP ONE - Select model number: _____ (Example: LM744229-TV59H-GM-12P)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Media Cabinet Case Color: _____

NOTE: If the media cabinet case color is not specified then the media cabinet case will match the table base color.

Grommet Options:

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - add **$42 list**.


☐ ☐ **= Specify Grommet [G1] or [G3]**
☐ ☐ HL - Middle/Left User Side
☐ ☐ HC - Middle/Center User Side
☐ ☐ HR - Middle/Right User Side



G1
Black Grommet



G3
Silver Grommet




In Surface Power/Data Placement Options:

Add optional power/data modules code (ex. O3HC) to end of product code and adjust list price.

☐ ☐ **= Specify power/data module [O3] or [E3] /or daisy chain electrical [O3DAS] or [E3DAS]**
☐ ☐ HL - Middle/Left User Side (Horizontal Positioning) (Not available on 30" Deep units)
☐ ☐ HC - Middle/Center User Side (Horizontal Positioning)
☐ ☐ HR - Middle/Right User Side (Horizontal Positioning) (Not available on 30" Deep units)

Note: HL and HR positions are not available on 30" Deep tables.





"O3" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
Standard Plug



"E3" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB-A+C Charger
Standard Plug

Standard Electrical Options:

Description	*Model #*	*Price*
O3 Power (2 Power) - 120" Cord	O3	312
E3 Power (2 Power / 1 Dual USB) - 120" Cord	E3	520

TRELLO

PRICE BOOK

OFGO

STUDIO

FEATURES




- Units can be used together to create a wide variety of layouts.
- Units can be moved and reconfigured with ease for effortless transitions.
- Bases feature cast aluminum feet and are standard in powder coated silver.
- Units feature single point quick response release paddle that is easily accessible. The table release is actuated by squeezing this paddle underneath the worksurface.
- Units are standard with 4 locking hardfloor casters with 2.5" wheel diameter.
- Easy nesting allows for space saving when tables are not being used.
- Optional ganging clips are available to allow quick and easy connection side to side or back to back.
- Units are available with an optional 10" high TFL modesty panel.
- Worksurfaces are fastened with metal to metal connectors and wood screws.
- Maximum vertical load capacity of 350lbs per table base.
- Units can be specified with power/USB modules which includes either 2 power outlets or 2 power outlets with 1 double USB terminal.
- Each power/USB module can be placed on the left side, right side, or center of worksurface.
- Units can be specified with daisy chain electrical with up to 8 connection points on a single power feed.
- Optional wire management clips available.
- Greenguard Indoor Air Quality Certified®.

Trello series is GREENGUARD Indoor Air Quality Certified® assuring Trello series meet strict chemical emissions limits, contributing to the creation of healthier interiors. The use of GREENGUARD Certified furniture can help design teams earn points in green building rating systems, satisfy code or ordinance criteria, and meet the indoor air quality specific RFP requirements.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System. For more information contact OFGO head office.

TRAINING TABLE - FLIP TOP

TRELLO



Rectangular Top
Flip Base
One Paddle
4 Locking Casters
Base attaches to top with metal to metal connectors
Base standard in silver finish


Base inset from top ends:
48", 60", and 72" wide tables have a 2.25" inset on each end
54", 66", and 78" wide tables have a 5.25" inset on each end

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
TR4824-RC-SL	48	24	29	1284	55	3.3
TR5424-RC-SL	54	24	29	1311	59	3.5
TR6024-RC-SL	60	24	29	1350	65	4.1
TR6624-RC-SL	66	24	29	1378	69	4.3
TR7224-RC-SL	72	24	29	1416	74	4.9
TR7824-RC-SL	78	24	29	1455	78	5.2
TR4830-RC-SL	48	30	29	1376	62	3.8
TR5430-RC-SL	54	30	29	1402	66	4.1
TR6030-RC-SL	60	30	29	1428	74	4.7
TR6630-RC-SL	66	30	29	1468	78	5
TR7230-RC-SL	72	30	29	1507	85	5.7
TR7830-RC-SL	78	30	29	1546	89	6




D-Top Table (6" Radius)
Flip Base
One Paddle
4 Locking Casters
6" Radius Corners on User Side
Base attaches to top with metal to metal connectors
48" and 60" wide tables have a 2.25" inset on each end
Base standard in silver finish


TR4824-DT6-SL	48	24	29	1508	55	3.3
TR6024-DT6-SL	60	24	29	1574	65	4.1
TR4830-DT6-SL	48	30	29	1599	62	3.8
TR6030-DT6-SL	60	30	29	1654	74	4.7




Pointed Rectangular Table
Flip Base
One Paddle
4 Locking Casters
Base attaches to top with metal to metal connectors
51" and 63" wide tables have a 3.75" inset on each end
Base standard in silver finish

TR5124-PN-SL	51	26.7	29	1627	66	4.1
TR6324-PN-SL	63	27.4	29	1693	78	5








Left Angled Table
Flip Base
One Paddle
4 Locking Casters
Base attaches to top with metal to metal connectors
Base standard in silver finish

Base inset from top ends:
48", 60", and 72" wide tables have a 2.25" inset on each end
54", 66", and 78" wide tables have a 5.25" inset on each end

TR4824-AT-L30-SL	48	30	29	1599	62	3.8
TR5424-AT-L30-SL	54	30	29	1627	66	4.1
TR6024-AT-L30-SL	60	30	29	1654	74	4.7
TR6624-AT-L30-SL	66	30	29	1693	78	5
TR7224-AT-L30-SL	72	30	29	1733	85	5.7
TR7824-AT-L30-SL	78	30	29	1771	89	6






Right Angled Table
Flip Base
One Paddle
4 Locking Casters
Base attaches to top with metal to metal connectors
Base standard in silver finish

Base inset from top ends:
48", 60", and 72" wide tables have a 2.25" inset on each end
54", 66", and 78" wide tables have a 5.25" inset on each end

TR4824-AT-R30-SL	48	30	29	1599	62	3.8
TR5424-AT-R30-SL	54	30	29	1627	66	4.1
TR6024-AT-R30-SL	60	30	29	1654	74	4.7
TR6624-AT-R30-SL	66	30	29	1693	78	5
TR7224-AT-R30-SL	72	30	29	1733	85	5.7
TR7824-AT-R30-SL	78	30	29	1771	89	6



	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	**For use on 48"w to 54"W tables:**						
Modesty Panel Mounts below worksurface to provide privacy. 10" High TFL Panel with 1.5" High Mounting Bracket With mounting screws	TR4010-MOD-L	39⅞	0.625	11.5	138	11	0.5
	For use on 60"w to 66"W tables:						
	TR5210-MOD-L	51⅞	0.625	11.5	177	15	0.6
	For use on 72"w to 78"W tables:						
	TR6410-MOD-L	63⅞	0.625	11.5	216	18	0.8
	**Table Connectors**						
2 Connectors 	AC-TTT-CONNECT-4H (4 Halves)	7	3	0.5	56	0.050	0.02
1 Connector 	AC-TTT-CONNECT-2H (2 Halves)	7	3	0.5	28	0.025	0.01
Each connector contains 2 halves. 1 half is placed on each corner of the table top, for a total of 4 halves per table.							
							
Wire Manager Mounting Clips With mounting screws	AC-PCLIP-Q100 (Set of 100 Clips)				108		

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*

Grommet Options:

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - add **$42 list**.

☐☐ **= Specify Grommet [G1] or [G3]**

☐☐ LL - Left/Left User Side

☐☐ CC - Center/Center User Side

☐☐ RR - Right/Right User Side




G1

Black Grommet



G3

Silver Grommet



In Surface Power/Data Placement Options:

Add optional power/data modules code (ex. O3CC) to end of product code and adjust list price.


☐☐ **= Specify power/data module [O3] or [E3] /or daisy chain electrical [O3DAS] or [E3DAS]**

☐☐ LC - Left/Center User Side

☐☐ CC - Center/Center User Side

☐☐ RC - Right/Center User Side

Note: on 48" Wide tops only the CC position is available





"O3" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
Standard Plug



"E3" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB-A+C Charger
Standard Plug



"O3DAS" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
60" Daisy Chain Cord



"E3DAS" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 USB A+C Charger
60" Daisy Chain Cord

Standard Electrical Options:

Description	*Model #*	*Price*
O3 Power (2 Power) - 120" Cord	**O3**	312
E3 Power (2 Power / 1 Dual USB) - 120" Cord	**E3**	520

Optional Daisy Chain Electrical:

Description	*Model #*	*Price*
O3DAS Daisy Chain Power Module - 60" Cord	**O3DAS**	520
E3DAS Daisy Chain Power Module - 60" Cord	**E3DAS**	728
Daisy Chain Starter Cord - 120" Cord	**AC120-DAS-START**	520

For worksurfaces greater than 60" wide an additional Jumper Cable is required to attach to the 60" cord on the O3DAS or E3DAS Daisy chain power module unit.

18" Jumper (For 66", 72", and 78" wide tables)	**AC18-DAS-JUMP**	156

Note: Allowed up to 8 total connection points (O3DAS/E3DAS or Jumper) before requiring another starter.

Note: Daisy chain electrical may be shipped separate from the remainder of the order.

VERSATILITY

PRICE BOOK

OFGO

STUDIO

FEATURES

- Units can be used together to create a wide variety of layouts.
- Units can be moved and reconfigured with ease for effortless transitions.
- Units are standard with a 1" (25.4mm) thick worksurface.
- Angled legs feature a bent tube design and are standard in powder coated silver.
- Units are standard with 2 locking and 2 non-locking casters with 1.5" wheel diameter.
- Optional ganging clips are available to allow quick and easy connection side to side or back to back.
- Units can be specified with power/USB modules which includes either 2 power outlets or 2 power outlets with 1 double USB terminal.
- Each power/USB module can be placed on the left side, right side, or center of worksurface.
- Units can be specified with daisy chain power/USB modules with up to 8 connection points on a single power feed.
- Optional wire management clips available.
- Greenguard Indoor Air Quality Certified®.

legs

s
-locking)

silver finish


ables include
ffener

ners
arately

VT4224-RC-V□-C12	42
VT4824-RC-V□-C12	48
VT5424-RC-V□-C12	54
VT6024-RC-V□-C12	60
VT6624-RC-V□-C12	66
VT7224-RC-V□-C12	72
VT3630-RC-V□-C12	36
VT4230-RC-V□-C12	42
VT4830-RC-V□-C12	48

Versatility series is GREENGUARD Indoor Air Quality Certified® assuring Versatility series meet strict chemical emissions limits, contributing to the creation of healthier interiors. The use of GREENGUARD Certified furniture can help design teams earn points in green building rating systems, satisfy code or ordinance criteria, and meet the indoor air quality specific RFP requirements.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System. For more information contact OFGO head office.



Rectangular Table

Includes 4 angled legs

Includes 4 casters
(2 locking; 2 non-locking)


Legs standard in silver finish

48" to 72" wide tables include
a worksurface stiffener

Top, legs, & stiffeners
are packaged separately

48" & 54" wide tables include one 35.5" wide worksurface stiffener
60" & 66" wide tables include one 47.5" wide worksurface stiffener
72" wide tables include one 59.5" wide worksurface stiffener

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
☐ = Specify metal finish: [1] Black [3] Silver [5] White						
VT3024-RC-V☐-C12	30	24	29	840	29.5	1.2
VT3624-RC-V☐-C12	36	24	29	880	33	1.3
VT4224-RC-V☐-C12	42	24	29	916	36.5	1.4
VT4824-RC-V☐-C12	48	24	29	1060	42.5	1.6
VT5424-RC-V☐-C12	54	24	29	1096	46	1.7
VT6024-RC-V☐-C12	60	24	29	1150	50	1.8
VT6624-RC-V☐-C12	66	24	29	1189	53.5	1.9
VT7224-RC-V☐-C12	72	24	29	1242	58	2
VT3630-RC-V☐-C12	36	30	29	969	38.3	1.5
VT4230-RC-V☐-C12	42	30	29	996	42.6	1.6
VT4830-RC-V☐-C12	48	30	29	1127	49.5	1.8
VT5430-RC-V☐-C12	54	30	29	1172	53.9	1.9
VT6030-RC-V☐-C12	60	30	29	1211	58.8	2
VT6630-RC-V☐-C12	66	30	29	1274	63.1	2.2
VT7230-RC-V☐-C12	72	30	29	1303	68.5	2.3



D-Top Table (6" Radius)

Includes 4 angled legs

Includes 4 casters
(2 locking; 2 non-locking)


Legs standard in silver finish

Includes a worksurface stiffener

Top, legs, & stiffeners
are packaged separately

48" wide tables include one 35.5" wide worksurface stiffener
60" wide tables include one 47.5" wide worksurface stiffener

☐ = Specify metal finish: [1] Black [3] Silver [5] White						
VT4824-DT6-V☐-C12	48	24	29	1298	42.5	1.6
VT6024-DT6-V☐-C12	60	24	29	1391	50	1.8
VT4830-DT6-V☐-C12	48	30	29	1411	49.5	1.8
VT6030-DT6-V☐-C12	60	30	29	1450	58.8	2.1



Pointed Rectangular Table

Includes 4 angled legs

Includes 4 casters
(2 locking; 2 non-locking)


Legs standard in silver finish


Includes a worksurface stiffener

Top, legs, & stiffeners
are packaged separately

51" wide tables include one 35.5" wide worksurface stiffener
63" wide tables include one 47.5" wide worksurface stiffener

☐ = Specify metal finish: [1] Black [3] Silver [5] White						
VT5124-PN-V☐-C12	51	26.7	29	1368	48	1.8
VT6324-PN-V☐-C12	63	27.4	29	1515	56.3	2





Quarter Round Top


with mounting brackets
and screws

VT2424-TP-VT	24	24	1	407	14	1.1
VT3030-TP-VT	30	30	1	563	21.9	1.7

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Left Angled Table							
Includes 4 angled legs	VT4824-AT-L30-V□-C12	48	30	29	1368	46	1.7
Includes 4 casters (2 locking; 2 non-locking)	VT5424-AT-L30-V□-C12	54	30	29	1411	49.9	1.8
Legs standard in silver finish	VT6024-AT-L30-V□-C12	60	30	29	1450	54.4	2
Includes a worksurface stiffener	VT6624-AT-L30-V□-C12	66	30	29	1515	58.3	2.1
Top, legs, & stiffeners are packaged separately	VT7224-AT-L30-V□-C12	72	30	29	1543	63.3	2.2

□ = Specify metal finish:
[1] Black
[3] Silver
[5] White


48" & 54" wide tables include one 35.5" wide worksurface stiffener
60" & 66" wide tables include one 47.5" wide worksurface stiffener
72" wide tables include one 59.5" wide worksurface stiffener



Right Angled Table							
Includes 4 angled legs	VT4824-AT-R30-V□-C12	48	30	29	1368	46	1.7
Includes 4 casters (2 locking; 2 non-locking)	VT5424-AT-R30-V□-C12	54	30	29	1411	49.9	1.8
Legs standard in silver finish	VT6024-AT-R30-V□-C12	60	30	29	1450	54.4	2
Includes a worksurface stiffener	VT6624-AT-R30-V□-C12	66	30	29	1515	58.3	2.1
Top, legs, & stiffeners are packaged separately	VT7224-AT-R30-V□-C12	72	30	29	1543	63.3	2.2


□ = Specify metal finish:
[1] Black
[3] Silver
[5] White


48" & 54" wide tables include one 35.5" wide worksurface stiffener
60" & 66" wide tables include one 47.5" wide worksurface stiffener
72" wide tables include one 59.5" wide worksurface stiffener



Trapezoid Table							
Includes 4 angled legs	VT4824-TZ-V□-C12	48	20.75	29	1298	36.5	1.6
Includes 4 casters (2 locking; 2 non-locking)	VT6030-TZ-V□-C12	60	26	29	1450	53.9	2
Legs standard in silver finish							
Top, legs, & stiffeners are packaged separately							
60" wide tables include one 35.5" wide worksurface stiffener							

□ = Specify metal finish:
[1] Black
[3] Silver
[5] White






Square Table							
Includes 4 angled legs	VT24-SQ-V□-C12	24	24	29	802	26	1.1
Includes 4 casters (2 locking; 2 non-locking)	VT30-SQ-V□-C12	30	30	29	950	33.9	1.4
Legs standard in silver finish	VT36-SQ-V□-C12	36	36	29	1014	43.5	1.6
Top and legs are packaged separately	VT42-SQ-V□-C12	42	42	29	1111	54.9	2
	VT48-SQ-V□-C12	48	48	29	1147	68	2.4

Round Table							
Includes 4 angled legs	VT24-RD-V□-C12	24	24	29	861	26	1.1
Includes 4 casters (2 locking; 2 non-locking)	VT30-RD-V□-C12	30	30	29	1011	33.9	1.4
Legs standard in silver finish	VT36-RD-V□-C12	36	36	29	1073	43.5	1.6
Top and legs are packaged separately	VT42-RD-V□-C12	42	42	29	1170	54.9	2
	VT48-RD-V□-C12	48	48	29	1205	68	2.4

□ = Specify metal finish:
[1] Black
[3] Silver
[5] White



12" Modesty Panel

Mounts below worksurface to provide privacy.

Mounting brackets included.

Attaches to worksurface with wood screws.

Brackets standard in silver finish

24" to 48" wide dividers include 2 mounting brackets
54" to 72" wide dividers include 3 mounting brackets

Specify laminate color when ordering.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ZN2412-MOD-L-Z☐	24	0.625	12	134	7	0.3
ZN3012-MOD-L-Z☐	30	0.625	12	134	9	0.4
ZN3612-MOD-L-Z☐	36	0.625	12	134	11	0.4
ZN4212-MOD-L-Z☐	42	0.625	12	155	12	0.5
ZN4812-MOD-L-Z☐	48	0.625	12	177	14	0.6
ZN5412-MOD-L-Z☐	54	0.625	12	198	16	0.6
ZN6012-MOD-L-Z☐	60	0.625	12	220	18	0.7
ZN6612-MOD-L-Z☐	66	0.625	12	242	19	0.8
ZN7212-MOD-L-Z☐	72	0.625	12	264	21	0.8

☐ = Specify bracket finish:
[1] Black
[3] Silver



Table Connector

Each connector contains 2 halves. 1 half is placed on each corner of the table top, for a total of 4 halves per table.

AC-TTT-CONNECT-4H (4 Halves)	7	3	0.5	56	0.050	0.02



Wire Manager Mounting Clips

With mounting screws

AC-PCLIP-Q100 (Set of 100 Clips)				108		

Grommet Options:

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - add **$42 list**.

☐☐ **= Specify Grommet [G1] or [G3]**


☐☐ LC - Left/Center User Side
☐☐ CC - Center/Center User Side
☐☐ RC - Right/Center User Side



G1
Black Grommet



G3
Silver Grommet




In Surface Power/Data Placement Options:

Add optional power/data modules code (ex. O3CC) to end of product code and adjust list price.

☐☐ **= Specify power/data module [O3] or [E3] /or daisy chain electrical [O3DAS] or [E3DAS]**

☐☐ LC - Left/Center User Side
☐☐ CC - Center/Center User Side
☐☐ RC - Right/Center User Side





"O3" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
Standard Plug



"E3" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB-A+C Charger
Standard Plug



"O3DAS" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
60" Daisy Chain Cord



"E3DAS" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 USB A+C Charger
60" Daisy Chain Cord

Standard Electrical Options:

Description	*Model #*	*Price*
O3 Power (2 Power) - 120" Cord	O3	312
E3 Power (2 Power / 1 Dual USB) - 120" Cord	E3	520

Optional Daisy Chain Electrical:

Description	*Model #*	*Price*
O3 Daisy Chain Power Module - 60" Cord	O3DAS	520
E3 Daisy Chain Power Module - 60" Cord	E3DAS	728
Daisy Chain Starter Cord - 120" Cord	AC120-DAS-START	520

For worksurfaces greater than 60" wide an additional Jumper Cable is required to attach to the 60" cord on the O3 or E3 Daisy chain power module unit.

18" Jumper (For 66", 72", and 78" wide tables)	AC18-DAS-JUMP	156

Note: Allowed up to 8 total connection points (O3/E3 or Jumper) before requiring another starter.



Note: Daisy chain electrical may be shipped separate from the remainder of the order.

VITA

PRICE BOOK



OFGO

STUDIO







VITA - BASE TO CORRESPONDING TOP CHART								
Top Size and Shape	Top Code	# of bases	Occasional Height		Seated Height		Bar Height**	
			16.5″ High Round Base 	16.5″ High Square Base 	28″ High Round Base 	28″ High Square Base 	40″ High Round Base 	40″ High Square Base 
Round Top Code			16″H Base Code	16″H Base Code	28″H Base Code	28″H Base Code	40″H Base Code	40″H Base Code
18″ Round	VA18-TP-RD	1	VA18-RD-16H-B	-	VA18-RD-28H-B	-	VA18-RD-40H-B	-
24″ Round	VA24-TP-RD	1	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	VA18-RD-40H-B	VA18-SQ-40H-B
30″ Round	VA30-TP-RD	1	VA22-RD-16H-B	VA18-SQ-16H-B	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
36″ Round	VA36-TP-RD	1	VA22-RD-16H-B	VA22-SQ-16H-B	VA22-RD-28H-B	VA22-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B
42″ Round	VA42-TP-RD	1	VA28-RD-16H-B	VA28-SQ-16H-B	VA28-RD-28H-B	VA28-SQ-28H-B	-	-
48″ Round	VA48-TP-RD	1	VA28-RD-16H-B	VA28-SQ-16H-B	VA28-RD-28H-B	VA28-SQ-28H-B	-	-
Square Top Code								
18″ x 18″	VA18-TP-SQ	1	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	VA18-RD-40H-B	VA18-SQ-40H-B
24″ x 24″	VA24-TP-SQ	1	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
30″ x 30″	VA30-TP-SQ	1	VA22-RD-16H-B	VA18-SQ-16H-B	VA22-RD-28H-B	VA18-SQ-28H-B	VA28-RD-40H-B	VA22-SQ-40H-B
36″ x 36″	VA36-TP-SQ	1	VA28-RD-16H-B	VA28-SQ-16H-B	VA28-RD-28H-B	VA28-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B
42″ x 42″	VA42-TP-SQ	1	VA28-RD-16H-B	VA28-SQ-16H-B	VA28-RD-28H-B	VA28-SQ-28H-B	-	-
24″ Depth - Rectangular Top Code								
30″ x 24″	VA3024-TP	1	VA22-RD-16H-B	VA18-SQ-16H-B	VA22-RD-28H-B	VA18-SQ-28H-B	-	-
36″ x 24″	VA3624-TP	1	VA22-RD-16H-B	VA22-SQ-16H-B	VA22-RD-28H-B	VA22-SQ-28H-B	-	-
42″ x 24″	VA4224-TP	1	VA22-RD-16H-B	VA22-SQ-16H-B	VA22-RD-28H-B	VA22-SQ-28H-B	-	-
*48″ x 24″	VA4824-TP	1	-	-	-	VA22-SQ-28H-B	-	-
*48″ x 24″	VA4824-TP	2	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	VA18-RD-40H-B	VA18-SQ-40H-B
54″ x 24″	VA5424-TP	2	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	-	-
60″ x 24″	VA6024-TP	2	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
66″ x 24″	VA6624-TP	2	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
72″ x 24″	VA7224-TP	2	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
78″ x 24″	VA7824-TP	2	-	-	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
84″ x 24″	VA8424-TP	2	-	-	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
96″ x 24″	VA9624-TP	2	-	-	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
30″ Depth - Rectangular Top Code								
36″ x 30″	VA3630-TP	1	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	-	-
42″ x 30″	VA4230-TP	1	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	-	-
*48″ x 30″	VA4830-TP	1	-	-	-	VA28-SQ-28H-B	-	-
*48″ x 30″	VA4830-TP	2	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	-	-
54″ x 30″	VA5430-TP	2	VA18-RD-16H-B	VA18-SQ-16H-B	VA18-RD-28H-B	VA18-SQ-28H-B	-	-
60″ x 30″	VA6030-TP	2	-	-	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
66″ x 30″	VA6630-TP	2	-	-	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
72″ x 30″	VA7230-TP	2	-	-	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
78″ x 30″	VA7830-TP	2	-	-	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
84″ x 30″	VA8430-TP	2	-	-	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B
96″ x 30″	VA9630-TP	2	-	-	VA22-RD-28H-B	VA18-SQ-28H-B	VA22-RD-40H-B	VA22-SQ-40H-B



* Option: 1 or 2 bases per top



** Note: The same base rules apply to bar height and counter height bases. For a counter height base change the bar height code above from 40H to 34H.


VITA - BASE TO CORRESPONDING TOP CHART								
Top Size and Shape	Top Code	# of bases	Occasional Height		Seated Height		Bar Height**	
			16.5″ High Round Base 	16.5″ High Square Base 	28″ High Round Base 	28″ High Square Base 	40″ High Round Base 	40″ High Square Base 
36″ Depth - Rectangular Top Code			16″H Base Code	16″H Base Code	28″H Base Code	28″H Base Code	40″H Base Code	40″H Base Code
72″ x 36″	VA7236-TP	2	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B
78″ x 36″	VA7836-TP	2	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B
84″ x 36″	VA8436-TP	2	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B
96″ x 36″	VA9636-TP	2	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B
42″ Depth - Rectangular Top Code								
72″ x 42″	VA7242-TP	2	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B
78″ x 42″	VA7842-TP	2	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B
84″ x 42″	VA8442-TP	2	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B
96″ x 42″	VA9642-TP	2	-	-	VA28-RD-28H-B	VA28-SQ-28H-B	VA28-RD-40H-B	VA28-SQ-40H-B

** Note: The same base rules apply to bar height and counter height bases. For a counter height base change the bar height code above from 40H to 34H.

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
 28" High	**Round Base** Meeting Height Table Base Adjustable Floor Levelers ☐ = **Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**	VA18-RD-28H-B☐	18	18	28.0	723	38	2.2
		VA22-RD-28H-B☐	22	22	28.0	782	52	2.3
		VA28-RD-28H-B☐	28	28	28.0	1070	78	2.4
 28" High	**Square Base** Meeting Height Table Base Adjustable Floor Levelers ☐ = **Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**	VA18-SQ-28H-B☐	18	18	28.0	723	46	2.2
		VA22-SQ-28H-B☐	22	22	28.0	782	64	2.3
		VA28-SQ-28H-B☐	28	28	28.0	1070	97	2.4
 34" High	**Round Base** Counter Height Table Base Adjustable Floor Levelers ☐ = **Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**	VA18-RD-34H-B☐	18	18	34.0	764	37	3
		VA22-RD-34H-B☐	22	22	34.0	822	51	3.1
		VA28-RD-34H-B☐	28	28	34.0	1112	77	3.3
 34" High	**Square Base** Counter Height Table Base Adjustable Floor Levelers ☐ = **Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**	VA18-SQ-34H-B☐	18	18	34.0	764	45	3
		VA22-SQ-34H-B☐	22	22	34.0	822	63	3.1
		VA28-SQ-34H-B☐	28	28	34.0	1112	96	3.3
 40" High	**Round Base** Bar Height Table Base Adjustable Floor Levelers ☐ = **Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**	VA18-RD-40H-B☐	18	18	40.0	776	39	3
		VA22-RD-40H-B☐	22	22	40.0	833	53	3.1
		VA28-RD-40H-B☐	28	28	40.0	1123	79	3.3
 40" High	**Square Base** Bar Height Table Base Adjustable Floor Levelers ☐ = **Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**	VA18-SQ-40H-B☐	18	18	40.0	776	47	3
		VA22-SQ-40H-B☐	22	22	40.0	833	65	3.1
		VA28-SQ-40H-B☐	28	28	40.0	1123	98	3.3

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
 16.5" High	**Round Base** Occasional Height Table Base Adjustable Floor Levelers	VA18-RD-16H-B☐	18	18	16.5	706	37	1.4
		VA22-RD-16H-B☐	22	22	16.5	764	51	1.5
		VA28-RD-16H-B☐	28	28	16.5	1054	77	1.6
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**							
 16.5" High	**Square Base** Occasional Height Table Base Adjustable Floor Levelers	VA18-SQ-16H-B☐	18	18	16.5	706	45	1.4
		VA22-SQ-16H-B☐	22	22	16.5	764	63	1.5
		VA28-SQ-16H-B☐	28	28	16.5	1054	96	1.6
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**							

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	**Round Top** 1" Thick	VA18-TP-RD	18	18	1	352	8	0.5
		VA24-TP-RD	24	24	1	352	14	0.7
		VA30-TP-RD	30	30	1	414	23	1
		VA36-TP-RD	36	36	1	448	33	2
		VA42-TP-RD	42	42	1	486	44	2
		VA48-TP-RD	48	48	1	526	58	3
	**Square Top** 1" Thick	VA18-TP-SQ	18	18	1	352	8	0.5
		VA24-TP-SQ	24	24	1	352	14	0.7
		VA30-TP-SQ	30	30	1	414	23	1
		VA36-TP-SQ	36	36	1	448	33	2
		VA42-TP-SQ	42	42	1	486	44	2
	**Rectangular Top** 1" Thick	VA3024-TP	30	24	1	206	18	1.4
		VA3624-TP	36	24	1	235	21	1.6
		VA4224-TP	42	24	1	279	25	1.9
		VA4824-TP	48	24	1	323	28	2.2
		VA5424-TP	54	24	1	354	32	2.4
		VA6024-TP	60	24	1	398	35	2.7
		VA6624-TP	66	24	1	426	39	2.9
		VA7224-TP	72	24	1	472	42	3.2
		VA7824-TP	78	24	1	514	46	3.5
		VA8424-TP	84	24	1	543	49	3.7
		VA9624-TP	96	24	1	634	56	4.3
		VA3630-TP	36	30	1	367	26	2
		VA4230-TP	42	30	1	398	31	2.3
		VA4830-TP	48	30	1	426	35	2.7
		VA5430-TP	54	30	1	456	39	3
		VA6030-TP	60	30	1	484	44	3.3
		VA6630-TP	66	30	1	530	48	3.6
		VA7230-TP	72	30	1	574	53	4
		VA7830-TP	78	30	1	617	57	4.3
		VA8430-TP	84	30	1	662	61	4.6
		VA9630-TP	96	30	1	780	70	5.3
		VA4236-TP	42	36	1	465	37	2.8
		VA4836-TP	48	36	1	479	42	3.2
		VA5436-TP	54	36	1	522	47	3.6
		VA6036-TP	60	36	1	580	53	4
		VA6636-TP	66	36	1	637	58	4.3
		VA7236-TP	72	36	1	696	63	4.7
		VA7836-TP	78	36	1	752	68	5.1
		VA8436-TP	84	36	1	809	74	5.5
		VA9636-TP	96	36	1	926	84	6.3
		VA4842-TP	48	42	1	678	49	3.7
		VA5442-TP	54	42	1	721	55	4.1
		VA6042-TP	60	42	1	778	61	4.6
		VA6642-TP	66	42	1	835	67	5
		VA7242-TP	72	42	1	895	74	5.4
		VA7842-TP	78	42	1	952	80	5.9
		VA8442-TP	84	42	1	1011	86	6.3
		VA9642-TP	96	42	1	1126	98	7.2

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
 **Pull Up Table** 1" Thick Top 1.25" diameter 14 gauge steel tube	PU201226-RC-B☐	20	12	26.5	787	22	3


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

CTX

PRICE BOOK

OFGO

STUDIO



T Leg
Rectangular Table
29" High
Meeting Height

Includes two T-Legs with 2" x 3" columns:
- 18" & 20" deep tables include two 18" deep T-Legs with 2" x 3" columns
- 24" deep tables include two 22" deep T-Legs with 2" x 3" columns
- 30" & 36" deep tables include two 26" deep T-Legs with 2" x 3" columns

T-Legs include adjustable floor levelers.


60" to 84" wide tables include worksurface stiffeners:
- 60" & 66" wide tables include one 35.5" wide worksurface stiffener
- 72" to 84" wide tables include one 47.5" wide worksurface stiffener
- Note: 36" Deep tables include two stiffeners

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

□ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* ^{3}
18" Deep Tables:						
CX361829-RC-TB□	36	18	29	959	39	1.18
CX421829-RC-TB□	42	18	29	997	41	1.28
CX481829-RC-TB□	48	18	29	1036	44	1.48
CX541829-RC-TB□	54	18	29	1061	47	1.58
CX601829-RC-TB□	60	18	29	1190	50	1.68
CX661829-RC-TB□	66	18	29	1216	53	1.78
CX721829-RC-TB□	72	18	29	1266	56	1.88
CX781829-RC-TB□	78	18	29	1303	59	1.98
CX841829-RC-TB□	84	18	29	1328	62	2.08
20" Deep Tables:						
CX362029-RC-TB□	36	20	29	969	42	1.28
CX422029-RC-TB□	42	20	29	1008	44	1.38
CX482029-RC-TB□	48	20	29	1046	47	1.58
CX542029-RC-TB□	54	20	29	1071	50	1.68
CX602029-RC-TB□	60	20	29	1200	53	1.78
CX662029-RC-TB□	66	20	29	1226	56	1.88
CX722029-RC-TB□	72	20	29	1276	59	1.98
CX782029-RC-TB□	78	20	29	1314	62	2.18
CX842029-RC-TB□	84	20	29	1338	65	2.28
24" Deep Tables:						
CX362429-RC-TB□	36	24	29	1036	46	1.40
CX422429-RC-TB□	42	24	29	1075	50	1.60
CX482429-RC-TB□	48	24	29	1113	53	1.70
CX542429-RC-TB□	54	24	29	1139	57	1.90
CX602429-RC-TB□	60	24	29	1268	60	2.00
CX662429-RC-TB□	66	24	29	1293	64	2.20
CX722429-RC-TB□	72	24	29	1343	67	2.30
CX782429-RC-TB□	78	24	29	1380	71	2.40
CX842429-RC-TB□	84	24	29	1406	74	2.60
30" Deep Tables:						
CX363029-RC-TB□	36	30	29	1193	53	1.62
CX423029-RC-TB□	42	30	29	1219	58	1.82
CX483029-RC-TB□	48	30	29	1244	62	2.02
CX543029-RC-TB□	54	30	29	1270	66	2.22
CX603029-RC-TB□	60	30	29	1385	71	2.32
CX663029-RC-TB□	66	30	29	1424	75	2.52
CX723029-RC-TB□	72	30	29	1475	80	2.72
CX783029-RC-TB□	78	30	29	1511	84	2.92
CX843029-RC-TB□	84	30	29	1551	88	3.02
36" Deep Tables:						
CX363629-RC-TB□	36	36	29	1262	59	1.92
CX423629-RC-TB□	42	36	29	1277	64	2.12
CX483629-RC-TB□	48	36	29	1290	69	2.32
CX543629-RC-TB□	54	36	29	1327	74	2.52
CX603629-RC-TB□	60	36	29	1557	80	2.72
CX663629-RC-TB□	66	36	29	1607	85	2.92
CX723629-RC-TB□	72	36	29	1681	90	3.12
CX783629-RC-TB□	78	36	29	1731	95	3.32
CX843629-RC-TB□	84	36	29	1779	101	3.52



T Leg
Rectangular Table
41" High
Standing Bar Height

Includes two T-Legs with 2" x 3" columns:
- 18" & 20" deep tables include two 18" deep T-Legs with 2" x 3" columns
- 24" deep tables include two 22" deep T-Legs with 2" x 3" columns
- 30" & 36" deep tables include two 26" deep T-Legs with 2" x 3" columns

T-Legs include adjustable floor levelers.


60″ to 84″ wide tables include worksurface stiffeners:
- 60" & 66" wide tables include one 35.5" wide worksurface stiffener
- 72" to 84" wide tables include one 47.5" wide worksurface stiffener
- Note: 36" Deep tables include two stiffeners

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

□ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* ^{3}
18" Deep Tables:						
CX361841-RC-TB□	36	18	41	1104	43	1.32
CX421841-RC-TB□	42	18	41	1143	45	1.42
CX481841-RC-TB□	48	18	41	1181	48	1.62
CX541841-RC-TB□	54	18	41	1206	51	1.72
CX601841-RC-TB□	60	18	41	1335	54	1.82
CX661841-RC-TB□	66	18	41	1361	57	1.92
CX721841-RC-TB□	72	18	41	1411	60	2.02
CX781841-RC-TB□	78	18	41	1449	63	2.12
CX841841-RC-TB□	84	18	41	1474	66	2.22
20" Deep Tables:						
CX362041-RC-TB□	36	20	41	1115	46	1.42
CX422041-RC-TB□	42	20	41	1153	48	1.52
CX482041-RC-TB□	48	20	41	1192	51	1.72
CX542041-RC-TB□	54	20	41	1217	54	1.82
CX602041-RC-TB□	60	20	41	1346	57	1.92
CX662041-RC-TB□	66	20	41	1372	60	2.02
CX722041-RC-TB□	72	20	41	1422	63	2.12
CX782041-RC-TB□	78	20	41	1459	66	2.32
CX842041-RC-TB□	84	20	41	1484	69	2.42
24" Deep Tables:						
CX362441-RC-TB□	36	24	41	1181	51	1.54
CX422441-RC-TB□	42	24	41	1221	55	1.74
CX482441-RC-TB□	48	24	41	1258	58	1.84
CX542441-RC-TB□	54	24	41	1284	62	2.04
CX602441-RC-TB□	60	24	41	1413	65	2.14
CX662441-RC-TB□	66	24	41	1438	69	2.34
CX722441-RC-TB□	72	24	41	1488	72	2.44
CX782441-RC-TB□	78	24	41	1526	76	2.54
CX842441-RC-TB□	84	24	41	1552	79	2.74
30" Deep Tables:						
CX363041-RC-TB□	36	30	41	1338	58	1.74
CX423041-RC-TB□	42	30	41	1364	63	1.94
CX483041-RC-TB□	48	30	41	1389	67	2.14
CX543041-RC-TB□	54	30	41	1415	71	2.34
CX603041-RC-TB□	60	30	41	1531	76	2.44
CX663041-RC-TB□	66	30	41	1569	80	2.64
CX723041-RC-TB□	72	30	41	1620	85	2.84
CX783041-RC-TB□	78	30	41	1657	89	3.04
CX843041-RC-TB□	84	30	41	1696	93	3.14
36" Deep Tables:						
CX363641-RC-TB□	36	36	41	1407	64	2.08
CX423641-RC-TB□	42	36	41	1423	69	2.28
CX483641-RC-TB□	48	36	41	1435	74	2.48
CX543641-RC-TB□	54	36	41	1473	79	2.68
CX603641-RC-TB□	60	36	41	1702	85	2.88
CX663641-RC-TB□	66	36	41	1752	90	3.08
CX723641-RC-TB□	72	36	41	1826	95	3.28
CX783641-RC-TB□	78	36	41	1876	100	3.48
CX843641-RC-TB□	84	36	41	1925	106	3.68

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT* [3]
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
	**T Leg**	**24" Deep Tables:**					
	D-Top Table w/	CX482429-DT6-TB☐	48	24	29	1321	50	1.70
	Two 6" Radius Corners	CX602429-DT6-TB☐	60	24	29	1476	60	2.00
	29" High							
	Meeting Height	**30" Deep Tables:**					
		CX483029-DT6-TB☐	48	30	29	1452	62	2.02
		CX603029-DT6-TB☐	60	30	29	1593	71	2.32


Includes two T-Legs with 2" x 3" columns:
- 24 deep tables include two 22" deep T-Legs with 2" x 3" columns
- 30" deep tables include two 26" deep T-Legs with 2" x 3" columns

T-Legs include adjustable floor levelers.

60" wide tables include one 35.5" wide worksurface stiffener.

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
	**T Leg**	CX512429-PN-TB☐	51	26.7	29	1478	64	1.90
	Pointed Rectangular Table	CX632429-PN-TB☐	63	27.4	29	1630	73	2.30
	29" High							
	Meeting Height							


Includes two 22" deep T-Legs with 2" x 3" columns.


T-Legs include adjustable floor levelers.


63" wide tables include one 35.5" wide worksurface stiffener.

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.






	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
	**T Leg**	CX4824-TZ-TB☐	48	20.75	29	1321	49	1.58
	Trapezoid Table	CX6030-TZ-TB☐	60	26	29	1593	69	2.10
	29" High							
	Meeting Height							


Includes two T-Legs with 2" x 3" columns:
- 20.75 deep tables include two 18" deep T-Legs with 2" x 3" columns
- 26" deep tables include two 22" deep T-Legs with 2" x 3" columns

T-Legs include adjustable floor levelers.


Tops & legs are packaged separately.

Top finish must be specified on PO when ordering.





T LEG - 29" HIGH MOBILE TABLES



T Leg - Mobile
Rectangular Table
29" High
Meeting Height

Includes two T-Legs with 2" x 3" columns:
- 18" & 20" deep tables include two 18" deep T-Legs with 2" x 3" columns
- 24" deep tables include two 22" deep T-Legs with 2" x 3" columns
- 30" deep tables include two 26" deep T-Legs with 2" x 3" columns

T-Legs each include 2 casters (1 locking; 1 non-locking)

60" to 84" wide tables include worksurface stiffeners:
- 60" & 66" wide tables include one 35.5" wide worksurface stiffener
- 72" to 84" wide tables include one 47.5" wide worksurface stiffener


Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

□ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* ^{3}
18" Deep Tables:						
CX361829-RC-C12-TBM□	36	18	29	1094	39	1.18
CX421829-RC-C12-TBM□	42	18	29	1133	41	1.28
CX481829-RC-C12-TBM□	48	18	29	1171	44	1.48
CX541829-RC-C12-TBM□	54	18	29	1196	47	1.58
CX601829-RC-C12-TBM□	60	18	29	1325	50	1.68
CX661829-RC-C12-TBM□	66	18	29	1351	53	1.78
CX721829-RC-C12-TBM□	72	18	29	1401	56	1.88
CX781829-RC-C12-TBM□	78	18	29	1438	59	1.98
CX841829-RC-C12-TBM□	84	18	29	1463	62	2.08
20" Deep Tables:						
CX362029-RC-C12-TBM□	36	20	29	1104	42	1.28
CX422029-RC-C12-TBM□	42	20	29	1143	44	1.38
CX482029-RC-C12-TBM□	48	20	29	1181	47	1.58
CX542029-RC-C12-TBM□	54	20	29	1206	50	1.68
CX602029-RC-C12-TBM□	60	20	29	1335	53	1.78
CX662029-RC-C12-TBM□	66	20	29	1361	56	1.88
CX722029-RC-C12-TBM□	72	20	29	1411	59	1.98
CX782029-RC-C12-TBM□	78	20	29	1449	62	2.18
CX842029-RC-C12-TBM□	84	20	29	1474	65	2.28
24" Deep Tables:						
CX362429-RC-C12-TBM□	36	24	29	1171	46	1.40
CX422429-RC-C12-TBM□	42	24	29	1211	50	1.60
CX482429-RC-C12-TBM□	48	24	29	1248	53	1.70
CX542429-RC-C12-TBM□	54	24	29	1274	57	1.90
CX602429-RC-C12-TBM□	60	24	29	1403	60	2.00
CX662429-RC-C12-TBM□	66	24	29	1428	64	2.20
CX722429-RC-C12-TBM□	72	24	29	1478	67	2.30
CX782429-RC-C12-TBM□	78	24	29	1515	71	2.40
CX842429-RC-C12-TBM□	84	24	29	1541	74	2.60
30" Deep Tables:						
CX363029-RC-C12-TBM□	36	30	29	1328	53	1.62
CX423029-RC-C12-TBM□	42	30	29	1354	58	1.82
CX483029-RC-C12-TBM□	48	30	29	1379	62	2.02
CX543029-RC-C12-TBM□	54	30	29	1405	66	2.22
CX603029-RC-C12-TBM□	60	30	29	1520	71	2.32
CX663029-RC-C12-TBM□	66	30	29	1559	75	2.52
CX723029-RC-C12-TBM□	72	30	29	1610	80	2.72
CX783029-RC-C12-TBM□	78	30	29	1646	84	2.92
CX843029-RC-C12-TBM□	84	30	29	1686	88	3.02

T LEG - 41" HIGH MOBILE TABLES



T Leg - Mobile
Rectangular Table
41" High
Standing Bar Height

Includes two T-Legs with 2" x 3" columns:
- 18" & 20" deep tables include two 18" deep T-Legs with 2" x 3" columns
- 24" deep tables include two 22" deep T-Legs with 2" x 3" columns
- 30" deep tables include two 26" deep T-Legs with 2" x 3" columns

T-Legs each include 2 casters (1 locking; 1 non-locking)

60" to 84" wide tables include worksurface stiffeners:
- 60" & 66" wide tables include one 35.5" wide worksurface stiffener
- 72" to 84" wide tables include one 47.5" wide worksurface stiffener

Tops, legs & stiffeners are packaged separately.


Top finish must be specified on PO when ordering.

□ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* ^{3}
18" Deep Tables:						
CX361841-RC-C12-TBM□	36	18	41	1240	43	1.32
CX421841-RC-C12-TBM□	42	18	41	1278	45	1.42
CX481841-RC-C12-TBM□	48	18	41	1317	48	1.62
CX541841-RC-C12-TBM□	54	18	41	1342	51	1.72
CX601841-RC-C12-TBM□	60	18	41	1471	54	1.82
CX661841-RC-C12-TBM□	66	18	41	1497	57	1.92
CX721841-RC-C12-TBM□	72	18	41	1546	60	2.02
CX781841-RC-C12-TBM□	78	18	41	1584	63	2.12
CX841841-RC-C12-TBM□	84	18	41	1609	66	2.22
20" Deep Tables:						
CX362041-RC-C12-TBM□	36	20	41	1250	46	1.42
CX422041-RC-C12-TBM□	42	20	41	1289	48	1.52
CX482041-RC-C12-TBM□	48	20	41	1327	51	1.72
CX542041-RC-C12-TBM□	54	20	41	1352	54	1.82
CX602041-RC-C12-TBM□	60	20	41	1481	57	1.92
CX662041-RC-C12-TBM□	66	20	41	1507	60	2.02
CX722041-RC-C12-TBM□	72	20	41	1557	63	2.12
CX782041-RC-C12-TBM□	78	20	41	1594	66	2.32
CX842041-RC-C12-TBM□	84	20	41	1619	69	2.42
24" Deep Tables:						
CX362441-RC-C12-TBM□	36	24	41	1317	51	1.54
CX422441-RC-C12-TBM□	42	24	41	1356	55	1.74
CX482441-RC-C12-TBM□	48	24	41	1394	58	1.84
CX542441-RC-C12-TBM□	54	24	41	1420	62	2.04
CX602441-RC-C12-TBM□	60	24	41	1549	65	2.14
CX662441-RC-C12-TBM□	66	24	41	1574	69	2.34
CX722441-RC-C12-TBM□	72	24	41	1623	72	2.44
CX782441-RC-C12-TBM□	78	24	41	1661	76	2.54
CX842441-RC-C12-TBM□	84	24	41	1687	79	2.74
30" Deep Tables:						
CX363041-RC-C12-TBM□	36	30	41	1474	58	1.74
CX423041-RC-C12-TBM□	42	30	41	1500	63	1.94
CX483041-RC-C12-TBM□	48	30	41	1525	67	2.14
CX543041-RC-C12-TBM□	54	30	41	1551	71	2.34
CX603041-RC-C12-TBM□	60	30	41	1666	76	2.44
CX663041-RC-C12-TBM□	66	30	41	1705	80	2.64
CX723041-RC-C12-TBM□	72	30	41	1756	85	2.84
CX783041-RC-C12-TBM□	78	30	41	1792	89	3.04
CX843041-RC-C12-TBM□	84	30	41	1831	93	3.14

T LEG - 29" HIGH MOBILE SHAPED TABLES

CTX



T Leg - Mobile
D-Top Table w/
Two 6" Radius Corners
29" High
Meeting Height

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	W	D	H	Price	LB	FT 3
24" Deep Tables:						
CX482429-DT6-C12-TBM☐	48	24	29	1456	50	1.70
CX602429-DT6-C12-TBM☐	60	24	29	1611	60	2.00
30" Deep Tables:						
CX483029-DT6-C12-TBM☐	48	30	29	1587	62	2.02
CX603029-DT6-C12-TBM☐	60	30	29	1728	71	2.32


Includes two T-Legs with 2" x 3" columns:
- 24 deep tables include two 22" deep T-Legs with 2" x 3" columns
- 30" deep tables include two 26" deep T-Legs with 2" x 3" columns

T-Legs each include 2 casters (1 locking; 1 non-locking)

60" wide tables include one 35.5" wide worksurface stiffener.

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.



T Leg - Mobile
Pointed Rectangular Table
29" High
Meeting Height

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

CX512429-PN-C12-TBM☐	51	26.7	29	1613	64	1.90
CX632429-PN-C12-TBM☐	63	27.4	29	1765	73	2.30


Includes two 22" deep T-Legs with 2" x 3" columns.


T-Legs each include 2 casters (1 locking; 1 non-locking)


63" wide tables include one 35.5" wide worksurface stiffener.

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.







T Leg - Mobile
Trapezoid Table
29" High
Meeting Height

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White


CX4824-TZ-C12-TBM☐	48	20.75	29	1456	49	1.58
CX6030-TZ-C12-TBM☐	60	26	29	1728	69	2.10


Includes two T-Legs with 2" x 3" columns:
- 20.75 deep tables include two 18" deep T-Legs with 2" x 3" columns
- 26" deep tables include two 22" deep T-Legs with 2" x 3" columns


T-Legs each include 2 casters (1 locking; 1 non-locking)

Tops & legs are packaged separately.

Top finish must be specified on PO when ordering.







C Leg
Rectangular Table
29" High
Meeting Height

Includes two C-Legs with 2" x 3" columns:
- 24" deep tables include two 22" deep C-Legs with 2" x 3" columns
- 30" deep tables include two 26" deep C-Legs with 2" x 3" columns

C-Legs include adjustable floor levelers.


60" to 84" wide tables include worksurface stiffeners:
- 60" & 66" wide tables include one 35.5" wide worksurface stiffener
- 72" to 84" wide tables include one 47.5" wide worksurface stiffener

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

□ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* ^{3}
24" Deep Tables:						
CX362429-RC-CB□	36	24	29	1036	46	1.40
CX422429-RC-CB□	42	24	29	1075	50	1.60
CX482429-RC-CB□	48	24	29	1113	53	1.70
CX542429-RC-CB□	54	24	29	1139	57	1.90
CX602429-RC-CB□	60	24	29	1268	60	2.00
CX662429-RC-CB□	66	24	29	1293	64	2.20
CX722429-RC-CB□	72	24	29	1343	67	2.30
CX782429-RC-CB□	78	24	29	1380	71	2.40
CX842429-RC-CB□	84	24	29	1406	74	2.60
30" Deep Tables:						
CX363029-RC-CB□	36	30	29	1193	53	1.62
CX423029-RC-CB□	42	30	29	1219	58	1.82
CX483029-RC-CB□	48	30	29	1244	62	2.02
CX543029-RC-CB□	54	30	29	1270	66	2.22
CX603029-RC-CB□	60	30	29	1385	71	2.32
CX663029-RC-CB□	66	30	29	1424	75	2.52
CX723029-RC-CB□	72	30	29	1475	80	2.72
CX783029-RC-CB□	78	30	29	1511	84	2.92
CX843029-RC-CB□	84	30	29	1551	88	3.02



C Leg
Rectangular Table
41" High
Standing Bar Height

Includes two C-Legs with 2" x 3" columns:
- 24" deep tables include two 22" deep C-Legs with 2" x 3" columns
- 30" deep tables include two 26" deep C-Legs with 2" x 3" columns

C-Legs include adjustable floor levelers.


60" to 84" wide tables include worksurface stiffeners:
- 60" & 66" wide tables include one 35.5" wide worksurface stiffener
- 72" to 84" wide tables include one 47.5" wide worksurface stiffener

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

□ = Specify metal finish:
[1] Black
[3] Silver
[5] White

24" Deep Tables:						
CX362441-RC-CB□	36	24	41	1181	51	1.54
CX422441-RC-CB□	42	24	41	1221	55	1.74
CX482441-RC-CB□	48	24	41	1258	58	1.84
CX542441-RC-CB□	54	24	41	1284	62	2.04
CX602441-RC-CB□	60	24	41	1413	65	2.14
CX662441-RC-CB□	66	24	41	1438	69	2.34
CX722441-RC-CB□	72	24	41	1488	72	2.44
CX782441-RC-CB□	78	24	41	1526	76	2.54
CX842441-RC-CB□	84	24	41	1552	79	2.74
30" Deep Tables:						
CX363041-RC-CB□	36	30	41	1338	58	1.74
CX423041-RC-CB□	42	30	41	1364	63	1.94
CX483041-RC-CB□	48	30	41	1389	67	2.14
CX543041-RC-CB□	54	30	41	1415	71	2.34
CX603041-RC-CB□	60	30	41	1531	76	2.44
CX663041-RC-CB□	66	30	41	1569	80	2.64
CX723041-RC-CB□	72	30	41	1620	85	2.84
CX783041-RC-CB□	78	30	41	1657	89	3.04
CX843041-RC-CB□	84	30	41	1696	93	3.14



C Leg - Mobile
Rectangular Table
29" High
Meeting Height

Includes two C-Legs with 2" x 3" columns:
- 24" deep tables include two 22" deep C-Legs with 2" x 3" columns
- 30" deep tables include two 26" deep C-Legs with 2" x 3" columns

C-Legs each include 2 casters (1 locking; 1 non-locking)


60" to 84" wide tables include worksurface stiffeners:
- 60" & 66" wide tables include one 35.5" wide worksurface stiffener
- 72" to 84" wide tables include one 47.5" wide worksurface stiffener

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* ^{3}
24" Deep Tables:						
CX362429-RC-C12-CBM☐	36	24	29	1171	46	1.40
CX422429-RC-C12-CBM☐	42	24	29	1211	50	1.60
CX482429-RC-C12-CBM☐	48	24	29	1248	53	1.70
CX542429-RC-C12-CBM☐	54	24	29	1274	57	1.90
CX602429-RC-C12-CBM☐	60	24	29	1403	60	2.00
CX662429-RC-C12-CBM☐	66	24	29	1428	64	2.20
CX722429-RC-C12-CBM☐	72	24	29	1478	67	2.30
CX782429-RC-C12-CBM☐	78	24	29	1515	71	2.40
CX842429-RC-C12-CBM☐	84	24	29	1541	74	2.60
30" Deep Tables:						
CX363029-RC-C12-CBM☐	36	30	29	1328	53	1.62
CX423029-RC-C12-CBM☐	42	30	29	1354	58	1.82
CX483029-RC-C12-CBM☐	48	30	29	1379	62	2.02
CX543029-RC-C12-CBM☐	54	30	29	1405	66	2.22
CX603029-RC-C12-CBM☐	60	30	29	1520	71	2.32
CX663029-RC-C12-CBM☐	66	30	29	1559	75	2.52
CX723029-RC-C12-CBM☐	72	30	29	1610	80	2.72
CX783029-RC-C12-CBM☐	78	30	29	1646	84	2.92
CX843029-RC-C12-CBM☐	84	30	29	1686	88	3.02



C Leg - Mobile
Rectangular Table
41" High
Standing Bar Height

Includes two C-Legs with 2" x 3" columns:
- 24" deep tables include two 22" deep C-Legs with 2" x 3" columns
- 30" deep tables include two 26" deep C-Legs with 2" x 3" columns

C-Legs each include 2 casters (1 locking; 1 non-locking)

60" to 84" wide tables include worksurface stiffeners:
- 60" & 66" wide tables include one 35.5" wide worksurface stiffener
- 72" to 84" wide tables include one 47.5" wide worksurface stiffener

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

24" Deep Tables:						
CX362441-RC-C12-CBM☐	36	24	41	1317	51	1.54
CX422441-RC-C12-CBM☐	42	24	41	1356	55	1.74
CX482441-RC-C12-CBM☐	48	24	41	1394	58	1.84
CX542441-RC-C12-CBM☐	54	24	41	1420	62	2.04
CX602441-RC-C12-CBM☐	60	24	41	1549	65	2.14
CX662441-RC-C12-CBM☐	66	24	41	1574	69	2.34
CX722441-RC-C12-CBM☐	72	24	41	1623	72	2.44
CX782441-RC-C12-CBM☐	78	24	41	1661	76	2.54
CX842441-RC-C12-CBM☐	84	24	41	1687	79	2.74
30" Deep Tables:						
CX363041-RC-C12-CBM☐	36	30	41	1474	58	1.74
CX423041-RC-C12-CBM☐	42	30	41	1500	63	1.94
CX483041-RC-C12-CBM☐	48	30	41	1525	67	2.14
CX543041-RC-C12-CBM☐	54	30	41	1551	71	2.34
CX603041-RC-C12-CBM☐	60	30	41	1666	76	2.44
CX663041-RC-C12-CBM☐	66	30	41	1705	80	2.64
CX723041-RC-C12-CBM☐	72	30	41	1756	85	2.84
CX783041-RC-C12-CBM☐	78	30	41	1792	89	3.04
CX843041-RC-C12-CBM☐	84	30	41	1831	93	3.14

Model No.	W	D	H	Price	LB	FT 3

Grommet Options:

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - add **$42 list**.


☐ ☐ **= Specify Grommet [G1] or [G3]**
☐ ☐ LL - Left/Left User Side (Not Available 18" Deep Tables)
☐ ☐ LC - Left/Center User Side (Not Available 36"x18" or 42"x18" Deep Tables)
☐ ☐ CC - Center/Center User Side
☐ ☐ LC - Right/Center User Side (Not Available 36"x18" or 42"x18" Deep Tables)
☐ ☐ RR - Right/Right User Side (Not Available 18" Deep Tables)
☐ ☐ HC - Middle/Center User Side



G1
Black Grommet
$42 List




G3
Silver Grommet
$42 List



In Surface Power/Data Placement Options:

Add optional power/data modules code (ex. O3CC) to end of product code and adjust list price.

☐ ☐ **= Specify power/data module [O3] or [E3] /or daisy chain electrical [O3DAS] or [E3DAS]**
☐ ☐ LL - Left/Left User Side (Not Available 18" Deep Tables)
☐ ☐ LC - Left/Center User Side (Not Available 36"x18" or 42"x18" Deep Tables)
☐ ☐ CC - Center/Center User Side
☐ ☐ LC - Right/Center User Side (Not Available 36"x18" or 42"x18" Deep Tables)
☐ ☐ RR - Right/Right User Side (Not Available 18" Deep Tables)
☐ ☐ HC - Middle/Center User Side
☐ ☐ VC - Middle/Center User Side (Vertical Position)





"O3" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
Standard Plug



"E3" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB-A+C Charger
Standard Plug



"O3DAS" (Silver Fog Finish)

Power Module Includes:
2 Power Receptacles
60" Daisy Chain Cord



"E3DAS" (Silver Fog Finish)

Power/USB Module Includes:
2 Power Receptacles with
1 USB A+C Charger
60" Daisy Chain Cord

Standard Electrical Options:

Description	*Model #*	*Price*
O3 Power (2 Power) - 120" Cord	O3	312
E3 Power (2 Power / 1 Dual USB) - 120" Cord	E3	520

Optional Daisy Chain Electrical:

Description	*Model #*	*Price*
O3DAS Daisy Chain Power Module - 60" Cord	O3DAS	520
E3DAS Daisy Chain Power Module - 60" Cord	E3DAS	728
Daisy Chain Starter Cord - 120" Cord	AC120-DAS-START	520


For worksurfaces greater than 60" wide an additional Jumper Cable is required to attach to the 60" cord on the O3DAS or E3DAS Daisy chain power module unit.

18" Jumper (For 66" to 78" wide tables)	AC18-DAS-JUMP	156
36" Jumper (For 84" to 96" wide tables)	AC36-DAS-JUMP	172

Note: Allowed up to 8 total connection points (O3DAS/E3DAS or Jumper) before requiring another starter.

Note: Daisy chain electrical may be shipped separate from the remainder of the order.

U LEG - 29" HIGH RECTANGULAR TABLE



U Leg
Rectangular Table
29" High
Meeting Height

60" to 96" Wide tables include two 36" Deep U-Legs with 2" x 3" columns.

120 to 168" Wide tables include three 36" Deep U-Legs with 2" x 3" columns.

U-Legs include adjustable floor levelers.

84" to 168" wide tables include worksurface stiffeners:
- 84" & 96" wide tables include two 47.5" wide worksurface stiffeners
- 144" wide tables include four 47.5" wide worksurface stiffeners
- 168" wide tables include four 59.5" wide worksurface stiffeners

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

Note: 120' to 168' wide tables will ship in two pieces.

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	W	D	H	Price	LB	FT ^{3}
36" Deep Tables:						
CX603629-RC-UB☐	60	36	29	1480	100	3.14
CX723629-RC-UB☐	72	36	29	1581	110	3.54
CX783629-RC-UB☐	78	36	29	1631	115	3.74
CX843629-RC-UB☐	84	36	29	1705	121	3.94
CX963629-RC-UB☐	96	36	29	2016	131	4.34
CX1203629-RC-UB☐	120	36	29	2294	177	5.61
CX1443629-RC-UB☐	144	36	29	2525	197	6.51
CX1683629-RC-UB☐	168	36	29	2633	219	7.31
42" Deep Tables:						
CX604229-RC-UB☐	60	42	29	1615	108	3.44
CX724229-RC-UB☐	72	42	29	1716	121	3.94
CX784229-RC-UB☐	78	42	29	1766	127	4.14
CX844229-RC-UB☐	84	42	29	1840	133	4.44
CX964229-RC-UB☐	96	42	29	2151	145	4.84
CX1204229-RC-UB☐	120	42	29	2565	193	6.31
CX1444229-RC-UB☐	144	42	29	2796	219	7.21
CX1684229-RC-UB☐	168	42	29	2904	243	8.21

Optional Power/Data Modules:

Model No.	Description	
M1VC	One "M1" (Black) Power Module [Placed in top center in a vertical position]	+ $293 to Price
M3VC	One "M3" (Silver) Power Module [Placed in top center in a vertical position]	+ $293 to Price
U2VC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $532 to Price
W2VC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $619 to Price
E3VC	One "E3" (Silver Fog) Power Module [Placed in top center in a vertical position]	+ $520 to Price
M1HC	One "M1" (Black) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
M3HC	One "M3" (Silver) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
U2HC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $532 to Price
W2HC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $619 to Price
E3HC	One "E3" (Silver Fog) Power Module [Placed in top center in a horizontal position]	+ $520 to Price
M1Q2	Two "M1" (Back) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
M3Q2	Two "M3" (Silver) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
U2Q2	Two "U2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1064 to Price
W2Q2	Two "W2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1238 to Price
E3Q2	Two "E3" (Silver Fog) Power Module [Placed in each top center in a vertical position]	+ $1040 to Price

(VC) POWER POSITIONING:



VC positioning not available on two piece tops.

(HC) POWER POSITIONING:



(Q2) POWER POSITIONING:






"M1" (Black Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"M3" (Silver Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports
Standard with Aluminum Frame



"W2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
4 Open Voice/Data Ports
Standard with Aluminum Frame



"E3" (Silver Fog Finish)
Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB A+C Charger

How To Order with Optional Power:


STEP 1: Select table model number (ex.CX964229-RC-UB3)

STEP 2: Add optional Power/Data Modules (ex. M1VC)

Example: CX964229-RC-UB3-M1VC



Grain on multiple piece tops will not match exactly due to material variances.



U Leg
Rectangular Table
29" High
Meeting Height

Model No.	W	D	H	Price	LB	FT ^{3}
□ = Specify metal finish:						
[1] Black						
[3] Silver						
[5] White						
48" Deep Tables:						
CX604829-RC-UB□	60	48	29	1735	121	3.74
CX724829-RC-UB□	72	48	29	1836	136	4.34
CX784829-RC-UB□	78	48	29	1886	144	4.54
CX844829-RC-UB□	84	48	29	1959	150	4.84
CX964829-RC-UB□	96	48	29	2270	168	5.34
CX1204829-RC-UB□	120	48	29	2804	219	6.91
CX1444829-RC-UB□	144	48	29	3035	249	8.01
CX1684829-RC-UB□	168	48	29	3143	277	9.11

60" to 96" Wide tables include two 36" Deep U-Legs with 2" x 3" columns.

120 to 168" Wide tables include three 36" Deep U-Legs with 2" x 3" columns.


U-Legs include adjustable floor levelers.

84" to 168" wide tables include worksurface stiffeners:
- 84" & 96" wide tables include two 47.5" wide worksurface stiffeners
- 144" wide tables include four 47.5" wide worksurface stiffeners
- 168" wide tables include four 59.5" wide worksurface stiffeners

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

Note: 120' to 168' wide tables will ship in two pieces.



Optional Power/Data Modules:

Model No.	Description	
M1VC	One "M1" (Black) Power Module [Placed in top center in a vertical position]	+ $293 to Price
M3VC	One "M3" (Silver) Power Module [Placed in top center in a vertical position]	+ $293 to Price
U2VC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $532 to Price
W2VC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $619 to Price
E3VC	One "E3" (Silver Fog) Power Module [Placed in top center in a vertical position]	+ $520 to Price
M1HC	One "M1" (Black) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
M3HC	One "M3" (Silver) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
U2HC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $532 to Price
W2HC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $619 to Price
E3HC	One "E3" (Silver Fog) Power Module [Placed in top center in a horizontal position]	+ $520 to Price
M1Q2	Two "M1" (Back) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
M3Q2	Two "M3" (Silver) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
U2Q2	Two "U2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1064 to Price
W2Q2	Two "W2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1238 to Price
E3Q2	Two "E3" (Silver Fog) Power Module [Placed in each top center in a vertical position]	+ $1040 to Price

(VC) POWER POSITIONING:



VC positioning not available on two piece tops.

(HC) POWER POSITIONING:



(Q2) POWER POSITIONING:





"M1" (Black Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"M3" (Silver Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports
Standard with Aluminum Frame



"W2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
4 Open Voice/Data Ports
Standard with Aluminum Frame



"E3" (Silver Fog Finish)
Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB A+C Charger

How To Order with Optional Power:

STEP 1: Select table model number (ex.CX964829-RC-UB3)

STEP 2: Add optional Power/Data Modules (ex. M1VC)


Example: CX964829-RC-UB3-M1VC



Grain on multiple piece tops will not match exactly due to material variances.

U LEG - 41" HIGH RECTANGULAR TABLE

CTX



U Leg
Rectangular Table
41" High
Standing Bar Height

60" to 96" Wide tables include two 36" Deep U-Legs with 2" x 3" columns.

120 to 168" Wide tables include three 36" Deep U-Legs with 2" x 3" columns.

U-Legs include adjustable floor levelers.

84" to 168" wide tables include worksurface stiffeners:
- 84" & 96" wide tables include two 47.5" wide worksurface stiffeners
- 144" wide tables include four 47.5" wide worksurface stiffeners
- 168" wide tables include four 59.5" wide worksurface stiffeners

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

Note: 120' to 168' wide tables will ship in two pieces.

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	W	D	H	Price	LB	FT ^{3}
36" Deep Tables:						
CX603641-RC-UB☐	60	36	41	1626	110	3.42
CX723641-RC-UB☐	72	36	41	1726	120	3.82
CX783641-RC-UB☐	78	36	41	1776	125	4.02
CX843641-RC-UB☐	84	36	41	1850	131	4.22
CX963641-RC-UB☐	96	36	41	2161	141	4.62
CX1203641-RC-UB☐	120	36	41	2440	191	6.03
CX1443641-RC-UB☐	144	36	41	2671	211	6.93
CX1683641-RC-UB☐	168	36	41	2779	233	7.73
42" Deep Tables:						
CX604241-RC-UB☐	60	42	41	1761	118	3.72
CX724241-RC-UB☐	72	42	41	1862	131	4.22
CX784241-RC-UB☐	78	42	41	1912	137	4.42
CX844241-RC-UB☐	84	42	41	1985	143	4.72
CX964241-RC-UB☐	96	42	41	2296	155	5.12
CX1204241-RC-UB☐	120	42	41	2710	207	6.73
CX1444241-RC-UB☐	144	42	41	2941	233	7.63
CX1684241-RC-UB☐	168	42	41	3049	257	8.63

Optional Power/Data Modules:

Model No.	Description	
M1VC	One "M1" (Black) Power Module [Placed in top center in a vertical position]	+ $293 to Price
M3VC	One "M3" (Silver) Power Module [Placed in top center in a vertical position]	+ $293 to Price
U2VC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $532 to Price
W2VC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $619 to Price
E3VC	One "E3" (Silver Fog) Power Module [Placed in top center in a vertical position]	+ $520 to Price
M1HC	One "M1" (Black) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
M3HC	One "M3" (Silver) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
U2HC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $532 to Price
W2HC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $619 to Price
E3HC	One "E3" (Silver Fog) Power Module [Placed in top center in a horizontal position]	+ $520 to Price
M1Q2	Two "M1" (Back) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
M3Q2	Two "M3" (Silver) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
U2Q2	Two "U2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1064 to Price
W2Q2	Two "W2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1238 to Price
E3Q2	Two "E3" (Silver Fog) Power Module [Placed in each top center in a vertical position]	+ $1040 to Price

(VC) POWER POSITIONING:



VC positioning not available on two piece tops.

(HC) POWER POSITIONING:



(Q2) POWER POSITIONING:





"M1" (Black Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"M3" (Silver Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports
Standard with Aluminum Frame



"W2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
4 Open Voice/Data Ports
Standard with Aluminum Frame



"E3" (Silver Fog Finish)
Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB A+C Charger

How To Order with Optional Power:

STEP 1: Select table model number (ex.CX964241-RC-UB3)

STEP 2: Add optional Power/Data Modules (ex. M1VC)


Example: CX964241-RC-UB3-M1VC



Grain on multiple piece tops will not match exactly due to material variances.

U LEG - 29" HIGH BOAT SHAPE TABLE

CTX



U Leg
Boat Shape Table
29" High
Meeting Height

60" to 96" Wide tables include two 36" Deep U-Legs with 2" x 3" columns.

120 to 168" Wide tables include three 36" Deep U-Legs with 2" x 3" columns.

U-Legs include adjustable floor levelers.

84" to 168" wide tables include worksurface stiffeners:
- 84" & 96" wide tables include two 47.5" wide worksurface stiffeners
- 144" wide tables include four 47.5" wide worksurface stiffeners
- 168" wide tables include four 59.5" wide worksurface stiffeners

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

Note: 120' to 168' wide tables will ship in two pieces.

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

Model No.	W	D	H	Price	LB	FT ^{3}
42" Deep Tables:						
CX604229-BS-UB☐	60	42	29	1615	108	3.44
CX724229-BS-UB☐	72	42	29	1716	121	3.94
CX784229-BS-UB☐	78	42	29	1766	127	4.14
CX844229-BS-UB☐	84	42	29	1840	133	4.44
CX964229-BS-UB☐	96	42	29	2151	145	4.84
CX1204229-BS-UB☐	120	42	29	2565	193	6.31
CX1444229-BS-UB☐	144	42	29	2796	219	7.21
CX1684229-BS-UB☐	168	42	29	2904	243	8.21
48" Deep Tables:						
CX604829-BS-UB☐	60	48	29	1735	121	3.74
CX724829-BS-UB☐	72	48	29	1836	136	4.34
CX784829-BS-UB☐	78	48	29	1886	144	4.54
CX844829-BS-UB☐	84	48	29	1959	150	4.84
CX964829-BS-UB☐	96	48	29	2270	168	5.34
CX1204829-BS-UB☐	120	48	29	2804	219	6.91
CX1444829-BS-UB☐	144	48	29	3035	249	8.01
CX1684829-BS-UB☐	168	48	29	3143	277	9.11

Optional Power/Data Modules:

Model No.	Description	
M1VC	One "M1" (Black) Power Module [Placed in top center in a vertical position]	+ $293 to Price
M3VC	One "M3" (Silver) Power Module [Placed in top center in a vertical position]	+ $293 to Price
U2VC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $532 to Price
W2VC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $619 to Price
E3VC	One "E3" (Silver Fog) Power Module [Placed in top center in a vertical position]	+ $520 to Price
M1HC	One "M1" (Black) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
M3HC	One "M3" (Silver) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
U2HC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $532 to Price
W2HC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $619 to Price
E3HC	One "E3" (Silver Fog) Power Module [Placed in top center in a horizontal position]	+ $520 to Price
M1Q2	Two "M1" (Back) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
M3Q2	Two "M3" (Silver) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
U2Q2	Two "U2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1064 to Price
W2Q2	Two "W2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1238 to Price
E3Q2	Two "E3" (Silver Fog) Power Module [Placed in each top center in a vertical position]	+ $1040 to Price

(VC) POWER POSITIONING:



VC positioning not available on two piece tops.

(HC) POWER POSITIONING:



(Q2) POWER POSITIONING:





"M1" (Black Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"M3" (Silver Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports
Standard with Aluminum Frame



"W2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
4 Open Voice/Data Ports
Standard with Aluminum Frame



"E3" (Silver Fog Finish)
Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB A+C Charger

How To Order with Optional Power:

STEP 1: Select table model number (ex.CX964229-BS-UB3)

STEP 2: Add optional Power/Data Modules (ex. M1VC)


Example: CX964229-BS-UB3-M1VC



Grain on multiple piece tops will not match exactly due to material variances.

U LEG - 41" HIGH BOAT SHAPE TABLE

CTX



U Leg
Boat Shape Table
41" High
Standing Bar Height

Model No.	W	D	H	Price	LB	FT ^{3}
□ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
42" Deep Tables:						
CX604241-BS-UB□	60	42	41	1761	118	3.72
CX724241-BS-UB□	72	42	41	1862	131	4.22
CX784241-BS-UB□	78	42	41	1912	137	4.42
CX844241-BS-UB□	84	42	41	1985	143	4.72
CX964241-BS-UB□	96	42	41	2296	155	5.12
CX1204241-BS-UB□	120	42	41	2710	207	6.73
CX1444241-BS-UB□	144	42	41	2941	233	7.63
CX1684241-BS-UB□	168	42	41	3049	257	8.63

60" to 96" Wide tables include two 36" Deep U-Legs with 2" x 3" columns.

120 to 168" Wide tables include three 36" Deep U-Legs with 2" x 3" columns.

U-Legs include adjustable floor levelers.

84" to 168" wide tables include worksurface stiffeners:
- 84" & 96" wide tables include two 47.5" wide worksurface stiffeners
- 144" wide tables include four 47.5" wide worksurface stiffeners
- 168" wide tables include four 59.5" wide worksurface stiffeners

Tops, legs & stiffeners are packaged separately.

Top finish must be specified on PO when ordering.

Note: 120' to 168' wide tables will ship in two pieces.

Optional Power/Data Modules:

Model No.	Description	
M1VC	One "M1" (Black) Power Module [Placed in top center in a vertical position]	+ $293 to Price
M3VC	One "M3" (Silver) Power Module [Placed in top center in a vertical position]	+ $293 to Price
U2VC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $532 to Price
W2VC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $619 to Price
E3VC	One "E3" (Silver Fog) Power Module [Placed in top center in a vertical position]	+ $520 to Price
M1HC	One "M1" (Black) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
M3HC	One "M3" (Silver) Power Module [Placed in top center in a horizontal position]	+ $293 to Price
U2HC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $532 to Price
W2HC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a horizontal position]	+ $619 to Price
E3HC	One "E3" (Silver Fog) Power Module [Placed in top center in a horizontal position]	+ $520 to Price
M1Q2	Two "M1" (Back) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
M3Q2	Two "M3" (Silver) Power Module [Placed in each top center in a vertical position]	+ $586 to Price
U2Q2	Two "U2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1064 to Price
W2Q2	Two "W2" (Brushed Nickel) Power Module [Placed in each top center in a vertical position]	+ $1238 to Price
E3Q2	Two "E3" (Silver Fog) Power Module [Placed in each top center in a vertical position]	+ $1040 to Price

(VC) POWER POSITIONING:




VC positioning not available on two piece tops.

(HC) POWER POSITIONING:



(Q2) POWER POSITIONING:





"M1" (Black Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"M3" (Silver Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports
Standard with Aluminum Frame



"W2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
4 Open Voice/Data Ports
Standard with Aluminum Frame



"E3" (Silver Fog Finish)
Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB A+C Charger

How To Order with Optional Power:

STEP 1: Select table model number (ex.CX964241-BS-UB3)

STEP 2: Add optional Power/Data Modules (ex. M1VC)


Example: CX964241-BS-UB3-M1VC



Grain on multiple piece tops will not match exactly due to material variances.

U LEG - 29" HIGH D-SHAPE TABLES

CTX



U Leg
D Shape Table
29" High
Meeting Height

Includes two 36" Deep U-Legs with 2" x 3" columns.
U-Legs include adjustable floor levelers.
72" wide tables include two 35.5" wide worksurface stiffeners.
78" to 84" wide tables include two 47.5" wide worksurface stiffeners.
96" wide tables include two 59.5" wide worksurface stiffeners.
Tops, legs & stiffeners are packaged separately.
Top finish must be specified on PO when ordering.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* ^{3}
☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
36" Deep Tables:						
CX603629-DT-UB☐	60	36	29	1480	100	3.14
CX723629-DT-UB☐	72	36	29	1581	110	3.54
CX783629-DT-UB☐	78	36	29	1631	115	3.74
CX843629-DT-UB☐	84	36	29	1705	121	3.94
CX963629-DT-UB☐	96	36	29	2016	131	4.34
42" Deep Tables:						
CX604229-DT-UB☐	60	42	29	1615	108	3.44
CX724229-DT-UB☐	72	42	29	1716	121	3.94
CX784229-DT-UB☐	78	42	29	1766	127	4.14
CX844229-DT-UB☐	84	42	29	1840	133	4.44
CX964229-DT-UB☐	96	42	29	2151	145	4.84
48" Deep Tables:						
CX604829-DT-UB☐	60	48	29	1735	108	3.74
CX724829-DT-UB☐	72	48	29	1836	121	4.34
CX784829-DT-UB☐	78	48	29	1886	127	4.54
CX844829-DT-UB☐	84	48	29	1959	133	4.84
CX964829-DT-UB☐	96	48	29	2270	145	5.34

Optional Power/Data Modules:

Model No.	Description	
M1VC	One "M1" (Black) Power Module [Placed in top center in a vertical position]	+ $293 to Price
M3VC	One "M3" (Silver) Power Module [Placed in top center in a vertical position]	+ $293 to Price
U2VC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $532 to Price
W2VC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $619 to Price
E3VC	One "E3" (Silver Fog) Power Module [Placed in top center in a vertical position]	+ $520 to Price

(VC) POWER POSITIONING:





"M1" (Black Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"M3" (Silver Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports
Standard with Aluminum Frame



"W2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
4 Open Voice/Data Ports
Standard with Aluminum Frame




"E3" (Silver Fog Finish)
Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB A+C Charger

How To Order with Optional Power:

STEP 1: Select table model number (ex.CX964229-DT-UB3)
STEP 2: Add optional Power/Data Modules (ex. M1VC)
Example: CX964229-DT-UB3-M1VC

U LEG - 41" HIGH D-SHAPE TABLES

CTX



U Leg
D Shape Table
41" High
Standing Bar Height

Includes two 36" Deep U-Legs with 2" x 3" columns.
U-Legs include adjustable floor levelers.
72" wide tables include two 35.5" wide worksurface stiffeners.
78" to 84" wide tables include two 47.5" wide worksurface stiffeners.
96" wide tables include two 59.5" wide worksurface stiffeners.
Tops, legs & stiffeners are packaged separately.
Top finish must be specified on PO when ordering.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT* [3]
☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
36" Deep Tables:						
CX603641-DT-UB☐	60	36	41	1626	110	3.42
CX723641-DT-UB☐	72	36	41	1726	120	3.82
CX783641-DT-UB☐	78	36	41	1776	125	4.02
CX843641-DT-UB☐	84	36	41	1850	131	4.22
CX963641-DT-UB☐	96	36	41	2161	141	4.62
42" Deep Tables:						
CX604241-DT-UB☐	60	42	41	1761	118	3.72
CX724241-DT-UB☐	72	42	41	1862	131	4.22
CX784241-DT-UB☐	78	42	41	1912	137	4.42
CX844241-DT-UB☐	84	42	41	1985	143	4.72
CX964241-DT-UB☐	96	42	41	2296	155	5.12

Optional Power/Data Modules:

Model No.	Description	
M1VC	One "M1" (Black) Power Module [Placed in top center in a vertical position]	+ $293 to Price
M3VC	One "M3" (Silver) Power Module [Placed in top center in a vertical position]	+ $293 to Price
U2VC	One "U2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $532 to Price
W2VC	One "W2" (Brushed Nickel) Power Module [Placed in top center in a vertical position]	+ $619 to Price
E3VC	One "E3" (Silver Fog) Power Module [Placed in top center in a vertical position]	+ $520 to Price

(VC) POWER POSITIONING:






"M1" (Black Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"M3" (Silver Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports



"U2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
2 Open Voice/Data Ports
Standard with Aluminum Frame



"W2" (Brushed Nickel Finish)
Power/Data Module Includes:
2 Power Receptacles
4 Open Voice/Data Ports
Standard with Aluminum Frame



"E3" (Silver Fog Finish)
Power/USB Module Includes:
2 Power Receptacles with
1 Dual USB A+C Charger

How To Order with Optional Power:

STEP 1: Select table model number (ex.CX964241-DT-UB3)
STEP 2: Add optional Power/Data Modules (ex. M1VC)
Example: CX964241-DT-UB3-M1VC


	Model No.	*W*	*D*	*H*	Price	*LB*	*FT* [3]
□ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**							
X Base	CX303029-RD-XB□	30	30	29	992	44	1.26
Round Table	CX363629-RD-XB□	36	36	29	1084	54	1.66
29" High	CX424229-RD-XB□	42	42	29	1357	68	3.31
Meeting Height	CX484829-RD-XB□	48	48	29	1496	84	4.06



Includes one X base with a 3" diameter column:
- 30" and 36" round tables include a 26" base spread.
- 42" round tables include a 32" base spread.
- 48" round tables include a 36" base spread.

X base includes adjustable floor levelers.
Tops and legs are packaged separately.
Top finish must be specified on PO when ordering.


□ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**							
X Base	CX303035-RD-XB□	30	30	35	1042	46	1.98
Round Table	CX363635-RD-XB□	36	36	35	1134	57	3.02
35" High	CX424235-RD-XB□	42	42	35	1407	70	3.67
Counter Height							



Includes one X base with a 3" diameter column:
- 30" round tables include a 26" base spread.
- 36" round tables include a 32" base spread.
- 42" round tables include a 36" base spread.

X base includes adjustable floor levelers.
Tops and legs are packaged separately.
Top finish must be specified on PO when ordering.

□ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**							
X Base	CX303041-RD-XB□	30	30	41	1045	47	2.04
Round Table	CX363641-RD-XB□	36	36	41	1137	59	3.13
41" High	CX424241-RD-XB□	42	42	41	1410	72	3.78
Standing Bar Height							



Includes one X base with a 3" diameter column:
- 30" round tables include a 26" base spread.
- 36" round tables include a 32" base spread.
- 42" round tables include a 36" base spread.

X base includes adjustable floor levelers.
Tops and legs are packaged separately.
Top finish must be specified on PO when ordering.

□ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**							
X Base	CX303017-RD-XB□	30	30	17.5	974	42	1.82
Round Table	CX363617-RD-XB□	36	36	17.5	1066	55	2.69
17.5" High	CX424217-RD-XB□	42	42	17.5	1340	67	3.34
Coffee Height							



Includes one X base with a 3" diameter column:
- 30" and 36" round tables include a 26" base spread.
- 42" round tables include a 32" base spread.

X base includes adjustable floor levelers.
Tops and legs are packaged separately.
Top finish must be specified on PO when ordering.

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT* ^{3}
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
X Base **Square Table** **29" High** **Meeting Height**	CX303029-SQ-XB☐	30	30	29	992	44	1.66
	CX363629-SQ-XB☐	36	36	29	1084	57	3.31
	CX424229-SQ-XB☐	42	42	29	1357	70	4.06



Includes one X base with a 3" diameter column:
- 30" square tables include a 26" base spread.
- 36" square tables include a 32" base spread.
- 42" square tables include a 36" base spread.

X base includes adjustable floor levelers.
Tops and legs are packaged separately.
Top finish must be specified on PO when ordering.

	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
X Base **Square Table** **35" High** **Counter Height**	CX303035-SQ-XB☐	30	30	35	1042	46	1.98
	CX363635-SQ-XB☐	36	36	35	1134	57	3.02



Includes one X base with a 3" diameter column:
- 30" square tables include a 26" base spread.
- 36" square tables include a 32" base spread.

X base includes adjustable floor levelers.
Tops and legs are packaged separately.
Top finish must be specified on PO when ordering.

	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
X Base **Square Table** **41" High** **Standing Bar Height**	CX303041-SQ-XB☐	30	30	41	1045	47	2.04
	CX363641-SQ-XB☐	36	36	41	1137	59	3.13



Includes one X base with a 3" diameter column:
- 30" square tables include a 26" base spread.
- 36" square tables include a 32" base spread.


X base includes adjustable floor levelers.
Tops and legs are packaged separately.
Top finish must be specified on PO when ordering.

	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
X Base **Square Table** **17.5" High** **Coffee Height**	CX303017-SQ-XB☐	30	30	17.5	974	42	1.82
	CX363617-SQ-XB☐	36	36	17.5	1066	55	2.69



Includes one X base with a 3" diameter column:
- 30" square tables include a 26" base spread.
- 36" square tables include a 32" base spread.

X base includes adjustable floor levelers.
Tops and legs are packaged separately.
Top finish must be specified on PO when ordering.




	Model No.	W	D	H	Price	LB	FT 3
	☐ = Specify metal finish: [1] Black [3] Silver [5] White						
4 Column X Base	CX484829-RD-4PXB☐	48	48	29	1653	105	4.21
Round Table	CX545429-RD-4PXB☐	54	54	29	1757	119	4.81
29" High	CX606029-RD-4PXB☐	60	60	29	1861	133	5.41
Meeting Height							

Includes one 4 Column X base with a 2" x 3" columns:
- 48" x 48" round tables include a 36" base spread.
- 54" x 54" round tables include a 48" base spread.
- 60" x 60" round tables include a 48" base spread.

X base includes adjustable floor levelers.

Tops and legs are packaged separately.

Top finish must be specified on PO when ordering.




	Model No.	W	D	H	Price	LB	FT 3
	☐ = Specify metal finish: [1] Black [3] Silver [5] White						
4 Column X Base	CX484829-SQ-4PXB☐	48	48	29	1653	105	4.21
Square Table	CX545429-SQ-4PXB☐	54	54	29	1757	119	4.81
29" High	CX606029-SQ-4PXB☐	60	60	29	1861	133	5.41
Meeting Height							

Includes one 4 Column X base with a 2" x 3" columns:
- 48" x 48" square tables include a 48" base spread.
- 54" x 54" square tables include a 48" base spread.
- 60" x 60" square tables include a 48" base spread.

X base includes adjustable floor levelers.

Tops and legs are packaged separately.


Top finish must be specified on PO when ordering.

	Model No.	W	D	H	Price	LB	FT^3
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
T Leg **28" High** Meeting Height 2" x 3" Column 6" x 8" Top Plate Adjustable Floor Levelers	CX18-TB-28H-B☐	18	3	28	395	11.8	0.24
	CX22-TB-28H-B☐	22	3	28	416	12.7	0.25
	CX26-TB-28H-B☐	26	3	28	437	13.6	0.26

Top Sizes Per Base Type:

18" Base Spread	18"-20" Deep x 36"-84" Wide Tops
22" Base Spread	24" Deep x 36"-84" Wide Tops
26" Base Spread	30"-36" Deep x 36"-84" Wide Tops


When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.

	Model No.	W	D	H	Price	LB	FT^3
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
T Leg **40" High** Standing Bar Height 2" x 3" Column 6" x 8" Top Plate Adjustable Floor Levelers	CX18-TB-40H-B☐	18	3	40	468	14.2	0.31
	CX22-TB-40H-B☐	22	3	40	489	15	0.32
	CX26-TB-40H-B☐	26	3	40	510	16	0.34

Top Sizes Per Base Type:

18" Base Spread	18"-20" Deep x 36"-84" Wide Tops
22" Base Spread	24" Deep x 36"-84" Wide Tops
26" Base Spread	30"-36" Deep x 36"-84" Wide Tops


When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.

	Model No.	W	D	H	Price	LB	FT^3
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
T Leg - Mobile **28" High** Meeting Height 2" x 3" Column 6" x 8" Top Plate Includes 2 casters (1 locking; 1 non-locking)	CX18-TBM-28H-C12-B☐	18	3	28	463	11.8	0.24
	CX22-TBM-28H-C12-B☐	22	3	28	484	12.7	0.25
	CX26-TBM-28H-C12-B☐	26	3	28	504	13.6	0.26

Top Sizes Per Base Type:

18" Base Spread	18"-20" Deep x 36"-84" Wide Tops
22" Base Spread	24" Deep x 36"-84" Wide Tops
26" Base Spread	30" Deep x 36"-84" Wide Tops


When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.

	Model No.	W	D	H	Price	LB	FT^3
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
T Leg - Mobile **40" High** Standing Bar Height 2" x 3" Column 6" x 8" Top Plate Includes 2 casters (1 locking; 1 non-locking)	CX18-TBM-40H-C12-B☐	18	3	40	536	14.2	0.31
	CX22-TBM-40H-C12-B☐	22	3	40	556	15	0.32
	CX26-TBM-40H-C12-B☐	26	3	40	577	16	0.34

Top Sizes Per Base Type:

18" Base Spread	18"-20" Deep x 36"-84" Wide Tops
22" Base Spread	24" Deep x 36"-84" Wide Tops
26" Base Spread	30" Deep x 36"-84" Wide Tops


When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
C Leg	CX22-CB-28H-B☐	22	3	28	416	12.7	0.25
28" High							
Meeting Height	CX26-CB-28H-B☐	26	3	28	437	13.6	0.26
2" x 3" Column							
6" x 8" Top Plate							
Adjustable Floor Levelers							

When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.

Top Sizes Per Base Type:


22" Base Spread	24" Deep x 36"-84" Wide Tops
26" Base Spread	30" Deep x 36"-84" Wide Tops

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
C Leg	CX22-CB-40H-B☐	22	3	40	489	15	0.32
40" High							
Standing Bar Height	CX26-CB-40H-B☐	26	3	40	510	16	0.34
2" x 3" Column							
6" x 8" Top Plate							
Adjustable Floor Levelers							

When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.

Top Sizes Per Base Type:


22" Base Spread	24" Deep x 36"-84" Wide Tops
26" Base Spread	30" Deep x 36"-84" Wide Tops

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
C Leg - Mobile	CX22-CBM-28H-C12-B☐	22	3	28	484	12.7	0.25
28" High							
Meeting Height	CX26-CBM-28H-C12-B☐	26	3	28	504	13.6	0.26
2" x 3" Column							
6" x 8" Top Plate							
Includes 2 casters (1 locking; 1 non-locking)							

When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.

Top Sizes Per Base Type:


22" Base Spread	24" Deep x 36"-84" Wide Tops
26" Base Spread	30" Deep x 36"-84" Wide Tops

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
C Leg - Mobile	CX22-CBM-40H-C12-B☐	22	3	40	556	15	0.32
40" High							
Standing Bar Height	CX26-CBM-40H-C12-B☐	26	3	40	577	16	0.34
2" x 3" Column							
6" x 8" Top Plate							
Includes 2 casters (1 locking; 1 non-locking)							

When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.

Top Sizes Per Base Type:


22" Base Spread	24" Deep x 36"-84" Wide Tops
26" Base Spread	30" Deep x 36"-84" Wide Tops

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
	**U Base**						
28" High	CX36-UB-28H-B☐	36	3	28	489	23.7	0.47
Meeting Height							
2" x 3" Column	CX48-UB-28H-B☐	48	3	28	549	25.7	0.50
6" x 8" Top Plate							
Adjustable Floor Levelers							

When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.

Top Sizes Per Base Type:


36" Base Spread	36"-48" Deep x 60"-84" Wide Tops
48" Base Spread	54"-60" Deep x 60"-84" Wide Tops

	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
	**U Base**						
40" High	CX36-UB-40H-B☐	36	3	40	562	28.5	0.61
Standing Bar Height							
2" x 3" Column							
6" x 8" Top Plate							
Adjustable Floor Levelers							

When pairing with a surface, a stiffener bar must be specified when an unsupported span between two base columns is greater then 48" wide. Worksurfaces under 30" depth require 1 stiffener. Worksurfaces over 30" depth require 2 stiffeners.


Top Sizes Per Base Type:

36" Base Spread	36"-48" Deep x 60"-84" Wide Tops

	Model No.	W	D	H	Price	LB	FT^3
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
X Base	CX26-XB-28H-B☐	26	26	28	688	21.3	0.26
28" High							
Meeting Height	CX32-XB-28H-B☐	32	32	28	935	24	1.51
3" Diameter Column							
10" x 10" Top Plate	CX36-XB-28H-B☐	36	36	28	1039	25.8	1.76
Adjustable Floor Levelers							


Top Sizes Per Base Type:

26" Base Spread	30" & 36" Round / 30" x 30" Square Tops
32" Base Spread	42" Round / 36" x 36" Square Tops
36" Base Spread	48" Round / 42" x 42" Square Tops

	Model No.	W	D	H	Price	LB	FT^3
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
X Base	CX26-XB-34H-B☐	26	26	34	738	22.6	0.98
34" High							
Counter Height	CX32-XB-34H-B☐	32	32	34	985	25.3	1.62
3" Diameter Column							
10" x 10" Top Plate	CX36-XB-34H-B☐	36	36	34	1089	27.1	1.87
Adjustable Floor Levelers							

Top Sizes Per Base Type:

26" Base Spread	30" Round / 30" x 30" Square Tops
32" Base Spread	36" Round / 36" x 36" Square Tops
36" Base Spread	42" Round / 42" x 42" Square Tops

	Model No.	W	D	H	Price	LB	FT^3
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
X Base	CX26-XB-40H-B☐	26	26	40	742	23.8	1.04
40" High							
Standing Bar Height	CX32-XB-40H-B☐	32	32	40	988	26.5	1.73
3" Diameter Column							
10" x 10" Top Plate	CX36-XB-40H-B☐	36	36	40	1092	28.3	1.98
Adjustable Floor Levelers							


Top Sizes Per Base Type:

26" Base Spread	30" Round / 30" x 30" Square Tops
32" Base Spread	36" Round / 36" x 36" Square Tops
36" Base Spread	42" Round / 42" x 42" Square Tops

	Model No.	*W*	*D*	*H*	Price	*LB*	*FT^3*
	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
X Base **16.5" High**							
Coffee Table Height	CX26-XB-16H-B☐	26	26	16.5	671	19	0.82
3" Diameter Column							
10" x 10" Top Plate	CX32-XB-16H-B☐	32	32	16.5	917	21.7	1.29
Adjustable Floor Levelers							
	CX36-XB-16H-B☐	36	36	16.5	1021	23.5	1.54

Top Sizes Per Base Type:

26" Base Spread	30" & 36" Round / 30" x 30" Square Tops
32" Base Spread	42" Round / 36" x 36" Square Tops
36" Base Spread	48" Round / 42" x 42" Square Tops


	☐ = Specify metal finish: **[1] Black** **[3] Silver** **[5] White**						
							
4 Column X Base **28" High**							
Meeting Height	CX36-4PXB-28H-B☐	36	36	28	1092	46.8	1.91
2" x 3" Columns							
6" x 8" Top Plates	CX48-4PXB-28H-B☐	48	48	28	1192	50.8	2.50
Adjustable Floor Levelers							

Top Sizes Per Base Type:

36" Base Spread	48" Round Top
48" Base Spread	54" & 60" Round / 48" - 60" Square Tops

	Model No.	W	D	H	Price	LB	FT³
 **Table Connector** Each connector contains 2 halves. 1 half is placed on each corner of the table top, for a total of 4 halves per table.	AC-TTT-CONNECT-4H (4 Halves)	6	3	0.5	56	0.05	0.0

☐ = Specify bracket finish:
[1] Black
[3] Silver



12" Back Modesty Panel (TFL)

Mounts below worksurface to provide privacy.

Mounting brackets included.


Attaches to worksurface with wood screws.

Specify laminate color when ordering.

ZN3612-MOD-L-Z☐	36	0.625	12	134	11	0.4
ZN3912-MOD-L-Z☐	39	0.625	12	155	11	0.5
ZN4212-MOD-L-Z☐	42	0.625	12	155	12	0.5
ZN4512-MOD-L-Z☐	45	0.625	12	177	13	0.6
ZN4812-MOD-L-Z☐	48	0.625	12	177	14	0.6
ZN5112-MOD-L-Z☐	51	0.625	12	198	15	0.6
ZN5412-MOD-L-Z☐	54	0.625	12	198	16	0.6
ZN5712-MOD-L-Z☐	57	0.625	12	220	17	0.7
ZN6012-MOD-L-Z☐	60	0.625	12	220	18	0.7
ZN6312-MOD-L-Z☐	63	0.625	12	242	18	0.8
ZN6612-MOD-L-Z☐	66	0.625	12	242	19	0.8
ZN6912-MOD-L-Z☐	69	0.625	12	264	20	0.8
ZN7212-MOD-L-Z☐	72	0.625	12	264	21	0.8
ZN7512-MOD-L-Z☐	75	0.625	12	288	22	0.9
ZN7812-MOD-L-Z☐	78	0.625	12	288	23	0.9
ZN8412-MOD-L-Z☐	84	0.625	12	332	25	0.95

36" to 48" wide dividers include 2 mounting brackets
54" to 84" wide dividers include 3 mounting brackets

☐ = Specify bracket finish:
[1] Black
[3] Silver



18" Back Modesty Panel (TFL)

Mounts below worksurface to provide privacy.


Mounting brackets included.

Attaches to worksurface with wood screws.

Specify laminate color when ordering.

ZN3618-MOD-L-Z☐	36	0.625	18	206	15	0.6
ZN3918-MOD-L-Z☐	39	0.625	18	228	15	0.7
ZN4218-MOD-L-Z☐	42	0.625	18	228	16	0.7
ZN4518-MOD-L-Z☐	45	0.625	18	250	17	0.8
ZN4818-MOD-L-Z☐	48	0.625	18	250	18	0.8
ZN5118-MOD-L-Z☐	51	0.625	18	272	19	0.9
ZN5418-MOD-L-Z☐	54	0.625	18	272	20	0.9
ZN5718-MOD-L-Z☐	57	0.625	18	295	21	1.0
ZN6018-MOD-L-Z☐	60	0.625	18	295	22	1.0
ZN6318-MOD-L-Z☐	63	0.625	18	317	22	1.1
ZN6618-MOD-L-Z☐	66	0.625	18	317	23	1.1
ZN6918-MOD-L-Z☐	69	0.625	18	339	24	1.2
ZN7218-MOD-L-Z☐	72	0.625	18	339	25	1.2
ZN7518-MOD-L-Z☐	75	0.625	18	360	26	1.3
ZN7818-MOD-L-Z☐	78	0.625	18	360	27	1.3
ZN8418-MOD-L-Z☐	84	0.625	18	406	29	1.4

36" to 48" wide dividers include 2 mounting brackets
54" to 84" wide dividers include 3 mounting brackets



12" Wrap Around Modesty Panel (TFL)

Contains Modesty Panels for the Back, Left, and Right Side

Mounts below worksurface.

Mounting brackets included.


Attaches to worksurface with wood screws.

Specify laminate color when ordering.

☐ = Specify bracket finish:
[1] Black
[3] Silver

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
For use on 20" deep tables:						
CX362012-WWMOD-L-Z☐	36	20	12	418	21	0.9
CX422012-WWMOD-L-Z☐	42	20	12	439	22	1.0
CX482012-WWMOD-L-Z☐	48	20	12	460	24	1.1
CX542012-WWMOD-L-Z☐	54	20	12	480	26	1.1
CX602012-WWMOD-L-Z☐	60	20	12	502	28	1.2
CX662012-WWMOD-L-Z☐	66	20	12	480	29	1.3
CX722012-WWMOD-L-Z☐	72	20	12	544	31	1.3
CX782012-WWMOD-L-Z☐	78	20	12	567	33	1.4
CX842012-WWMOD-L-Z☐	84	20	12	610	35	1.5
For use on 24" deep tables:						
CX362412-WWMOD-L-Z☐	36	24	12	434	23	1.1
CX422412-WWMOD-L-Z☐	42	24	12	454	24	1.2
CX482412-WWMOD-L-Z☐	48	24	12	475	26	1.3
CX542412-WWMOD-L-Z☐	54	24	12	496	28	1.3
CX602412-WWMOD-L-Z☐	60	24	12	518	30	1.4
CX662412-WWMOD-L-Z☐	66	24	12	496	31	1.5
CX722412-WWMOD-L-Z☐	72	24	12	560	33	1.5
CX782412-WWMOD-L-Z☐	78	24	12	582	35	1.6
CX842412-WWMOD-L-Z☐	84	24	12	626	37	1.6
For use on 30" deep tables:						
CX363012-WWMOD-L-Z☐	36	30	12	449	25	1.2
CX423012-WWMOD-L-Z☐	42	30	12	470	26	1.3
CX483012-WWMOD-L-Z☐	48	30	12	491	28	1.4
CX543012-WWMOD-L-Z☐	54	30	12	512	30	1.4
CX603012-WWMOD-L-Z☐	60	30	12	534	32	1.5
CX663012-WWMOD-L-Z☐	66	30	12	512	33	1.6
CX723012-WWMOD-L-Z☐	72	30	12	575	35	1.6
CX783012-WWMOD-L-Z☐	78	30	12	598	37	1.7
CX843012-WWMOD-L-Z☐	84	30	12	642	39	1.8
For use on 36" deep tables:						
CX363612-WWMOD-L-Z☐	36	36	12	465	27	1.4
CX423612-WWMOD-L-Z☐	42	36	12	486	28	1.5
CX483612-WWMOD-L-Z☐	48	36	12	506	30	1.6
CX543612-WWMOD-L-Z☐	54	36	12	527	32	1.6
CX603612-WWMOD-L-Z☐	60	36	12	549	34	1.7
CX663612-WWMOD-L-Z☐	66	36	12	527	35	1.8
CX723612-WWMOD-L-Z☐	72	36	12	591	37	1.8
CX783612-WWMOD-L-Z☐	78	36	12	614	39	1.9
CX843612-WWMOD-L-Z☐	84	36	12	657	41	2.0

WRAP AROUND MODESTY PANELS - 18" HIGH



18" Wrap Around Modesty Panel (TFL)

Contains Modesty Panels for the Back, Left, and Right Side

Mounts below worksurface.

Mounting brackets included.

Attaches to worksurface with wood screws.

Specify laminate color when ordering.

□ = Specify bracket finish:
[1] Black
[3] Silver

Model No.	W	D	H	Price	LB	FT^3
For use on 20" deep tables:						
CX362018-WWMOD-L-Z□	36	20	18	627	25	1.1
CX422018-WWMOD-L-Z□	42	20	18	649	26	1.2
CX482018-WWMOD-L-Z□	48	20	18	671	28	1.3
CX542018-WWMOD-L-Z□	54	20	18	692	30	1.4
CX602018-WWMOD-L-Z□	60	20	18	713	32	1.5
CX662018-WWMOD-L-Z□	66	20	18	734	33	1.6
CX722018-WWMOD-L-Z□	72	20	18	756	35	1.7
CX782018-WWMOD-L-Z□	78	20	18	777	37	1.8
CX842018-WWMOD-L-Z□	84	20	18	821	39	1.9
For use on 24" deep tables:						
CX362418-WWMOD-L-Z□	36	24	18	643	27	1.3
CX422418-WWMOD-L-Z□	42	24	18	665	28	1.4
CX482418-WWMOD-L-Z□	48	24	18	686	30	1.5
CX542418-WWMOD-L-Z□	54	24	18	707	32	1.6
CX602418-WWMOD-L-Z□	60	24	18	729	34	1.7
CX662418-WWMOD-L-Z□	66	24	18	750	35	1.8
CX722418-WWMOD-L-Z□	72	24	18	772	37	1.9
CX782418-WWMOD-L-Z□	78	24	18	792	39	2.0
CX842418-WWMOD-L-Z□	84	24	18	836	41	2.1
For use on 30" deep tables:						
CX363018-WWMOD-L-Z□	36	30	18	658	29	1.4
CX423018-WWMOD-L-Z□	42	30	18	680	30	1.5
CX483018-WWMOD-L-Z□	48	30	18	702	32	1.6
CX543018-WWMOD-L-Z□	54	30	18	723	34	1.7
CX603018-WWMOD-L-Z□	60	30	18	745	36	1.8
CX663018-WWMOD-L-Z□	66	30	18	765	37	1.9
CX723018-WWMOD-L-Z□	72	30	18	787	39	2.0
CX783018-WWMOD-L-Z□	78	30	18	808	41	2.1
CX843018-WWMOD-L-Z□	84	30	18	852	43	2.2
For use on 36" deep tables:						
CX363618-WWMOD-L-Z□	36	36	18	674	31	1.6
CX423618-WWMOD-L-Z□	42	36	18	696	32	1.7
CX483618-WWMOD-L-Z□	48	36	18	718	34	1.8
CX543618-WWMOD-L-Z□	54	36	18	738	36	1.9
CX603618-WWMOD-L-Z□	60	36	18	760	38	2.0
CX663618-WWMOD-L-Z□	66	36	18	781	39	2.1
CX723618-WWMOD-L-Z□	72	36	18	803	41	2.2
CX783618-WWMOD-L-Z□	78	36	18	824	43	2.3
CX843618-WWMOD-L-Z□	84	36	18	867	45	2.4

SOMMET

PRICE BOOK

OFGO


STUDIO



29" High
Round Table
Meeting Height
Four Angled Legs
3" x 1" x 14 Gauge Steel
Adjustable Floor Levelers

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
SM30-RD-29H-AN☐	30	30	29	1268	48	4.0
SM36-RD-29H-AN☐	36	36	29	1399	58	5.0
SM42-RD-29H-AN☐	42	42	29	1463	69	5.0
SM48-RD-29H-AN☐	48	48	29	1555	82	6.0


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White



29" High
Square Table
Meeting Height
Four Angled Legs
3" x 1" x 14 Gauge Steel
Adjustable Floor Levelers

SM30-SQ-29H-AN☐	30	30	29	1254	48	4.0
SM36-SQ-29H-AN☐	36	36	29	1373	58	5.0
SM42-SQ-29H-AN☐	42	42	29	1425	69	5.0
SM48-SQ-29H-AN☐	48	48	29	1504	82	6.0


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White



29" High
Rectangular Table
Meeting Height
Four Angled Legs
3" x 1" x 14 Gauge Steel
Adjustable Floor Levelers
Worksurface support stiffeners included where applicable

SM3024-RC-29H-AN☐	30	24	29	1161	44	4.4
SM3624-RC-29H-AN☐	36	24	29	1189	47	4.6
SM4224-RC-29H-AN☐	42	24	29	1233	51	4.9
SM4824-RC-29H-AN☐	48	24	29	1273	56	5.2
SM5424-RC-29H-AN☐	54	24	29	1301	60	5.4
SM6024-RC-29H-AN☐	60	24	29	1344	64	5.7
SM6624-RC-29H-AN☐	66	24	29	1371	68	5.9
SM7224-RC-29H-AN☐	72	24	29	1414	72	6.3
SM7824-RC-29H-AN☐	78	24	29	1455	75	6.6
SM3630-RC-29H-AN☐	36	30	29	1315	52	5.0
SM4230-RC-29H-AN☐	42	30	29	1344	57	5.3
SM4830-RC-29H-AN☐	48	30	29	1371	63	5.7
SM5430-RC-29H-AN☐	54	30	29	1399	68	6.0
SM6030-RC-29H-AN☐	60	30	29	1427	73	6.3
SM6630-RC-29H-AN☐	66	30	29	1470	77	6.6
SM7230-RC-29H-AN☐	72	30	29	1513	82	7.1
SM7830-RC-29H-AN☐	78	30	29	1554	87	7.4
SM4236-RC-29H-AN☐	42	36	29	1408	63	5.8
SM4836-RC-29H-AN☐	48	36	29	1422	73	6.3
SM5436-RC-29H-AN☐	54	36	29	1462	78	6.7
SM6036-RC-29H-AN☐	60	36	29	1516	85	7.1
SM6636-RC-29H-AN☐	66	36	29	1571	90	7.4
SM7236-RC-29H-AN☐	72	36	29	1627	97	7.8
SM7836-RC-29H-AN☐	78	36	29	1680	102	8.2

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White



29" High
Conference Table
Rectangular
Meeting Height
Six Angled Legs
3" x 1" x 14 Gauge Steel
Adjustable Floor Levelers

☐ **= Specify metal finish:**
[1] Black
[3] Silver
[5] White

Tables over 96" in length are shipped in two pieces.

Model No.	W	D	H	Price	LB	FT³
SM9636-RC-29H-AN☐	96	36	29	2150	131	10.9
SM10836-RC-29H-AN☐	108	36	29	2339	143	12.9
SM12036-RC-29H-AN☐	120	36	29	2438	157	13.9
SM14436-RC-29H-AN☐	144	36	29	2637	180	15.8
SM9642-RC-29H-AN☐	96	42	29	2302	145	12.0
SM10842-RC-29H-AN☐	108	42	29	2608	158	14.2
SM12042-RC-29H-AN☐	120	42	29	2738	174	15.4
SM14442-RC-29H-AN☐	144	42	29	2995	201	17.5
SM9648-RC-29H-AN☐	96	48	29	2422	159	13.0
SM10848-RC-29H-AN☐	108	48	29	2750	174	15.6
SM12048-RC-29H-AN☐	120	48	29	2922	192	16.9
SM14448-RC-29H-AN☐	144	48	29	3217	222	19.3


Optional Power/Data Modules:	Model No.	
One "M1" (Black) Power/Data Module	M1Q1	+ $293 to Price
Two "M1" (Back) Power/Data Module	M1Q2	+ $586 to Price
One "M3" (Silver) Power/Data Module	M3Q1	+ $293 to Price
Two "M3" (Silver) Power/Data Module	M3Q2	+ $586 to Price
One "U2" (Brushed Nickel) Power/Data Module	U2Q1	+ $532 to Price
Two "U2" (Brushed Nickel) Power/Data Module	U2Q2	+ $1064 to Price
One "W2" (Brushed Nickel) Power/Data Module	W2Q1	+ $619 to Price
Two "W2" (Brushed Nickel) Power/Data Module	W2Q2	+ $1238 to Price

How To Order Power/Data Modules:

STEP 1 Select conference table model number (ex. SM9636-RC-29H-AN3)

STEP 2 Add optional power/data modules (ex. M1Q1) to end of product code and adjust list price.

Example: SM9636-RC-29H-AN3-M1Q1



Cable Management Base AC2010-RU | 20 | 10 | 28 | 833 | 46 | 1.25

Cable management base is mechanically attached to the conference top.


Base has a flip up door for access to the base interior; concealing power, voice, and data wiring inside the base interior.

Cable management base may be positioned at any point along the conference top in both vertical and horizontal directions.



Cable Snake AC30-SNK-Z3 | 6 | 2 | 30 | 162 | 3 | 0.19


Standard in silver finish



17.5" High
Round Table
Occasional Height
Four Angled Legs
3" x 1" x 14 Gauge Steel
Adjustable Floor Levelers

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
SM24-RD-17H-AN ☐	24	24	17.5	1157	40	3.7
SM30-RD-17H-AN ☐	30	30	17.5	1216	48	4.0
SM36-RD-17H-AN ☐	36	36	17.5	1349	58	5.0
SM42-RD-17H-AN ☐	42	42	17.5	1412	69	5.0
SM48-RD-17H-AN ☐	48	48	17.5	1504	82	6.0


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White



17.5" High
Square Table
Occasional Height
Four Angled Legs
3" x 1" x 14 Gauge Steel
Adjustable Floor Levelers

SM24-SQ-17H-AN ☐	24	24	17.5	1145	40	3.7
SM30-SQ-17H-AN ☐	30	30	17.5	1204	48	4.0
SM36-SQ-17H-AN ☐	36	36	17.5	1324	58	5.0
SM42-SQ-17H-AN ☐	42	42	17.5	1373	69	5.0
SM48-SQ-17H-AN ☐	48	48	17.5	1452	82	6.0


☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White



17.5" High
Rectangular Table
Occasional Height
Four Angled Legs
3" x 1" x 14 Gauge Steel
Adjustable Floor Levelers

SM3024-RC-17H-AN ☐	30	24	17.5	1110	44	4.4
SM3624-RC-17H-AN ☐	36	24	17.5	1137	47	4.6
SM4224-RC-17H-AN ☐	42	24	17.5	1182	51	4.9
SM4824-RC-17H-AN ☐	48	24	17.5	1222	54	5.2
SM3630-RC-17H-AN ☐	36	30	17.5	1266	52	5
SM4230-RC-17H-AN ☐	42	30	17.5	1293	57	5.3
SM4830-RC-17H-AN ☐	48	30	17.5	1321	61	5.7

☐ = Specify metal finish:
[1] Black
[3] Silver
[5] White

		Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
	**16.5" High** **Angled Leg** 3" x 1" x 14 Gauge Steel Adjustable Floor Levelers	SM0016-AN ☐ ☐ **= Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**	3	1	16.5	228	6.5	0.75
	**28" High** **Angled Leg** 3" x 1" x 14 Gauge Steel Adjustable Floor Levelers	SM0028-AN ☐ ☐ **= Specify metal finish:** **[1] Black** **[3] Silver** **[5] White**	3	1	28.0	242	7	0.85




RECEPTION

INTRODUCE

PRICE BOOK

OFGO

STUDIO



Reception Desk Shell
29" High
Freestanding
1" Thick Top
1" Thick Side Panels
1" Thick Modesty Panel
Desk Shells 78" and Longer include a Center Support Panel
Desk Shells which are 36" deep include a Center Support Panel

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
IN542429-S-IWW	54	24	29	853	99	4
IN602429-S-IWW	60	24	29	880	107	4
IN662429-S-IWW	66	24	29	913	115	4
IN722429-S-IWW	72	24	29	945	122	5
IN782429-S-IWW	78	24	29	1190	130	5
IN842429-S-IWW	84	24	29	1271	137	5
IN902429-S-IWW	90	24	29	1337	145	6
IN962429-S-IWW	96	24	29	1403	153	6
IN543029-S-IWW	54	30	29	936	120	4
IN603029-S-IWW	60	30	29	963	124	4
IN663029-S-IWW	66	30	29	995	133	4
IN723029-S-IWW	72	30	29	1030	141	5
IN783029-S-IWW	78	30	29	1271	149	5
IN843029-S-IWW	84	30	29	1354	158	5
IN903029-S-IWW	90	30	29	1420	167	6
IN963029-S-IWW	96	30	29	1486	175	6
IN543629-S-IWW	54	36	29	1162	132	5
IN603629-S-IWW	60	36	29	1190	141	5
IN663629-S-IWW	66	36	29	1221	150	6
IN723629-S-IWW	72	36	29	1258	160	6
IN783629-S-IWW	78	36	29	1499	169	6
IN843629-S-IWW	84	36	29	1581	178	7
IN903629-S-IWW	90	36	29	1649	188	7
IN963629-S-IWW	96	36	29	1715	197	7

Grommet Note:

Unit is standard with two grommets.


To order this unit without any grommets on the worksurface add **-NOGM** to the end of the product code.
For example: IN663029-S-IWW-NOGM

Undersurface Storage Options:

For undersurface storage options please refer to the following:

- Modern Series Pedestals
- Modern Series No-Top Cabinets

Note: the clearance underneath the surface is 1" less than the overall depth of the desk shell unit.



Reception Right Connecting Desk Shell
29" High
1" Thick Top
1" Thick Side Panel
1" Thick Modesty Panel
Desk Shells which are 36" deep include a Center Support Panel

IN302429-S-IWH	30	24	29	611	73	3
IN362429-S-IWH	36	24	29	643	75	3
IN422429-S-IWH	42	24	29	675	77	3
IN482429-S-IWH	48	24	29	706	84	3
IN542429-S-IWH	54	24	29	741	92	3
IN602429-S-IWH	60	24	29	772	99	4
IN662429-S-IWH	66	24	29	806	107	4
IN722429-S-IWH	72	24	29	838	115	5
IN303029-S-IWH	30	30	29	694	83	3
IN363029-S-IWH	36	30	29	727	85	3
IN423029-S-IWH	42	30	29	759	87	3
IN483029-S-IWH	48	30	29	791	95	3
IN543029-S-IWH	54	30	29	822	104	3
IN603029-S-IWH	60	30	29	855	112	4
IN663029-S-IWH	66	30	29	887	121	4
IN723029-S-IWH	72	30	29	922	129	5
IN303629-S-IWH	30	36	29	910	93	3
IN363629-S-IWH	36	36	29	942	95	3
IN423629-S-IWH	42	36	29	974	97	3
IN483629-S-IWH	48	36	29	1006	106	4
IN543629-S-IWH	54	36	29	1038	116	4
IN603629-S-IWH	60	36	29	1070	125	4
IN663629-S-IWH	66	36	29	1103	134	5
IN723629-S-IWH	72	36	29	1137	144	5

Grommet Note:

Units up to 48" wide include one center grommet.
Units 54" wide or greater include two grommets.


To order this unit without any grommets on the worksurface add **-NOGM** to the end of the product code.
For example: IN663029-S-IWH-NOGM

Undersurface Storage Options:

For undersurface storage options please refer to the following:

- Modern Series Pedestals
- Modern Series No-Top Cabinets

Note: the clearance underneath the surface is 1" less than the overall depth of the desk shell unit.



Reception Left Connecting Desk Shell

29" High

1" Thick Top

1" Thick Side Panel

1" Thick Modesty Panel

Desk Shells which are 36" deep include a Center Support Panel

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
IN302429-S-IHW	30	24	29	611	73	3
IN362429-S-IHW	36	24	29	643	75	3
IN422429-S-IHW	42	24	29	675	77	3
IN482429-S-IHW	48	24	29	706	84	3
IN542429-S-IHW	54	24	29	741	92	3
IN602429-S-IHW	60	24	29	772	99	4
IN662429-S-IHW	66	24	29	806	107	4
IN722429-S-IHW	72	24	29	838	115	5
IN303029-S-IHW	30	30	29	694	83	3
IN363029-S-IHW	36	30	29	727	85	3
IN423029-S-IHW	42	30	29	759	87	3
IN483029-S-IHW	48	30	29	791	95	3
IN543029-S-IHW	54	30	29	822	104	3
IN603029-S-IHW	60	30	29	855	112	4
IN663029-S-IHW	66	30	29	887	121	4
IN723029-S-IHW	72	30	29	922	129	5
IN303629-S-IHW	30	36	29	910	93	3
IN363629-S-IHW	36	36	29	942	95	3
IN423629-S-IHW	42	36	29	974	97	3
IN483629-S-IHW	48	36	29	1006	106	4
IN543629-S-IHW	54	36	29	1038	116	4
IN603629-S-IHW	60	36	29	1070	125	4
IN663629-S-IHW	66	36	29	1103	134	5
IN723629-S-IHW	72	36	29	1137	144	5

Grommet Note:

Units up to 48" wide include one center grommet.
Units 54" wide or greater include two grommets.


To order this unit without any grommets on the worksurface add **-NOGM** to the end of the product code.
For example: IN663029-S-IHW-NOGM

Undersurface Storage Options:

For undersurface storage options please refer to the following:

- Modern Series Pedestals
- Modern Series No-Top Cabinets

Note: the clearance underneath the surface is 1" less than the overall depth of the desk shell unit.



Reception Center Connecting Desk Shell

29" High

1" Thick Top

1" Thick Side Panel

1" Thick Modesty Panel

Desk Shells which are 36" deep include a Center Support Panel

IN422429-S-IHH	42	24	29	675	70	3
IN482429-S-IHH	48	24	29	706	77	3
IN542429-S-IHH	54	24	29	741	85	3
IN602429-S-IHH	60	24	29	772	92	4
IN662429-S-IHH	66	24	29	806	100	4
IN722429-S-IHH	72	24	29	838	108	5
IN423029-S-IHH	42	30	29	759	80	3
IN483029-S-IHH	48	30	29	791	88	3
IN543029-S-IHH	54	30	29	822	97	3
IN603029-S-IHH	60	30	29	855	105	4
IN663029-S-IHH	66	30	29	887	114	4
IN723029-S-IHH	72	30	29	922	122	5
IN423629-S-IHH	42	36	29	974	90	3
IN483629-S-IHH	48	36	29	1006	99	4
IN543629-S-IHH	54	36	29	1038	109	4
IN603629-S-IHH	60	36	29	1070	118	4
IN663629-S-IHH	66	36	29	1103	127	5
IN723629-S-IHH	72	36	29	1137	137	5

Grommet Note:

Units up to 48" wide include one center grommet.
Units 54" wide or greater include two grommets.


To order this unit without any grommets on the worksurface add **-NOGM** to the end of the product code.
For example: IN663029-S-IHH-NOGM

Undersurface Storage Options:

For undersurface storage options please refer to the following:


- Modern Series Pedestals
- Modern Series No-Top Cabinets

Note: the clearance underneath the surface is 1" less than the overall depth of the desk shell unit.




	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Left Return Shell	IN422429-ILR-OP	42	24	29	620	69	3
29" High	IN482429-ILR-OP	48	24	29	654	76	3
1" Thick Top	IN542429-ILR-OP	54	24	29	685	84	3
1" Thick Side Panel	IN602429-ILR-OP	60	24	29	719	91	4
1" Thick Modesty Panel							
Includes One Grommet							
Unit is not freestanding							
Two return units cannot be attached together without additional center support.							

Note: to order this unit without any grommets on the worksurface add **-NOGM** to the end of the product code. For example: IN482429-ILR-OP-NOGM




	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Right Return Shell	IN422429-IRR-OP	42	24	29	620	69	3
29" High	IN482429-IRR-OP	48	24	29	654	76	3
1" Thick Top	IN542429-IRR-OP	54	24	29	685	84	3
1" Thick Side Panel	IN602429-IRR-OP	60	24	29	719	91	4
1" Thick Modesty Panel							
Includes One Grommet							
Unit is not freestanding							
Two return units cannot be attached together without additional center support.							


Note: to order this unit without any grommets on the worksurface add **-NOGM** to the end of the product code. For example: IN482429-IRR-OP-NOGM



	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Right ADA Add On	IN303029-R-ADA	30	30	29	640	62	2
Full Modesty Panel	IN363029-R-ADA	36	30	29	673	70	3
Modesty Panel Recessed 19" on ADA Side							
Modesty Panel Recessed 10" on User Side							
1" Thick Top							
1" Thick Side Panel							
1" Thick Modesty Panel							



	Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
Left ADA Add On	IN303029-L-ADA	30	30	29	640	62	2
Full Modesty Panel	IN363029-L-ADA	36	30	29	673	70	3
Modesty Panel Recessed 19" on ADA Side							
Modesty Panel Recessed 10" on User Side							
1" Thick Top							
1" Thick Side Panel							
1" Thick Modesty Panel							



Reception Desk Shell

41" High

Freestanding

1" Thick Top

1" Thick Side Panels

1" Thick Modesty Panel

Includes Two Grommets

Desk Shells 78" and Longer include a Center Support Panel.

Desk Shells which are 36" deep include a Center Support Panel


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
IN542441-U-IWW	54	24	41	1013	128	5
IN602441-U-IWW	60	24	41	1039	138	5
IN662441-U-IWW	66	24	41	1074	147	5
IN722441-U-IWW	72	24	41	1104	157	6
IN782441-U-IWW	78	24	41	1351	166	6
IN842441-U-IWW	84	24	41	1431	175	6
IN902441-U-IWW	90	24	41	1498	185	7
IN962441-U-IWW	96	24	41	1564	194	7
IN543041-U-IWW	54	30	41	1097	148	5
IN603041-U-IWW	60	30	41	1123	158	6
IN663041-U-IWW	66	30	41	1155	169	6
IN723041-U-IWW	72	30	41	1189	179	7
IN783041-U-IWW	78	30	41	1431	189	7
IN843041-U-IWW	84	30	41	1514	199	7
IN903041-U-IWW	90	30	41	1581	210	8
IN963041-U-IWW	96	30	41	1648	220	8
IN543641-U-IWW	54	36	41	1312	168	6
IN603641-U-IWW	60	36	41	1338	179	7
IN663641-U-IWW	66	36	41	1371	190	7
IN723641-U-IWW	72	36	41	1403	201	7
IN783641-U-IWW	78	36	41	1648	212	8
IN843641-U-IWW	84	36	41	1731	223	8
IN903641-U-IWW	90	36	41	1797	234	9
IN963641-U-IWW	96	36	41	1862	245	9

Undersurface Storage Options:

For undersurface storage options please refer to the following:

- Modern Series Pedestals
- Modern Series Pedestals
- Modern Series No-Top Cabinets

Note: the clearance underneath the surface is 1" less than the overall depth of the desk shell unit.



Reception Right Connecting Desk Shell

41" High

Full Side Panel on Left

Connecting Panel on Right

1" Thick Top

1" Thick Side Panels

1" Thick Modesty Panel

Includes Two Grommets

Desk Shells 78" and Longer include a Center Support Panel.

Desk Shells which are 36" deep include a Center Support Panel


IN422441-U-IWH	42	24	41	896	110	4
IN482441-U-IWH	48	24	41	927	112	4
IN542441-U-IWH	54	24	41	958	114	4
IN602441-U-IWH	60	24	41	986	124	4
IN662441-U-IWH	66	24	41	1019	133	5
IN722441-U-IWH	72	24	41	1053	143	5
IN782441-U-IWH	78	24	41	1296	152	5
IN842441-U-IWH	84	24	41	1378	161	6
IN962441-U-IWH	96	24	41	1511	180	6
IN423041-U-IWH	42	30	41	980	124	4
IN483041-U-IWH	48	30	41	1011	126	4
IN543041-U-IWH	54	30	41	1042	128	4
IN603041-U-IWH	60	30	41	1070	138	5
IN663041-U-IWH	66	30	41	1101	149	5
IN723041-U-IWH	72	30	41	1135	159	6
IN783041-U-IWH	78	30	41	1378	169	6
IN843041-U-IWH	84	30	41	1460	179	6
IN963041-U-IWH	96	30	41	1594	200	7
IN423641-U-IWH	42	36	41	1196	138	5
IN483641-U-IWH	48	36	41	1228	140	5
IN543641-U-IWH	54	36	41	1259	142	5
IN603641-U-IWH	60	36	41	1285	153	5
IN663641-U-IWH	66	36	41	1317	164	6
IN723641-U-IWH	72	36	41	1352	175	6
IN783641-U-IWH	78	36	41	1594	186	6
IN843641-U-IWH	84	36	41	1676	197	7
IN963641-U-IWH	96	36	41	1809	220	8

Undersurface Storage Options:

For undersurface storage options please refer to the following:

- Modern Series Pedestals
- Modern Series No-Top Cabinets

Note: the clearance underneath the surface is 1" less than the overall depth of the desk shell unit.



Reception Left Connecting Desk Shell

41" High

Full Side Panel on Right

Connecting Panel on Left

1" Thick Top

1" Thick Side Panels

1" Thick Modesty Panel

Includes Two Grommets

Desk Shells 78" and Longer include a Center Support Panel.

Desk Shells which are 36" deep include a Center Support Panel


Undersurface Storage Options:

For undersurface storage options please refer to the following:

- Modern Series Pedestals
- Modern Series No-Top Cabinets

Note: the clearance underneath the surface is 1" less than the overall depth of the desk shell unit.

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
IN422441-U-IHW	42	24	41	896	110	4
IN482441-U-IHW	48	24	41	927	112	4
IN542441-U-IHW	54	24	41	958	114	4
IN602441-U-IHW	60	24	41	986	124	4
IN662441-U-IHW	66	24	41	1019	133	5
IN722441-U-IHW	72	24	41	1053	143	5
IN782441-U-IHW	78	24	41	1296	152	5
IN842441-U-IHW	84	24	41	1378	161	6
IN962441-U-IHW	96	24	41	1511	180	6
IN423041-U-IHW	42	30	41	980	124	4
IN483041-U-IHW	48	30	41	1011	126	4
IN543041-U-IHW	54	30	41	1042	128	4
IN603041-U-IHW	60	30	41	1070	138	5
IN663041-U-IHW	66	30	41	1101	149	5
IN723041-U-IHW	72	30	41	1135	159	6
IN783041-U-IHW	78	30	41	1378	169	6
IN843041-U-IHW	84	30	41	1460	179	6
IN963041-U-IHW	96	30	41	1594	200	7
IN423641-U-IHW	42	36	41	1196	138	5
IN483641-U-IHW	48	36	41	1228	140	5
IN543641-U-IHW	54	36	41	1259	142	5
IN603641-U-IHW	60	36	41	1285	153	5
IN663641-U-IHW	66	36	41	1317	164	6
IN723641-U-IHW	72	36	41	1352	175	6
IN783641-U-IHW	78	36	41	1594	186	6
IN843641-U-IHW	84	36	41	1676	197	7
IN963641-U-IHW	96	36	41	1809	220	8



Left Return Shell

41" High

1" Thick Top

1" Thick Side Panel


1" Thick Modesty Panel

Includes One Grommet

Unit is not freestanding

Two return units cannot be attached together without additional center support.

IN422441-U-ILR-OP	42	24	41	835	88	3
IN482441-U-ILR-OP	48	24	41	868	97	4
IN542441-U-ILR-OP	54	24	41	900	106	4
IN602441-U-ILR-OP	60	24	41	933	116	4
IN662441-U-ILR-OP	66	24	41	967	125	5
IN722441-U-ILR-OP	72	24	41	998	134	5



Right Return Shell

41" High

1" Thick Top

1" Thick Side Panel





1" Thick Modesty Panel

Includes One Grommet

Unit is not freestanding


Two return units cannot be attached together without additional center support.


IN422441-U-IRR-OP	42	24	41	835	88	3
IN482441-U-IRR-OP	48	24	41	868	97	4
IN542441-U-IRR-OP	54	24	41	900	106	4
IN602441-U-IRR-OP	60	24	41	933	116	4
IN662441-U-IRR-OP	66	24	41	967	125	5
IN722441-U-IRR-OP	72	24	41	998	134	5

		Model No.	W	D	H	Price	LB	FT³
	**Counter Top Support** Required when using a countertop over 78" in width OR when joining two countertops together.	IN151012-HCTS	15	10	12	240	9	1
	**Counter Top** Counter Top is mounted on top of 41"H side panels. A Counter Top Support may be required in applications where a 41"H side panel is absent. Counter Top is attached with mechanical fasteners.	IN4212-TOP-RC-RK	42	12	1	172	13	0.8
		IN4812-TOP-RC-RK	48	12	1	182	14	0.8
		IN5412-TOP-RC-RK	54	12	1	195	15	0.8
		IN6012-TOP-RC-RK	60	12	1	212	17	0.9
		IN6612-TOP-RC-RK	66	12	1	227	19	1
		IN7212-TOP-RC-RK	72	12	1	244	20	1
		IN7812-TOP-RC-RK	78	12	1	292	22	1.1
		* IN8412-TOP-RC-RK	84	12	1	362	24	1.2
		* IN9012-TOP-RC-RK	90	12	1	428	26	1.3
		* IN9612-TOP-RC-RK	96	12	1	496	27	1.4
		* Counter Tops 84" to 96" **must** be specified with a Counter Top Support. (Product Code: IN151012-HCTS) 						
	**Counter Top Return Bracket** Connects two countertops together in straight or "L" configuration. Attaches to worksurface with wood screws.	AC0303-TTT-BRKT-PR (Pair of Two Brackets)	3	3	0.1	26	0.4	0.01
	**Hang-On Transaction Counter** Can only be used when positioned on top of a 12" Deep Counter Top	IN301230-HOTC	30	12	30	800	37	1.8
		IN361230-HOTC	36	12	30	833	43	2
		IN421230-HOTC	42	12	30	866	50	2.3
		IN481230-HOTC	48	12	30	900	56	2.6
		IN541230-HOTC	54	12	30	934	62	2.9
		IN601230-HOTC	60	12	30	967	68	3.1
		IN661230-HOTC	66	12	30	1000	74	3.4
		IN721230-HOTC	72	12	30	1034	80	3.7
		IN781230-HOTC	78	12	30	1234	86	4
		IN841230-HOTC	84	12	30	1300	92	4.3
	**Stack-On Transaction Counter** Mounts on top of 29"H desk or return unit 12" high clearance under top	IN301230-DOSO	30	12	30	800	37	1.4
		IN361230-DOSO	36	12	30	833	43	1.6
		IN421230-DOSO	42	12	30	866	50	1.9
		IN481230-DOSO	48	12	30	900	56	2.1
		IN541230-DOSO	54	12	30	934	62	2.3
		IN601230-DOSO	60	12	30	967	68	2.5
		IN661230-DOSO	66	12	30	1000	74	2.8
		IN721230-DOSO	72	12	30	1034	80	3

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*

Corner Stack on Counter - RIGHT Side of User






Mounts on top of 29"H desk or return unit

12" high clearance under top

Item must be ordered as two separate components. Select widths for component 1 and 2 when ordering.


Step One: select width of ITEM 1 (FRONT UNIT)




Model No.	W	D	H	Price	LB	FT³
IN311230-RFC-DOSO	31	12	30	920	35	1.4
IN371230-RFC-DOSO	37	12	30	922	41	1.6
IN431230-RFC-DOSO	43	12	30	957	48	1.9
IN491230-RFC-DOSO	49	12	30	992	54	2.1
IN551230-RFC-DOSO	55	12	30	1023	60	2.3
IN611230-RFC-DOSO	61	12	30	1057	66	2.5
IN671230-RFC-DOSO	67	12	30	1091	72	2.8
IN731230-RFC-DOSO	73	12	30	1124	78	3

Note: This item extends 1" past the length of the worksurface

Step Two: select width of ITEM 2 (RETURN UNIT)







Model No.	W	D	H	Price	LB	FT³
IN301230-RSE-DOSO	30	12	30	800	37	1.4
IN361230-RSE-DOSO	36	12	30	833	43	1.6
IN421230-RSE-DOSO	42	12	30	866	50	1.9
IN481230-RSE-DOSO	48	12	30	900	56	2.1
IN541230-RSE-DOSO	54	12	30	934	62	2.3
IN601230-RSE-DOSO	60	12	30	967	68	2.5
IN661230-RSE-DOSO	66	12	30	1000	74	2.8
IN721230-RSE-DOSO	72	12	30	1034	80	3

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*

Corner Stack on Counter - LEFT Side of User






Mounts on top of 29"H desk or return unit

12" high clearance under top

Item must be ordered as two separate components. Select widths for component 1 and 2 when ordering.


Step One: select width of ITEM 1 (FRONT UNIT)




Model No.	W	D	H	Price	LB	FT³
IN311230-LFC-DOSO	31	12	30	920	35	1.4
IN371230-LFC-DOSO	37	12	30	922	41	1.6
IN431230-LFC-DOSO	43	12	30	957	48	1.9
IN491230-LFC-DOSO	49	12	30	992	54	2.1
IN551230-LFC-DOSO	55	12	30	1023	60	2.3
IN611230-LFC-DOSO	61	12	30	1057	66	2.5
IN671230-LFC-DOSO	67	12	30	1091	72	2.8
IN731230-LFC-DOSO	73	12	30	1124	78	3

Note: This item extends 1" past the length of the worksurface

Step Two: select width of ITEM 2 (RETURN UNIT)






Model No.	W	D	H	Price	LB	FT³
IN301230-LSE-DOSO	30	12	30	800	37	1.4
IN361230-LSE-DOSO	36	12	30	833	43	1.6
IN421230-LSE-DOSO	42	12	30	866	50	1.9
IN481230-LSE-DOSO	48	12	30	900	56	2.1
IN541230-LSE-DOSO	54	12	30	934	62	2.3
IN601230-LSE-DOSO	60	12	30	967	68	2.5
IN661230-LSE-DOSO	66	12	30	1000	74	2.8
IN721230-LSE-DOSO	72	12	30	1034	80	3

ARRIVE

PRICE BOOK

OFGO

STUDIO




L-Shape Reception Desk

Right Hand Floating Extension

Hanging countertop notched on right side sits on right side floating extension.

Note: Clearance under unit is approximately 23" deep. Storage units being placed underneath should not exceed 20" in depth.




Front worksurface is standard with two grommets positioned on the left and right side.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG857242-RHE-LYR	85	72	42	5307	341	
ARG917242-RHE-LYR	91	72	42	5379	356	
ARG977242-RHE-LYR	97	72	42	5447	371	
ARG1037242-RHE-LYR	103	72	42	5519	385	
ARG857842-RHE-LYR	85	78	42	5379	352	
ARG917842-RHE-LYR	91	78	42	5447	366	
ARG977842-RHE-LYR	97	78	42	5519	381	
ARG1037842-RHE-LYR	103	78	42	5588	396	
ARG858442-RHE-LYR	85	84	42	5447	362	
ARG918442-RHE-LYR	91	84	42	5519	377	
ARG978442-RHE-LYR	97	84	42	5588	391	
ARG1038442-RHE-LYR	103	84	42	5657	406	
ARG859042-RHE-LYR	85	90	42	5797	372	
ARG919042-RHE-LYR	91	90	42	5868	387	
ARG979042-RHE-LYR	97	90	42	5939	402	
ARG1039042-RHE-LYR	103	90	42	6006	417	
ARG859642-RHE-LYR	85	96	42	5868	383	
ARG919642-RHE-LYR	91	96	42	5939	398	
ARG979642-RHE-LYR	97	96	42	6006	412	
ARG1039642-RHE-LYR	103	96	42	6078	427	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG857242-RHE-LYR)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____




L-Shape Reception Desk

Left Hand Floating Extension

Hanging countertop notched on left side sits on left side floating extension.

Note: Clearance under unit is approximately 23" deep. Storage units being placed underneath should not exceed 20" in depth.




Front worksurface is standard with two grommets positioned on the left and right side.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG857242-LHE-LYR	85	72	42	5307	341	
ARG917242-LHE-LYR	91	72	42	5379	356	
ARG977242-LHE-LYR	97	72	42	5447	371	
ARG1037242-LHE-LYR	103	72	42	5519	385	
ARG857842-LHE-LYR	85	78	42	5379	352	
ARG917842-LHE-LYR	91	78	42	5447	366	
ARG977842-LHE-LYR	97	78	42	5519	381	
ARG1037842-LHE-LYR	103	78	42	5588	396	
ARG858442-LHE-LYR	85	84	42	5447	362	
ARG918442-LHE-LYR	91	84	42	5519	377	
ARG978442-LHE-LYR	97	84	42	5588	391	
ARG1038442-LHE-LYR	103	84	42	5657	406	
ARG859042-LHE-LYR	85	90	42	5797	372	
ARG919042-LHE-LYR	91	90	42	5868	387	
ARG979042-LHE-LYR	97	90	42	5939	402	
ARG1039042-LHE-LYR	103	90	42	6006	417	
ARG859642-LHE-LYR	85	96	42	5868	383	
ARG919642-LHE-LYR	91	96	42	5939	398	
ARG979642-LHE-LYR	97	96	42	6006	412	
ARG1039642-LHE-LYR	103	96	42	6078	427	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG857242-LHE-LYR)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____



L-Shape Reception Desk


Right Hand Extension

Hanging countertop notched on right side sits on right side desk shell extension.

Desk shell features a 11" recessed back.

Note: Clearance under front unit is approximately 23" deep. Storage units being placed underneath front unit should not exceed 20" in depth.

Note: Clearance under extension desk shell with 11" recessed back is approximately 18.375" deep on user side. A 19" deep pedestal may be placed underneath however will extend forward past the gable.




Front worksurface is standard with two grommets positioned on the left and right side.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG857242-RHE-DSK	85	72	42	5307	301	
ARG917242-RHE-DSK	91	72	42	5379	315	
ARG977242-RHE-DSK	97	72	42	5447	330	
ARG1037242-RHE-DSK	103	72	42	5519	345	
ARG857842-RHE-DSK	85	78	42	5379	308	
ARG917842-RHE-DSK	91	78	42	5447	323	
ARG977842-RHE-DSK	97	78	42	5519	337	
ARG1037842-RHE-DSK	103	78	42	5588	352	
ARG858442-RHE-DSK	85	84	42	5447	315	
ARG918442-RHE-DSK	91	84	42	5519	330	
ARG978442-RHE-DSK	97	84	42	5588	345	
ARG1038442-RHE-DSK	103	84	42	5657	359	
ARG859042-RHE-DSK	85	90	42	5797	322	
ARG919042-RHE-DSK	91	90	42	5868	337	
ARG979042-RHE-DSK	97	90	42	5939	352	
ARG1039042-RHE-DSK	103	90	42	6006	366	
ARG859642-RHE-DSK	85	96	42	5868	330	
ARG919642-RHE-DSK	91	96	42	5939	344	
ARG979642-RHE-DSK	97	96	42	6006	359	
ARG1039642-RHE-DSK	103	96	42	6078	374	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG857242-RHE-DSK)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____



L-Shape Reception Desk


Left Hand Extension

Hanging countertop notched on left side sits on left side desk shell extension.

Desk shell features a 11" recessed back.

Note: Clearance under front unit is approximately 23" deep. Storage units being placed underneath front unit should not exceed 20" in depth.

Note: Clearance under extension desk shell with 11" recessed back is approximately 18.375" deep on user side. A 19" deep pedestal may be placed underneath however will extend forward past the gable.




Front worksurface is standard with two grommets positioned on the left and right side.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG857242-LHE-DSK	85	72	42	5307	301	
ARG917242-LHE-DSK	91	72	42	5379	315	
ARG977242-LHE-DSK	97	72	42	5447	330	
ARG1037242-LHE-DSK	103	72	42	5519	345	
ARG857842-LHE-DSK	85	78	42	5379	308	
ARG917842-LHE-DSK	91	78	42	5447	323	
ARG977842-LHE-DSK	97	78	42	5519	337	
ARG1037842-LHE-DSK	103	78	42	5588	352	
ARG858442-LHE-DSK	85	84	42	5447	315	
ARG918442-LHE-DSK	91	84	42	5519	330	
ARG978442-LHE-DSK	97	84	42	5588	345	
ARG1038442-LHE-DSK	103	84	42	5657	359	
ARG859042-LHE-DSK	85	90	42	5797	322	
ARG919042-LHE-DSK	91	90	42	5868	337	
ARG979042-LHE-DSK	97	90	42	5939	352	
ARG1039042-LHE-DSK	103	90	42	6006	366	
ARG859642-LHE-DSK	85	96	42	5868	330	
ARG919642-LHE-DSK	91	96	42	5939	344	
ARG979642-LHE-DSK	97	96	42	6006	359	
ARG1039642-LHE-DSK	103	96	42	6078	374	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG857242-LHE-DSK)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____



L-Shape Reception Desk


Right Hand Extension - ADA

Hanging countertop notched on right side sits on right side ADA desk shell extension.

Desk shell features a 19" recessed back to meet ADA standard. 16" clearance remains on user side.

Note: Clearance under front unit is approximately 23" deep. Storage units being placed underneath front unit should not exceed 20" in depth.

*Note: Clearance on user side of desk shell extension unit will not allow for pedestal or cabinet to sit flush underneath. All pedestals or cabinets are suggested to be placed underneath the front desk unit.




Front worksurface is standard with two grommets positioned on the left and right side.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG917242-RHE-ADA	91	72	42	5343	301	
ARG977242-RHE-ADA	97	72	42	5413	315	
ARG1037242-RHE-ADA	103	72	42	5482	330	
ARG1097242-RHE-ADA	109	72	42	5552	345	
ARG917842-RHE-ADA	91	78	42	5413	308	
ARG977842-RHE-ADA	97	78	42	5482	323	
ARG1037842-RHE-ADA	103	78	42	5552	337	
ARG1097842-RHE-ADA	109	78	42	5623	352	
ARG918442-RHE-ADA	91	84	42	5482	315	
ARG978442-RHE-ADA	97	84	42	5552	330	
ARG1038442-RHE-ADA	103	84	42	5623	345	
ARG1098442-RHE-ADA	109	84	42	5694	359	
ARG919042-RHE-ADA	91	90	42	5833	322	
ARG979042-RHE-ADA	97	90	42	5901	337	
ARG1039042-RHE-ADA	103	90	42	5971	352	
ARG1099042-RHE-ADA	109	90	42	6040	366	
ARG919642-RHE-ADA	91	96	42	5901	330	
ARG979642-RHE-ADA	97	96	42	5971	344	
ARG1039642-RHE-ADA	103	96	42	6040	359	
ARG1099642-RHE-ADA	109	96	42	6112	374	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG917242-RHE-ADA)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____



L-Shape Reception Desk


Left Hand Extension - ADA

Hanging countertop notched on left side sits on left side ADA desk shell extension.

Desk shell features a 19" recessed back to meet ADA standard. 16" clearance remains on user side.

Note: Clearance under front unit is approximately 23" deep. Storage units being placed underneath front unit should not exceed 20" in depth.

*Note: Clearance on user side of desk shell extension unit will not allow for pedestal or cabinet to sit flush underneath. All pedestals or cabinets are suggested to be placed underneath the front desk unit.




Front worksurface is standard with two grommets positioned on the left and right side.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG917242-LHE-ADA	91	72	42	5343	301	
ARG977242-LHE-ADA	97	72	42	5413	315	
ARG1037242-LHE-ADA	103	72	42	5482	330	
ARG1097242-LHE-ADA	109	72	42	5552	345	
ARG917842-LHE-ADA	91	78	42	5413	308	
ARG977842-LHE-ADA	97	78	42	5482	323	
ARG1037842-LHE-ADA	103	78	42	5552	337	
ARG1097842-LHE-ADA	109	78	42	5623	352	
ARG918442-LHE-ADA	91	84	42	5482	315	
ARG978442-LHE-ADA	97	84	42	5552	330	
ARG1038442-LHE-ADA	103	84	42	5623	345	
ARG1098442-LHE-ADA	109	84	42	5694	359	
ARG919042-LHE-ADA	91	90	42	5833	322	
ARG979042-LHE-ADA	97	90	42	5901	337	
ARG1039042-LHE-ADA	103	90	42	5971	352	
ARG1099042-LHE-ADA	109	90	42	6040	366	
ARG919642-LHE-ADA	91	96	42	5901	330	
ARG979642-LHE-ADA	97	96	42	5971	344	
ARG1039642-LHE-ADA	103	96	42	6040	359	
ARG1099642-LHE-ADA	109	96	42	6112	374	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG917242-LHE-ADA)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____




U-Shape Reception Desk

Hanging countertop notched on right side sits on right side floating extension.

Left side open return with countertop.

Note: Storage units being placed underneath unit should not exceed 20" in depth.

One grommet located on left and right side of front surface.




Front worksurface is standard with two grommets positioned on the left and right side.

Left return worksurface is standard with one grommet.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG977242-RHE-LYR-LRC	97	72	42	7265	515	
ARG1037242-RHE-LYR-LRC	103	72	42	7403	530	
ARG977842-RHE-LYR-LRC	97	78	42	7336	526	
ARG1037842-RHE-LYR-LRC	103	78	42	7474	540	
ARG978442-RHE-LYR-LRC	97	84	42	7403	536	
ARG1038442-RHE-LYR-LRC	103	84	42	7543	551	
ARG979042-RHE-LYR-LRC	97	90	42	7754	547	
ARG1039042-RHE-LYR-LRC	103	90	42	7893	561	
ARG979642-RHE-LYR-LRC	97	96	42	7824	557	
ARG1039642-RHE-LYR-LRC	103	96	42	7963	572	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front & Countertop Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG977242-RHE-LYR-LRC)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____




U-Shape Reception Desk

Hanging countertop notched on left side sits on left side floating extension.

Right side open return with countertop.

Note: Storage units being placed underneath unit should not exceed 20" in depth.

One grommet located on left and right side of front surface.




Front worksurface is standard with two grommets positioned on the left and right side.

Right return worksurface is standard with one grommet.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG977242-LHE-LYR-RRC	97	72	42	7265	515	
ARG1037242-LHE-LYR-RRC	103	72	42	7403	530	
ARG977842-LHE-LYR-RRC	97	78	42	7336	526	
ARG1037842-LHE-LYR-RRC	103	78	42	7474	540	
ARG978442-LHE-LYR-RRC	97	84	42	7403	536	
ARG1038442-LHE-LYR-RRC	103	84	42	7543	551	
ARG979042-LHE-LYR-RRC	97	90	42	7754	547	
ARG1039042-LHE-LYR-RRC	103	90	42	7893	561	
ARG979642-LHE-LYR-RRC	97	96	42	7824	557	
ARG1039642-LHE-LYR-RRC	103	96	42	7963	572	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front & Countertop Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG977242-LHE-LYR-RRC)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____



U-Shape Reception Desk

Hanging countertop notched on right side sits on right side desk shell extension.


Desk shell features an 11" recessed back.

Left side open return with countertop.

Note: Storage units being placed underneath front unit or return should not exceed 20" in depth.

Note: Clearance under extension desk shell with 11" recessed back is approximately 18.375" deep on user side. A 19" deep pedestal may be placed underneath however will extend forward past the gable.

One grommet located on left and right side of front surface.




Front worksurface is standard with two grommets positioned on the left and right side.

Left return worksurface is standard with one grommet.


Model No.	W	D	H	Price	LB	FT³
ARG977242-RHE-DSK-LRC	97	72	42	7265	475	
ARG1037242-RHE-DSK-LRC	103	72	42	7403	489	
ARG977842-RHE-DSK-LRC	97	78	42	7336	482	
ARG1037842-RHE-DSK-LRC	103	78	42	7474	497	
ARG978442-RHE-DSK-LRC	97	84	42	7403	489	
ARG1038442-RHE-DSK-LRC	103	84	42	7543	504	
ARG979042-RHE-DSK-LRC	97	90	42	7754	496	
ARG1039042-RHE-DSK-LRC	103	90	42	7893	511	
ARG979642-RHE-DSK-LRC	97	96	42	7824	504	
ARG1039642-RHE-DSK-LRC	103	96	42	7963	518	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front & Countertop Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG977242-RHE-DSK-LRC)


STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____





U-Shape Reception Desk

Hanging countertop notched on left side sits on left side desk shell extension.

Desk shell features an 11" recessed back.

Right side open return with countertop.

Note: Storage units being placed underneath front unit or return should not exceed 20" in depth.

Note: Clearance under extension desk shell with 11" recessed back is approximately 18.375" deep on user side. A 19" deep pedestal may be placed underneath however will extend forward past the gable.

One grommet located on left and right side of front surface.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG977242-LHE-DSK-RRC	97	72	42	7265	475	
ARG1037242-LHE-DSK-RRC	103	72	42	7403	489	
ARG977842-LHE-DSK-RRC	97	78	42	7336	482	
ARG1037842-LHE-DSK-RRC	103	78	42	7474	497	
ARG978442-LHE-DSK-RRC	97	84	42	7403	489	
ARG1038442-LHE-DSK-RRC	103	84	42	7543	504	
ARG979042-LHE-DSK-RRC	97	90	42	7754	496	
ARG1039042-LHE-DSK-RRC	103	90	42	7893	511	
ARG979642-LHE-DSK-RRC	97	96	42	7824	504	
ARG1039642-LHE-DSK-RRC	103	96	42	7963	518	

Front worksurface is standard with two grommets positioned on the left and right side.


Right return worksurface is standard with one grommet.

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front & Countertop Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG977242-LHE-DSK-RRC)

STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____



U-Shape Reception Desk

Hanging countertop notched on right side sits on right side ADA desk shell extension.


Desk shell features a 19" recessed back to meet ADA standard. 16" clearance remains on user side.

Left side open return with countertop.

Note: Storage units being placed underneath front unit or return should not exceed 20" in depth.

*Note: Clearance on user side of desk shell extension unit will not allow for pedestal or cabinet to sit flush underneath. All pedestals or cabinets are suggested to be placed underneath the front desk unit or return.

One grommet located on left and right side of front surface.




Front worksurface is standard with two grommets positioned on the left and right side.

Left return worksurface is standard with one grommet.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG1037242-RHE-ADA-LRC	103	72	42	7298	475	
ARG1097242-RHE-ADA-LRC	109	72	42	7438	489	
ARG1037842-RHE-ADA-LRC	103	78	42	7368	482	
ARG1097842-RHE-ADA-LRC	109	78	42	7509	497	
ARG1038442-RHE-ADA-LRC	103	84	42	7438	489	
ARG1098442-RHE-ADA-LRC	109	84	42	7578	504	
ARG1039042-RHE-ADA-LRC	103	90	42	7787	496	
ARG1099042-RHE-ADA-LRC	109	90	42	7929	511	
ARG1039642-RHE-ADA-LRC	103	96	42	7858	504	
ARG1099642-RHE-ADA-LRC	109	96	42	7996	518	

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front & Countertop Color:



How to Order:


STEP ONE - Select model number: _____ (Example: ARG1037242-RHE-ADA-LRC)


STEP TWO - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____





U-Shape Reception Desk

Hanging countertop notched on left side sits on left side ADA desk shell extension.

Desk shell features a 19" recessed back to meet ADA standard. 16" clearance remains on user side.

Right side open return with countertop.

Note: Storage units being placed underneath front unit or return should not exceed 20" in depth.

*Note: Clearance on user side of desk shell extension unit will not allow for pedestal or cabinet to sit flush underneath. All pedestals or cabinets are suggested to be placed underneath the front desk unit or return.

One grommet located on left and right side of front surface.


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
ARG1037242-LHE-ADA-RRC	103	72	42	7298	475	
ARG1097242-LHE-ADA-RRC	109	72	42	7438	489	
ARG1037842-LHE-ADA-RRC	103	78	42	7368	482	
ARG1097842-LHE-ADA-RRC	109	78	42	7509	497	
ARG1038442-LHE-ADA-RRC	103	84	42	7438	489	
ARG1098442-LHE-ADA-RRC	109	84	42	7578	504	
ARG1039042-LHE-ADA-RRC	103	90	42	7787	496	
ARG1099042-LHE-ADA-RRC	109	90	42	7929	511	
ARG1039642-LHE-ADA-RRC	103	96	42	7858	504	
ARG1099642-LHE-ADA-RRC	109	96	42	7996	518	

Front worksurface is standard with two grommets positioned on the left and right side.


Right return worksurface is standard with one grommet.

Color Combination Options:


(A) Top & Extension Upper Layer Color:



(B) Desk Base & Extension Lower Layer Color:



(C) Front & Countertop Color:



How to Order:

STEP ONE - Select model number: _____ (Example: ARG1037242-LHE-ADA-RRC)

STEP TWO - Select Color Combination:

(A) Top Color: _____


(B) Base Color: _____

(C) Front Color: _____


Inline Reception Desk - Right Desk Shell

Hanging countertop notched on right side sits on right side inline desk shell.


Desk shell features a flush back.




Item must be ordered as two separate components. Select widths for component 1 and 2 when ordering.



Step One: select width of ITEM 1






Model No.	W	D	H	Price	LB	FT³
AR673042-R-NOTCH	67	30	42	4230	177	
AR733042-R-NOTCH	73	30	42	4301	192	
AR793042-R-NOTCH	79	30	42	4370	207	
AR853042-R-NOTCH	85	30	42	4440	222	

Hanging countertop has a 12" notch and is placed over the desk shell shown in item #2, reducing the overall width of the complete reception station by 12”

Front worksurface is standard with two grommets positioned on the left and right side.


Step Two: select width of ITEM 2




Model No.	W	D	H	Price	LB	FT³
AR3032-S-RIL-IKW	30	32	29	922	71	
AR3632-S-RIL-IKW	36	32	29	956	80	
AR4232-S-RIL-IKW	42	32	29	989	89	
AR4832-S-RIL-IKW	48	32	29	1025	98	
AR5432-S-RIL-IKW	54	32	29	1060	106	
AR6032-S-RIL-IKW	60	32	29	1092	115	
AR6632-S-RIL-IKW	66	32	29	1126	124	
AR7232-S-RIL-IKW	72	32	29	1161	132	

ITEM 1 - Color Combination Options:


(A) Top Color:




(B) Base Color:




(C) Front & Countertop Color:







ITEM 2 - Color Combination Options:

(A) Top Color:



(B) Base Color:





ITEM 1 - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____

ITEM 2 - Select Color Combination:


(A) Top Color: _____

(B) Base Color: _____


Inline Reception Desk - Left Desk Shell

Hanging countertop notched on left side sits on left side inline desk shell.


Desk shell features a flush back.




Item must be ordered as two separate components. Select widths for component 1 and 2 when ordering.



Step One: select width of ITEM 1






Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
AR673042-L-NOTCH	67	30	42	4230	177	
AR733042-L-NOTCH	73	30	42	4301	192	
AR793042-L-NOTCH	79	30	42	4370	207	
AR853042-L-NOTCH	85	30	42	4440	222	

Hanging countertop has a 12" notch and is placed over the desk shell shown in item #2, reducing the overall width of the complete reception station by 12”

Front worksurface is standard with two grommets positioned on the left and right side.


Step Two: select width of ITEM 2




Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
AR3032-S-LIL-IWK	30	32	29	922	71	
AR3632-S-LIL-IWK	36	32	29	956	80	
AR4232-S-LIL-IWK	42	32	29	989	89	
AR4832-S-LIL-IWK	48	32	29	1025	98	
AR5432-S-LIL-IWK	54	32	29	1060	106	
AR6032-S-LIL-IWK	60	32	29	1092	115	
AR6632-S-LIL-IWK	66	32	29	1126	124	
AR7232-S-LIL-IWK	72	32	29	1161	132	

ITEM 1 - Color Combination Options:


(A) Top Color:




(B) Base Color:




(C) Front & Countertop Color:







ITEM 2 - Color Combination Options:

(A) Top Color:



(B) Base Color:





ITEM 1 - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____


ITEM 2 - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

Left and Right Connecting Desk Shell

This desk shell can be placed in between two Notched Inline Reception Desks.




Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
AR3032-S-IL-IKK	30	32	29	922	65	
AR3632-S-IL-IKK	36	32	29	956	74	
AR4232-S-IL-IKK	42	32	29	989	83	
AR4832-S-IL-IKK	48	32	29	1025	92	
AR5432-S-IL-IKK	54	32	29	1060	100	
AR6032-S-IL-IKK	60	32	29	1092	109	
AR6632-S-IL-IKK	66	32	29	1126	118	
AR7232-S-IL-IKK	72	32	29	1161	126	

This desk shell can be used in conjunction with the following items:


AR673042-L-NOTCH	AR673042-R-NOTCH
AR733042-L-NOTCH	AR733042-R-NOTCH
AR793042-L-NOTCH	AR793042-R-NOTCH
AR853042-L-NOTCH	AR853042-R-NOTCH


ITEM 1 - Color Combination Options:

(A) Top Color:



(B) Base Color:






ITEM 1 - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

Reception Desk - Right Return

This return can be added onto a notched Reception Desk.



This return can be used in conjunction with the following items:

AR673042-L-NOTCH


AR733042-L-NOTCH

AR793042-L-NOTCH

AR853042-L-NOTCH


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
AR582442-RRC-RETURN	58	24	42	1815	144	
AR642442-RRC-RETURN	64	24	42	1832	158	
AR702442-RRC-RETURN	70	24	42	1844	172	
AR762442-RRC-RETURN	76	24	42	1859	186	
AR822442-RRC-RETURN	82	24	42	1886	200	

Return countertop overhangs 18"




ITEM 1 - Color Combination Options:


(A) Top Color:



(B) Base Color:



(C) Front & Countertop Color:



ITEM 1 - Select Color Combination:


(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____

Reception Desk - Left Return

This return can be added onto a notched Reception Desk.



This return can be used in conjunction with the following items:

AR673042-R-NOTCH


AR733042-R-NOTCH

AR793042-R-NOTCH

AR853042-R-NOTCH


Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
AR582442-LRC-RETURN	58	24	42	1815	144	
AR642442-LRC-RETURN	64	24	42	1832	158	
AR702442-LRC-RETURN	70	24	42	1844	172	
AR762442-LRC-RETURN	76	24	42	1859	186	
AR822442-LRC-RETURN	82	24	42	1886	200	

Return countertop overhangs 18"




ITEM 1 - Color Combination Options:


(A) Top Color:



(B) Base Color:



(C) Front & Countertop Color:




ITEM 1 - Select Color Combination:

(A) Top Color: _____

(B) Base Color: _____

(C) Front Color: _____



Hang-On Transaction Counter

Can only be used when positioned on top of a 12" Deep Counter Top

Model No.	*W*	*D*	*H*	Price	*LB*	*FT³*
IN301230-HOTC	30	12	30	800	37	1.8
IN361230-HOTC	36	12	30	833	43	2
IN421230-HOTC	42	12	30	866	50	2.3
IN481230-HOTC	48	12	30	900	56	2.6
IN541230-HOTC	54	12	30	934	62	2.9
IN601230-HOTC	60	12	30	967	68	3.1
IN661230-HOTC	66	12	30	1000	74	3.4
IN721230-HOTC	72	12	30	1034	80	3.7
IN781230-HOTC	78	12	30	1234	86	4
IN841230-HOTC	84	12	30	1300	92	4.3

STUDY CARRELS




CAROL

PRICE BOOK

OFGO

STUDIO

FREESTANDING CARREL - 47" HIGH



Freestanding Carrel

47" High

Freestanding

1" Thick Top

1" Thick Side Panels

1" Thick Back Panel

Back panel is raised 3" from the bottom for wire pass through.

Model No.	*Overall W*	*D*	*H*	*Top W*	Price	*LB*	*FT³*
CR362447-SU-WW	36	24	47	34	1159	113	5.6
CR422447-SU-WW	42	24	47	40	1182	123	6.1
CR482447-SU-WW	48	24	47	46	1205	133	6.6
CR542447-SU-WW	54	24	47	52	1228	143	7.1
CR363047-SU-WW	36	30	47	34	1216	131	6.1
CR423047-SU-WW	42	30	47	40	1239	142	6.6
CR483047-SU-WW	48	30	47	46	1262	154	7.1
CR543047-SU-WW	54	30	47	52	1284	165	7.6


Units up to 48" wide include one grommet in the center.

Units 54" wide include two grommets (one on each end).

Woodgrain on end panels and back panel is vertical.

Woodgrain on top is horizontal.

Note: Unit cannot connect to Linking Carrels



Dual Freestanding Carrel

47" High

Freestanding

1" Thick Top

1" Thick Side Panels

1" Thick Back Panel

Back panel is raised 3" from the bottom for wire pass through.

CR364847-DU-WW	36	48	47	34	1879	187	7.6
CR424847-DU-WW	42	48	47	40	1915	201	8.2
CR484847-DU-WW	48	48	47	46	1950	215	8.7
CR366047-DU-WW	36	60	47	34	1991	225	8.7
CR426047-DU-WW	42	60	47	40	2028	240	9.2
CR486047-DU-WW	48	60	47	46	2064	256	9.7

Units up to 48" wide include one grommet in the center.


Woodgrain on end panels and back panel is vertical.

Woodgrain on top is horizontal.

Note: Unit cannot connect to Linking Carrels

FREESTANDING CARREL WITH SHELF - 53" HIGH


CAROL



Freestanding Carrel with Shelf
53" High
Freestanding
1" Thick Top
1" Thick Side Panels
1" Thick Back Panel
1" Thick Shelf (9.5" Deep)
19" High clearance underneath the shelf
Back panel is raised 3" from the bottom for wire pass through.

Model No.	Overall W	D	H	Top W	Price	LB	FT³
CR362453-SU-WW-SH	36	24	53	34	1249	132	6.2
CR422453-SU-WW-SH	42	24	53	40	1272	145	6.8
CR482453-SU-WW-SH	48	24	53	46	1295	157	7.4
CR542453-SU-WW-SH	54	24	53	52	1318	170	8
CR363053-SU-WW-SH	36	30	53	34	1307	153	6.8
CR423053-SU-WW-SH	42	30	53	40	1329	166	7.4
CR483053-SU-WW-SH	48	30	53	46	1352	180	8
CR543053-SU-WW-SH	54	30	53	52	1374	193	8.6

Units up to 48" wide include one grommet in the center.
Units 54" wide include two grommets (one on each end).
Woodgrain on end panels and back panel is vertical.
Woodgrain on top and shelf is horizontal.
Note: Unit cannot connect to Linking Carrels







Dual Freestanding Carrel with Shelf
53" High
Freestanding
1" Thick Top
1" Thick Side Panels
1" Thick Back Panel
1" Thick Shelves (9.5" Deep)
19" High clearance underneath the shelf
Back panel is raised 3" from the bottom for wire pass through.

CR364853-DU-WW-SH	36	48	53	34	2060	222	8.6
CR424853-DU-WW-SH	42	48	53	40	2096	239	9.1
CR484853-DU-WW-SH	48	48	53	46	2131	257	9.7
CR366053-DU-WW-SH	36	60	53	34	2172	263	9.7
CR426053-DU-WW-SH	42	60	53	40	2209	282	10.3
CR486053-DU-WW-SH	48	60	53	46	2244	301	10.9

Units up to 48" wide include one grommet in the center.
Woodgrain on end panels and back panel is vertical.
Woodgrain on top and shelves is horizontal.
Note: Unit cannot connect to Linking Carrels


CONFIGURABLE LINKING CARREL - SINGLE - 47"H

CAROL

	Model No.	Overall W	D	H	Price	LB	FT³
 **Single Linking Carrel** **47" High** Must Connect to Joining Panel 1" Thick Top 1" Thick Side Panels 1" Thick Back Panel Unit can connect to left, right, or middle single joining panel. Back panel is raised 3" from the bottom for wire pass through. Units up to 46" wide include one grommet in the center. Units 52" wide include two grommets (one on each end). Woodgrain on back panel is vertical. Woodgrain on top is horizontal. **Note: Unit cannot connect to Freestanding Carrels**	CR342447-SU-CT	34	24	47	820	58	3.2
	CR402447-SU-CT	40	24	47	842	68	3.7
	CR462447-SU-CT	46	24	47	865	78	4.3
	CR522447-SU-CT	52	24	47	888	88	4.8
	CR343047-SU-CT	34	30	47	855	63	3.2
	CR403047-SU-CT	40	30	47	878	74	3.7
	CR463047-SU-CT	46	30	47	899	85	4.3
	CR523047-SU-CT	52	30	47	922	96	4.8
 Right End (facing unit) Single Joining Panel Connects to SU-CT carrel	CR2447-SU-RP	24	1	47	226	27	2.3
	CR3047-SU-RP	30	1	47	243	34	2.9
 Right End (facing unit) with Grommet Single Joining Panel Connects to SU-CT carrel	CR2447-SU-RPGU	24	1	47	271	27	2.3
	CR3047-SU-RPGU	30	1	47	289	34	2.9
 Left End (facing unit) Single Joining Panel Connects to SU-CT carrel	CR2447-SU-LP	24	1	47	226	27	2.3
	CR3047-SU-LP	30	1	47	243	34	2.9
 Left End (facing unit) with Grommet Single Joining Panel Connects to SU-CT carrel	CR2447-SU-LPGU	24	1	47	271	27	2.3
	CR3047-SU-LPGU	30	1	47	289	34	2.9
 PANEL IS DRILLED ON BOTH SIDES Middle Panel with Grommet Single Joining Panel Connects on both sides Connects to SU-CT carrel	CR2447-SU-MP	24	1	47	271	27	2.3
	CR3047-SU-MP	30	1	47	289	34	2.9

CONFIGURABLE LINKING CARREL - DUAL - 47"H

CAROL




	Model No.	Overall W	D	H	Price	LB	FT³
Dual Linking Carrel	CR344847-DU-CT	34	48	47	1325	78	4.8
47" High	CR404847-DU-CT	40	48	47	1361	91	5.6
Must Connect to Joining Panel	CR464847-DU-CT	46	48	47	1397	105	6.4
1" Thick Top							
1" Thick Side Panels							
1" Thick Back Panel	CR346047-DU-CT	34	60	47	1403	88	5.2
Unit can connect to left/right end, or middle dual joining panels.	CR406047-DU-CT	40	60	47	1441	103	6.1
	CR466047-DU-CT	46	60	47	1476	119	6.9
Back panel is raised 3" from the bottom for wire pass through.							

Units up to 46" wide include one grommet in the center.


Woodgrain on back panel is vertical.

Woodgrain on top is horizontal.


Note: Unit cannot connect to Freestanding Carrels



Left or Right End	CR4847-DU-EP	48	1	47	379	54	4.4
Dual Joining Panel	CR6047-DU-EP	60	1	47	396	68	5.5
Connects to DU-CT carrel							





Left or Right End Panel with Grommets	CR4847-DU-EPGU	48	1	47	424	54	4.4
Dual Joining Panel	CR6047-DU-EPGU	60	1	47	441	68	5.5
Connects to DU-CT carrel							



Middle Panel with Grommets	CR4847-DU-MP	48	1	47	424	54	4.4
Dual Joining Panel	CR6047-DU-MP	60	1	47	441	68	5.5
Connects on both sides							
Connects to DU-CT carrel							


CONFIGURABLE LINKING CARREL - SINGLE WITH SHELF - 53"H

CAROL

	Model No.	Overall W	D	H	Price	LB	FT³
 **Single Linking Carrel with Shelf**	CR342453-SU-CT-SH	34	24	53	911	71	3.6
53" High	CR402453-SU-CT-SH	40	24	53	934	83	4.2
Must Connect to Joining Panel	CR462453-SU-CT-SH	46	24	53	956	96	4.8
1" Thick Top	CR522453-SU-CT-SH	52	24	53	978	108	5.3
1" Thick Side Panels							
1" Thick Back Panel	CR343053-SU-CT-SH	34	30	53	945	76	3.6
1" Thick Shelf (9.5" Deep)	CR403053-SU-CT-SH	40	30	53	968	89	4.2
19" High clearance underneath the shelf	CR463053-SU-CT-SH	46	30	53	990	102	4.8
Unit can connect to left/right end, or middle dual joining panels.	CR523053-SU-CT-SH	52	30	53	1013	116	5.3
Back panel is raised 3" from the bottom for wire pass through.							
Units up to 46" wide include one grommet in the center.							
Units 52" wide include two grommets (one on each end).							
Woodgrain on back panel is vertical.							
Woodgrain on top and shelf is horizontal.							
Note: Unit cannot connect to Freestanding Carrels							
 Right End (facing unit)	CR2453-SU-RP-SH	24	1	53	248	31	2.6
Single Joining Panel	CR3053-SU-RP-SH	30	1	53	266	38	3.2
Connects to 53" High SU-CT-SH carrel							
 Right End (facing unit) with Grommet	CR2453-SU-RPGU-SH	24	1	53	294	31	2.6
Single Joining Panel	CR3053-SU-RPGU-SH	30	1	53	312	38	3.2
Connects to 53" High SU-CT-SH carrel							
 Left End (facing unit)	CR2453-SU-LP-SH	24	1	53	248	31	2.6
Single Joining Panel	CR3053-SU-LP-SH	30	1	53	266	38	3.2
Connects to 53" High SU-CT-SH carrel							
 Left End (facing unit) with Grommet	CR2453-SU-LPGU-SH	24	1	53	294	31	2.6
Single Joining Panel	CR3053-SU-LPGU-SH	30	1	53	312	38	3.2
Connects to 53" High SU-CT-SH carrel							
 **PANEL IS DRILLED ON BOTH SIDES** Middle Panel with Grommet	CR2453-SU-MP-SH	24	1	53	294	31	2.6
Single Joining Panel	CR3053-SU-MP-SH	30	1	53	312	38	3.2
Connects on both sides							
Connects to 53" High SU-CT-SH carrel							

CONFIGURABLE LINKING CARREL - DUAL WITH SHELF - 53"H

CAROL



	Model No.	Overall W	D	H	Price	LB	FT³
Dual Linking Carrel with Shelf	CR344853-DU-CT-SH	34	48	53	1506	98	5.2
53" High	CR404853-DU-CT-SH	40	48	53	1541	116	6.1
Must Connect to Joining Panel	CR464853-DU-CT-SH	46	48	53	1578	133	6.9
1" Thick Top							
1" Thick Side Panels	CR346053-DU-CT-SH	34	60	53	1585	108	5.6
1" Thick Back Panel	CR406053-DU-CT-SH	40	60	53	1621	127	6.5
1" Thick Shelves (9.5" Deep)	CR466053-DU-CT-SH	46	60	53	1657	146	7.4

19" High clearance underneath the shelf

Unit can connect to left/right end, or middle joining single panels.


Back panel is raised 3" from the bottom for wire pass through.

Units up to 46" wide include one grommet in the center.

Woodgrain on back panel is vertical.


Woodgrain on top and shelves is horizontal.

Note: Unit cannot connect to Freestanding Carrels




Left or Right End	CR4853-DU-EP-SH	48	1	53	402	61	5
Dual Joining Panel	CR6053-DU-EP-SH	60	1	53	419	77	6

Connects to 53" High DU-CT-SH carrel



Left or Right End Panel with Grommets	CR4853-DU-EPGU-SH	48	1	53	447	61	5
Dual Joining Panel	CR6053-DU-EPGU-SH	60	1	53	464	77	6

Connects to 53" High DU-CT-SH carrel



PANEL IS DRILLED ON BOTH SIDES

Middle Panel with Grommets	CR4853-DU-MP-SH	48	1	53	447	61	5
Dual Joining Panel	CR6053-DU-MP-SH	60	1	53	464	77	6

Connects on both sides

Connects to 53" High DU-CT-SH carrel



SEATING

UNIFY

PRICE BOOK

OFGO

STUDIO



FEATURES

- Collaborative units can be used together to create a wide variety of layouts.
- Units are standard with 6"H powder coated silver legs for easy clean-out.
- Seating frames feature an interlocking plywood jigsaw construction. Joints reinforce each other for maximum stability.
- Seats are high resiliency 2.5 lb. per cubic ft. density CFC-free foam. Fire retardant foam meets CAL 117 requirements.
- All cushions are fixed and non-removable.
- Tablet arm option available in 1" thick thermofused laminate surface. Tablet option features a 360 degree swivel.
- Variety of units available with standing height shelf available in all OFGO standard TFL finishes.
- Extension units connect between two modular sofa units to create an enclosed privacy booth. Extension units are available with an option to attach to a table in the center.
- All lounge seating units can be specified with power/USB modules, which include 2 power outlets, and 1 double USB terminal.
- Each power/USB module can be placed on the left side, right side, or front center of the lounge unit, as well as the front of the sofa arm, as shown in the electrical illustration below.
- Models can meet the requirements of CAL133 when upholstered using appropriate materials. Depending on upholstery, specified up-charges will apply. Textiles material must be pre-approved by OFGO for CAL133 application.
- Manufactured with environmentally friendly preferred products (EPP).
- Greenguard Indoor Air Quality Certified®.
- Manufactured in ISO 9001:2008 compliant facility.

RECONFIGURABILITY

- Unify series components are easy to reconfigure to create a variety of combinations.
- Sofa to Sofa connectors feature a ratchet design allowing for units to be added or reconfigured on site.

COMBINATION FABRICS

- Different fabrics can be specified for the sofa seat, back, arms, and headrest.
- When combination upholstery is with upholstery of the same grade, no additional up-charge will apply.
- When graded-in combination upholstery is selected contact customer service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product).

COM FABRICS

- Yardage requirements shown are based on the use of non-directional fabrics that are 54" wide with the fabric being cut "up the roll".
- OFGO reserves the right to reject COM fabrics that in OFGO's opinion are unsuitable.
- Yardage requirements are greatly affected by not only size of repeats, but also by the print or pattern.

Unify series is GREENGUARD Indoor Air Quality Certified® assuring Unify series meet strict chemical emissions limits, contributing to the creation of healthier interiors. The use of GREENGUARD Certified furniture can help design teams earn points in green building rating systems, satisfy code or ordinance criteria, and meet the indoor air quality specific RFP requirements.


Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System. For more information contact OFGO head office.


ELECTRICAL PLACEMENT OPTIONS


SLSE3 = Power/USB ports unit on, **LEFT SIDE of SEAT** when seated
SRSE3 = Power/USB ports unit on, **RIGHT SIDE of SEAT** when seated
SCFE3 = Power/USB ports unit on, **FRONT CENTER of SEAT** when seated
ALFE3 = Power/USB ports unit on, **LEFT FRONT of ARM** when seated
ARFE3 = Power/USB ports unit on, **RIGHT FRONT of ARM** when seated


E3 Power Module


- Silver Fog faceplate with matching powder-coated trim.
- 2 Power and 1 dual port USB-A+C
- Add **$520** List per unit



ALFE3
Left Side
(when seated)



ARFE3
Right Side
(when seated)



ALFE3
Left Side
(when seated)



ARFE3
Right Side
(when seated)



SLSE3
Left Side
(when seated)



SRSE3
Right Side
(when seated)



SLSE3
Left Side
(when seated)


SRSE3
Right Side
(when seated)









SCFE3
Front Center


SCFE3
Front Center


SCFE3
Front Center


SCFE3
Front Center

UNIFY COLLECTION

Standard Back - 32.5"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	One Seater **Standard Back - 32.5"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-1S-NA-HHSL	1517	1592	1667	1742	1817	24	28	32.5	13.5	44	3
	One Seater **Standard Back - 32.5"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-1S-WA25-HHSL	2024	2149	2274	2399	2524	32	28	32.5	18	72	5
 Shown with Tablet on Right	One Seater **Standard Back - 32.5"H** w/ Arms w/ Tablet □□ = specify tablet color	4033-SF-1S-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4033-SF-1S-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	2584 2584	2709 2709	2834 2834	2959 2959	3084 3084	32 32	28 28	32.5 32.5	18 18	82 82	5 5
	One Seater **Standard Back - 32.5"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-1S-AL25-HHSL	1772	1872	1972	2072	2172	28	28	32.5	15.5	58	4
	One Seater **Standard Back - 32.5"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-1S-AR25-HHSL	1772	1872	1972	2072	2172	28	28	32.5	15.5	58	4
	One Seater **Standard Back - 32.5"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-1S-AL25-HHSL-TLM□□ □□ = specify tablet color	2332	2432	2532	2632	2732	28	28	32.5	15.5	68	4
	One Seater **Standard Back - 32.5"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-1S-AR25-HHSL-TRM□□ □□ = specify tablet color	2332	2432	2532	2632	2732	28	28	32.5	15.5	68	4

How to Order:

For example, to order a 4033-SF-1S-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4033-SF-1S-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Standard Back - 32.5"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	One Seater - 30"W **Standard Back - 32.5"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-30-NA-HHSL	1897	1997	2097	2197	2297	30	28	32.5	17	49	4
	One Seater - 38"W **Standard Back - 32.5"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-30-WA25-HHSL	2404	2554	2704	2854	3004	38	28	32.5	21.5	77	6
 Shown with Tablet on Right	One Seater - 38"W **Standard Back - 32.5"H** w/ Arms w/ Tablet	4033-SF-30-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4033-SF-30-WA25-HHSL-TRM□□ (Tablet on Right When Seated) □□ = specify tablet color	2964 2964	3114 3114	3264 3264	3414 3414	3564 3564	38 38	28 28	32.5 32.5	21.5 21.5	87 87	6 6
	One Seater - 34"W **Standard Back - 32.5"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-30-AL25-HHSL	2151	2276	2401	2526	2651	34	28	32.5	19	63	5
	One Seater - 34"W **Standard Back - 32.5"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-30-AR25-HHSL	2151	2276	2401	2526	2651	34	28	32.5	19	63	5
	One Seater - 34"W **Standard Back - 32.5"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-30-AL25-HHSL-TLM□□ □□ = specify tablet color	2711	2836	2961	3086	3211	34	28	32.5	19	73	5
	One Seater - 34"W **Standard Back - 32.5"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-30-AR25-HHSL-TRM□□ □□ = specify tablet color	2711	2836	2961	3086	3211	34	28	32.5	19	73	5

How to Order:

For example, to order a 4033-SF-30-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4033-SF-30-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Standard Back - 32.5"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Two Seater **Standard Back - 32.5"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-2S-NA-HHSL	2277	2402	2527	2652	2777	48	28	32.5	26.5	75	5
	Two Seater **Standard Back - 32.5"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-2S-WA25-HHSL	2783	2958	3133	3308	3483	56	28	32.5	31	103	7
 Shown with Tablet on Right	Two Seater **Standard Back - 32.5"H** w/ Arms w/ Tablet □□ = specify tablet color	4033-SF-2S-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4033-SF-2S-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	3343 3343	3518 3518	3693 3693	3868 3868	4043 4043	56 56	28 28	32.5 32.5	31 31	113 113	7 7
	Two Seater **Standard Back - 32.5"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-2S-AL25-HHSL	2529	2679	2829	2979	3129	52	28	32.5	28.75	89	6
	Two Seater **Standard Back - 32.5"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-2S-AR25-HHSL	2529	2679	2829	2979	3129	52	28	32.5	28.75	89	6
	Two Seater **Standard Back - 32.5"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-2S-AL25-HHSL-TLM□□ □□ = specify tablet color	3089	3239	3389	3539	3689	52	28	32.5	28.75	99	6
	Two Seater **Standard Back - 32.5"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-2S-AR25-HHSL-TRM□□ □□ = specify tablet color	3089	3239	3389	3539	3689	52	28	32.5	28.75	99	6

How to Order:

For example, to order a 4033-SF-2S-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4033-SF-2S-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Standard Back - 32.5"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Two Seater - 60"W **Standard Back - 32.5"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-60-NA-HHSL	2971	3134	3296	3459	3621	60	28	32.5	33.5	80	6.5
	Two Seater - 68"W **Standard Back - 32.5"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-60-WA25-HHSL	3477	3690	3902	4115	4327	68	28	32.5	37.5	108	8.5
 Shown with Tablet on Right	Two Seater - 68"W **Standard Back - 32.5"H** w/ Arms w/ Tablet □□ = specify tablet color	4033-SF-60-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4033-SF-60-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	4037 4037	4250 4250	4462 4462	4675 4675	4887 4887	68 68	28 28	32.5 32.5	37.5 37.5	118 118	8.5 8.5
	Two Seater - 64"W **Standard Back - 32.5"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-60-AL25-HHSL	3224	3412	3599	3787	3974	64	28	32.5	35.5	94	7.5
	Two Seater - 64"W **Standard Back - 32.5"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-60-AR25-HHSL	3224	3412	3599	3787	3974	64	28	32.5	35.5	94	7.5
	Two Seater - 64"W **Standard Back - 32.5"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-60-AL25-HHSL-TLM□□ □□ = specify tablet color	3784	3972	4159	4347	4534	64	28	32.5	35.5	104	7.5
	Two Seater - 64"W **Standard Back - 32.5"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-60-AR25-HHSL-TRM□□ □□ = specify tablet color	3784	3972	4159	4347	4534	64	28	32.5	35.5	104	7.5

How to Order:

For example, to order a 4033-SF-60-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4033-SF-60-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Standard Back - 32.5"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Three Seater **Standard Back - 32.5"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-3S-NA-HHSL	3561	3749	3936	4124	4311	72	28	32.5	39.5	108	7.5
	Three Seater **Standard Back - 32.5"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-3S-WA25-HHSL	4051	4289	4526	4764	5001	80	28	32.5	44	136	9.5
 Shown with Tablet on Right (TRM)	Three Seater **Standard Back - 32.5"H** w/ Arms w/ Tablet	4033-SF-3S-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4033-SF-3S-WA25-HHSL-TRM□□ (Tablet on Right When Seated) □□ = specify tablet color	4611 4611	4849 4849	5086 5086	5324 5324	5561 5561	80 80	28 28	32.5 32.5	44 44	146 146	9.5 9.5
	Three Seater **Standard Back - 32.5"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-3S-AL25-HHSL	3807	4020	4232	4445	4657	76	28	32.5	42	122	8.5
	Three Seater **Standard Back - 32.5"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-3S-AR25-HHSL	3807	4020	4232	4445	4657	76	28	32.5	42	122	8.5
	Three Seater **Standard Back - 32.5"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-3S-AL25-HHSL-TLM□□ □□ = specify tablet color	4367	4580	4792	5005	5217	76	28	32.5	42	132	8.5
	Three Seater **Standard Back - 32.5"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-3S-AR25-HHSL-TRM□□ □□ = specify tablet color	4367	4580	4792	5005	5217	76	28	32.5	42	132	8.5

How to Order:

For example, to order a 4033-SF-3S-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


4033-SF-3S-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

2 Select Power/USB (optional)

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

High Back - 47"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	One Seater **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-NA-HHSL	1772	1872	1972	2072	2172	24	28	47	19.5	56	4
	One Seater **High Back - 47"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-WA25-HHSL	2277	2427	2577	2727	2877	32	28	47	25.5	84	6
 Shown with Tablet on Right	One Seater **High Back - 47"H** w/ Arms w/ Tablet □□ = specify tablet color	4047-SF-1S-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4047-SF-1S-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	2837 2837	2987 2987	3137 3137	3287 3287	3437 3437	32 32	28 28	47 47	25.5 25.5	94 94	6 6
	One Seater **High Back - 47"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-AL25-HHSL	2024	2149	2274	2399	2524	28	28	47	22.5	70	5
	One Seater **High Back - 47"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-AR25-HHSL	2024	2149	2274	2399	2524	28	28	47	22.5	70	5
	One Seater **High Back - 47"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-AL25-HHSL-TLM□□ □□ = specify tablet color	2584	2709	2834	2959	3084	28	28	47	22.5	80	5
	One Seater **High Back - 47"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-AR25-HHSL-TRM□□ □□ = specify tablet color	2584	2709	2834	2959	3084	28	28	47	22.5	80	5

How to Order:

For example, to order a 4047-SF-1S-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4047-SF-1S-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

High Back - 47"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	One Seater - 30"W **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-NA-HHSL	2277	2415	2552	2690	2827	30	28	47	24.5	61	5.5
	One Seater - 38"W **High Back - 47"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-WA25-HHSL	2783	2971	3158	3346	3533	38	28	47	31	89	7.5
 Shown with Tablet on Right	One Seater - 38"W **High Back - 47"H** w/ Arms w/ Tablet □□ = specify tablet color	4047-SF-30-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4047-SF-30-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	3343 3343	3531 3531	3718 3718	3906 3906	4093 4093	38 38	28 28	47 47	31 31	99 99	7.5 7.5
	One Seater - 34"W **High Back - 47"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-AL25-HHSL	2529	2692	2854	3017	3179	34	28	47	27.5	75	6.5
	One Seater - 34"W **High Back - 47"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-AR25-HHSL	2529	2692	2854	3017	3179	34	28	47	27.5	75	6.5
	One Seater - 34"W **High Back - 47"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-AL25-HHSL-TLM□□ □□ = specify tablet color	3089	3252	3414	3577	3739	34	28	47	27.5	85	6.5
	One Seater - 34"W **High Back - 47"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-AR25-HHSL-TRM□□ □□ = specify tablet color	3089	3252	3414	3577	3739	34	28	47	27.5	85	6.5

How to Order:

For example, to order a 4047-SF-30-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4047-SF-30-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:









To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

High Back - 47"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Two Seater **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-NA-HHSL	2783	2952	3121	3289	3458	48	28	47	38	95	6.75
	Two Seater **High Back - 47"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-WA25-HHSL	3288	3507	3726	3944	4163	56	28	47	44.5	123	8.75
 Shown with Tablet on Right	Two Seater **High Back - 47"H** w/ Arms w/ Tablet □□ = specify tablet color	4047-SF-2S-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4047-SF-2S-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	3848 3848	4067 4067	4286 4286	4504 4504	4723 4723	56 56	28 28	47 47	44.5 44.5	133 133	8.75 8.75
	Two Seater **High Back - 47"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-AL25-HHSL	3036	3230	3424	3617	3811	52	28	47	41.5	109	7.75
	Two Seater **High Back - 47"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-AR25-HHSL	3036	3230	3424	3617	3811	52	28	47	41.5	109	7.75
	Two Seater **High Back - 47"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-AL25-HHSL-TLM□□ □□ = specify tablet color	3596	3790	3984	4177	4371	52	28	47	41.5	119	7.75
	Two Seater **High Back - 47"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-AR25-HHSL-TRM□□ □□ = specify tablet color	3596	3790	3984	4177	4371	52	28	47	41.5	119	7.75

How to Order:

For example, to order a 4047-SF-2S-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


4047-SF-2S-WA25-HHSL-TLMCW - **SCFE3**

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

2 Select Power/USB (optional)

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

High Back - 47"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Two Seater - 60"W **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-NA-HHSL	3605	3824	4043	4261	4480	60	28	47	48	100	8.75
	Two Seater - 68"W **High Back - 47"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-WA25-HHSL	4111	4380	4649	4917	5186	68	28	47	54.5	128	10.75
 Shown with Tablet on Right	Two Seater - 68"W **High Back - 47"H** w/ Arms w/ Tablet □□ = specify tablet color	4047-SF-60-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4047-SF-60-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	4671 4671	4940 4940	5209 5209	5477 5477	5746 5746	68 68	28 28	47 47	54.5 54.5	138 138	10.75 10.75
	Two Seater - 64"W **High Back - 47"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-AL25-HHSL	3857	4101	4345	4588	4832	64	28	47	51.5	114	9.75
	Two Seater - 64"W **High Back - 47"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-AR25-HHSL	3857	4101	4345	4588	4832	64	28	47	51.5	114	9.75
	Two Seater - 64"W **High Back - 47"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-AL25-HHSL-TLM□□ □□ = specify tablet color	4417	4661	4905	5148	5392	64	28	47	51.5	124	9.75
	Two Seater - 64"W **High Back - 47"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-AR25-HHSL-TRM□□ □□ = specify tablet color	4417	4661	4905	5148	5392	64	28	47	51.5	124	9.75

How to Order:

For example, to order a 4047-SF-60-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


4047-SF-60-WA25-HHSL-TLMCW - **SCFE3**

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

2 Select Power/USB (optional)

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

High Back - 47"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Three Seater **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-NA-HHSL	4298	4548	4798	5048	5298	72	28	47	57	137	10
	Three Seater **High Back - 47"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-WA25-HHSL	4789	5089	5389	5689	5989	80	28	47	63	165	12
 Shown with Tablet on Right	Three Seater **High Back - 47"H** w/ Arms w/ Tablet □□ = specify tablet color	4047-SF-3S-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4047-SF-3S-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	5349 5349	5649 5649	5949 5949	6249 6249	6549 6549	80 80	28 28	47 47	63 63	175 175	12 12
	Three Seater **High Back - 47"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-AL25-HHSL	4543	4818	5093	5368	5643	76	28	47	60	151	11
	Three Seater **High Back - 47"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-AR25-HHSL	4543	4818	5093	5368	5643	76	28	47	60	151	11
	Three Seater **High Back - 47"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-AL25-HHSL-TLM□□ □□ = specify tablet color	5103	5378	5653	5928	6203	76	28	47	60	161	11
	Three Seater **High Back - 47"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-AR25-HHSL-TRM□□ □□ = specify tablet color	5103	5378	5653	5928	6203	76	28	47	60	161	11

How to Order:

For example, to order a 4047-SF-3S-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4047-SF-3S-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:












To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.







For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

High Back - 47"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	One Seater - High Arms **High Back - 47"H** w/ 47"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-WA47-HHSL	3036	3261	3486	3711	3936	32	28	47	25.5	120	9
	One Seater - High Arms **High Back - 47"H** 47"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-AL47-HHSL	2404	2567	2729	2892	3054	28	28	47	22.5	88	6.5
	One Seater - High Arms **High Back - 47"H** 47"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-AR47-HHSL	2404	2567	2729	2892	3054	28	28	47	22.5	88	6.5
	One Seater - High Arms - 38"W **High Back - 47"H** w/ 47"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-WA47-HHSL	3540	3803	4065	4328	4590	38	28	47	31	125	10.5
	One Seater - High Arms - 34"W **High Back - 47"H** 47"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-AL47-HHSL	2909	3109	3309	3509	3709	34	28	47	27.5	93	8
	One Seater - High Arms - 34"W **High Back - 47"H** 47"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-AR47-HHSL	2909	3109	3309	3509	3709	34	28	47	27.5	93	8
	Two Seater - High Arms **High Back - 47"H** w/ 47"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-WA47-HHSL	4047	4341	4635	4928	5222	56	28	47	44.5	159	11.75
	Two Seater - High Arms **High Back - 47"H** 47"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-AL47-HHSL	3416	3647	3879	4110	4341	52	28	47	41.5	127	9.25
	Two Seater - High Arms **High Back - 47"H** 47"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-AR47-HHSL	3416	3647	3879	4110	4341	52	28	47	41.5	127	9.25








For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

High Back - 47"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Two Seater - High Arms - 68"W **High Back - 47"H** w/ 47"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-WA47-HHSL	4869	5213	5557	5900	6244	68	28	47	54.5	164	13.75
	Two Seater - High Arms - 64"W **High Back - 47"H** 47"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-AL47-HHSL	4237	4518	4800	5081	5362	64	28	47	51.5	132	11.25
	Two Seater - High Arms - 64"W **High Back - 47"H** 47"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-AR47-HHSL	4237	4518	4800	5081	5362	64	28	47	51.5	132	11.25
	Three Seater - High Arms **High Back - 47"H** w/ 47"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-WA47-HHSL	5525	5900	6275	6650	7025	80	28	47	63	201	15
	Three Seater - High Arms **High Back - 47"H** 47"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-AL47-HHSL	4911	5224	5536	5849	6161	76	28	47	60	169	12.5
	Three Seater - High Arms **High Back - 47"H** 47"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-AR47-HHSL	4911	5224	5536	5849	6161	76	28	47	60	169	12.5

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Extended Back - 53"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	One Seater **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-NA-HHSL	1897	1997	2097	2197	2297	24	28	53	22	60	4
	One Seater **Extended Back - 53"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-WA25-HHSL	2404	2554	2704	2854	3004	32	28	53	29	88	6
 Shown with Tablet on Right	One Seater **Extended Back - 53"H** w/ Arms w/ Tablet □□ = specify tablet color	4053-SF-1S-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4053-SF-1S-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	2964 2964	3114 3114	3264 3264	3414 3414	3564 3564	32 32	28 28	53 53	29 29	98 98	6 6
	One Seater **Extended Back - 53"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-AL25-HHSL	2149	2274	2399	2524	2649	28	28	53	25	74	5
	One Seater **Extended Back - 53"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-AR25-HHSL	2149	2274	2399	2524	2649	28	28	53	25	74	5
	One Seater **Extended Back - 53"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-AL25-HHSL-TLM□□ □□ = specify tablet color	2709	2834	2959	3084	3209	28	28	53	25	84	5
	One Seater **Extended Back - 53"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-AR25-HHSL-TRM□□ □□ = specify tablet color	2709	2834	2959	3084	3209	28	28	53	25	84	5

How to Order:

For example, to order a 4053-SF-1S-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4053-SF-1S-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Extended Back - 53"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	One Seater - 30"W **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-NA-HHSL	2404	2542	2679	2817	2954	30	28	53	27.5	65	5.5
	One Seater - 38"W **Extended Back - 53"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-WA25-HHSL	2909	3097	3284	3472	3659	38	28	53	34.5	93	7.5
 Shown with Tablet on Right	One Seater - 38"W **Extended Back - 53"H** w/ Arms w/ Tablet	4053-SF-30-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4053-SF-30-WA25-HHSL-TRM□□ (Tablet on Right When Seated) □□ = specify tablet color	3469 3469	3657 3657	3844 3844	4032 4032	4219 4219	38 38	28 28	53 53	34.5 34.5	103 103	7.5 7.5
	One Seater - 34"W **Extended Back - 53"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-AL25-HHSL	2656	2819	2981	3144	3306	34	28	53	31	79	6.5
	One Seater - 34"W **Extended Back - 53"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-AR25-HHSL	2656	2819	2981	3144	3306	34	28	53	31	79	6.5
	One Seater - 34"W **Extended Back - 53"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-AL25-HHSL-TLM□□ □□ = specify tablet color	3216	3379	3541	3704	3866	34	28	53	31	89	6.5
	One Seater - 34"W **Extended Back - 53"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-AR25-HHSL-TRM□□ □□ = specify tablet color	3216	3379	3541	3704	3866	34	28	53	31	89	6.5

How to Order:

For example, to order a 4053-SF-30-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4053-SF-30-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Extended Back - 53"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Two Seater **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-NA-HHSL	2909	3084	3259	3434	3609	48	28	53	43	102	7
	Two Seater **Extended Back - 53"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-WA25-HHSL	3416	3641	3866	4091	4316	56	28	53	50	130	9
 Shown with Tablet on Right	Two Seater **Extended Back - 53"H** w/ Arms w/ Tablet □□ = specify tablet color	4053-SF-2S-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4053-SF-2S-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	3976 3976	4201 4201	4426 4426	4651 4651	4876 4876	56 56	28 28	53 53	50 50	140 140	9 9
	Two Seater **Extended Back - 53"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-AL25-HHSL	3161	3361	3561	3761	3961	52	28	53	46.5	116	8
	Two Seater **Extended Back - 53"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-AR25-HHSL	3161	3361	3561	3761	3961	52	28	53	46.5	116	8
	Two Seater **Extended Back - 53"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-AL25-HHSL-TLM□□ □□ = specify tablet color	3721	3921	4121	4321	4521	52	28	53	46.5	126	8
	Two Seater **Extended Back - 53"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-AR25-HHSL-TRM□□ □□ = specify tablet color	3721	3921	4121	4321	4521	52	28	53	46.5	126	8

How to Order:

For example, to order a 4053-SF-2S-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4053-SF-2S-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Extended Back - 53"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Two Seater - 60"W **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-NA-HHSL	3731	3950	4169	4387	4606	60	28	53	54.5	107	8.75
	Two Seater - 68"W **Extended Back - 53"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-WA25-HHSL	4236	4505	4774	5042	5311	68	28	53	61.5	135	10.75
 Shown with Tablet on Right	Two Seater - 68"W **Extended Back - 53"H** w/ Arms w/ Tablet □□ = specify tablet color	4053-SF-60-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4053-SF-60-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	4796 4796	5065 5065	5334 5334	5602 5602	5871 5871	68 68	28 28	53 53	61.5 61.5	145 145	10.75 10.75
	Two Seater - 64"W **Extended Back - 53"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-AL25-HHSL	3983	4227	4471	4714	4958	64	28	53	58	121	9.75
	Two Seater - 64"W **Extended Back - 53"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-AR25-HHSL	3983	4227	4471	4714	4958	64	28	53	58	121	9.75
	Two Seater - 64"W **Extended Back - 53"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-AL25-HHSL-TLM□□ □□ = specify tablet color	4543	4787	5031	5274	5518	64	28	53	58	131	9.75
	Two Seater - 64"W **Extended Back - 53"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-AR25-HHSL-TRM□□ □□ = specify tablet color	4543	4787	5031	5274	5518	64	28	53	58	131	9.75

How to Order:

For example, to order a 4053-SF-60-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


2 Select Power/USB (optional)

4053-SF-60-WA25-HHSL-TLMCW - SCFE3

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

Multiple Fabric Selection Option:










To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Extended Back - 53"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Three Seater **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-NA-HHSL	4420	4670	4920	5170	5420	72	28	53	64	147	10
	Three Seater **Extended Back - 53"H** w/ Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-WA25-HHSL	4911	5211	5511	5811	6111	80	28	53	71	175	12
 Shown with Tablet on Right	Three Seater **Extended Back - 53"H** w/ Arms w/ Tablet □□ = specify tablet color	4053-SF-3S-WA25-HHSL-TLM□□ (Tablet on Left When Seated) 4053-SF-3S-WA25-HHSL-TRM□□ (Tablet on Right When Seated)	5471 5471	5771 5771	6071 6071	6371 6371	6671 6671	80 80	28 28	53 53	71 71	185 185	12 12
	Three Seater **Extended Back - 53"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-AL25-HHSL	4665	4940	5215	5490	5765	76	28	53	67.5	161	11
	Three Seater **Extended Back - 53"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-AR25-HHSL	4665	4940	5215	5490	5765	76	28	53	67.5	161	11
	Three Seater **Extended Back - 53"H** Arm on Left (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-AL25-HHSL-TLM□□ □□ = specify tablet color	5225	5500	5775	6050	6325	76	28	53	67.5	171	11
	Three Seater **Extended Back - 53"H** Arm on Right (when seated) w/ Tablet Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-AR25-HHSL-TRM□□ □□ = specify tablet color	5225	5500	5775	6050	6325	76	28	53	67.5	171	11

How to Order:

For example, to order a 4053-SF-3S-WA25-HHSL-TLMCW-SCFE3 follow the steps below:

1 Select Product Code


4053-SF-3S-WA25-HHSL-TLMCW - **SCFE3**

(Tablet Code) (Tablet Finish)

Only applicable if ordering product codes with tablet.

2 Select Power/USB (optional)

Multiple Fabric Selection Option:












To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.







For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Extended Back - 53"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	One Seater - High Arms **Extended Back - 53"H** w/ 53"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-WA53-HHSL	3668	3906	4143	4381	4618	32	28	53	29	134	9.5
	One Seater - High Arms **Extended Back - 53"H** 53"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-AL53-HHSL	2783	2996	3208	3421	3633	28	28	53	25	97	8.5
	One Seater - High Arms **Extended Back - 53"H** 53"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-AR53-HHSL	2783	2996	3208	3421	3633	28	28	53	25	97	8.5
	One Seater - High Arms - 38"W **Extended Back - 53"H** w/ 53"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-WA53-HHSL	4173	4436	4698	4961	5223	38	28	53	34.5	139	10.5
	One Seater - High Arms - 34"W **Extended Back - 53"H** 53"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-AL53-HHSL	3288	3488	3688	3888	4088	34	28	53	31	102	8
	One Seater - High Arms - 34"W **Extended Back - 53"H** 53"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-AR53-HHSL	3288	3488	3688	3888	4088	34	28	53	31	102	8
	Two Seater - High Arms **Extended Back - 53"H** w/ 53"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-WA53-HHSL	4680	4986	5293	5599	5905	56	28	53	50	176	12.25
	Two Seat - High Arms **Extended Back - 53"H** 53"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-AL53-HHSL	3793	4031	4268	4506	4743	52	28	53	46.5	139	9.5
	Two Seater - High Arms **Extended Back - 53"H** 53"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-AR53-HHSL	3793	4031	4268	4506	4743	52	28	53	46.5	139	9.5







For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Extended Back - 53"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Two Seater - High Arms - 68"W **Extended Back - 53"H** w/ 53"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-WA53-HHSL	5502	5846	6190	6533	6877	68	28	53	61.5	181	13.75
	Two Seater - High Arms - 64"W **Extended Back - 53"H** 53"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-AL53-HHSL	4618	4899	5181	5462	5743	64	28	53	58	144	11.25
	Two Seater - High Arms - 64"W **Extended Back - 53"H** 53"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-AR53-HHSL	4618	4899	5181	5462	5743	64	28	53	58	144	11.25
	Three Seater - High Arms **Extended Back - 53"H** w/ 53"H Arms Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-WA53-HHSL	6139	6527	6914	7302	7689	80	28	53	71	221	15.5
	Three Seater - High Arms **Extended Back - 53"H** 53"H Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-AL53-HHSL	5280	5599	5918	6236	6555	76	28	53	67.5	184	12.75
	Three Seater - High Arms **Extended Back - 53"H** 53"H Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-AR53-HHSL	5280	5599	5918	6236	6555	76	28	53	67.5	184	12.75

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Standard Back - 32.5"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Inside Curve **Standard Back - 32.5"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-IC-45D-HHSL	2719	2857	2994	3132	3269	54	28	32.5	30	60	5.5
	Inside Curve **Standard Back - 32.5"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-IC-45D-AL25-HHSL	2971	3134	3296	3459	3621	58	28	32.5	33	74	6.5
	Inside Curve **Standard Back - 32.5"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-IC-45D-AR25-HHSL	2971	3134	3296	3459	3621	58	28	32.5	33	74	6.5
	Outside Curve **Standard Back - 32.5"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-OC-45D-HHSL	2783	2908	3033	3158	3283	54	28	32.5	31	60	5
	Outside Curve **Standard Back - 32.5"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-OC-45D-AL25-HHSL	3036	3186	3336	3486	3636	58	28	32.5	33	74	6
	Outside Curve **Standard Back - 32.5"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-OC-45D-AR25-HHSL	3036	3186	3336	3486	3636	58	28	32.5	33	74	6


How to Order:

For example, to order a 4033-SF-OC-45D-AL25-HHSL-SRSE3 follow the steps below:

1 Select Product Code — **4033-SF-OC-45D-AL25-HHSL**

2 Select Power/USB (optional) — **SRSE3**

Multiple Fabric Selection Option:









To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

High Back - 47"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Inside Curve **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-IC-45D-HHSL	3288	3476	3663	3851	4038	54	28	47	44	73	7.5
	Inside Curve **High Back - 47"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-IC-45D-AL25-HHSL	3540	3753	3965	4178	4390	58	28	47	48	87	8.5
	Inside Curve **High Back - 47"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-IC-45D-AR25-HHSL	3540	3753	3965	4178	4390	58	28	47	48	87	8.5
	Outside Curve **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-OC-45D-HHSL	3352	3527	3702	3877	4052	54	28	47	44	73	7
	Outside Curve **High Back - 47"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-OC-45D-AL25-HHSL	3606	3806	4006	4206	4406	58	28	47	48	87	8
	Outside Curve **High Back - 47"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-OC-45D-AR25-HHSL	3606	3806	4006	4206	4406	58	28	47	48	87	8

How to Order:


For example, to order a 4047-SF-OC-45D-AL25-HHSL-SRSE3 follow the steps below:

1 Select Product Code

2 Select Power/USB (optional)

4047-SF-OC-45D-AL25-HHSL - **SRSE3**

Multiple Fabric Selection Option:









To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION


Extended Back - 53"H	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Inside Curve **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-IC-45D-HHSL	3540	3765	3990	4215	4440	54	28	53	50	76	9
	Inside Curve **Extended Back - 53"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-IC-45D-AL25-HHSL	3793	4043	4293	4543	4793	58	28	53	53	90	10
	Inside Curve **Extended Back - 53"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-IC-45D-AR25-HHSL	3793	4043	4293	4543	4793	58	28	53	53	90	10
	Outside Curve **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-OC-45D-HHSL	3606	3781	3956	4131	4306	54	28	53	50	76	7
	Outside Curve **Extended Back - 53"H** Arm on Left (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-OC-45D-AL25-HHSL	3858	4058	4258	4458	4658	58	28	53	53	90	8
	Outside Curve **Extended Back - 53"H** Arm on Right (when seated) Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-OC-45D-AR25-HHSL	3858	4058	4258	4458	4658	58	28	53	53	90	8

How to Order:

For example, to order a 4053-SF-OC-45D-AL25-HHSL-SRSE3 follow the steps below:

1 Select Product Code		2 Select Power/USB (optional)
4053-SF-OC-45D-AL25-HHSL	-	**SRSE3**

Multiple Fabric Selection Option:






To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION


Corner Units	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Corner **Standard Back - 32.5"H** 90 Degree Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4033-SF-CU-HHSL	2783	2908	3033	3158	3283	28	28	32.5	15.5	56	5
	Corner **High Back - 47"H** 90 Degree Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-CU-HHSL	3288	3463	3638	3813	3988	28	28	47	22.5	77	7
	Corner **Extended Back - 53"H** 90 Degree Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-CU-HHSL	3540	3734	3928	4121	4315	28	28	53	25	84	7.75

How to Order:

For example, to order a 4047-SF-CU-HHSL-SRSE3 follow the steps below:

1 Select Product Code		2 Select Power/USB (optional)
4047-SF-CU-HHSL	-	**SRSE3**

Multiple Fabric Selection Option:









To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

Extension Units	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Middle Extension **Standard Back - 32.5"H**	4033-EX-30-HHSL	1397	1460	1522	1585	1647	30	9	32.5	5.75	30	2.5
		4033-EX-2S-HHSL	1517	1605	1692	1780	1867	48	9	32.5	9	40	3.5
	Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.												
	Middle Extension w/ Connecting Hardware **Standard Back - 32.5"H** w/ Brackets to Connect Surface w/ Grommet to Feed Through Power Cables Note: Table Top Ordered Separately	4033-EX-30-BRKT-HHSL	1524	1587	1649	1712	1774	30	9	32.5	5.75	30	2.5
		4033-EX-2S-BRKT-HHSL	1644	1732	1819	1907	1994	48	9	32.5	9	40	3.5
	Middle Extension **High Back - 47"H**	4047-EX-30-HHSL	1903	1991	2078	2166	2253	30	9	47	8	50	3.5
		4047-EX-2S-HHSL	2024	2149	2274	2399	2524	48	9	47	12.75	60	5
	Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.												
	Middle Extension w/ Connecting Hardware **High Back - 47"H** w/ Brackets to Connect Surface w/ Grommet to Feed Through Power Cables Note: Table Top Ordered Separately	4047-EX-30-BRKT-HHSL	2029	2117	2204	2292	2379	30	9	47	8	50	3.5
		4047-EX-2S-BRKT-HHSL	2149	2274	2399	2524	2649	48	9	47	12.75	60	5
	Middle Extension **Extended Back - 53"H**	4053-EX-30-HHSL	2029	2135	2242	2348	2454	30	9	53	9	57	4.25
		4053-EX-2S-HHSL	2149	2280	2412	2543	2674	48	9	53	14.5	67	5.25
	Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.												
	Middle Extension w/ Connecting Hardware **Extended Back - 53"H** w/ Brackets to Connect Surface w/ Grommet to Feed Through Power Cables Note: Table Top Ordered Separately	4053-EX-30-BRKT-HHSL	2157	2263	2370	2476	2582	30	9	53	9	57	4.25
		4053-EX-2S-BRKT-HHSL	2277	2408	2540	2671	2802	48	9	53	14.5	67	5.25
	Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.												


How to Order:

For example, to order a 4047-EX-2S-HHSL follow the steps below:

1 Select Product Code

4047-EX-2S-HHSL

Multiple Fabric Selection Option:












To order with multiple fabrics each separate fabric selection must be specified on the PO.








Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.







UNIFY COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Rectangular Ottoman One Seater Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OT-1S-HHSL	1139	1183	1227	1270	1314	24	28	17.5	7.5	34	1.75
	Rectangular Ottoman Two Seat Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OT-2S-HHSL	1644	1719	1794	1869	1944	48	28	17.5	14.5	54	3
	Rectangular Ottoman Three Seat Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OT-3S-HHSL	2277	2390	2502	2615	2727	72	28	17.5	21.5	76	4.5
	Curved Ottoman Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OC-45D-HHSL	1772	1847	1922	1997	2072	54	28	17.5	16.5	47	3
	Corner Ottoman One Seater Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OT-CU-HHSL	1139	1189	1239	1289	1339	28	28	17.5	8.5	34	2
	Round Ottoman 24" Diameter Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OR-24-HHSL	1265	1328	1390	1453	1515	24	24	17.5	6.5	21	2.5
	Round Ottoman 30" Diameter Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OR-30-HHSL	1392	1467	1542	1617	1692	30	30	17.5	9.75	28	3
	Round Ottoman 36" Diameter Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OR-36-HHSL	1517	1605	1692	1780	1867	36	36	17.5	14	35	3.5
	Wedge Ottoman Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OT-12-HHSL	1012	1043	1075	1106	1137	12	28	17.5	4	17	1.25

UNIFY COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Rectangular Table One Seater TFL Top Upholstered Base Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OT-1S-TM□□-HHSL □□ = specify top color	1328	1366	1403	1441	1478	24	28	17.5	7.5	41	1.5
	Rectangular Table Two Seat TFL Top Upholstered Base Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OT-2S-TM□□-HHSL □□ = specify top color	2024	2087	2149	2212	2274	48	28	17.5	14.5	68	2.5
	Round Table 24" Diameter TFL Top Upholstered Base Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OR-24-TM□□-HHSL □□ = specify top color	1582	1638	1695	1751	1807	24	24	17.5	6.5	34	2.25
	Round Table 30" Diameter TFL Top Upholstered Base Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OR-30-TM□□-HHSL □□ = specify top color	1772	1841	1910	1978	2047	30	30	17.5	9.75	46	2.75
	Round Table 36" Diameter TFL Top Upholstered Base Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OR-36-TM□□-HHSL □□ = specify top color	1928	2009	2091	2172	2253	36	36	17.5	14	58	3.25
	Corner Table TFL Top Upholstered Base Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OT-CU-TM□□-HHSL □□ = specify top color	1392	1436	1480	1523	1567	28	28	17.5	8.5	42	1.75
	Wedge Table TFL Top Upholstered Base Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4000-OT-12-TM□□-HHSL □□ = specify top color	1163	1188	1213	1238	1263	12	28	17.5	4	21	1
	Sofa to Sofa Connector (Pair of 2)	AC-STS-PR	82										

UNIFY COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	One Seater With Shelf **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-1S-NA-HHSL-CTP□□ □□ = specify shelf color 50lbs weight limit per shelf	2404	2504	2604	2704	2804	24	37	47	20.5	63	4
	One Seater With Shelf **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-1S-NA-HHSL-CTP□□ □□ = specify shelf color 50lbs weight limit per shelf	2529	2629	2729	2829	2929	24	37	53	23	67	4
	One Seater With Shelf - 30"W **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-30-NA-HHSL-CTP□□ □□ = specify shelf color 50lbs weight limit per shelf	3100	3238	3375	3513	3650	30	37	47	32	68	5.5
	One Seater With Shelf - 30"W **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-30-NA-HHSL-CTP□□ □□ = specify shelf color 50lbs weight limit per shelf	3225	3363	3500	3638	3775	30	37	53	36	72	5.5
	Two Seat With Shelf **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-2S-NA-HHSL-CTP□□ □□ = specify shelf color 100lbs weight limit per shelf	3793	3962	4131	4299	4468	48	37	47	39	109	6.75
	Two Seat With Shelf **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-2S-NA-HHSL-CTP□□ □□ = specify shelf color 100lbs weight limit per shelf	3921	4096	4271	4446	4621	48	37	53	44	116	7

How to Order:

For example, to order a 4047-SF-1S-NA-HHSL-CTPCW-SCFE3 follow the steps below:


1 Select Product Code

2 Select Power/USB (optional)

4047-SF-1S-NA-HHSL-CTPCW - SCFE3

(Shelf Code) (Shelf Finish)





Multiple Fabric Selection Option:



To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Two Seat With Shelf - 60"W **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-60-NA-HHSL-CTP□□ □□ = specify shelf color 100lbs weight limit per shelf	4681	4900	5119	5337	5556	60	37	47	63	114	8.75
	Two Seat With Shelf - 60"W **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-60-NA-HHSL-CTP□□ □□ = specify shelf color 100lbs weight limit per shelf	4805	5024	5243	5461	5680	60	37	53	71	121	8.75
	Three Seat With Shelf **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-3S-NA-HHSL-CTP□□ □□ = specify shelf color 150lbs weight limit per shelf	5402	5652	5902	6152	6402	72	37	47	59	158	10
	Three Seat With Shelf **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-3S-NA-HHSL-CTP□□ □□ = specify shelf color 150lbs weight limit per shelf	5525	5775	6025	6275	6525	72	37	53	66	168	10

How to Order:

For example, to order a 4047-SF-60-NA-HHSL-CTPCW-SCFE3 follow the steps below:


1 Select Product Code

2 Select Power/USB (optional)

4047-SF-60-NA-HHSL-CTPCW - **SCFE3**

(Shelf Code) (Shelf Finish)

Multiple Fabric Selection Option:









To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

UNIFY COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Inside Curve With Shelf **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-IC-45D-HHSL-CTP□□ □□ = specify shelf color 100lbs weight limit per shelf	4489	4677	4864	5052	5239	54	37	47	46	98	7.5
	Inside Curve With Shelf **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-IC-45D-HHSL-CTP□□ □□ = specify shelf color 100lbs weight limit per shelf	4742	4967	5192	5417	5642	54	37	53	52	101	9
	Outside Curve With Shelf **High Back - 47"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-OC-45D-HHSL-CTP□□ □□ = specify shelf color 50lbs weight limit per shelf	4552	4727	4902	5077	5252	54	37	47	46	98	7
	Outside Curve With Shelf **Extended Back - 53"H** Armless Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-OC-45D-HHSL-CTP□□ □□ = specify shelf color 50lbs weight limit per shelf	4805	4980	5155	5330	5505	54	37	53	52	101	7
	Corner With Shelf **High Back - 47"H** 90 Degree Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4047-SF-CU-HHSL-CTP□□ □□ = specify shelf color 50lbs weight limit per shelf	4300	4475	4650	4825	5000	28	37	47	24.5	102	7
	Corner With Shelf **Extended Back - 53"H** 90 Degree Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.	4053-SF-CU-HHSL-CTP□□ □□ = specify shelf color 50lbs weight limit per shelf	4552	4746	4940	5133	5327	28	37	53	27	109	7.75

How to Order:

For example, to order a 4047-SF-CU-HHSL-CTPCW-SRSE3 follow the steps below:


1 Select Product Code

2 Select Power/USB (optional)

4047-SF-CU-HHSL-CTPCW - **SRSE3**

(Shelf Code) (Shelf Finish)





Multiple Fabric Selection Option:



To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Middle Extension With Shelf	4047-EX-30-HHSL-CTP□□	2914	3002	3089	3177	3264	30	18	47	9	64	3.5
		4047-EX-2S-HHSL-CTP□□	3036	3161	3286	3411	3536	48	18	47	13.75	74	5
		□□ = specify shelf color											
	Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.							100lbs weight limit per shelf					
	Middle Extension With Shelf w/ Connecting Hardware **High Back - 47"H** w/ Brackets to Connect Surface w/ Grommet to Feed Through Power Cables Note: Table Top Ordered Separately	4047-EX-30-BRKT-HHSL-CTP□□	3041	3129	3216	3304	3391	30	18	47	9	64	3.5
		4047-EX-2S-BRKT-HHSL-CTP□□	3161	3286	3411	3536	3661	48	18	47	13.75	74	5
		□□ = specify shelf color											
	Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.							100lbs weight limit per shelf					
	Middle Extension With Shelf **Extended Back - 53"H**	4053-EX-30-HHSL-CTP□□	3041	3147	3254	3360	3466	30	18	53	10	71	4.25
		4053-EX-2S-HHSL-CTP□□	3161	3292	3424	3555	3686	48	18	53	15.5	81	5.25
		□□ = specify shelf color											
	Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.							100lbs weight limit per shelf					
	Middle Extension With Shelf w/ Connecting Hardware **Extended Back - 53"H** w/ Brackets to Connect Surface w/ Grommet to Feed Through Power Cables Note: Table Top Ordered Separately	4053-EX-30-BRKT-HHSL-CTP□□	3168	3274	3381	3487	3593	30	18	53	10	71	4.25
		4053-EX-2S-BRKT-HHSL-CTP□□	3288	3419	3551	3682	3813	48	18	53	15.5	81	5.25
		□□ = specify shelf color											
	Unit is standard with HHSL Silver Powdercoat Legs. To order with Black Powdercoat Legs change -HHSL to -HHBK in the product code.							100lbs weight limit per shelf					

How to Order:


For example, to order a 4047-EX-2S-HHSL-CTPCW follow the steps below:

1 Select Product Code

4047-EX-2S-HHSL-CTPCW

(Shelf Code) (Shelf Finish)

Multiple Fabric Selection Option:



To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

For power / USB module see power placement options in front specifications.

INVITE

PRICE BOOK

OFGO

STUDIO

FEATURES



- Collaborative units can be used together to create a wide variety of layouts.
- Units are standard with black floor glides.
- Seating frames feature an interlocking plywood jigsaw construction. Joints reinforce each other for maximum stability.
- Seats are high resiliency 2.5 lb. per cubic ft. density CFC-free foam. Fire retardant foam meets CAL 117 requirements.
- Front edge of the seat angles inward for optimal seating comfort, and freedom of movement.
- All lounge seating units can be specified with power/USB modules, which include 2 power outlets, and 1 double USB terminal.
- Each power/USB module can be placed on the left side, right side, or front center of the lounge unit, as shown in the electrical illustration below.
- Models can meet the requirements of CAL133 when upholstered using appropriate materials. Please contact the factory for more information. Specified up-charges will apply.
- Manufactured with environmentally friendly preferred products (EPP).
- Greenguard Indoor Air Quality Certified®.
- Manufactured in an ISO 9001:2008 compliant facility.

COMBINATION FABRICS

- Different fabrics can be specified for the sofa seat and back.
- When combination upholstery is with upholstery of the same grade, no additional up-charge will apply.
- When graded-in combination upholstery is selected contact customer service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product).

COM FABRICS

- Yardage requirements shown are based on the use of non-directional fabrics that are 54" wide with the fabric being cut "up the roll".
- OFGO reserves the right to reject COM fabrics that in OFGO's opinion are unsuitable.
- COM yardage requirements will increase based on the repeat size. Contact customer service for yardage requirements.

ELECTRICAL PLACEMENT OPTIONS


SLSE3 = Power/USB ports unit on, **LEFT SIDE** panel when seated

SRSE3 = Power/USB ports unit on, **RIGHT SIDE** panel when seated

SCFE3 = Power/USB ports unit on, **FRONT CENTER** of seat when seated


E3 Power Module

- Silver Fog faceplate with matching powder-coated trim.
- 2 Power and 1 dual port USB-A+C
- Add **$520** List per unit



COMPATIBILITY


- Units are standard with 29" high backs that are style compatible with OFGO desking heights. Units are available in 24", 30", 48", 60", and 72" wide for enhanced compatibility with OFGO desking widths.
- Units can be integrated into OFGO desking configurations in a variety of combinations.
- INVITE series seat to floor height is 17.5" to be style compatible with VIBE series ottomans. INVITE and VIBE modular collections can integrate together to create a cohesive solution throughout any space.




SPECIFICATIONS

- All dimensions noted herein are nominal and subject to slight deviation.
- Heights include floor glides.










	1 Seat Armless 3000-SF-1S-NA	1 Seat Armless 3000-SF-30-NA	2 Seat Armless 3000-SF-2S-NA	2 Seat Armless 3000-SF-60-NA	3 Seat Armless 3000-SF-3S-NA
Overall Height	29"	29"	29"	29"	29"
Seat to Floor Height	17.5"	17.5"	17.5"	17.5"	17.5"
Overall Width	24"	30"	48"	60"	72"
Seat Width	24"	30"	48"	60"	72"
Overall Depth	29"	29"	29"	29"	29"
Seat Depth	19"	19"	19"	19"	19"



	1 Seat with Arm 3000-SF-1S-AL 3000-SF-1S-AR	1 Seat with Arm 3000-SF-30-AL 3000-SF-30-AR	2 Seat with Arm 3000-SF-2S-AL 3000-SF-2S-AR	2 Seat with Arm 3000-SF-60-AL 3000-SF-60-AR	3 Seat with Arm 3000-SF-3S-AL 3000-SF-3S-AR
Overall Height	29"	29"	29"	29"	29"
Seat to Floor Height	17.5"	17.5"	17.5"	17.5"	17.5"
Overall Width	30"	36"	54"	66"	78"
Seat Width	24"	30"	48"	60"	72"
Overall Depth	48"	48"	48"	48"	48"
Seat Depth	19"	19"	19"	19"	19"









INVITE COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	LBS	COM (yds)
	24" Wide One Seater Armless	3000-SF-1S-NA-GG	1517	1611	1705	1798	1892	24	29	29	49	3.75
	30" Wide One Seater Armless	3000-SF-30-NA-GG	1711	1824	1936	2049	2161	30	29	29	68	4.5
	48" Wide Two Seater Armless	3000-SF-2S-NA-GG	2277	2408	2540	2671	2802	48	29	29	87	5.25
	60" Wide Two Seater Armless	3000-SF-60-NA-GG	2656	2806	2956	3106	3256	60	29	29	106	6
	72" Wide Three Seater Armless	3000-SF-3S-NA-GG	3036	3211	3386	3561	3736	72	29	29	125	7
	One Seater 24" Seat with 6" Arm Left Arm Extension	3000-SF-1S-AL-48-GG	2024	2180	2337	2493	2649	30	48	29	90	6.25
	One Seater 30" Seat with 6" Arm Left Arm Extension	3000-SF-30-AL-48-GG	2216	2391	2566	2741	2916	36	48	29	109	7
	Two Seater 48" Seat with 6" Arm Left Arm Extension	3000-SF-2S-AL-48-GG	2783	2977	3171	3364	3558	54	48	29	128	7.75
	Two Seater 60" Seat with 6" Arm Left Arm Extension	3000-SF-60-AL-48-GG	3161	3374	3586	3799	4011	66	48	29	147	8.5

For power / USB module see power placement options in front specifications.

INVITE COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	LBS	COM (yds)
	Three Seater 72" Seat with 6" Arm Left Arm Extension	3000-SF-3S-AL-48-GG	3540	3778	4015	4253	4490	78	48	29	166	9.5
	One Seater 24" Seat with 6" Arm Right Arm Extension	3000-SF-1S-AR-48-GG	2024	2180	2337	2493	2649	30	48	29	90	6.25
	One Seater 30" Seat with 6" Arm Right Arm Extension	3000-SF-30-AR-48-GG	2216	2391	2566	2741	2916	36	48	29	109	7
	Two Seater 48" Seat with 6" Arm Right Arm Extension	3000-SF-2S-AR-48-GG	2783	2977	3171	3364	3558	54	48	29	128	7.75
	Two Seater 60" Seat with 6" Arm Right Arm Extension	3000-SF-60-AR-48-GG	3161	3374	3586	3799	4011	66	48	29	147	8.5
	Three Seater 72" Seat with 6" Arm Right Arm Extension	3000-SF-3S-AR-48-GG	3540	3778	4015	4253	4490	78	48	29	166	9.5
	12" Wide Ottoman Laminate Top	3000-OA-1229-TM-GG	1012	1043	1075	1106	1137	12	29	17.5	22	1.25
	12" Wide Ottoman Laminate Top 2 Power / 2 USB	3000-OA-1229-TM-GG-E3	1532	1563	1595	1626	1657	12	29	17.5	22	1.25
	Sofa to Sofa Connector (Pair of 2)	AC-STS-PR	82									

VIBE

PRICE BOOK

OFGO

STUDIO

FEATURES




- Collaborative units can be used together to create a wide variety of layouts.
- Units are standard with black floor glides.
- Various units are available with optional casters.
- Ottoman frames feature a combination of an interlocking plywood construction and stud construction. Joints reinforce each other for maximum stability.
- Seat foam is high resiliency 2.5 lb. per cubic ft. density CFC-free.
- Fire retardant foam meets CAL 117 requirements.
- Select vibe units are available with a TFL top. TFL tops are standard in all OFGO themofused finish selections.
- Models can meet the requirements of CAL133 when upholstered using appropriate materials. Please contact the factory for more information. Specified up-charges will apply.
- Manufactured with environmentally friendly preferred products (EPP).
- Greenguard Indoor Air Quality Certified®.
- Manufactured in an ISO 9001 compliant facility.

COM FABRICS








- Yardage requirements shown are based on the use of non-directional fabrics that are 54" wide with the fabric being cut "up the roll".
- COM yardage requirements will increase based on the repeat size. Contact customer service for yardage requirements.
- OFGO reserves the right to reject COM fabrics that in OFGO's opinion are unsuitable.

COMPATIBILITY

- VIBE series units seat to floor height is 17.5" to be style compatible with INVITE series lounge. VIBE and INVITE modular collections can integrate together to create a cohesive solution throughout any space.










VIBE COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	18" Round	3200-OR-18-GG	694	738	782	825	869	18	18	17.5	3.4	18	1.75
	24" Round	3200-OR-24-GG	985	1041	1098	1154	1210	24	24	17.5	6.0	25	2.25
	30" Round	3200-OR-30-GG	1130	1199	1268	1336	1405	30	30	17.5	9.4	31	2.75
		To order ottoman with optional casters change GG to C14L in product code.											
	18" Round (TFL Top)	3200-OR-18-TM-GG	840	884	928	971	1015	18	18	17.5	3.4	26	1.75
	24" Round (TFL Top)	3200-OR-24-TM-GG	1130	1186	1243	1299	1355	24	24	17.5	6.0	38	2.25
	30" Round (TFL Top)	3200-OR-30-TM-GG	1275	1344	1413	1481	1550	30	30	17.5	9.4	49	2.75
		To order ottoman with optional casters change GG to C14L in product code.											
	18" x 18" Square	3200-OT-1818-GG	726	782	839	895	951	18	18	17.5	3.4	24	2.25
	24" x 24" Square	3200-OT-2424-GG	1016	1085	1154	1222	1291	24	24	17.5	6.0	33	2.75
	30" x 30" Square	3200-OT-3030-GG	1160	1248	1335	1423	1510	30	30	17.5	9.4	43	3.5
		To order ottoman with optional casters change GG to C14L in product code.											
	18" x 18" Square (TFL Top)	3200-OT-1818-TM-GG	870	926	983	1039	1095	18	18	17.5	3.4	36	2.25
	24" x 24" Square (TFL Top)	3200-OT-2424-TM-GG	1160	1229	1298	1366	1435	24	24	17.5	6.0	49	2.75
	30" x 30" Square (TFL Top)	3200-OT-3030-TM-GG	1305	1393	1480	1568	1655	30	30	17.5	9.4	67	3.5
		To order ottoman with optional casters change GG to C14L in product code.											
	24" x 18" Rectangle	3200-OT-2418-GG	899	962	1024	1087	1149	24	18	17.5	4.5	27	2.5
	36" x 18" Rectangle	3200-OT-3618-GG	942	1023	1105	1186	1267	36	18	17.5	6.8	35	3.25
	48" x 18" Rectangle	3200-OT-4818-GG	1160	1254	1348	1441	1535	48	18	17.5	9.0	43	3.75
	24" x 18" Rectangle (TFL Top)	3200-OT-2418-TM-GG	1043	1106	1168	1231	1293	24	18	17.5	4.5	41	2.5
	36" x 18" Rectangle (TFL Top)	3200-OT-3618-TM-GG	1086	1167	1249	1330	1411	36	18	17.5	6.8	54	3.25
	48" x 18" Rectangle (TFL Top)	3200-OT-4818-TM-GG	1305	1399	1493	1586	1680	48	18	17.5	9.0	67	3.75
	30" Arch Connects to 18" Depth Ottomans	3200-OC-3018-GG 	1275	1350	1425	1500	1575	30	30	17.5	9.4	35	3

TFL = Thermofused Laminate

VIBE COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	30" Arch (TFL Top) Connects to 18" Depth Ottomans	3200-OC-3018-TM-GG 	1566	1641	1716	1791	1866	30	30	17.5	9.4	53	3
	60 Degree Y-Shape Ottoman Connects to 18" Depth Ottomans	3200-OY-6018-GG 	2622	2722	2822	2922	3022	60	43.4	17.5	27	57	4
	24" x 18" Oblong	3200-OB-0N-2418-GG To order ottoman with optional casters (non-locking) change GG to C14N in product code.	1130	1180	1230	1280	1330	24	18	17.5	4.5	24	2
	22" x 18" Oblong One Notch	3200-OB-1N-2218-GG To order ottoman with optional casters (non-locking) change GG to C14N in product code.	1130	1180	1230	1280	1330	22	18	17.5	4.5	24	2
	20" x 18" Oblong Two Notches	3200-OB-2N-2018-GG To order ottoman with optional casters (non-locking) change GG to C14N in product code.	1130	1180	1230	1280	1330	20	18	17.5	4.5	24	2

TFL = Thermofused Laminate

BEATBOX

PRICE BOOK

OFGO STUDIO

FEATURES



- Collaborative units can be used together to create a wide variety of layouts.
- Units are standard with 3”high powder coated legs.
- Seating frames feature an interlocking plywood jigsaw construction. Joints reinforce each other for maximum stability.
- Seats are high resiliency 2.5 lb. per cubic ft. density CFC-free foam. Fire retardant foam meets CAL 117 requirements.
- All cushions are fixed and non-removable.
- Variety of units available with a 47” high privacy divider, which can be specified on the back, left, or right side.
- Trapezoid seating is available with a 60° angle and matching ottomans to create a variety of configurations.
- All lounge seating units can be specified with power/USB modules, which include 2 power outlets, and 1 double USB terminal.
- Each power/USB module can be placed on the left side, right side, or front center of the lounge unit, as shown in the electrical illustration below. Route power and electrical underneath sofa configurations to direct wiring out to a floor monument.
- Manufactured with environmentally friendly preferred products (EPP). Greenguard Indoor Air Quality Certified®.

RECONFIGURABILITY

- Beatbox series components are easy to reconfigure to create a variety of combinations.
- Sofa to Sofa connectors feature a ratchet design allowing for units to be added or reconfigured on site.

COMBINATION FABRICS

- Different fabrics can be specified for the sofa seat, back, and privacy dividers.
- When combination upholstery is with upholstery of the same grade, no additional up-charge will apply.
- When graded-in combination upholstery is selected contact customer service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product).

COM FABRICS

- Yardage requirements shown are based on the use of non-directional fabrics that are 54” wide with the fabric being cut “up the roll”.
- OFGO STUDIO reserves the right to reject COM fabrics that in OFGO STUDIO’s opinion are unsuitable.
- Yardage requirements are greatly affected by not only size of repeats, but also by the print or pattern.

ELECTRICAL PLACEMENT OPTIONS


SLSE3 = Power/USB ports unit on, **LEFT SIDE of SEAT** when seated

SRSE3 = Power/USB ports unit on, **RIGHT SIDE of SEAT** when seated


SCFE3 = Power/USB ports unit on, **FRONT CENTER of SEAT** when seated

E3 Power Module


- Silver Fog faceplate with matching powder-coated trim.
- 2 Power and 1 dual port 4 Amp USB-A+C
- Add **$520** List per unit




SLSE3
Left Side
(when seated)



SRSE3
Right Side
(when seated)









SCFE3
Front Center



SCFE3
Front Center

BEATBOX COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	26" Seat Armless	3100-SF-26-NA-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1517	1592	1667	1742	1817	26	26	29	11.7	44	3
	39" Seat Armless	3100-SF-39-NA-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1807	1907	2007	2107	2207	39	26	29	17.4	70	4
	39" Seat Armless Back on Right (when seated)	3100-SF-39-NA-BOR-FL □ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1807	1895	1982	2070	2157	39	26	29	17.4	63	3.5
	39" Seat Armless Back on Left (when seated)	3100-SF-39-NA-BOL-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1807	1895	1982	2070	2157	39	26	29	17.4	63	3.5
	39" Seat Armless Back on Center (when seated)	3100-SF-39-NA-BOC-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1807	1895	1982	2070	2157	39	26	29	17.4	63	3.5
	Corner Unit	3100-SF-2626-CU-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	2625	2713	2800	2888	2975	26	26	29	11.7	50	3.5

How to Order:


For example, to order a 3100-SF-26-NA-FL3-SCFE3 follow the steps below:

1 Select Product Code — **3100-SF-26-NA-FL3**

2 Select Power/USB (optional) — **SCFE3**

3 Select Fabric







Multiple Fabric Selection Option:



To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

BEATBOX COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Square Ottoman	3100-OT-2626-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1126	1170	1214	1257	1301	26	26	17.5	7.1	34	1.75
	Rectangular Ottoman	3100-OT-3926-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1320	1383	1445	1508	1570	39	26	17.5	10.6	44	2.5
	Square Table TFL Top	3100-OT-2626-TM□□-FL□ **TM□□= Specify TFL finish** **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1318	1356	1393	1431	1468	26	26	17.5	7.1	42	1.5
	Square Table TFL Top E3 Power Module 2 Power / 1 USB	3100-OT-2626-TM□□-FL□-E3 **TM□□= Specify TFL finish** **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1838	1876	1913	1951	1988	26	26	17.5	7.1	44	1.5
	Wedge Table TFL Top	3100-OT-1326-TM□□-FL□ **TM□□= Specify TFL finish** **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1163	1188	1213	1238	1263	13	26	17.5	3.6	21	1
	Wedge Table TFL Top E3 Power Module 2 Power / 1 USB	3100-OT-1326-TM□□-FL□-E3 **TM□□= Specify TFL finish** **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	1683	1708	1733	1758	1783	13	26	17.5	3.6	23	1

How to Order:







For example, to order a 3100-SF-26-NA-FL3-SCFE3 follow the steps below:

1 Select Product Code — **3100-OT-2626-FL3**

2 Select Power/USB (optional) — **SCFE3**

3 Select Fabric

BEATBOX COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	26" Seat Armless Back Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-26-NA-PB-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	2060	2185	2310	2435	2560	26	27	47	12.6	65	5
	39" Seat Armless Back Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-PB-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	2469	2632	2794	2957	3119	39	27	47	18.7	102	6.5
	39" Seat Armless Back on Right (when seated) Back Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOR-PB-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	2469	2619	2769	2919	3069	39	27	47	18.7	95	6
	39" Seat Armless Back on Left (when seated) Back Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOL-PB-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	2469	2619	2769	2919	3069	39	27	47	18.7	95	6
	39" Seat Armless Back on Center (when seated) Back Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOC-PB-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	2469	2619	2769	2919	3069	39	27	47	18.7	95	6
	Corner Unit Back Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-2626-CU-PB-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3710	3898	4085	4273	4460	27	27	47	13.5	92	7.5

How to Order:


For example, to order a 3147-SF-26-NA-PB-FL3-SCFE3 follow the steps below:

1 Select Product Code — **3147-SF-26-NA-PB-FL3**

2 Select Power/USB (optional) — **SCFE3**

3 Select Fabric






Multiple Fabric Selection Option:



To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

BEATBOX COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	26" Seat Armless Back Privacy Divider Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-26-NA-PBL-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	2601	2776	2951	3126	3301	27	27	47	13.5	86	7
	39" Seat Armless Back Privacy Divider Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-PBL-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3011	3224	3436	3649	3861	40	27	47	19.6	123	8.5
	39" Seat Armless Back on Right (when seated) Back Privacy Divider Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOR-PBL-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3011	3211	3411	3611	3811	40	27	47	19.6	116	8
	39" Seat Armless Back on Left (when seated) Back Privacy Divider Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOL-PBL-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3011	3211	3411	3611	3811	40	27	47	19.6	116	8
	39" Seat Armless Back on Center (when seated) Back Privacy Divider Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOC-PBL-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3011	3211	3411	3611	3811	40	27	47	19.6	116	8

How to Order:


For example, to order a 3147-SF-26-NA-PBL-FL3-SCFE3 follow the steps below:

1 Select Product Code — **3147-SF-26-NA-PBL-FL3**

2 Select Power/USB (optional) — **SCFE3**

3 Select Fabric






Multiple Fabric Selection Option:



To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

BEATBOX COLLECTION


	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	26" Seat Armless Back Privacy Divider Right Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-26-NA-PBR-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	2601	2776	2951	3126	3301	27	27	47	13.5	86	7
	39" Seat Armless Back Privacy Divider Right Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-PBR-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3011	3224	3436	3649	3861	40	27	47	19.6	123	8.5
	39" Seat Armless Back on Right (when seated) Back Privacy Divider Right Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOR-PBR-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3011	3211	3411	3611	3811	40	27	47	19.6	116	8
	39" Seat Armless Back on Left (when seated) Back Privacy Divider Right Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOL-PBR-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3011	3211	3411	3611	3811	40	27	47	19.6	116	8
	39" Seat Armless Back on Center (when seated) Back Privacy Divider Right Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOC-PBR-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3011	3211	3411	3611	3811	40	27	47	19.6	116	8

How to Order:

For example, to order a 3147-SF-26-NA-PBR-FL3-SCFE3 follow the steps below:

1 Select Product Code		2 Select Power/USB (optional)		3 Select Fabric
3147-SF-26-NA-PBR-FL3	-	**SCFE3**		






Multiple Fabric Selection Option:



To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

BEATBOX COLLECTION


	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	26" Seat Armless Back Privacy Divider Right & Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-26-NA-PW-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3144	3369	3594	3819	4044	28	27	47	14.4	107	9
	39" Seat Armless Back Privacy Divider Right & Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-PW-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3554	3817	4079	4342	4604	41	27	47	20.5	144	10.5
	39" Seat Armless Back on Right (when seated) Back Privacy Divider Right & Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOR-PW-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3554	3804	4054	4304	4554	41	27	47	20.5	137	10
	39" Seat Armless Back on Left (when seated) Back Privacy Divider Right & Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOL-PW-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3554	3804	4054	4304	4554	41	27	47	20.5	137	10
	39" Seat Armless Back on Center (when seated) Back Privacy Divider Right & Left Privacy Divider Privacy dividers are field installed on sofas.	3147-SF-39-NA-BOC-PW-FL□ **FL□ = Specify metal finish:** **[1] Black** **[3] Silver**	3554	3804	4054	4304	4554	41	27	47	20.5	137	10
	Sofa to Sofa Connector (Pair of 2)	AC-STS-PR	82										

How to Order:

For example, to order a 3147-SF-26-NA-PW-FL3-SCFE3 follow the steps below:

1 Select Product Code	2 Select Power/USB (optional)	3 Select Fabric
3147-SF-26-NA-PW-FL3	**SCFE3**	












Multiple Fabric Selection Option:



To order with multiple fabrics each separate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.

BEATBOX WAVE COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	FT³	LBS	COM (yds)
	Right Trapazoid Armless Sofa Back on Right (when seated) 	3100-SF-72-NA-BOR-TZR-FL□ **FL□ = Specify metal finish: [1] Black [3] Silver**	3252	3402	3552	3702	3852	72	26	29	32.1	106	6
	Left Trapazoid Armless Sofa Back on Left (when seated) 	3100-SF-72-NA-BOL-TZL-FL□ **FL□ = Specify metal finish: [1] Black [3] Silver**	3252	3402	3552	3702	3852	72	26	29	32.1	106	6
	Outside Trapazoid Armless Sofa 	3100-SF-72-NA-OTZ-FL□ **FL□ = Specify metal finish: [1] Black [3] Silver**	3252	3402	3552	3702	3852	72	26	29	32.1	101	6
	Inside Trapazoid Armless Sofa 	3100-SF-72-NA-ITZ-FL□ **FL□ = Specify metal finish: [1] Black [3] Silver**	3252	3402	3552	3702	3852	72	26	29	32.1	108	6
	Trapazoid Ottoman 	3100-OT-7226-TZ-FL□ **FL□ = Specify metal finish: [1] Black [3] Silver**	2047	2147	2247	2347	2447	72	26	17.5	19.5	75	4
	Trapazoid Ottoman 	3100-OT-4226-TZ-FL□ **FL□ = Specify metal finish: [1] Black [3] Silver**	1686	1749	1811	1874	1936	42	26	17.5	11.4	44	2.5


How to Order:

For example, to order a 3100-SF-72-NA-BOR-TZR-FL3-SCFE3 follow the steps below:

1 Select Product Code — 2 Select Power/USB (optional) — 3 Select Fabric

3100-SF-72-NA-BOR-TZR-FL3 - SCFE3

Multiple Fabric Selection Option:



To order with multiple fabrics each seprate fabric selection must be specified on the PO.

Alternatively, a sketch can be provided along with the PO that indicates the fabric selections.





CROSBY

PRICE BOOK

OFGO

STUDIO

CROSBY COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	D	H	LBS	COM (yds)
	One Seater Stationary With Black Legs	3300-SF-1S-BB	2298	2411	2523	2636	2748	31.5	27	30.25	55	4.5
	Two Seater Stationary With Black Legs	3300-SF-2S-BB	3498	3648	3798	3948	4098	58.5	27	30.25	86	6
	Three Seater Stationary With Black Legs	3300-SF-3S-BB	4098	4273	4448	4623	4798	79.5	27	30.25	114	7
	One Seater Mobile With Casters	3300-SF-1S-C14L	2298	2411	2523	2636	2748	31.5	27	30.25	55	4.5
	One Seater Swivel with Return	3300-SF-1S-SWV1	3030	3143	3255	3368	3480	31.5	27	30.25	83	4.5

Unit swivels and returns up to 90 degrees in both directions from its stationary position.

LIBERTY

PRICE BOOK

OFGO

STUDIO

OTTOMAN / SECTIONAL SEATING FRAMES

- Frames are constructed with plywood, hardwood, and solid wood components.
- Sectional seating seats and backs are attached to each other with bolts and threaded "T" nuts.
- Joints are reinforced with corner blocks and screws at critical stress areas.

OTTOMAN / SECTIONAL SEATING SEAT

- Seat pan is constructed with 3/4" (19mm) plywood.
- Seat pan is standard with a "cut-out", reinforced with a 418lbs (190kg) tensile strength webbing for added comfort and support.
- Seat cushions are attached into place using mechanical fastener, preventing seats from dislodging.
- Seats are cut to exacting measurements with modern CNC (computer numerical control) equipment.
- Seats are replaceable on site.

SECTIONAL SEATING BACK

- Backs are constructed with 3/4" (19mm) plywood.
- Solid plywood back is fitted with threaded "T" nuts.
- Back is attached to the frame with bolts and threaded "T" nuts.
- Backs are cut to exacting measurements with modern CNC (computer numerical control) equipment.
- Backs are replaceable on site.

OTTOMAN / SECTIONAL SEATING FOAM

- Seat foam thickness is 5.5" (140mm).
- Seat foam is composed of firm foam, 2.3lbs density/55lbs compression.
- Seat foam is wrapped with quiet fiber for added comfort.
- Fire retardant foam meets CAL 117 standards.

LEGS (On Selected Models)

- "Wood Legs" are constructed of solid hardwood.
- "Metal Legs" are finished with environmentally friendly powder coated paint.
- Legs are replaceable on site.

PRODUCT IDENTIFICATION

- Products are labeled with model numbers, fabric codes, and date manufactured.
- Identification label allows for easy reordering.

ADDITIONAL FEATURES

- All items are manufactured in our ISO 9001-2008 compliant factory.
- ANSI/BIFMA x5.1-02 tested and approved.

SECTIONAL SEATING ARMS









- Structural wood construction.
- Arms are attached to the frame using bolts and threaded "T" nuts.
- Arms are cut to exacting measurements with modern CNC (computer numerical control) equipment.
- Arms are replaceable on site.

Lounge Seating Leg Style & Finish Options

Leg Style Code **TT** **PPSL** **CC**

Style		Product	Tapered Wood Leg 3in/76mm tall	Metal Post Leg 3in/76mm tall	Caster 3in/76mm tall
	Liberty	**5977 5900**	Standard	Optional 0.00	Optional 0.00

LIBERTY COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	Liberty **STRAIGHT** Arm on Right (when seated)	5977-SF-AR-TTBK	1148	1248	1348	1448	1548	2148	26	26	32	15	69	5
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Liberty **STRAIGHT** Arm on Left (when seated)	5977-SF-AL-TTBK	1148	1248	1348	1448	1548	2148	26	26	32	15	69	5
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Liberty **STRAIGHT** Armless	5977-SF-NA-TTBK	1002	1082	1162	1242	1322	1802	21	26	32	12	44	4
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Liberty **STRAIGHT** Hexagon	5977-SF-HS-TTBK	2383	2523	2663	2803	2943	3783	36	36	32	39	109	7
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	1/4 Radius Extension	5900-OQ-1S-TTBK	874	914	954	994	1034	1274	26	26	17.5	7	34	2
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Middle Extension	5900-OE-1S-TTBK	874	914	954	994	1034	1257	21	26	17.5	7	34	2
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Square Ottoman	5900-OT-SQ-TTBK	981	1031	1081	1131	1181	1481	26	26	17.5	7	34	2.5
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Hexagon Ottoman	5900-OT-HS-TTBK	2079	2179	2279	2379	2479	3079	36	36	17.5	21	79	5
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Sofa to Sofa Connector (Pair of 2)	AC-STS-PR	82											

INFINITY

PRICE BOOK

OFGO

STUDIO

FEATURES

- Units can be used as stand alone or join together to create a variety of layouts.
- Units are standard with 1-1/4" (32mm) x 1-1/4" (32mm) 16 gauge metal base frame.
- 9" (229mm) base frame height standard in mirror chrome finish with clear finished floor glides.
- Units with arms are 31in deep, as arms increase the overall depth by 1in. Units without arms are 30in deep.
- Infinity series is style compatible with Remington series ottomans and tables.
- Seating frames feature an interlocking plywood jigsaw construction. Joints reinforce each other for maximum stability.
- Seats are high resiliency 2.5 lb. per cubic ft. density CFC-free foam. Fire retardant foam meets CAL 117 requirements.
- Models can meet the requirements of CAL133 when upholstered using appropriate materials. Please contact the factory for more information. Specified up-charges will apply.
- Manufactured with environmentally friendly preferred products (EPP).
- Greenguard Indoor Air Quality Certified®.
- Manufactured in an ISO 9001 compliant facility.






COMBINATION FABRICS

- Different fabrics can be specified for the sofa seat, back, and arms.
- When combination upholstery is with upholstery of the same grade, no additional up-charge will apply.
- When graded-in combination upholstery is selected contact customer service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product).





COM FABRICS

- Yardage requirements shown are based on the use of non-directional fabrics that are 54" wide with the fabric being cut "up the roll".
- OFGO reserves the right to reject COM fabrics that in OFGO's opinion are unsuitable.
- COM yardage requirements will increase based on the repeat size. Contact customer service for yardage requirements.






INFINITY COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	One Seater	8800-SF-1S-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2954	3074	3194	3314	3434	4154	34	31	28	17	81	6
									Seat Width: 24in					
	Two Seater	8800-SF-2S-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	3699	3859	4019	4179	4339	5299	58	31	28	29	119	8
									Seat Width: 48in					
	Three Seater	8800-SF-3S-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	4443	4643	4843	5043	5243	6443	82	31	28	41	144	10
									Seat Width: 72in					
	Right Arm One Seater	8800-SF-1S-AR-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2805	2905	3005	3105	3205	3805	34	31	28	17	67	5
									Seat Width: 29in					
	Right Arm Two Seater	8800-SF-2S-AR-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	3550	3690	3830	3970	4110	4950	58	31	28	29	107	7
									Seat Width: 53in					
	Right Arm Three Seater	8800-SF-3S-AR-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	4296	4476	4656	4836	5016	6096	82	31	28	41	131	9
									Seat Width: 77in					
	Left Arm One Seater	8800-SF-1S-AL-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2805	2905	3005	3105	3205	3805	34	31	28	17	67	5
									Seat Width: 29in					
	Left Arm Two Seater	8800-SF-2S-AL-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	3550	3690	3830	3970	4110	4950	58	31	28	29	107	7
									Seat Width: 53in					

INFINITY COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	Left Arm Three Seater	8800-SF-3S-AL-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	4296	4476	4656	4836	5016	6096	82 Seat Width: 77in	31	28	41	131	9
	Armless One Seater- 21"	8821-SF-1S-NA-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2625	2685	2745	2805	2865	3225	21	30	28	10	51	3
	Armless One Seater - 34"	8800-SF-1S-NA-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2653	2733	2813	2893	2973	3453	34	30	28	17	54	4
	Armless Two Seater	8800-SF-2S-NA-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	3402	3522	3642	3762	3882	4602	58	30	28	28	95	6
	Armless Three Seater	8800-SF-3S-NA-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	4146	4306	4466	4626	4786	5746	82	30	28	40	118	8
	Corner Unit	8800-SF-CU-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2983	3103	3223	3343	3463	4183	31 Seat Width: 24in	31	28	16	65	6
	Right Arm Chaise (arm on right when seated)	8800-SF-2S-ZR-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	3431	3571	3711	3851	3991	4831	31 Seat Length: 51in	58	28	29	90	7
	Left Arm Chaise (arm on left when seated)	8800-SF-2S-ZL-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	3431	3571	3711	3851	3991	4831	31 Seat Length: 51in	58	28	29	90	7

INFINITY COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	One Seater Ottoman	8821-OT-1S-B☐ **B☐ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2028	2068	2108	2148	2188	2428	21	30	17.5	6	35	2
	One Seater Ottoman	8800-OT-1S-B☐ **B☐ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2058	2098	2138	2178	2218	2458	30	30	17.5	9	38	2
	Two Seater Ottoman	8800-OT-2S-B☐ **B☐ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2432	2492	2552	2612	2672	3032	58	30	17.5	18	79	3
	Three Seater Ottoman	8800-OT-3S-B☐ **B☐ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2879	2959	3039	3119	3199	3679	82	30	17.5	26	102	4
	End Table	8800-TB-GT-B☐	1462		Clear Glass				30	30	16.5	9	44	
		8800-TB-FT-B☐ **B☐ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	1462		Frosted Glass				30	30	16.5	9	44	
	Frame to Frame Connector	AC-FTF-KIT	86											

REMINGTON

PRICE BOOK

OFGO

STUDIO

FEATURES

- Units can be used as stand alone or join together to create a variety of layouts.
- Units are standard with 1-1/4" (32mm) x 1-1/4" (32mm) 16 gauge metal base frame.
- 9" (229mm) base frame height standard in mirror chrome finish with clear finished floor glides.
- Remington series is style compatible with Infinity series ottomans and tables.
- Seating frames feature an interlocking plywood jigsaw construction. Joints reinforce each other for maximum stability.
- Seats are high resiliency 2.5 lb. per cubic ft. density CFC-free foam. Fire retardant foam meets CAL 117 requirements.
- A variety of units are available with a TFL top available in all standard OFGO STUDIO finish options.
- Models can meet the requirements of CAL133 when upholstered using appropriate materials. Please contact the factory for more information. Specified up-charges will apply.
- Manufactured with environmentally friendly preferred products (EPP).
- Greenguard Indoor Air Quality Certified®.


COMBINATION FABRICS

- Different fabrics can be specified for the sofa seat and back.
- When combination upholstery is with upholstery of the same grade, no additional up-charge will apply.
- When graded-in combination upholstery is selected contact customer service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product).





COM FABRICS

- Yardage requirements shown are based on the use of non-directional fabrics that are 54" wide with the fabric being cut "up the roll".
- OFGO reserves the right to reject COM fabrics that in OFGO's opinion are unsuitable.
- COM yardage requirements will increase based on the repeat size. Contact customer service for yardage requirements.

REMINGTON COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	One Seater	8921-SF-1S-B□	2653	2728	2803	2878	2953	3253	21	30	32.5	12	51	3
		B□ = Specify base metal finish: **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**												
	One Seater Laminate Top on Left								Specify top finish when ordering Seat Width: 21in					
		8900-SF-1S-LOM-B□	2752	2846	2940	3033	3127	3502	34	30	32.5	19	64	3.75
		B□ = Specify base metal finish: **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**												
	One Seater Laminate Top on Left - Includes 1 (AC-U2) Silver Power/Data Center								Specify top finish when ordering					
		8900-SF-1S-LOM-U2-B□	3284	3378	3472	3565	3659	4034	34 Seat Width: 21in	30	32.5	19	64	3.75
		B□ = Specify base metal finish: **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**												
	One Seater Laminate Top on Right								Specify top finish when ordering Seat Width: 21in					
		8900-SF-1S-ROM-B□	2752	2846	2940	3033	3127	3502	34	30	32.5	19	64	3.75
		B□ = Specify base metal finish: **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**												
	One Seater Laminate Top on Right - Includes 1 (AC-U2) Silver Power/Data Center								Specify top finish when ordering Seat Width: 21in					
		8900-SF-1S-ROM-U2-B□	3284	3378	3472	3565	3659	4034	34	30	32.5	19	64	3.75
		B□ = Specify base metal finish: **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**												
	Two Seater Laminate Top in Middle								Specify top finish when ordering Seat Width: 21in					
		8900-SF-2S-MOM-B□	3565	3740	3915	4090	4265	4965	58	30	32.5	33	118	7
		B□ = Specify base metal finish: **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**												
	Two Seater Laminate Top in Middle - Includes 1 (AC-U2) Silver Power/Data Center								Specify top finish when ordering					
		8900-SF-2S-MOM-U2-B□	4097	4272	4447	4622	4797	5497	58 Seat Width: 21in	30	32.5	33	118	7
		B□ = Specify base metal finish: **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**												

REMINGTON COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	Laminate Top Ottoman	8921-OT-1S-TM-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2266	2304	2341	2379	2416	2566	21	30	17.5	6	49	1.5
	Laminate Top Ottoman	8900-OT-1S-TM-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2297	2335	2372	2410	2447	2597	30	30	17.5	9	52	1.5
	Laminate Top Ottoman	8900-OT-2S-TM-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2879	2942	3004	3067	3129	3379	58	30	17.5	18	122	2.5
	End Table LaminateTop	8900-TB-TM-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	1030	Laminate Table Top					30	30	17.5	9	44	
	Frame to Frame Connector	AC-FTF-KIT	86											

Remington Collection is style compatible with

CIAO & NUEVO

PRICE BOOK

OFGO

STUDIO

FEATURES

- Units are standard with 1-1/4" (32mm) x 1-1/4" (32mm) 16 gauge metal base frame.
- 11" (279mm) base frame height standard in mirror chrome finish with clear finished floor glides.
- Tall base frame allows for easy cleaning and maintenance
- Seating frames feature an interlocking plywood jigsaw construction. Joints reinforce each other for maximum stability.
- Seats are high resiliency 2.5 lb. per cubic ft. density CFC-free foam. Fire retardant foam meets CAL 117 requirements.
- A variety of units are available with a TFL top available in all standard OFGO STUDIO finish options.
- Models can meet the requirements of CAL133 when upholstered using appropriate materials. Please contact the factory for more information. Specified up-charges will apply.
- Manufactured with environmentally friendly preferred products (EPP).
- Greenguard Indoor Air Quality Certified®.
- Manufactured in an ISO 9001:2008 compliant facility.







COMBINATION FABRICS

- Different fabrics can be specified for the sofa seat, back, and arms.
- When combination upholstery is with upholstery of the same grade, no additional up-charge will apply.
- When graded-in combination upholstery is selected contact customer service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product).

COM FABRICS

- Yardage requirements shown are based on the use of non-directional fabrics that are 54" wide with the fabric being cut "up the roll".
- OFGO reserves the right to reject COM fabrics that in OFGO's opinion are unsuitable.
- COM yardage requirements will increase based on the repeat size. Contact customer service for yardage requirements.

CIAO & NUEVO COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	Ciao Collection One Seat Lounge	8700-SF-1S-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2208	2328	2448	2568	2688	3408	27	27	29	11.5	50	6
	Ciao Collection Two Seat Lounge	8700-SF-2S-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2653	2813	2973	3133	3293	4253	48	27	29	21	70	8
	Nuevo Collection One Seat Lounge	8600-SF-1S-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2208	2328	2448	2568	2688	3408	27	27	32	13.5	50	6
	Nuevo Collection Two Seat Lounge	8600-SF-2S-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2653	2813	2973	3133	3293	4253	48	27	32	24	70	8
	Nuevo Collection One Seat Ottoman	8600-OT-1S-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	1640	1690	1740	1790	1840	2040	27	27	17.5	7.5	40	2
					*Style compatible with 8600 & 8700 series									
	Nuevo Collection Two Seat Ottoman	8600-OT-2S-B□ **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2086	2161	2236	2311	2386	2686	48	27	17.5	13	60	3
					*Style compatible with 8600 & 8700 series									
	Nuevo Collection One Seat Table	8600-OT-1S-TM-B□ **(with Laminate TFL Top)** **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	1877	1907	1937	1967	1997	2177	27	27	17.5	7.5	54	1.5
					*Style compatible with 8600 & 8700 series									
	Nuevo Collection Two Seat Table	8600-OT-2S-TM-B□ **(with Laminate TFL Top)** **B□ = Specify base metal finish:** **[1] Black** **[3] Silver** **[4] Chrome** **[5] White**	2325	2388	2450	2513	2575	2825	48	27	17.5	13	88	2.5
					*Style compatible with 8600 & 8700 series									

JAZZ

PRICE BOOK

OFGO

STUDIO

FEATURES

- Units are available with casters, adjustable post legs, or a combination of both.
- Tablet arm and cupholder mechanism includes a 360 degree swivel.
- Tablet and cupholders are available in both Veneer and TFL selections.
- Veneer tablet and cupholders contain a bevel edge profile. For wood stain selection options visit us online at ofgo.com
- TFL tablet and cupholders contain a matching 1.5mm edgebanded profile. Available in all OFGO STUDIO standard TFL finish selections.
- Veneer cupholders are attached to a metal plate with a slight opening for liquids to pass through.
- TFL cupholders include a plastic insert for easy placement of a beverage.
- Seats are high resiliency 2.5 lb. per cubic ft. density CFC-free foam. Fire retardant foam meets CAL 117 requirements.
- Manufactured with environmentally friendly preferred products (EPP).
- Greenguard Indoor Air Quality Certified®.



COMBINATION FABRICS

- Different fabrics can be specified for the sofa seat and inner back, as well as the sofa outer back and arms.
- When combination upholstery is with upholstery of the same grade, no additional up-charge will apply.
- When graded-in combination upholstery is selected contact customer service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product).

COM FABRICS

- Yardage requirements shown are based on the use of non-directional fabrics that are 54" wide with the fabric being cut "up the roll".
- OFGO reserves the right to reject COM fabrics that in OFGO's opinion are unsuitable.
- COM yardage requirements will increase based on the repeat size. Contact customer service for yardage requirements.

JAZZ COLLECTION

	Dimensions	Product Code	Fabric Grade	List Price	2 Front Leg Style (Specify Leg Option) caster	2 Front Leg Style (Specify Leg Option) post leg	3 Back Leg Style (Specify Leg Option) caster	3 Back Leg Style (Specify Leg Option) post leg
								
	W 29in/737mm	**9801-SF-1S-□□**	COM & 3	**2534**	K	R	K	R
	D 28in/711mm	□□ = specify leg style	4	**2659**	K	R	K	R
	H 35in/889mm		5	**2784**	K	R	K	R
	Volume 16.4ft³/0.47m³		6	**2909**	K	R	K	R
	Weight 64lbs/29kgs		7	**3034**	K	R	K	R
	COM 5yds/4.6m		LE	**3534**	K	R	K	R
Single Seater (full skirt)								
								
	W 29in/737mm	**9801-SF-1S-□□-TRV**	COM & 3	**2656**	K	R	K	R
	D 28in/711mm	□□ = specify leg style	4	**2781**	K	R	K	R
	H 35in/889mm		5	**2906**	K	R	K	R
	Volume 16.4ft³/0.47m³		6	**3031**	K	R	K	R
	Weight 71lbs/32kgs		7	**3156**	K	R	K	R
	COM 5yds/4.6m		LE	**3656**	K	R	K	R
	To Order with Rectangular Laminate Tablet change TRV to TRM							
Single Seater with Veneer Tablet on Right (full skirt)								
								
	W 29in/737mm	**9801-SF-1S-□□-TLV**	COM & 3	**2656**	K	R	K	R
	D 28in/711mm	□□ = specify leg style	4	**2781**	K	R	K	R
	H 35in/889mm		5	**2906**	K	R	K	R
	Volume 16.4ft³/0.47m³		6	**3031**	K	R	K	R
	Weight 71lbs/32kgs		7	**3156**	K	R	K	R
	COM 5yds/4.6m		LE	**3656**	K	R	K	R
	To Order with Rectangular Laminate Tablet change TLV to TLM							
Single Seater with Veneer Tablet on Left (full skirt)								
								
	W 29in/737mm	**9801-SF-1S-□□-TRV-CLV**	COM & 3	**2778**	K	R	K	R
	D 28in/711mm	□□ = specify leg style	4	**2903**	K	R	K	R
	H 35in/889mm		5	**3028**	K	R	K	R
	Volume 16.4ft³/0.47m³		6	**3153**	K	R	K	R
	Weight 73lbs/33kgs		7	**3278**	K	R	K	R
	COM 5yds/4.6m		LE	**3778**	K	R	K	R
	To Order with Rectangular Laminate Tablet and Cupholder change **TRV and CLV to TRM and CLM**							
Single Seater with Veneer Tablet and Cupholder (full skirt)								

How to Order:

For example, to order a 9801-SF-1S-KR-TRVCW-P18-DT20 follow the steps below:

1 Select Product Code	2 Select Front Leg Style	3 Select Back Leg Style	4 Select Tablet (OPTIONAL)
9801-SF-1S -	**K**	**R** -	**TRVCW** -
	choose from:	choose from:	(Tablet Code) (Veneer Finish)
	Casters (K) Post Leg (R)	Casters (K) Post Leg (R)	Only applicable if ordering product codes with veneer tablet, cupholder, or Wood Arm Caps

TRIBUTE
MODENA
VINTAGE
DENVER
WATERFALL
PORTICO

PRICE BOOK

OFGO
STUDIO

DURATEK Lounge Seating Specifications - Sofas

SOFA FRAMES

- Heavy duty metal frames are standard on select one, two, and three seat sofas.
- Metal frames are constructed with angular 11 gauge steel.
- Metal frames are finished in an environmental friendly powder coated black paint.
- Seats, backs, and arms are independently attached to the metal frame with bolts and threaded "T" nuts.

SOFA SEAT

- Seat pan is constructed with 3/4" (19mm) plywood.
- Seat pan is standard with a "cut-out", reinforced with a 418lbs (190kg) tensile strength webbing for added comfort and support.
- Seat cushions are clipped into place using snap on hooks, preventing sliding and allowing for easy cleaning.
- Permanently affixed cushions are available as an option.
- Seats are cut to exacting measurements with modern CNC (computer numerical control) equipment.
- Seats are replaceable on site.

SOFA BACK

- Backs are constructed with 3/4" (19mm) plywood.
- Solid plywood back is fitted with threaded "T" nuts.
- Back is attached to metal frame with bolts and threaded "T" nuts.
- Backs are cut to exacting measurements with modern CNC (computer numerical control) equipment.
- Backs are replaceable on site.

SOFA ARMS

- Structural wood construction.
- Arms are attached to the metal frame using bolts and threaded "T" nuts.
- Arms are cut to exacting measurements with modern CNC (computer numerical control) equipment.
- Arms are replaceable on site.

SOFA FOAM

- Seat foam thickness is 5.5" (140mm).
- Standard seat foam is composed of medium firm foam, 1.8lbs density/36lbs compression.
- Seat foam is wrapped with fiber for added comfort.
- Fire retardant foam meets CAL 117 standards.

SOFA LEGS

- "Wood Legs" are constructed of solid hardwood.
- "Metal Legs" are finished with environmentally friendly powder coated paint.
- "Angled Legs" are finished with environmentally friendly powder coated paint.
- Legs are replaceable on site.

PRODUCT IDENTIFICATION

- Products are labeled with model numbers, fabric codes, and date manufactured.
- Identification label allows for easy reordering.

ADDITIONAL FEATURES

- All items are manufactured in our ISO 9001-2008 compliant factory.
- ANSI/BIFMA x5.1-02 tested and approved.
- GREENGUARD® Indoor Air Quality Certified.

Lounge Seating Leg Style & Finish Options

Leg Style Code

			TT	PPSL	CC	IV
Style		Product	Tapered Wood Leg 3in/76mm tall 	Metal Post Leg 3in/76mm tall 	Caster 3in/76mm tall 	Metal Angled Leg 5in/127mm tall 
	Vintage	5100				*Standard
	Modena	5200				*Standard
	Denver	5500	Standard	Optional 0.00	Optional 0.00	
	Tribute	5600	Optional 0.00	Standard	Optional 0.00	
	Portico	6200	Standard	Optional 0.00	Optional 0.00	
	Waterfall	6500	Standard	Optional 0.00	Optional 0.00	

To order lounge seating with optional leg style or finish, replace standard leg style or finish code with optional leg style or finish code.







E.g., to order 5500-SF-1S-TTBK with optional PP leg style, replace TT with PP to get code 5500-SF-1S-PPSL .

Note: Tapered wood legs (TT) are standard with black finish (BK).

For additional wood stain color selections visit us online at www.ofgo.com

*** Only the back legs are angled.**
The front legs have a straight profile.

TRIBUTE COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	One Seat Lounge	5600-SF-1S-PPSL	1364	1484	1604	1724	1844	2564	31	31	32	18	85	6
	See front of price list for leg style & finish options. PPSL silver finish legs standard. DURAtek													
	Two Seat Lounge	5600-SF-2S-PPSL	1916	2076	2236	2396	2556	3516	52	31	32	30	115	8
	See front of price list for leg style & finish options. PPSL silver finish legs standard. DURAtek													
	Three Seat Lounge	5600-SF-3S-PPSL	2470	2670	2870	3070	3270	4470	73	31	32	42	147	10
	See front of price list for leg style & finish options. PPSL silver finish legs standard. DURAtek													
	One Seat Lounge with Tablet Arm DURAtek	5600-SF-1S-PPSL-TLM□□ (Tablet on Left When Seated)	1924	2044	2164	2284	2404	3124	31	31	32	18	94	6
		5600-SF-1S-PPSL-TRM□□ (Tablet on Right When Seated)	1924	2044	2164	2284	2404	3124	31	31	32	18	94	6
		□□ = specify tablet color												
	Two Seat Lounge with Tablet Arm DURAtek	5600-SF-2S-PPSL-TLM□□ (Tablet on Left When Seated)	2476	2636	2796	2956	3116	4076	52	31	32	30	124	8
		5600-SF-2S-PPSL-TRM□□ (Tablet on Right When Seated)	2476	2636	2796	2956	3116	4076	52	31	32	30	124	8
		□□ = specify tablet color												
	Three Seat Lounge with Tablet Arm DURAtek	5600-SF-3S-PPSL-TLM□□ (Tablet on Left When Seated)	3030	3230	3430	3630	3830	5030	73	31	32	42	156	10
		5600-SF-3S-PPSL-TRM□□ (Tablet on Right When Seated)	3030	3230	3430	3630	3830	5030	73	31	32	42	156	10
		□□ = specify tablet color												

CUSTOM TABLET ARM SPECIFICATION GUIDE

A) Select Sofa Style (Ex. 5600-SF-1S)

B) Choose Leg Style (include finish)	Upcharge
PPSL- Post legs front and back.	$0
TT□□ - Tapered wood legs front and back.	$0
CCSL - Casters front and back.	$0
CPSL - Caster in front and post legs in back.	$0
CT□□ - Caster in front and tapered wood leg in back.	$0

C) Choose Tablet Placement	Upcharge
TLM - Laminate Tablet on left when seated.	$560
TRM - Laminate Tablet on right when seated.	$560
TDM - Dual Laminate tablet on left and right when seated.	$1,120
CLM - Laminate cupholder tablet on left when seated.	$560
CRM - Laminate cupholder tablet on right when seated.	$560
CDM - Dual Laminate cupholer tablet on left and right when seated.	$1,120

D) Optional Laminate Underside Shelf (include finish)	Upcharge
S1M□□ - Underside shelf for 1 seat sofa.	$103
S2M□□ - Underside shelf for 2 seat sofa.	$206
S3M□□ - Underside shelf for 3 seat sofa.	$309

E) Optional Power Data Center	Upcharge
ALFE3 - Power / USB Data Center, LEFT arm FRONT panel when seated.	$500
ARFE3 - Power / USB Data Center, RIGHT arm FRONT panel when seated.	$500

F) Optional Rear Pull Handle	Upcharge
P18 - Silver finished pull handle mounted on back to assist with moving sofa.	100 / Per Handle





Note: 1 seat sofa contains 1 handle / 2 seat sofa contains 2 handles / 3 seat sofa contains 3 handles

Note: 1








Specification Example:

5600-SF-1S	-	CPSL	-	TRMCW	-	(optional) CLMCW	-	(optional) S1MBK	-	(optional) ARFE3	-	(optional) P18
A) Sofa Style		B) Leg Style		C) Tablet Placement		D) Tablet Placement #2		E) Shelf		F) Power Center		G) Rear Pull Handle










TRIBUTE COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	Square/Rectangular Ottomans	5600-OT-1818-PPSL	795	825	855	885	915	1095	18	18	17.5	3	23	1.5
		5600-OT-2418-PPSL	903	943	983	1023	1063	1303	24	18	17.5	4	29	2
		5600-OT-3618-PPSL	1079	1129	1179	1229	1279	1579	36	18	17.5	7	35	2.5
		5600-OT-4818-PPSL	1252	1312	1372	1432	1492	1852	48	18	17.5	9	41	3
		5600-OT-6018-PPSL	1429	1509	1589	1669	1749	2229	60	18	17.5	11	47	4
		5600-OT-1S-PPSL	935	975	1015	1055	1095	1335	24	24	17.5	6	30	2
		5600-OT-3624-PPSL	1109	1169	1229	1289	1349	1709	36	24	17.5	9	36	3
		5600-OT-2S-PPSL	1287	1367	1447	1527	1607	2087	48	24	17.5	12	42	4
		5600-OT-6024-PPSL	1462	1562	1662	1762	1862	2462	60	24	17.5	15	48	5
	Round Ottomans	5600-OR-1818-PPSL	961	991	1021	1051	1081	1261	18	18	17.5	3	21	1.5
		5600-OR-1S-PPSL	1103	1143	1183	1223	1263	1503	24	24	17.5	6	28	2
		5600-OR-3030-PPSL	1245	1285	1325	1365	1405	1645	30	30	17.5	9	42	2
	Racetrack Ottomans	5600-OR-2S-PPSL	1452	1532	1612	1692	1772	2252	48	24	17.5	12	42	4




MODENA & VINTAGE COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	Modena Collection One Seat Lounge DURAtek	5200-SF-1S-IV□ **IV□ = Specify metal finish:** **[1] Black** **[3] Silver**	1768	1888	2008	2128	2248	2968	31	31	29.5	16	82	6
	Modena Collection Two Seat Lounge DURAtek	5200-SF-2S-IV□ **IV□ = Specify metal finish:** **[1] Black** **[3] Silver**	2322	2482	2642	2802	2962	3922	52	31	29.5	28	112	8
	Modena Collection Three Seat Lounge DURAtek	5200-SF-3S-IV□ **IV□ = Specify metal finish:** **[1] Black** **[3] Silver**	2871	3071	3271	3471	3671	4871	73	31	29.5	39	143	10
	Vintage Collection One Seat Lounge DURAtek	5100-SF-1S-IV□ **IV□ = Specify metal finish:** **[1] Black** **[3] Silver**	1768	1888	2008	2128	2248	2968	31	32	33.5	19	83	6
	Vintage Collection Two Seat Lounge DURAtek	5100-SF-2S-IV□ **IV□ = Specify metal finish:** **[1] Black** **[3] Silver**	2322	2482	2642	2802	2962	3922	52	32	33.5	32	114	8
	Vintage Collection Three Seat Lounge DURAtek	5100-SF-3S-IV□ **IV□ = Specify metal finish:** **[1] Black** **[3] Silver**	2871	3071	3271	3471	3671	4871	73	32	33.5	45	145	10
	Vintage Collection One Seat Ottoman	5100-OT-1S-II□ **II□ = Specify metal finish:** **[1] Black** **[3] Silver**	953	993	1033	1073	1113	1353	24	24	17.5	6	27	2
	Vintage Collection Two Seat Ottoman	5100-OT-2S-II□ **II□ = Specify metal finish:** **[1] Black** **[3] Silver**	1305	1365	1425	1485	1545	1905	48	24	17.5	12	39	3




DENVER COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	One Seat Lounge DURAtek	5500-SF-1S-TTBK	1768	1888	2008	2128	2248	2933	31	31	32	18	84	6
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Two Seat Lounge DURAtek	5500-SF-2S-TTBK	2322	2482	2642	2802	2962	3876	52	31	32	30	115	8
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Three Seat Lounge DURAtek	5500-SF-3S-TTBK	2871	3071	3271	3471	3671	4815	73	31	32	42	146	10
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Square/Rectangular Ottomans	5400-OT-1818-TTBK	795	825	855	885	915	1095	18	18	17.5	3	21	1.5
		5400-OT-2418-TTBK	903	943	983	1023	1063	1303	24	18	17.5	4	27	2
		5400-OT-3618-TTBK	1079	1129	1179	1229	1279	1579	36	18	17.5	7	33	2.5
		5400-OT-4818-TTBK	1252	1312	1372	1432	1492	1852	48	18	17.5	9	39	3
		5400-OT-6018-TTBK	1429	1509	1589	1669	1749	2229	60	18	17.5	11	45	4
		5400-OT-1S-TTBK	935	975	1015	1055	1095	1335	24	24	17.5	6	28	2
		5400-OT-3624-TTBK	1109	1169	1229	1289	1349	1709	36	24	17.5	9	34	3
		5400-OT-2S-TTBK	1287	1367	1447	1527	1607	2087	48	24	17.5	12	40	4
		5400-OT-6024-TTBK	1462	1562	1662	1762	1862	2462	60	24	17.5	15	46	5
	Round Ottomans	5400-OR-1818-TTBK	961	991	1021	1051	1081	1242	18	18	17.5	3	21	1.5
		5400-OR-1S-TTBK	1103	1143	1183	1223	1263	1481	24	24	17.5	6	28	2
		5400-OR-3030-TTBK	1245	1285	1325	1365	1405	1621	30	30	17.5	9	42	2
	Racetrack Ottomans	5400-OR-2S-TTBK	1452	1532	1612	1692	1772	2224	48	24	17.5	12	40	4
	One Seat Ottoman with Top	7300-OT-1S-TM□□-TTBK **(with Laminate TFL Top)** □□ = specify laminate color	1138	1178	1218	1258	1298	1538	24	24	17.5	6	44	2
	Two Seat Ottoman with Top	7300-OT-2S-TM□□-TTBK **(with Laminate TFL Top)** □□ = specify laminate color	1530	1590	1650	1710	1770	2130	48	24	17.5	12	72	3

WATERFALL COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	One Seat Lounge DURAtek	6500-SF-1S-TTBK	1936	2056	2176	2296	2416	3098	31	32	32	18	85	6
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Two Seat Lounge DURAtek	6500-SF-2S-TTBK	2485	2645	2805	2965	3125	4036	52	32	32	31	117	8
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Three Seat Lounge DURAtek	6500-SF-3S-TTBK	3043	3243	3443	3643	3843	4983	73	32	32	43	149	10
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Waterfall collection is style compatible with Denver 5400 Series Ottomans													

PORTICO COLLECTION

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	GR LE	W	D	H	FT³	LBS	COM (yds)
	One Seat Lounge DURAtek	6200-SF-1S-TTBK	1768	1888	2008	2128	2248	2968	36	31	32	21	84	6
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Two Seat Lounge DURAtek	6200-SF-2S-TTBK	2322	2482	2642	2802	2962	3922	57	31	32	33	115	8
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Three Seat Lounge DURAtek	6200-SF-3S-TTBK	2871	3071	3271	3471	3671	4871	78	31	32	45	146	10
		See front of price list for leg style & finish options. TTBK black finish legs standard.												
	Portico Collection is style compatible with Denver 5400 Series Ottomans													

THROW PILLOWS

PRICE BOOK

OFGO

STUDIO

THROW PILLOWS

	Description	Product Code	GR 3 COM	GR 4	GR 5	GR 6	GR 7	W	H	FT³	LBS	COM (yds)
	16" x 16" Square Pillow	PL1616-SQ	247	272	297	322	347	16	16	1.6	2	1
	18" x 18" Square Pillow	PL1818-SQ	249	274	299	324	349	18	18	1.7	2	1
	20" x 20" Square Pillow	PL2020-SQ	260	285	310	335	360	20	20	2.1	2	1
	12" x 18" Lumbar Pillow	PL1218-RC	246	271	296	321	346	18	12	1.5	2	1
	10" x 20" Lumbar Pillow	PL1020-RC	244	269	294	319	344	20	10	1.2	2	1

Note: Throw pillows may vary in size slighty from what is listed above once upholstered.

STAX

PRICE BOOK

OFGO STUDIO

STAX COLLECTION

	Description	Product Code	List Price		Volume (ft^3)	Weight (lbs)
	**STAX series** **Stacking Chair** High Density Overall height: 32.5in (813mm) Seat to floor height: 17.5in (444.5mm) Overall width: 18.5in (470mm) Seat width: 17.5in (446mm) Overall depth: 20.5in (521mm) Seat depth: 17in (432mm) Stacking options: up to 6 high on floor. Stacking options: up to 30 high on dolly. Features: high density stacking chair, polypropylene seats and backs, steel frame in chrome finish, interlocking feature allows chairs to be ganged together in a row.	77BLK (Black)	275	*All colors are kept in stock. For stock quantity levels, please contact customer service.	1.75	15
		77CHA (Charcoal)	275		1.75	15
		77RED (Red)	275		1.75	15
		77ORN (Orange)	275		1.75	15
		77YEL (Yellow)	275		1.75	15
		77SKY (Sky Blue)	275		1.75	15
		77LNN (Linen)	275		1.75	15
		77WHT (White)	275		1.75	15
	**STAX series** Stacking Chair Dolly Locking Casters	8880X (Chair Dolly)	364			
 Bar Height Stool	**STAX series** **Bar Stool** High Density Overall height: 44.7in (1135mm) Seat to floor height: 31in (788mm) Overall width: 21.5in (545mm) Seat width: 17.5in (455mm) Overall depth: 22in (560mm) Seat depth: 17in (432mm) Features: high density bar stool, polypropylene seats and backs, steel frame chrome finish.	78BLK-BAR (Black)	497		12	17.5
		78CHA-BAR (Charcoal)	497	*Item is kept in stock	12	17.5
		78RED-BAR (Red)	497		12	17.5
		78ORN-BAR (Orange)	497		12	17.5
		78YEL-BAR (Yellow)	497		12	17.5
		78SKY-BAR (Sky Blue)	497		12	17.5
		78LNN-BAR (Linen)	497		12	17.5
		78WHT-BAR (White)	497		12	17.5

STAX COLLECTION

	Description	Product Code	List Price		Volume (ft^3)	Weight (lbs)
 Counter Height Stool	**STAX series** **Counter Stool** High Density Overall height: 37.8in (960mm) Seat to floor height: 24in (610mm) Overall width: 21.5in (545mm) Seat width: 17.5in (455mm) Overall depth: 21in (530mm) Seat depth: 17in (432mm) Features: high density counter stool, polypropylene seats and backs, steel frame chrome finish.	74BLK-CNTR (Black)	497		10	15
		74CHA-CNTR (Charcoal)	497	*Item is kept in stock	10	15
		74RED-CNTR (Red)	497		10	15
		74ORN-CNTR (Orange)	497		10	15
		74YEL-CNTR (Yellow)	497		10	15
		74SKY-CNTR (Sky Blue)	497		10	15
		74LNN-CNTR (Linen)	497		10	15
		74WHT-CNTR (White)	497		10	15

KOLBY™

PRICE BOOK

OFGO

STUDIO

Description	Product Code	K1 Black Fabric	
	QUICKSHIP		
Quick Ship **3 Lock Synchro** **Ergonomic Work Chair** **Black Mesh Back** **Black Fabric Seat** **Black Back Accent Strip** **Black Nylon Base** **3D Arms**	QS-15MKU-3L-3D-V6-BA-K1 (USA Only)	756	(Standard with Black Fabric Seat)
	QS-15MK-3L-3D-V6-BA-K1 (Canada & EU Only)	756	(Standard with Black Fabric Seat)



Overall height: 39¼" to 42¾"
Seat to floor height: 18" to 21½"
Overall width: 25½"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 38.3 lbs
Cubic Ft.: 4.6 ft3
RTA - Shipped ready to assemble.

Features: 3 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 3 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment. Black 3D height adjustable armrests with forward, backward, and pivot armpad adjustment. Black nylon 5-prong base with dual wheel casters.

Standard Finishes:

Upholstery: Black fabric seat, breathable black mesh back.

Back Accent Strip: Black finish

Base: Black finish









3 Lock Synchro
Ergonomic Work Chair
Black Mesh Back
3D Arms
Personalize:
- seat upholstery
- base color
- back accent strip color

Overall height: 39¼" to 42¾"
Seat to floor height: 18" to 21½"
Overall width: 25½"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 38.3 lbs
Cubic Ft.: 4.6 ft3
RTA - Shipped ready to assemble.
COM Yardage: 0.75 Yards for 1 Chair
1 Yard for 2 Chairs

Hardfloor Caster Set:
Optional hardfloor caster set for use on hardfloor surfaces can be ordered separatley.
Code: AC-C18
Price: $40 List / Set

Description	Product Code	Seat Fabric Grade: K1 Black Fabric	GR3	GR4	GR5	GR6	GR7
	15MK-3L-3D-V6-BA (Black Nylon Base) (Black Back Accent Strip)	756	758	773	788	803	818
	15MK-3L-3D-V6-CA (Black Nylon Base) (Chrome Back Accent Strip)	766	768	783	798	813	828
	15MK-3L-3D-E6-BA (Polished Aluminum Base) (Black Back Accent Strip)	868	870	885	900	915	930
	15MK-3L-3D-E6-CA (Polished Aluminum Base) (Chrome Back Accent Strip)	878	880	895	910	925	940

Features: 3 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 3 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment. Black 3D height adjustable armrests with forward, backward, and pivot armpad adjustment. 5-prong base with dual wheel casters.



4 Lock Synchro
Ergonomic Work Chair
Black Mesh Back
3D Arms
Personalize:
- seat upholstery
- base color
- back accent strip color

Overall height: 39½" to 43"
Seat to floor height: 18" to 21½"
Overall width: 25½"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 42.5 lbs
Cubic Ft.: 5.5 ft3
RTA - Shipped ready to assemble.
COM Yardage: 0.75 Yards for 1 Chair
1 Yard for 2 Chairs

Hardfloor Caster Set:
Optional hardfloor caster set for use on hardfloor surfaces can be ordered separatley.
Code: AC-C18
Price: $40 List / Set

	15MK-4L-3D-V6-BA (Black Nylon Base) (Black Back Accent Strip)	788	791	806	821	836	851
	15MK-4L-3D-V6-CA (Black Nylon Base) (Chrome Back Accent Strip)	798	801	816	831	846	861
	15MK-4L-3D-E6-BA (Polished Aluminum Base) (Black Back Accent Strip)	900	903	918	933	948	963
	15MK-4L-3D-E6-CA (Polished Aluminum Base) (Chrome Back Accent Strip)	910	913	928	943	958	973

Features: 4 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 4 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Side activated telescoping back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment. Black 3D height adjustable armrests with forward, backward, and pivot armpad adjustment. 5-prong base with dual wheel casters.



3 Lock Synchro
Ergonomic Work Chair
Black Mesh Back
Armless

Personalize:
- seat upholstery
- base color
- back accent strip color

Overall height: 39¼" to 42¾"
Seat to floor height: 18" to 21½"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 34.3 lbs
Cubic Ft.: 4.6 ft3
RTA - Shipped ready to assemble.

COM Yardage: 0.75 Yards for 1 Chair
1 Yard for 2 Chairs

Hardfloor Caster Set:
Optional hardfloor caster set for use on hardfloor surfaces can be ordered separatley.
Code: AC-C18
Price: $40 List / Set

Description	Product Code	Seat Fabric Grade: K1 Black Fabric	GR3	GR4	GR5	GR6	GR7
	15MK-3L-NA-V6-BA (Black Nylon Base) (Black Back Accent Strip)	734	736	751	766	781	796
	15MK-3L-NA-V6-CA (Black Nylon Base) (Chrome Back Accent Strip)	744	746	761	776	791	806
	15MK-3L-NA-E6-BA (Polished Aluminum Base) (Black Back Accent Strip)	846	848	863	878	893	908
	15MK-3L-NA-E6-CA (Polished Aluminum Base) (Chrome Back Accent Strip)	856	858	873	888	903	918

Features: 3 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 3 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment. 5-prong base with dual wheel casters.



4 Lock Synchro
Ergonomic Work Chair
Black Mesh Back
Armless

Personalize:
- seat upholstery
- base color
- back accent strip color

Overall height: 39½" to 43"
Seat to floor height: 18" to 21½"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 38.5 lbs
Cubic Ft.: 5.5 ft3
RTA - Shipped ready to assemble.

COM Yardage: 0.75 Yards for 1 Chair
1 Yard for 2 Chairs

Hardfloor Caster Set:
Optional hardfloor caster set for use on hardfloor surfaces can be ordered separatley.
Code: AC-C18
Price: $40 List / Set

	15MK-4L-NA-V6-BA (Black Nylon Base) (Black Back Accent Strip)	766	770	785	800	815	830
	15MK-4L-NA-V6-CA (Black Nylon Base) (Chrome Back Accent Strip)	776	780	795	810	825	840
	15MK-4L-NA-E6-BA (Polished Aluminum Base) (Black Back Accent Strip)	878	882	897	912	927	942
	15MK-4L-NA-E6-CA (Polished Aluminum Base) (Chrome Back Accent Strip)	888	892	907	922	937	952

Features: 4 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 4 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Side activated telescoping back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment.
5-prong base with dual wheel casters.

MESH BACK - BAR STOOL

KOLBY

Description	Product Code	Seat Fabric Grade: K1 Black Fabric	GR3	GR4	GR5	GR6	GR7
 **3 Lock Synchro Bar Stool** **Black Mesh Back** **3D Arms** **Chrome Foot Ring** **Personalize:** **- seat upholstery** **- base color** **- back accent strip color**	 15BR-3L-3D-V6-BA (Black Nylon Base) (Black Back Accent Strip)	955	957	972	987	1002	1017
	 15BR-3L-3D-V6-CA (Black Nylon Base) (Chrome Back Accent Strip)	965	967	982	997	1012	1027
	 15BR-3L-3D-E6-BA (Polished Aluminum Base) (Black Back Accent Strip)	1067	1069	1084	1099	1114	1129
	 15BR-3L-3D-E6-CA (Polished Aluminum Base) (Chrome Back Accent Strip)	1077	1079	1094	1109	1124	1139

Overall height: 46" to 53½"
Seat to floor height: 24½" to 32"
Overall width: 25½"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 44.3 lbs
Cubic Ft.: 5.6 ft3
RTA - Shipped ready to assemble.
COM Yardage: 0.75 Yards for 1 Chair
1 Yard for 2 Chairs

Hardfloor Caster Set:
Optional hardfloor caster set for use on hardfloor surfaces can be ordered separatley.
Code: AC-C18
Price: $40 List / Set

Features: 3 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 3 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment. Black 3D height adjustable armrests with forward, backward, and pivot armpad adjustment. 5-prong base with dual wheel casters. Adjustable chrome footring with black spokes.

 **4 Lock Synchro Bar Stool** **Black Mesh Back** **3D Arms** **Chrome Foot Ring** **Personalize:** **- seat upholstery** **- base color** **- back accent strip color**	 15BR-4L-3D-V6-BA (Black Nylon Base) (Black Back Accent Strip)	987	990	1005	1020	1035	1050
	 15BR-4L-3D-V6-CA (Black Nylon Base) (Chrome Back Accent Strip)	997	1000	1015	1030	1045	1060
	 15BR-4L-3D-E6-BA (Polished Aluminum Base) (Black Back Accent Strip)	1099	1102	1117	1132	1147	1162
	 15BR-4L-3D-E6-CA (Polished Aluminum Base) (Chrome Back Accent Strip)	1109	1112	1127	1142	1157	1172

Overall height: 46¼" to 53¾"
Seat to floor height: 24½" to 32"
Overall width: 25½"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 48.5 lbs
Cubic Ft.: 6.5 ft3
RTA - Shipped ready to assemble.
COM Yardage: 0.75 Yards for 1 Chair
1 Yard for 2 Chairs

Hardfloor Caster Set:
Optional hardfloor caster set for use on hardfloor surfaces can be ordered separatley.
Code: AC-C18
Price: $40 List / Set

Features: 4 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 4 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Side activated telescoping back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment. Black 3D height adjustable armrests with forward, backward, and pivot armpad adjustment. 5-prong base with dual wheel casters. Adjustable chrome footring with black spokes.



3 Lock Synchro
Bar Stool
Black Mesh Back
Armless
Chrome Foot Ring
Personalize:
- seat upholstery
- base color
- back accent strip color

Overall height: 46" to 53½"
Seat to floor height: 24½" to 32"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 40.3 lbs
Cubic Ft.: 5.6 ft3
RTA - Shipped ready to assemble.

COM Yardage: 0.75 Yards for 1 Chair
1 Yard for 2 Chairs

Hardfloor Caster Set:
Optional hardfloor caster set for use on hardfloor surfaces can be ordered separatley.
Code: AC-C18
Price: $40 List / Set

Description	Product Code	Seat Fabric Grade: K1 Black Fabric	GR3	GR4	GR5	GR6	GR7
	15BR-3L-NA-V6-BA (Black Nylon Base) (Black Back Accent Strip)	932	934	949	964	979	994
	15BR-3L-NA-V6-CA (Black Nylon Base) (Chrome Back Accent Strip)	942	944	959	974	989	1004
	15BR-3L-NA-E6-BA (Polished Aluminum Base) (Black Back Accent Strip)	1044	1046	1061	1076	1091	1106
	15BR-3L-NA-E6-CA (Polished Aluminum Base) (Chrome Back Accent Strip)	1054	1056	1071	1086	1101	1116

Features: 3 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 3 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment. 5-prong base with dual wheel casters. Adjustable chrome footring with black spokes.



4 Lock Synchro
Bar Stool
Black Mesh Back
Armless
Chrome Foot Ring
Personalize:
- seat upholstery
- base color
- back accent strip color

Overall height: 46¼" to 53¾"
Seat to floor height: 24½" to 32"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 44.5 lbs
Cubic Ft.: 6.5 ft3
RTA - Shipped ready to assemble.

COM Yardage: 0.75 Yards for 1 Chair
1 Yard for 2 Chairs

Hardfloor Caster Set:
Optional hardfloor caster set for use on hardfloor surfaces can be ordered separatley.
Code: AC-C18
Price: $40 List / Set

	15BR-4L-NA-V6-BA (Black Nylon Base) (Black Back Accent Strip)	965	967	982	997	1012	1027
	15BR-4L-NA-V6-CA (Black Nylon Base) (Chrome Back Accent Strip)	975	977	992	1007	1022	1037
	15BR-4L-NA-E6-BA (Polished Aluminum Base) (Black Back Accent Strip)	1077	1079	1094	1109	1124	1139
	15BR-4L-NA-E6-CA (Polished Aluminum Base) (Chrome Back Accent Strip)	1087	1089	1104	1119	1134	1149

Features: 4 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 4 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Side activated telescoping back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment. 5-prong base with dual wheel casters. Adjustable chrome footring with black spokes.

QUICKSHIP (QS)

PRICE BOOK

OFGO

STUDIO

Worksurfaces

- Worksurface and side panels are 1" (25 mm) thick, solid core, 45 lbs/ft^3 density particle board, finished on both sides with thermofused laminate, offering premium quality abrasion and stain resistant surfaces.
- Worksurfaces are edged on all four sides.
- Worksurfaces and side panels are edged with 1.5mm thick edges, improving user comfort and product durability.

Back Panels

- Back panels are 5/8" (16 mm) thick, solid core, 45 lbs/ft^3 density particle board, finished on both sides with thermofused laminate.

Pedestals

- Drawer fronts are 5/8" (16 mm) thick, solid core particle board, finished on both sides with thermofused laminate.
- Drawer fronts have 1.5mm thick edging on all four sides.
- Five sided drawer construction offers strength and durability.
- Interior drawer construction is made with 1/2" (13 mm) black laminate sides, back and front, and 1/8" (3 mm) black hardboard bottom.
- Pedestals standard with pull handles.
- Box drawers, file drawers, and lateral file drawers operate with full extension ball bearing suspension slides for smooth and quiet operation.
- Box drawers are mounted on full suspension slides with 100 lbs / 45 kg weight capacity.
- File drawers are mounted on full suspension slides with 100 lbs / 45 kg weight capacity.
- Pedestal Box drawers standard with molded plastic pencil tray (one per unit).
- File drawers include file supports, accepting letter or legal hanging files, allowing front-to-back or side-to-side filing.
- Locks standard with interchangeable lock core.
- Locks standard with collapsible key.

Finishes

- The Quickship (QS) series is avaiable in all standard OFGO STUDIO TFL finishes.
  For the most up to date TFL finish selection visit ofgo.com/resources/finishes/
- Locks are avaiable in black (L1) or Silver (L3) finish selections.
- The Quickship (QS) series is avaiable with all standard pull handle styles.
  For the most up to date pull handle selection visit ofgo.com/pulls


The Quickship (QS) Program

OFGO STUDIO's Quick Ship (QS) program is designed to make ordering OFGO STUDIO products faster and easier than ever. The QS program is only available for approved office furniture dealers. Please note that substitutions are not allowed when ordering from the QS program. Any product SKU's that are not part of the QS5 program for the same installation or end-user should be ordered on a separate purchase order which will be subject to normal lead times.

OFGO STUDIO standard dealer discounts, payment terms, and terms and conditions of sales apply to all QS5 program purchase orders. Lead times above are limited to individual orders of no more than $50,000 LIST and dealers may not have more than $100,000 LIST in open QS program orders at one time. Orders that exceed these guidelines will be accepted but may be subject to extended lead times. Account must be in good standing for order to be processed without delay. Orders cannot be changed or cancelled after order acknowledgement. All QS orders use OFGO STUDIO's standard freight program terms.

QUICK SHIP | WORKSURFACES


(**Single Sided** Applications)



24" Depth Worksurfaces



	Model No.	W	D	H	Price (LP)	LB	FT³
	QS-HY4224-TP	42	24	1	279	25	1.9
	QS-HY4824-TP	48	24	1	323	28	2.2
	QS-HY6024-TP	60	24	1	398	35	2.7
	QS-HY6624-TP	66	24	1	426	39	2.9
	QS-HY7224-TP	72	24	1	472	42	3.2



30" Depth Worksurfaces



	QS-HY4230-TP	42	30	1	398	31	2.3
	QS-HY4830-TP	48	30	1	426	28	2.2
	QS-HY6030-TP	60	30	1	484	44	3.3
	QS-HY6630-TP	66	30	1	530	39	2.9
	QS-HY7230-TP	72	30	1	574	53	4



Return Bracket

Connects return worksurface to benching worksurface.

Attaches to worksurface with wood screws.

QS-ZN0502-TT-BRKT-Z3-PR (Pair of Two Brackets)		5	2	0.1	60	0.5	0.01

Rectangular Surfaces

SINGLE SIDED applications only

1" (25mm) thick TFL

Underside of worksurfaces are pre-drilled with positioning holes to accept QS leg supports.

Specify worksurface laminate finish when ordering.

Grommet Options:

Add G1CC for black grommet or G3CC for silver grommet to the end of product code to add optional grommet - **add $42 list.**

QS single-sided surfaces available with grommet center/center mount only



G1
Black Grommet
$42 List



G3
Silver Grommet
$42 List




Worksurface Stiffener

For 48" to 54" wide workurfaces	QS-AC36-STFR	35.5	2.5	1.25	105	2.5	0.03
For 60" to 66" wide workurfaces	QS-AC48-STFR	47.5	2.5	1.25	117	3	0.04
For 72" to 84" wide workurfaces	QS-AC60-STFR	59.5	2.5	1.25	134	4	0.05

Worksurface stiffener must be specified when unsupported top span is greater then 48" wide.
1 stiffener required for up to 30" depth worksurface.

QUICK SHIP | WORKSURFACES

(**Back to Back** Worksurface Applications)



24" Depth Worksurfaces

Two worksurfaces back to back with
3" center gap, fits onto 51" wide end legs.



	Model No.	W	D	H	Price (LP)	LB	FT³
	QS-HY4224-TP-BE	42	24	1	279	28	2.2
	QS-HY4824-TP-BE	48	24	1	323	28	2.2
	QS-HY6024-TP-BE	60	24	1	398	35	2.7
	QS-HY6624-TP-BE	66	24	1	426	39	2.9
	QS-HY7224-TP-BE	72	24	1	472	42	3.2

Grommet Options:

Add G1_ _ for black grommet or G3_ _ for silver grommet to the end of product code to add optional grommet - add $42 list.

☐☐ **= Specify grommet color [G1] or [G3]**

Grommet Position Codes:

☐☐ LL - Left/Left User Side
☐☐ CC - Center/Center User Side
☐☐ RR - Right/Right User Side
☐☐ LLRR - Left/Left and Right/Right User Side (adds $84 list)



G1
Black Grommet
$42 List



G3
Silver Grommet
$42 List

Rectangular Surfaces

BACK TO BACK applications only

1" (25mm) thick TFL

Underside of worksurfaces are pre-drilled with positioning holes to accept QS leg supports.


Specify worksurface laminate finish when ordering.




Worksurface Stiffener

		W	D	H	Price (LP)	LB	FT³
For 48" to 54" wide workurfaces	QS-AC36-STFR	35.5	2.5	1.25	105	2.5	0.03
For 60" to 66" wide workurfaces	QS-AC48-STFR	47.5	2.5	1.25	117	3	0.04
For 72" to 84" wide workurfaces	QS-AC60-STFR	59.5	2.5	1.25	134	4	0.05

Worksurface stiffener must be specified when unsupported top span is greater then 48" wide.
1 stiffener required for up to 30" depth worksurface.


	Model No.	W	H	Price (LP)	LB	FT³
End Support Leg (UB)						
						
For Single Sided Worksurface Applications						
24" Wide End Leg	QS-HY2428-UB☐	24	28	367	14	1.7
30" Wide End Leg	QS-HY3028-UB☐	30	28	398	15	2.1
	☐ = Specify metal finish: [1] Black [3] Silver					
Back to Back - End Support Leg (UB)						
						
For Back to Back Worksurface Applications						
Fits onto two **24"**d worksurfaces	QS-HY5128-UB☐	51	28	514	21	4.1
	☐ = Specify metal finish: [1] Black [3] Silver					
Back to Back - Middle Support Leg (PB)						
						
For Back to Back Worksurface Applications						
Fits onto two **24"**d worksurfaces	QS-HY4228-PB☐	38	28	588	16	2.5
	☐ = Specify metal finish: [1] Black [3] Silver					

Back to Back Frosted Acrylic Divider




	Model No.	W	D	H	Price (LP)	LB	FT³
12" High (above worksurface)	QS-ZN4212-PODU-Z	42	1	13	484	5	0.6
Rectangular	QS-ZN4812-PODU-Z	48	1	13	515	6	0.7
Frosted Acrylic Privacy Divider	QS-ZN6012-PODU-Z	60	1	13	582	7	0.9
Secures between two back to back workstations	QS-ZN6612-PODU-Z	66	1	13	614	8	1
	QS-ZN7212-PODU-Z	72	1	13	645	9	1.1
18" High (above worksurface)	QS-ZN4218-PODU-Z	42	1	19	550	7	0.8
Rectangular	QS-ZN4818-PODU-Z	48	1	19	582	8	1
Frosted Acrylic Privacy Divider	QS-ZN6018-PODU-Z	60	1	19	645	10	1.2
Secures between two back to back workstations	QS-ZN6618-PODU-Z	66	1	19	677	11	1.3
	QS-ZN7218-PODU-Z	72	1	19	710	12	1.4

Above Surface Frosted Acrylic Divider (Permanent Mount)



12" High	QS-PD2212-ST-Z	22	1	12	411	3	0.5
Rectangular	QS-PD2812-ST-Z	28	1	12	426	4	0.5
Frosted Acrylic Privacy Divider	QS-PD4012-ST-Z	40	1	12	457	5	0.5
Mountable above worksurface	QS-PD4612-ST-Z	46	1	12	486	5	0.5
Includes Silver Mounting Clips	QS-PD5812-ST-Z	58	1	12	548	7	0.5
	QS-PD6412-ST-Z	64	1	12	580	7	0.5
	QS-PD7012-ST-Z	70	1	12	609	8	0.5
18" High	QS-PD2218-ST-Z	22	1	18	473	4	0.5
Rectangular	QS-PD2818-ST-Z	28	1	18	486	5	0.5
Frosted Acrylic Privacy Divider	QS-PD4018-ST-Z	40	1	18	519	7	0.5
Mountable above worksurface	QS-PD4618-ST-Z	46	1	18	548	7	0.5
Includes Silver Mounting Clips	QS-PD5818-ST-Z	58	1	18	609	10	0.5
	QS-PD6418-ST-Z	64	1	18	639	10	0.5
	QS-PD7018-ST-Z	70	1	18	671	11	0.5

Below Surface TFL Modesty Panel



18" Modesty Panel

Mounts below worksurface to provide privacy.

3 Mounting brackets included.

Attaches to worksurface with wood screws.

57"w modesty panels fit 60"w surfaces

69"w modesty panels fit 72"w surfaces

Specify laminate color when ordering.

NOT COMPATIBLE WITH FLIP-TOP TABLES

QS-ZN5718-MOD-L-Z☐	57	0.625	18	295	21	1.0
QS-ZN6918-MOD-L-Z☐	69	0.625	18	339	24	1.2

☐ = Specify bracket finish:
[1] Black
[3] Silver

	Model No.	W	D	H	Price (LP)	LB	FT³
	QS-ZN151926-MP-BBF-P□	15¼	19¼	26	882	54	5.3

Mobile Pedestal
2 Box Drawers
1 File Drawer
Locking Drawers
Front Locking Casters
Shipped Assembled

P□ = Specify pull handle style #:
To select a pull handle style visit ofgo.com/pulls

What to Specify When Ordering:

1) Specify laminate finish.
4) Specify lock color: (Black or Silver).
5) Specify pull handle style.

	Model No.	W	D	H	Price (LP)	LB	FT³
	QS-ZN151920-MP-BF-P□	15¼	19¼	20	801	52	4.1


Mobile Pedestal
1 Box Drawer
1 File Drawer
Locking Drawers
Front Locking Casters
Shipped Assembled

P□ = Specify pull handle style #:
To select a pull handle style visit ofgo.com/pulls

What to Specify When Ordering:

1) Specify laminate finish.
4) Specify lock color: (Black or Silver).
5) Specify pull handle style.

QUICK SHIP | INDEX+ HEIGHT ADJUSTABLE TABLES



Model No.	*W*	*D*	Price (LP)	*LB*	*FT³*
	A	B			
QS-DX4824-RC-TB☐	48	24	1501	90	3.8
QS-DX6024-RC-TB☐	60	24	1544	97	4.3
QS-DX7224-RC-TB☐	72	24	1588	104	4.8
QS-DX4830-RC-TB☐	48	30	1555	97	4.3
QS-DX6030-RC-TB☐	60	30	1598	106	4.9
QS-DX7230-RC-TB☐	72	30	1653	115	5.6

QUICK SHIP

Height Adjustable Table

Includes Rectangular Top

T Style Leg

3 Stage

Non Handed

Dual Motor

4 Programmable Settings


Height range of 22.9" to 49"

Only Box/File pedestals are compatible with height adjustable tables, unless the lower base limit on the height adjustable base is adjusted accordingly during installation.

Specify worksurface laminate finish when ordering.

☐ = Specify metal finish:
[1] Black
[3] Silver

QUICK SHIP | TRELLO TRAINING TABLE - FLIP TOP



Model No.	*W*	*D*	*H*	Price (LP)	*LB*	*FT³*
QS-TR6024-RC-SL	60	24	29	1350	65	4.1
QS-TR7224-RC-SL	72	24	29	1416	74	4.9
QS-TR6030-RC-SL	60	30	29	1428	74	4.7
QS-TR7230-RC-SL	72	30	29	1507	85	5.7

*Silver Base Only

Rectangular Top

Flip Base

One Paddle

4 Locking Casters

Base attaches to top with metal to metal connectors

Base standard in silver finish

Includes 1" (25mm) thick TFL Surface

Base inset from top ends:
60", and 72” wide tables have a 2.25” inset on each end

Specify surface laminate finish when ordering.

	Model No.	Price	*LB*	*FT³*
KOLBY Task Chair				
	QS-15MKU-3L-3D-V6-BA-K1 (USA Only) (Standard with Black Fabric Seat)	756		
	QS-15MK-3L-3D-V6-BA-K1 (Canada & EU Only) (Standard with Black Fabric Seat)	756		

3 Lock Synchro
Ergonomic Work Chair
Black Mesh Back
Black Fabric Seat
Black Back Accent Strip
Black Nylon Base
3D Arms

Overall height: 39¼" to 42¾"
Seat to floor height: 18" to 21½"
Overall width: 25½"
Seat width: 19"
Overall depth: 26"
Seat depth: 18½"
Seat Depth with Seat Slide: 18½" to 20¼"
Weight: 38.3 lbs
Cubic Ft.: 4.6 ft3
RTA - Shipped ready to assemble.

Features: 3 lock synchronous control mechanism with seat slider, mechanism features 2:1 ratio of seat to back movement; locking in forward position. Back angle can be locked in 1 of 3 positions. Free float feature allows the chair to tilt freely. Adjustable back lumbar support. Back tension adjustment. Molded, CFC-free, urethane foam seat cushion. Pneumatic seat height adjustment. Black 3D height adjustable armrests with forward, backward, and pivot armpad adjustment. Black nylon 5-prong base with dual wheel casters.

Standard Finishes:
Upholstery: Black fabric seat, breathable black mesh back.
Back Accent Strip: Black finish
Base: Black finish





STAX series				
	QS-77CHA (Charcoal)	275	1.75	15





Stacking Chair
High Density

Features: high density stacking chair, polypropylene seats and backs, steel frame in chrome finish, interlocking feature allows chairs to be ganged together in a row.

*All colors are kept in stock.

For stock quantity levels and lead time, please contact customer service.

Overall height: 32.5in (813mm)
Seat to floor height: 17.5in (444.5mm)
Overall width: 18.5in (470mm)
Seat width: 17.5in (446mm)
Overall depth: 20.5in (521mm)
Seat depth: 17in (432mm)
Stacking options: up to 6 high on floor.
Stacking options: up to 30 high on dolly.

		Model No.	W	D	H	Price	LB	FT³
	Cable Tray for use on 60" or 72"w surfaces only.	QS-ZN47-WCT-Z□ □ = **Specify metal finish:** **[1] Black** **[3] Silver**	47¾	6	4.5	295	3	0.3
 with receptacles on **two sides**	Double Sided Power Block (with Back to Back Mounting Bar) Supplied with SI1, SI2, SI4 and SIG receptacles on two sides 8 wire 4 circuit 3 utility share neutral and ground, plus 1 isolated Each side can access up to 3 circuits **Standard in silver finish**	QS-ZN8442-PMKT-Z3 **For use in center between two back to back worksurfaces only.**	5.5	9	2.75	407	5	0.1
 with receptacles on **two sides**	Double Sided Power Block Supplied with SI1, SI2, SI4 and SIG receptacles on two sides 8 wire 4 circuit 3 utility share neutral and ground, plus 1 isolated Each side can access up to 3 circuits	QS-ZN8442-PMKT-Z3 **For use underneath any single surface.**	5.5	9	2.75	407	5	0.1
 Base Feed Hardware (BFH)	Base Feed Power Entry Connects to Power Block Must be wired to building source power by a licensed electrician Rated for 20 AMPs and are energized For New York City, electrician must provide junction box.	QS-PW0072-BFH-84	72			219		
 Ceiling Feed Hardware (CFH)	Ceiling Feed Power Entry Connects to Power Block Must be wired to building source power by a licensed electrician Rated for 20 AMPs and are energized For New York City, electrician must provide junction box	QS-PW0156-CFH-84	156			407		
 META FLEX CABLE FEMALE BOTH ENDS	Interconnecting Cable connects Power Block to Power Block	QS-PW0042-FF QS-PW0060-FF QS-PW0072-FF	42 60 72			186 218 243		

Our Warranty. Our Promise. limited lifetime

We are committed to designing, manufacturing, and delivering product solutions that are innovative, high quality, and environmentally friendly. Our promise is to stand behind the quality of our products and strive to improve the quality of life for our consumers.

We warrant that products are free from defects in materials and workmanship, as set forth in the warranty agreement below. This warranty is valid from the date of shipment, and covers the original purchaser for products delivered in the United Stated and Canada.

This warranty applies to all products manufactured after September 1st, 2022.

Product Type	Warranty (for Original Purchaser)	Exceptions
Laminate Modular Furniture	lifetime	tackboards, textiles*, cushioned seating, electrical devices, and moving parts including slides, locks, glides & casters - 5 years monitor arms & keyboard trays - 3 years tasklights - 2 years
Conference and Training Tables	lifetime	electrical devices and moving parts - 5 years
PanelX Series Panels	lifetime	textiles* - 5 years
Height Adjustable Tables	5 years	none
Office and Lounge Seating	lifetime	bases, arms (excl. arm pads), hydraulic gas lifts, and control mechanisms - 10 years textiles*, wood and synthetic parts, foam, other plastic components, casters and electrical devices - 5 Years; Mesh and armpads - 3 Years

*Note: carded textiles contain a 5 year warranty with the exception of Diverse/Turner Vinyl which contains a 2 year warranty.

If a product, component, or part fails under ordinary use as a result of a defect in materials or workmanship during the applicable warranty period, OFGO, at its sole obligation, will (i) repair or, at OFGOs' option, replace the affected product, part, or component at no charge with a comparable product, part, or component, or (ii) refund the purchase price for the affected product, part, or component if repair or replacement is deemed not feasible by OFGO. Proof of purchase must be provided and must be in the form of the original invoice from the authorized dealer. This document is the only proof of purchase that OFGO will accept in order to proceed with any claim.

This warranty is only applicable to product defects that (i) existed upon receiving the product from OFGO, and (ii) causes a failure of the product to perform under ordinary use in conformance with all applicable local, state/provincial, or federal laws, codes, and regulations. This warranty applies only to original purchasers in the United States and Canada who acquire new product from OFGO. The OFGO warranty applies exclusively to normal commercial use, based on a standard forty hour work week, eight hour single shift work day, and (for seating units) users weighing up to 275 lbs. This warranty does not apply to products used for rental purposes.

This document inclusively describes all of the warranties given and remedies available with respect to OFGO products and services. OFGO disclaims any other warranty whether express or implied, statutory or otherwise, in relation to its products. OFGO shall not be liable for any consequential, indirect, special, punitive, or incidental damages. OFGO's warranty does not extend to labor, delivery, or installation costs.

Warranty Exceptions:
Warranty DOES NOT APPLY to product failure or loss resulting from: (a) normal wear and tear that can occur over time, (b) abuse, misuse, negligence, or accident, (c) exposure to extreme environmental conditions, (d) failure to apply, install, or maintain products according to published instructions and guidelines, (e) alteration or modification of the product (e.g., the substitution of any unauthorized non–OFGO components for use in place of OFGO components), (f) damages caused by a carrier in transit, and (g) damages caused by delivery and installation contractors.

Warranty DOES NOT COVER:
- Products considered consumables (e.g., lamps).
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments.
- Use of chemical cleaners or failure to follow specific cleaning and disinfecting instructions from OFGO.
- Variations occurring in surface materials including but not limited to:
  - Matching of grains, textures, and colors across dissimilar substrates and lots, or presence of character marks in casegood surface materials.
  - The colorfastness or the matching of colors of textiles, including an exact match to cuttings, samples, or to swatch cards.
- Changes in surface finishes due to aging or exposure to light.
- Marks, scars, or wrinkles occurring naturally in leather.
- Damage, marking, or staining of veneer surfaces due to contact with rubber or similar compounds, sharp objects, or prolonged exposure to direct sunlight as well as natural variations in wood or other materials.

Custom surfaces and materials (such as Customer Own Material [COM] textiles or graded-in textiles) are only warranted by OFGO for their application onto a specified product. These materials are not covered under our warranty.

general information

OFGO STUDIO's products are only available under DSI Industries Inc., Design Source International Inc., and OFGO STUDIO's terms and conditions of sale. The aforementioned terms and conditions of sale may be modified solely by OFGO STUDIO's management through the use of a written contract. The name OFGO STUDIO is used in this agreement and throughout this document to represent DSI Industries Inc., Design Source International Inc., and OFGO STUDIO as applicable to their respective products and terms and conditions of sale.

prices and payment

Prices shown in this document refer to Canadian dollars for Canadian dealers and to US dollars for US and international dealers. All merchandise will be invoiced at prices prevailing at the time of shipment. If an order date is 90 or more days prior to a shipping date then OFGO STUDIO reserves the right to apply current prices retroactively to an order. Prices shown serve solely as a guideline and are subject to change without notice at any time. Prices do not include the cost of any taxes. All taxes are extra. All applicable taxes or duties are the responsibility of the purchaser, including for sales outside of Canada and US. Purchaser's claiming tax exemptions must provide all necessary documentation to OFGO STUDIO on the order date. Prices do not include shipping costs unless otherwise specified by OFGO STUDIO.

terms

All orders are C.O.D. unless open terms/credit has been established. All merchandise is invoiced at the time of shipment and payment is due 30 days following the date of the invoice. 2% interest per month will be charged on all overdue accounts. All merchandise is the sole property of OFGO STUDIO until an order has been completely paid for.

ordering information

To avoid errors, we request that all purchases be confirmed in writing. Each accepted written order received by OFGO STUDIO will be recognized and an acknowledgement form governing the transaction will be sent out. The acknowledgment form will describe the items to be shipped and the approximate "ready date". Phone orders will not be accepted. The accuracy of information sent to OFGO STUDIO by the purchaser is the sole responsibility of the purchaser. In addition, the accuracy of the acknowledgement information sent to the purchaser by OFGO STUDIO is also the sole responsibility of the purchaser, and must be reviewed and verified by the purchaser upon receipt without delay. In the event of inaccuracies, OFGO STUDIO must be notified without delay in writing. Orders containing known inaccuracies may only be queued for manufacture when accurate information is received. OFGO STUDIO will not be responsible for errors on orders unless they are supported by original confirmed written purchase orders and confirmations with product information differing from order produced.

how to order

Please e-mail your purchase orders to orders@ofgo.com, Orders can also be placed by fax at 905-669-5564. When placing an order, please specify the following information:

1. Purchase Order Number
2. Bill To and Ship To Addresses
3. Quantity
4. Model Numbers
5. Colors, Finishes, and Materials Selections

errors and omissions

Invoices, order confirmations, and quotations are subject to corrections by OFGO STUDIO for any errors and omissions.

materials

Product may be priced according to material grade. The grades and pricing assigned to materials may be modified by OFGO STUDIO without notice.

shipping

When shipping costs are paid by the purchaser directly to the shipping carrier, the purchaser must may specify choice of carrier at the time of order. In the event that the purchaser is not paying a carrier directly for shipping costs or has not specified a carrier, OFGO STUDIO reserves the right to select a carrier to deliver the goods at the purchaser's cost. The method and route taken in the shipping of goods to the purchaser shall be determined by the purchaser, unless the purchaser fails to appropriately specify the shipping method and route in which case OFGO STUDIO will use a method and route that it deems effective.

changes and cancellations

Acknowledgements of all purchase orders are sent to customers within 24-48 hours of receipt of order. After this acknowledgement is processed, an order cannot be modified or cancelled by the purchaser without the written authorization of OFGO STUDIO. Acknowledgements of verbal orders are sent to customers within 24-48 hours of receipt of order. OFGO STUDIO will not be responsible for any errors that occur on orders after 24 hours from the time the acknowledgement has been sent to the customer. OFGO STUDIO requests that the customer checks all acknowledgements for accuracy. Once production has started, no modifications or cancellations are possible for special orders, COM orders, orders using fabric, vinyl, leather or other applicable materials, orders well into production, or completed orders. Items using fabric, vinyl, leather or other applicable material are in production once they are entered into the cutting queue. For items that are already in production, orders may be cancelled or modified only at the sole and unfettered discretion of OFGO STUDIO and a 35% cancellation fee is applicable.

frame finishes

Painted frames are in standard finishes, other colors may be available with an upcharge, subject to quantity. Color limitations may apply.

wood finishes

Non-standard wood finishes can be ordered from OFGO STUDIO. Color sample must be approved prior to order and a 15% upcharge per item or a minimum upcharge of $200.00 net will apply, whichever is greater. OFGO STUDIO must consent to any custom wood finishes prior to committing itself to any orders received.

customer's own material (COM)

All use of COM must receive signed approval from OFGO STUDIO. To receive signed approval, please complete and send the COM form to OFGO STUDIO.

OFGO STUDIO shall have no responsibility for condition, quality, appearance, color-fastness, flammability, durability, performance, physical properties, or any other quality standard or aspect of COM. Quality of COM applied to finished goods is the sole responsibility of the purchaser and the normal OFGO STUDIO product warranty does not apply to COM products. The purchaser is responsible for ensuring the COM is certified to meet all flame retardant requirements.

COM orders are not subject to cancellation or returns under any circumstances after order acknowledgment. All COM must be promptly shipped prepaid to OFGO STUDIO and OFGO STUDIO must be compensated fully for all duties incurred. If any additional duty is applied after shipment has been made, the purchaser will be charged back for additional costs. All COM shipments must be clearly marked with the applicable order number and the specific item numbers for which COM use is intended. If COM is difficult to apply or modifications to the product are requested, additional charges may apply. If COM material is not provided in adequate quantities, it will be OFGO STUDIO's right to extend the delivery date until such remaining quantities of COM materials needed to complete order are received by OFGO STUDIO. All excess COM yardage may be disposed of by OFGO STUDIO.

delays

OFGO STUDIO will show on all acknowledgements the expected "ready date", which is an estimate made at the time the order is acknowledged of the expected date that an order will be ready for shipment to a customer. OFGO STUDIO will not incur any obligation or liability to the purchaser for failure to honor the "ready date" and shall not be responsible for any loss or damage resulting from any delay.

suspension

If the purchaser defaults on or neglects to furnish OFGO STUDIO with any required compensation, monetary or otherwise, OFGO STUDIO will retain the prerogative to suspend all pending shipments to the purchaser until appropriate compensation is received. If OFGO STUDIO believes the financial solvency of the purchaser is questionable then OFGO STUDIO retains the prerogative to suspend all pending shipments to the purchaser until it is satisfied that the purchaser is financially solvent and that payment will be received.

weights and cubes

Shipping weights and cubes are approximate, and may vary.

sizes

All sizes specified are approximate. Exact dimensions will be provided upon request.

returns

All returns must be authorized in writing by OFGO STUDIO. All goods and items are non-returnable and non-refundable unless authorized by OFGO STUDIO in writing at its sole and unfettered discretion. Returned goods must be returned to OFGO STUDIO in the same condition in which they were originally shipped. Returns are required to be sent using shipping instructions from OFGO STUDIO in order to be accepted. Credit will not be authorized or issued if goods are not in new and re-sellable condition. No returns or refunds will be accepted on special order items. OFGO STUDIO retains the prerogative to refuse any returns for which written permission was not obtained from OFGO STUDIO.

claims

OFGO STUDIO is not responsible for damages incurred during storage or transit. At the time of pick up, the carrier will sign our delivery form, acknowledging that the merchandise being transported has been received in good condition. Upon receipt, all shipments should be carefully inspected by the purchaser prior to being accepted from the carrier, as our liability ends when the carrier signs our delivery slip at the time of pick up. The purchaser is solely responsible for claiming damages from the carrier for any and all occurrences and types of damage that are incurred during the transport of goods. Claims for damages should be filed in writing with OFGO STUDIO immediately. All instances of mistakes, flaws, or insufficient parts must be reported to OFGO STUDIO in a written statement within five calendar days of delivery to the purchaser. After five days, the delivered goods will be considered accepted and all claims of mistakes, flaws, or insufficient parts will be relinquished..

offer of sale

In the event of a conflict between prices listed in the price list and prices elsewhere, the prices listed in the most recently posted price list, subject to corrections, shall prevail. All orders are subject to approval by OFGO STUDIO, and OFGO STUDIO has the right to refuse or cancel any order at its sole and unfettered discretion. OFGO STUDIO shall not be responsible for any loss or damage resulting from any refusal or cancellation of orders.

changes to product

OFGO STUDIO reserves the right to make improvements or changes to prices, products, designs, colors, materials, or packaging without notice.

ownership of advertising materials

All catalogs, price lists, drawings, photographs, signs, point of sale materials, binders, and other miscellaneous printed material remain the property of OFGO STUDIO and must be returned within one week upon OFGO STUDIO's written request.

patents and trademarks

Products may be subject to one or more issued patents, trademarks, patents pending, or trademark applications, in North America or internationally.

custom orders

A detailed purchase order must accompany all custom orders, and must include a clear sketch of all sizes and finishes for each unit, with a customer signature of approval.

service

For all service requests contact OFGO STUDIO's customer service department for assistance by e-mail at info@ofgo.com or by phone at 905-669-1357.

copyright

Literature, price lists, drawings, photographs, and other miscellaneous printed material may be protected by copyright. All rights reserved.

combined shipments

OFGO STUDIO will make an effort to combine shipments on orders when applicable. OFGO STUDIO, however, cannot be held responsible when shipments are not combined.

disclaimer

Measurements, dimensions, weights and volumes displayed serve solely as approximations for the convenience of the purchaser. OFGO STUDIO does not guarantee the accuracy or precision of any measurement, dimension, weight or volume displayed. All information, including but not limited to pricing, descriptive text, measurements, dimensions, weights, and volumes, may be modified at any time without the provision of notice. All prices displayed constitute present OFGO STUDIO suggested manufacturer's list pricing. Any and all duties and taxes that may apply to OFGO STUDIO products are not included in the list prices and will incur additional charges. Errors and inappropriately omitted information may be corrected at any time without the provision of notice. Any information or suggestions concerning applications, specifications, or compliance with codes and standards is provided solely for your convenience and without any representation as to accuracy or suitability, OFGO STUDIO disclaims any legal responsibility. OFGO STUDIO reserves the right to make improvements or changes to prices, products, designs, colors, materials, or packaging without notice. OFGO STUDIO reserves the right to change these Terms and Conditions at any time without notice.

organization

DSI Industries Inc. and Design Source International Inc. are independent member of the OFGO STUDIO group of companies.