

NOTICE TO AUTHORIZED USERS OF AWARD #23295 - Furniture, All Types (Except Hospital Room and Patient Handling)

This pricelist/catalog **may** contain items that are not within the Scope of the Contract Award and/or not within this Contractors approved furniture Categories. All Authorized Users are strongly encouraged to review the Scope of the Award and the Contractors Category Matrix prior to selecting items for purchase under the Contract. Per Solicitation Section 4.5 (D) - Procurement Instructions for Authorized Users: When placing orders under this Award, the Authorized User should follow and be familiar with the terms and conditions governing the Contract and are responsible for determining that the product(s) they intend to purchase fit within the scope of the Award.

References to other government contracts that may be included in a Contractor's pricelist/catalog, including any additional terms or conditions, are void under the OGS Award and should be disregarded. Only OGS' Terms and Conditions, including those within a Contractor's posted Contractor Information and Supplemental Information sheet, are valid under the Contract.


Additionally, Authorized Users are reminded that where discrepancies exist between Price List documents, the lowest price shall prevail (see Section 5.3 Price).

All orders must be placed with the Contractor, or the Contractor's OGS approved Authorized Reseller listed on the OGS website under the Award. Orders placed with a reseller not approved by OGS are not considered contract orders and therefore are not subject to the same terms and conditions of the OGS Award.

Authorized Users should contact the OGS Contract Manager listed on the Award with any questions pertaining to this pricelist/catalog.

NYS Price List Effective 12/2/23

Pricebook



ENVIRONAMICS

SYMBIO[®] MOVABLE WALLS

Effective 01 DEC 2022

General Information

Conditions of Sale

For terms and conditions of sale, contact Environamics, Inc.

Warranties

Environamics or its agents (the "Company") warrants its SYMBIO® Movable Wall products to be free from defects in material and workmanship from the date of initial delivery for the applicable warranty period specified below, when the products are installed and used in accordance with the Company's published instructions. The Company's warranty extends only to original purchasers acquiring new products directly from the Company, its authorized dealers or others specifically authorized by the Company to act as resellers of its products. Environamics SYMBIO® Movable Wall products must be installed by an individual who has received training and certification from Environamics, Inc.

The warranty applies to Environamics catalog product only. Hardware and accessories such as, but not limited to, locksets, electronic strikes and door closures specified by others for a project will be warranted by their manufacturer. Such warranties will be passed on to the customer. Environamics makes no warranty of products not manufactured by Environamics.

Because of natural variations over which the Company has no control, this warranty does not extend to color, grain or texture of wood, vinyl or fabric wall coverings, and the Company does not warrant matching of color, grain or texture. No warranty is made with respect to nonstandard materials selected by and used at the request of the customer.

A twelve (12) year warranty period (for labor and materials) applies to all Environamics SYMBIO® Movable Wall products.

Defective goods must be returned to Environamics, Inc. for repair. The cost of shipment is to be paid by the customer.

The Company's obligation and the purchaser's remedy pursuant to the foregoing warranty are limited as follows: repair or replacement, at the Company's discretion, F.O.B. the Company's plant. Purchasers may be required to establish that a claim is within the warranty period by producing the invoice for the product or such other evidence as may be reasonably satisfactory to the Company.

The Company makes no warranty to purchasers who acquire products for personal, family, or household purposes. No person, firm or corporation is authorized to assume for the Company any liability in connection with the sale or installation of the Company's products except as stated above. **THERE ARE NO OTHER WARRANTIES EXCEPT AS EXPRESSLY SET FORTH ABOVE, EITHER EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANT LIABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. UNDER NO CIRCUMSTANCES SHALL THE COMPANY BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.** The Company's sole obligation is to repair or replace the defective product. The remedies stated herein are expressly agreed to be exclusive as a condition of sale, and the Company's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which any claim might be based, including breach of contract, warranty, negligence or strict liability of tort.

Service

Service issues will be handled by Environamics, Inc.

Additional Information

All orders will be shipped surface transportation with title passing to customer upon delivery to carrier from Environamics, Inc. plant or distribution point.

This book is effective 01 June 2021 and is subject to change without notice.

All prices are list prices. Additional services, such as planning services, design, storage, and installation are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Refer to specification documents for detailed description and usage information of individual products.

All orders are shipped surface transportation with title passing to customer upon delivery to carrier from Environamics, Inc. plant or distribution point.

The sample page to the right illustrates the various elements that make up the descriptions and specification process for products in this book.

1. Product Identifying Number (PIN) and Name

2. Product Illustrations

Elevation, section and plan illustrations

3. Product Information

Lists features & specification information that is required for product ordering. Restrictions, exceptions, variations and important considerations for the application, installation, or ordering of a product are found here.

4. Decision Step

Step-by-step process by which a complete product number and price is "built" and choices such as size, finish, and color are specified.

5. Base Price

Price for a particular size or style


6. Upcharge

Charge added to base price for specific dimensions, materials, or finishes


7. Complete Product Number

Completed by specifier, number reflects the exact product to be ordered

e2212
Double-Groove Make-Up Gypsum Panel



1



2

3 Product Information

- Features:**
 - Consists of two face sheets and two coreboards that are not laminated together as a panel assembly
 - Field-assembled to finish off a wall run between two fixed points
 - Adhesive required to assemble make-up panel
 - Acoustical batts increase STC rating of wall panels
- Specifiers:**
 - Identify ceiling height and panel width
 - Identify acoustical batting option
 - Identify surface finish for side 1 and side 2
 - See appendix for vinyl styles and colors
 - Specify "0000" for unfinished panels; panels must be field-finished
 - For "CUS" option - supply 3.3 linear yards (min) per side

4

Panel Height & Width		
108.11	9' x 11"	\$200
120.11	10' x 11"	\$213
108.23	9' x 23"	\$200
120.23	10' x 23"	\$213
108.29	9' x 29"	\$245
120.29	10' x 29"	\$263

5

Batting		
NA	none	
BX	acoustical batts	+\$36

6

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+0
CUS	customer material	+6
AD	adobe	+24
---	price category 1	+57
---	price category 2	+63
---	price category 3	+72
---	price category 4	+93
---	price category 5	+129
---	price category 6	+189
---	price category 7	+243

7

e	2	2	1	2	.														
---	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--

2

Environamics, Inc.

Ordering Information

Order by Product Number

All products are to be ordered by complete product number. Where additional information, such as textile number or trim finish, is to be specified, a choice must be made for each option.

Panels

Panels in heights not listed are available on special order to meet particular project requirements. For further information contact Environamics, Inc. sales team at (704) 376-3613.

Fire Retardant Information

When covered with identified textiles, wall panels meet the Class A requirements for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 1988 Life Safety Code No. 101 and tested in accordance with ASTM E-84 procedures, and the Underwriter's Laboratories requirements for use with energy distribution components.

CUSomer's own material

The CUSomer's own material (CUS) program gives you the option of using your own textiles on wall products. These textiles must be tested for manufacturability on the products for which they will be applied and are then approved or disapproved for use. CUS textiles are not tested for performance, only manufacturability.

To have material approved for manufacturing please follow these five steps:

1. Select a CUS textile and a wall product.
2. Obtain a test number from a CUS representative. Please have the following information ready before calling - textile name, number, pattern, roll width, and the product to which you will apply it.
3. CUS yardage requirement for testing on a wall product is 3 yards.
4. Test locations vary according to your location. Send the appropriate yardage to Environamics, Inc.. **Note:** All package labels must include the words "CUS test" and the CUS test number you were assigned in step #2.
5. Environamics, Inc. will notify you of approval or disapproval by phone in approximately 10 days from receipt of the test yardage. If your choice is approved, you will be given a CUS identification number (I.D.#).

To complete your order:

1. Send your purchase order (P.O.), including the I.D.#, to Environamics, Inc.
2. Environamics, Inc. will send P.O. acknowledgement, then you must arrange for the textile to be shipped from the supplier to Environamics, Inc. manufacturing facility for application to the product. **Note:** The supplier's label must include your P.O.# or Factory Order number (F.O.#) and the I.D.#. Orders received without these numbers will not be accepted.
3. Products will be scheduled for production after Environamics, Inc. receives the textiles. Standard lead times in effect at that time will apply.

Warranty

Environamics, Inc. does not warrant CUS textiles. The Environamics, Inc. warranty does apply to the underlying products. See page 1 for full warranty information.

Suppliers or jobbers supplying CUS textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Manufacturing, Service and Sales Locations

Facility	Address	
Manufacturing Locations:		
Environamics, Inc. 1-800-262-3613	13935 South Point Blvd Charlotte, NC 28273 (704) 376-3613 FAX (704) 376-6635	Headquarters and Manufacturing
Environamics, Inc., Central Division 972-247-2647	14035 Distribution Way Farmers Branch, TX 75234 FAX (972) 247-2656	Manufacturing, Sales & Service
Service Locations:		
Environamics, Inc. 1-800-796-0540	3200 Glen Royal Drive Suite 109 Raleigh, NC 27617	Raleigh Office
Environamics, Inc. 1-800-370-3882	7311 Lockport Place Lorton, VA 22079	DC Office
Environamics, Inc. 917-567-7659	267 5th Avenue Suite 301 New York, NY 10016	NYC Showroom (J&J Flooring) by APOINTMENT Only
Authorized Sales Representatives:		
Kevin Drew 203-439-7734	Northeast Market Manager	
Max Nesmith 703-339-3882	Mid-Atlantic Market Manager	
Dove Sifers-Putman 704-376-3613	Southeast Manager	
Irvin Miller 972-742-1248	Southwest Market Manager	
Marco Aguirre 972-247-2647	Central/International Market Manager	
Inna Vernov 917-567-7659	NYC Accounts	

There are many specials in the SYMBIO® Movable Wall product lines. Please call Environamics, Inc. for costs on special products.

Specials include:

Specials include:

Laminate Surface
Markerboard Surface
Magnetic Surface
Veneer Surface
Insert & Outsert Tiles
Special Width Panels
Special Height Panels
Custom Trim Paint

Glass—1/4", 3/8", 1/2", Many Finishes
Custom Applied Window Films (3M Certified Installers)
Butt Glazed Glass
Sliding Door Options
Frameless Glass Swing and Sliding Doors
Doors and Door Finishes
Hardware
Data / Communication Specialty Boxes

Table of Contents

Symbio Movable Walls

Horizontal Components

Product #	Product Name	Page
e2110	Ceiling Runner	10
e2111	Cased Opening Closure.....	11
e2120	Floor Runner.....	12
e2122	Narrow Floor Runner	12
e2124	No-Base Floor Runner.....	12
e2125	Simple Floor Runner.....	13
e2130	Wireway	14
e2142	Aluminum Base.....	15

Gypsum Panels & Aluminum Framed Panels

Product #	Product Name	Page
e2210	Double-Groove Standard Gypsum Panel	18
e2210	Double-Groove Clerestory Gypsum Panel	19
e2211	Double-Groove Electrical Gypsum Panel	20
e2212	Double-Groove Make-Up Gypsum Panel	21
e2213	Double-Groove Access Gypsum Panel	22
e2220	Tongue & Groove Standard Gypsum Panel	23
e2220	Tongue & Groove Clerestory Gypsum Panel	24
e2221	Tongue & Groove Electrical Gypsum Panel	25
e2222	Tongue & Groove Make-Up Gypsum Panel	26
e2240	Panel Jacks.....	27
e2245	Saddle Extender	28
e2270	Modular Single Glass Panel (1/4" Glass).....	29
e2272	Modular Single Glass Panel (3/8" or 1/2" Glass)	29
e2271	Modular Multi-Lite Glass Panel (1/4" Glass).....	30
e2273	Modular Multi-Lite Glass Panel (3/8" or 1/2" Glass).....	30
e2274	Frameless Glass Panels	31
e2275	Modular Panel Frame (1/4").....	32
e2276	Systems Modular Panel Frame (1/4").....	32
e2277	Modular Panel Frame (3/8" or 1/2")	32
e2278	Systems Modular Panel Frame (3/8" or 1/2")	32
e2280	Transom Clerestory Glass	33-34
e2281	Transom Clerestory Multi-Lite.....	35
e2282	Standard Glass Insert	36
e2286	Systems Glass Insert.....	36
e2283	Hard / Hard Surface Insert	37-42
e2284	Hard / Tack Surface Insert.....	37-42
e2285	Tack / Tack Surface Insert.....	37-42
e2287	Systems Hard / Hard Surface Insert	37-42
e2288	Systems Hard / Tack Surface Insert	37-42
e2289	Systems Tack / Tack Surface Insert	37-42
e2291	Hard / Hard Surface Outsert	43-48
e2292	Hard / Tack Surface Outsert	43-48
e2293	Tack / Tack Surface Outsert	43-48
e2296	Systems Hard / Hard Surface Outsert	43-48
e2297	Systems Hard / Tack Surface Outsert	43-48
e2298	Systems Tack / Tack Surface Outsert	43-48

Electrical Components

Product #	Product Name	Page
e2230	Electrical Coverplates	50
e2231	Ceiling Power Jumper.....	51
e2234	Power Spacer	52
e2236	Modular Power Spacer	52
e2237	Modular Power 3 Way 90°	53
e2238	By-Pass Modular Spacer	54
e2250	Base Power Entry	55
E2251	Ceiling Power Entry.....	56

Electrical Components (cont.)

e2252	Baseline Open Box	57
e2254	Power Jumper	58
e2255	Jumper Coupling	59
e2256	Systems Power Adapter, Concealed	60
e2257	Systems Power Adapter, Exposed.....	60
e2258	Base Power Block.....	61
e2259	Receptacle, 4 Circuit.....	62

Vertical Components

Product #	Product Name	Page
e2310	Wall Start	64
e2311	Trueable Modular Wall Start.....	65
e2312	Trueable Deep Modular Wall Start	66
e2313	Modular Intersection	67
e2314	Modular Finished End.....	68
e2315	Off-Module Connector	69
e2316	Modular Connector, 2 Way 120°	70
e2317	Modular Connector, 3 Way 120°	71
e2318	Aluminum Base, Modular Connector - 2 Way 120°	72
e2322	Compound Finished End, Square	73
e2330	Modular Connector, 2 Way 90°	74
e2331	Aluminum Base, Modular Connector - 2 Way 90° Square ...	72
e2332	Modular Connector, 2 Way 135°	75
e2334	Modular Spacer	76
e2338	Modular Spacer for Systems	76
e2335	Modular Connector, 3 Way 90°	77
e2336	Modular Connector, 4 Way 90°	78
e2337	Modular Connector, 3 Way 135°	79
e2340	Compound Connector, 2 Way 90°	80
e2342	Compound Connector, 2 Way 135°.....	81
e2344	Compound Connector, 180° Transitional	82
e2345	Compound Connector, 3 Way 90°	83
e2350	Concealed Connector, Panel to Panel	84
e2351	Concealed Connector, Panel to Corner.....	85
e2352	Concealed Connector, Jamb to Corner	86
e2354	Jamb Converter	87
e2355	2-Way to 3-Way Converter Kit.....	88
e2358	Modular Connector Trim Cover	89
e2359	Aluminum Double Spacer Cover	90
e2370	3/4" Wall Start.....	91
e2371	Channel Filler	92
e2372	1" Modular Filler.....	93
e2373	1/2" Modular Filler.....	94
e2380	Modular Glass Corner Panel, 2 Way 120°	95
e2381	Modular Glass Corner Panel, 2 Way 90°.....	95
e2382	Modular Glass Corner Panel, 2 Way 135°	95

Glazing Components for 1/4" Glass, Stick-Built

Product #	Product Name	Page
e2410	Side Light Kit - 12", 24" or 48" Wide	98
e2415	Glass.....	99
e2420	Glazing Sill, Adjustable Height	100
e2421	Glazing Sill, Fixed Height	101
e2430	Glazing Jamb	102
e2440	Glazing Mullion	103
e2445	Shallow Glazing Closure	104

Table of Contents (continued)

Glazing Components for 1/4" Glass, Stick-Built

e2450	Glazing Closure	105
e2460	Glazing Bead	106
e2461	Glazing Sill D Clips	107

Cased Openings, Door Frames, Door Panels & Doors

Product #	Product Name	Page
e2501	Full Height Modular Cased Opening	110
e2502	Modular Cased Opening with Glass	111
e2503	Full Height Modular Door Frame	112
e2504	Full Height Modular Double Door Frame	113
e2505	Modular Door Frame with Glass	114
e2506	Modular Double Door Frame with Glass	115
e2510	Full Height Door Frame	116
e2511	Full Height Double Door Frame	117
e2512	Transom Door Frame	118
e2513	Transom Double Door Frame	119
e2514	Partial Height Door Frame	120
e2515	Partial Height Double Door Frame	121
e2516	Partial Height Door Frame with Side Light Kit	122
e2520	Wood Door, Swinging	123
e2521	Wood Door, Sliding	125
e2522	Wood Door, Swinging & Matching Transom	126
e2525	Aluminum & Glass Door, Swinging	127
e2526	Custom Aluminum & Glass Door, Swinging	128
e2530	Door Hinge	129
e2535	Aluminum & Glass Door, Sliding	130
e2536	Custom Aluminum & Glass Door, Sliding	131
e2537	Frameless Glass Door, Sliding	132
e2538	Frameless Glass Door, Swinging	133
e2546	Sliding Door Track and Valance	134
e2549	Sliding Door Receiver Post	135
e2540	Door Stop	136
e2545	Coat Hook	137
e2550	Door Lever	138
e2551	Construction Core Lockset	139
e2552	Combination Lockset	140
e2553	Dummy Door Lever	141
e2556	Sliding Door Pulls	142
e2570	Modular 42" Full Height Door Frame with Chase	143
e2571	Modular 42" Transom Door Frame with Chase	144
e2572	Modular 39.5" Door Frame Panel with Hard surface	145
e2573	Modular 48" Door Frame Panel with Glass	146
e2574	Modular 48" Door Frame Panel with Multi-Lite	147
e2575	Modular 48" Door Frame Panel with Side Light	148
e2576	Modular 48" Door Frame Panel with Glass Transom	149
e2577	Modular Cased Opening Panel with Hard Surface	150
e2578	Modular Double Door Frame Panel with Hard Surface	151
e2579	Modular Double Cased Opening Panel with Hard Surface	152
e2580	Modular 48" Door Panel with Hard Surface	153
e2581	Modular Double Cased Opening with Glass Transom	154

Systems Furniture Integration

e2610	A type Wallstrip Connector, Panel to Panel	156
e2611	A type Wallstrip Connector, Panel to Corner	157
e2612	A type Wallstrip Connector, Panel to Jamb	158
e2615	Modular Wallstrip Connector	160
e2620	A type Wall Start	159
e2631	Wallstrip Closure	161
e2632	Wallstrip Flat Cover	162
e2633	Wallstrip Aluminum Flat Cover	163
e2640	A type Panel Adapter, 90° Corner	164
e2641	A type Panel Adapter, Spacer or Modular 3 Way	165
e2642	A type Panel Adapter, 135° Corner	166
e2644	A type Offset Panel Adapter, 90° Corner	167
e2645	A type Panel Adapter Spacer	168

Systems Furniture Integration (cont.)

e2646	A type Offset Panel Adapter, Spacer or Modular 3-Way	169
e2647	A type Offset Panel Adapter, 135° Corner	170
e2661	A type Wallstrip Connector, Panel to Corner	157
e2662	A type Wallstrip Connector, Panel to Jamb	158
e2670	A type Wall Start	159
e2710	B type Wallstrip Connector, Panel to Panel	156
e2711	B type Wallstrip Connector, Panel to Corner	157
e2712	B type Wallstrip Connector, Panel to Jamb	158
e2720	B type Wall Start	159
e2740	Panel Adapter	171

Architectural Trim Components

Product #	Product Name	Page
e2810	Ceiling Runner Trim, Fixed Wall	174
e2812	Wall Clip, Vinyl Base to Fixed Wall	175
e2830	Wallstrip, Fixed Wall	176



Accessories

Product #	Product Name	Page
e2910	Touch-Up Spray Paint	178
e2920	Wallcovering	179
e2930	Wood Dowel	180
e2950	Door Frame Plate - Hinge Tong	181
e2951	Door Frame Plate - Hinge Flat	181
e2952	Door Frame Plate - Strike Tong	181
e2960	Tile Adapter Bracket	182

Symbio Movable Walls

Horizontal Components

e2110 Ceiling Runner



Product Information

Features:

- 12' aluminum top channel attaches to the ceiling and holds panels, glazing, and door units in place.
- Backed with polyfoam light and sound seal gaskets
- Punched with holes every 8" on center to allow electrical conduit from above the ceiling to enter panel chaseways
- Splice clips and assembly screws are included

Note: Measure overall length of wall run, including door and glazed openings, and round up to next 2' increment.

Example: A 12'10" wall run rounds up to 14'

Add up all rounded wall run lengths and divide by 12 for order quantity

Specifiers:



- Identify trim finish color

Product Number	Trim Finish
e2110 \$234	AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW show white

e 2 | 1 | 1 | 0 | . |

□ □

e2111 Cased Opening Closure



Product Information

Features:

- 12' aluminum extrusion forms a finished opening in the wall by snapping into the opening of the Ceiling Runner (e2110)
- Finishes a vertical jamb by snapping into a compound connector (i.e. Wall Start e2310)

Specifiers:


- Identify trim finish color

Product Number	Trim Finish
e2111 \$73	AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW show white

e | 2 | 1 | 1 | 1 | . |

| |

e2120 Floor Runner
 e2122 Narrow Floor Runner
 e2124 No Base Floor Runner



Product Information

Features:

- 12' aluminum extrusion anchors the bottom of panels to floor
- e2120 accepts vinyl base (e2140)
- e2122 accepts 4" aluminum base (e2142) and trimmed vinyl base (e2140)
- e2120 and e2122 available with optional carpet teeth
- e2124 does not have teeth option


Note: Measure overall length of wall run, excluding door openings and glazed sections which use fixed height sills mounted to the floor, and round up to next 2' increment.

Example: A 12'10" wall run rounds up to 14'

Add up all rounded wall run lengths and divide by 12 for order quantity

Specifiers:

- Identify product number
- Identify carpet teeth option (not available for e2124)




Product Number		
e2120	Floor Runner	\$116
e2122	Narrow Floor Runner	\$138
e2124.N	No Base Floor Runner	\$179

Product #		
N	no teeth	\$0
T	1/4" teeth	\$23

e | 2 | 1 | 2 | . | |


e2125 Simple Floor Runner




Product Information

Features:

- 12' aluminum extrusion allows standard construction type glue-on base trim



Product #	
e2125	\$102




Product Information

Features:

- Assembly snaps into Floor Runner (e2120 or e2122) to provide a horizontal passageway for wires and cables at the base of panels
- Comes in a 12' length which is field-cut at installation
- 1' of wireway is needed for each panel
- Electrical cabling not included
- When Wallstrip Connectors are used at panel joints, wireway must be cut in sections to fit between them
- Wireway cannot be used in applications requiring 1-hour fire rating
- 4" wireway requires use of 6" Vinyl Base (e2140)
- Base Electrical System requires use of 4" Wireway

Specifiers:

- Identify 3" or 4" wireway





Product Number		Size		
e2130	\$294	3	3"	+0
		4	4"	+\$104

e | 2 | 1 | 3 | 0 | . |

□

e2142 Aluminum Base



Product Information

Features:

- 8'5" Aluminum Base attaches to each side of the Narrow Floor Runner (e2122).
- For best application, field cuts of aluminum base ends should be positioned at panel joints.
- Package contains 2 units
- NOTE: This base cannot be used with gypsum wall products




Specifiers:

- Identify aluminum base height
- Identify aluminum base color

Height			Trim Finish	
4	4"	\$372	AN	clear anodized
6	6"	\$378	AW	apollo white
			BA	black arch
			BD	bonded aluminum
			BM	black matte
			BU	black undertone
			CG	cosmic gray
			CH	metallic champagne
			DB	dark bronze
			GS	grey storm
			KH	khaki
			MB	medium bronze
			MC	mocha
			PW	powder white
			SB	steel blue
			SL	slate
			SW	show white

e 2 | 1 | 4 | 2 | . | | | | | |

Gypsum Panels, Aluminum Framed Panels & Butt Glazed Panels



Product Information

Features:

- Unitized panel has a groove at each end
- Constructed of two 5/8" gypsum face panels laminated to two 1" gypsum studs
- Class A fire rating
- Panels are cut to a net height of 6'11". Other heights must be field cut or special ordered
- Acoustical batts increase STC rating of wall panels
- Acoustical batting is not available in 11" wide panel

Specifiers:

- Identify clerestory height and panel width
- Identify acoustical batting option
- Identify surface finish for side 1 and side 2
See appendix for vinyl styles and colors
Specify "0000" for unfinished panels; panels must be field-finished
- For "CUS" option - supply 2.5 linear yards (min) per side



Clerestory Height & Panel Width		
11	7' x 11"	\$293
23	7' x 23"	\$293
29	7' x 29"	\$359

Batting		
NA	none	+\$0
BX	acoustical batts	+\$52

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$7
AD	adobe	+\$26
----	price category 1	+\$63
----	price category 2	+\$69
----	price category 3	+\$79
----	price category 4	+\$103
----	price category 5	+\$142
----	price category 6	+\$208

e 2 2 1 0 . 8 4 .

e2211 Double-Groove Electrical Gypsum Panel



Product Information

Features:

- Unitized panel has a groove at each end
- Constructed of two 5/8" gypsum face panels laminated to two 1" gypsum studs
- Electrical components for specified options are pre-installed in the non-combustible 10" or 16"-wide chaseway
- Verify that electrical components supplied are approved for use by local building code and authorities
- Each electrical option, excluding "NA" and "E2", includes harness with UL listed connectors approx 3' from end to connect to power sources above the ceiling grid
- Class A fire rating
- Cover plates, switches, and outlets are not included and must be installed by a locally approved electrician
- Acoustical batts increase STC rating of wall panels

Specifiers:

- Identify ceiling height and panel width. Specify each cut panel as full panel
- Identify electrical option for side 1 and side 2
- Identify acoustical batting option
- Identify surface finish for side 1 and side 2. Specify "0000" for unfinished panels; panels must be field-finished.
- For "CUS" option - supply 3.3 linear yards (min) per side

Ceiling Height & Panel Width		
108.23	9' x 23"	\$293
120.23	10' x 23"	\$312
108.24	9' x 24"	\$293
120.24	10' x 24"	\$312
108.29	9' x 29"	\$359
120.29	10' x 29"	\$385
108.30	9' x 30"	\$359
120.30	10' x 30"	\$385

Electrical Option Side 1 / Side 2		
NA	none	
E1	single duplex outlet, 120 volt	\$282
E2	single box with empty flex conduit for telecommunications	\$137
E3	combination of E1 and E2	\$418
E4	switch assembly, 120 volt	\$286
E5	switch assembly, 277 volt	\$286
E6	double duplex outlet	\$325
E7	combination of E2 and E6	\$462
E8	double switch assembly, 120 volt	\$520
E9	double switch assembly, 277 volt	\$520



Batting		
NA	none	+\$0
BX	acoustical batts	+\$52

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$9
AD __	adobe	+\$35
----	price category 1	+\$83
----	price category 2	+\$92
----	price category 3	+\$105
----	price category 4	+\$136
----	price category 5	+\$198
----	price category 6	+\$277

e 2 2 1 1

.

.



Product Information

Features:

- Consists of two face sheets and two coreboards that are not laminated together as a panel assembly
- Field-assembled to finish off a wall run between two fixed points
- Acoustical batts increase STC rating of wall panels

Specifiers:

- Identify ceiling height and panel width
- Identify acoustical batting option
- Identify surface finish for side 1 and side 2
See appendix for vinyl styles and colors
Specify "0000" for unfinished panels; panels must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per side

Ceiling Height & Panel Width		
108.23	9' x 23"	\$285
120.23	10' x 23"	\$305
108.29	9' x 29"	\$351
120.29	10' x 29"	\$378

Batting		
NA	none	+\$0
BX	acoustical batts	+\$52



Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$9
AD __	adobe	+\$35
----	price category 1	+\$83
----	price category 2	+\$92
----	price category 3	+\$105
----	price category 4	+\$136
----	price category 5	+\$198
----	price category 6	+\$277

e 2 2 1 2

.

.

e2213 Double-Groove Access Gypsum Panel



Product Information

Features:

- Demountable panel assembly has a groove at each end
- Constructed of two 5/8" gypsum face panels bonded to interlocking steel channels, resulting in a 16" to 23" wide non-combustible chaseway
- Side 2 of access panel has handle for separating the 2 panel halves.
 - Note:** Locate Side 2 on inside of locked room to maintain security
- Class A fire rating
- Acoustical batts increase STC rating of wall panels

Specifiers:

- Identify ceiling height and panel width.
- Identify acoustical batting option
- Identify surface finish for side 1 and side 2
See appendix for vinyl styles and colors
Specify "0000" for unfinished panels; panels must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per side

Ceiling Height & Panel Width		
108.23	9' x 23"	\$640
120.23	10' x 23"	\$690
108.24	9' x 24"	\$640
120.24	10' x 24"	\$690
108.29	9' x 29"	\$668
120.29	10' x 29"	\$723
108.30	9' x 30"	\$668
120.30	10' x 30"	\$723


Batting		
NA	none	+\$0
BX	acoustical batts	+\$52

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$9
AD __	adobe	+\$35
----	price category 1	+\$83
----	price category 2	+\$92
----	price category 3	+\$105
----	price category 4	+\$136
----	price category 5	+\$198
----	price category 6	+\$277

e | 2 | 2 | 1 | 3 | . | | | . | | |

| | |

| | | | | | | | | |




Product Information

Features:

- Unitized panel has a groove at one end and a tongue at the other
- Constructed of two 5/8" gypsum face panels laminated to two 1" gypsum studs, resulting in a 11" or 17"-wide, noncombustible chaseway
- Class A fire rating
- Acoustical batts increase STC rating of wall panels

Specifiers:

- Identify ceiling height and panel width
Specify each cut panel as the next-sized full panel
- Identify acoustical batting option
- Identify surface finish for side 1 and side 2
Specify "0000" for unfinished panels; panels must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per side



Ceiling Height & Panel Width		
108.24	9' x 24"	\$269
120.24	10' x 24"	\$287
108.30	9' x 30"	\$370
120.30	10' x 30"	\$398



Batting		
NA	none	+\$0
BX	acoustical batts	+\$52

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$9
AD __	adobe	+\$35
----	price category 1	+\$83
----	price category 2	+\$92
----	price category 3	+\$105
----	price category 4	+\$136
----	price category 5	+\$198
----	price category 6	+\$277

e 2 | 2 | 2 | 0 | . | | | . | | |

| | |

| | | | | | | |



Product Information

Features:

- Unitized panel has a groove at one end and a tongue at the other
- Constructed of two 5/8" gypsum face panels laminated to two 1" gypsum studs
- Class A fire rating
- Panels are cut to a net height of 6'11". Other heights must be field cut or special ordered from your Regional Service Center
- Acoustical batts increase STC rating of wall panels

Specifiers:

- Identify clerestory height and panel width
Specify each cut panel as the next-sized full panel
- Identify acoustical batting option
- Identify surface finish for side 1 and side 2
See appendix for vinyl styles and colors
Specify "0000" for unfinished panels; panels must be field-finished
- For "CUS" option - supply 2.5 linear yards (min) per side

Clerestory Height & Panel Width		
24	7' x 24"	\$269
30	7' x 30"	\$370

Batting		
NA	none	+\$0
BX	acoustical batts	+\$52



Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$7
AD	adobe	+\$26
---	price category 1	+\$63
---	price category 2	+\$69
---	price category 3	+\$79
---	price category 4	+\$103
---	price category 5	+\$142
---	price category 6	+\$208

e | 2 | 2 | 2 | 0 | . | 8 | 4 | . | | |

| | |

| | | | | | | | | |

e2221 Tongue-and-Groove Electrical Gypsum Panel



Product Information

Features:

- Unitized panel has a groove at one end & a tongue at the other
- Constructed of two 5/8" gypsum face panels laminated to two 1" gypsum studs
- Electrical components for specified options are pre-installed in the non-combustible 11" or 17"-wide chaseway
- Verify that electrical components supplied are approved for use by local building code and authorities
- Each electrical option, excluding "NA" and "E2", includes harness with UL listed connectors approx 3' from end to connect to power sources above the ceiling grid
- Class A fire rating
- Cover plates, switches, and outlets are not included and must be installed by a locally approved licensed electrician
- Acoustical batts increase STC rating of wall panels

Specifiers:

- Identify ceiling height and panel width. Specify each cut panel as full panel
- Identify electrical option for side 1 and side 2
- Identify acoustical batting option
- Identify surface finish for side 1 and side 2
See appendix for vinyl styles and colors.
Specify "0000" for unfinished panels; panels must be field-finished.
- For "CUS" option - supply 3.3 linear yards (min) per side

Ceiling Height & Panel Width		
108.24	9' x 24"	\$269
120.24	10' x 24"	\$287
108.30	9' x 30"	\$370
120.30	10' x 30"	\$398

Electrical Option Side 1 / Side 2		
NA	none	
E1	single duplex outlet, 120 volt	\$282
E2	single box with empty flex conduit for telecommunications	\$137
E3	combination of E1 and E2	\$418
E4	switch assembly, 120 volt	\$286
E5	switch assembly, 277 volt	\$286
E6	double duplex outlet	\$325
E7	combination of E2 and E6	\$462
E8	double switch assembly, 120 volt	\$520
E9	double switch assembly, 277 volt	\$520



Batting		
NA	none	+\$0
BX	acoustical batts	+\$52

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$9
AD	adobe	+\$35
----	price category 1	+\$83
----	price category 2	+\$92
----	price category 3	+\$105
----	price category 4	+\$136
----	price category 5	+\$198
----	price category 6	+\$277

e 2 2 2 1

.

.



Product Information

Features:

- Panel consists of two face sheets and two coreboards
- Field-assembled to allow for the finishing off of a wall run between two fixed points
- Adhesive required to assemble make-up panel ordered separately
- Acoustical batts increase STC rating of wall panels

Specifiers:

- Identify ceiling height and panel width
- Identify acoustical batting option
- Identify surface finish for side 1 and side 2
See appendix for vinyl styles and colors
Specify "0000" for unfinished panels; panels must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per side

Ceiling Height & Panel Width		
108.24	9' x 24"	\$262
120.24	10' x 24"	\$280
108.30	9' x 30"	\$363
120.30	10' x 30"	\$391

Batting		
NA	none	+\$0
BX	acoustical batts	+\$52



Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$9
AD __	adobe	+\$35
----	price category 1	+\$83
----	price category 2	+\$92
----	price category 3	+\$105
----	price category 4	+\$136
----	price category 5	+\$198
----	price category 6	+\$277

e | 2 | 2 | 2 | 2 | . | | | | . | | |

| | |

| | | | | | | | | | | |

e2240 Panel Jacks



Product Information

Features:

- 6"- long extruded aluminum jack snaps onto the Floor Runner (e2120 or e2122) and elevates gypsum panels in 1/2" increments
- Package contains 48

Note: Use 2 jacks for each panel
May stack maximum of 3 jacks for total additional height of 1 1/2"

Product Number	
e2240	\$237

e 2 2 4 0 .


Product Information

Features:

- Aluminum filler extends aluminum-framed panel by 1"
- Mounts on top or bottom rail of panel
- Comes in 12' lengths

Specifier:

- Identify trim finish





Product Number		Trim Finish
e2245	\$234	AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW snow white

e | 2 | 2 | 4 | 5 | . |

| |

e2271 Modular Multi-lite Glass Panel (1/4" Glass)
 e2273 Modular Multi-lite Glass Panel (3/8" or 1/2" Glass)



Product Information

Features:

- Standard 5 muntin-6 lite panel for 8 and 9 foot ceiling height, Standard 6 muntin-7 lite panel for 10 foot ceiling height (for custom panels see page 34)
- Inserts into ceiling and floor runners (e2110, e2120, e2122, e2124)
- Leveling feet integrated into panel
- Modular connection on both ends
- Pre-glazed
- Base electrical system requires 6" base compatible panels
- Top lite varies in height according to ceiling height, standard lites are 16" on center


Specifiers:

- Identify ceiling height
 - Identify panel width
 - Identify trim finish
 - Identify base height
 - Identify glass finish
- See appendix for "FX" custom applied film options

Product Number	Ceiling Height	Panel Width	Trim Finish	Base Height	Glass Finish
e2271 Modular Multi-lite Glass Panel (1/4" Glass)	96 8'0" \$1622	18 18" +\$0	AN clear anodized	00 No Base	e2271 GR 1/4" clear temp +\$0 GP 1/4" pattern 62 +\$246 GS 1/4" laminated +\$1202 GG 1/4" frosted +\$1680 GL 1/4" white lam +\$1872
	97 8'1" \$1622	24 24" +\$179	AW apollo white	04 4"	
	98 8'2" \$1622	30 30" +\$328	BA black arch	06 6"	
	99 8'3" \$1622	36 36" +\$492	BD bonded aluminum		
	100 8'4" \$1622	42 42" +\$656	BM black matte		
	101 8'5" \$1622	48 48" +\$822	BU black undertone		
	102 8'6" \$1622		CG cosmic gray		
	103 8'7" \$1622		CH metallic champagne		
	104 8'8" \$1622		DB dark bronze		
	105 8'9" \$1622		GS grey storm		
	106 8'10" \$1622		KH khaki		
	107 8'11" \$1622		MB medium bronze		
e2273 Modular Multi-lite Glass Panel (3/8" or 1/2" Glass)	108 9'0" \$1622		MC mocha		e2272 GW 3/8" clear temp +\$550 GY 3/8" laminated +\$1956 GZ 3/8" frosted +\$2565 GI 3/8" white lam +\$3587 GC 1/2" clear temp +\$1107 GJ 1/2" laminated +\$2896 GU 1/2" frosted +\$3455 GV 1/2" white lam +\$3988 GX custom or CUS FX custom applied film
	109 9'1" \$1717		PW powder white		
	110 9'2" \$1717		SB steel blue		
	111 9'3" \$1717		SL slate		
	112 9'4" \$1717		SW snow white		
	113 9'5" \$1717				
	114 9'6" \$1717				
	115 9'7" \$1717				
	116 9'8" \$1717				
	117 9'9" \$1717				
	118 9'10" \$1717				
	119 9'11" \$1717				
	120 10'0" \$1717				

e 2 2 7 .

e2274 Frameless Glass Panels (Butt Glazing)



Product Information

Features:

- Inserts into ceiling and floor runners (e2110, e2120, e2122, e2124)
- Leveling feet integrated into panel (except NO Base Option)
Panel adjusts from +2" to -5/8" from ceiling height selected
- Modular connection on both ends
- Pre-glazed with 3/8" or 1/2" Glass
Ceiling Height 96" and over **MUST** use 1/2" Glass
- Base electrical system requires 6" base compatible panels
- Uses standard clear vinyl 'H' connector at butt glaze joints
Wet glazing (silicone) may be contracted separately

Specifiers:

- Identify ceiling height
 - Identify panel width
 - Identify frame option
 - Identify trim finish
 - Identify base height
 - Identify glass finish
- See appendix for 'FX' custom applied film options

Ceiling Height

3/8" or 1/2" Glass

84	7'0"	\$1069
85	7'1"	\$1069
86	7'2"	\$1069
87	7'3"	\$1069
88	7'4"	\$1069
89	7'5"	\$1069
90	7'6"	\$1069
91	7'7"	\$1069
92	7'8"	\$1069
93	7'9"	\$1069
94	7'10"	\$1069
95	7'11"	\$1069
96	8'0"	\$1069

1/2" Glass

97	8'1"	\$1069
98	8'2"	\$1069
99	8'3"	\$1069
100	8'4"	\$1069
101	8'5"	\$1069
102	8'6"	\$1069
103	8'7"	\$1069
104	8'8"	\$1069
105	8'9"	\$1069
106	8'10"	\$1069
107	8'11"	\$1069
108	9'0"	\$1069
109	9'1"	\$1123
110	9'2"	\$1123
111	9'3"	\$1123
112	9'4"	\$1123
113	9'5"	\$1123
114	9'6"	\$1123
115	9'7"	\$1123
116	9'8"	\$1123
117	9'9"	\$1123
118	9'10"	\$1123
119	9'11"	\$1123
120	10'0"	\$1123



FR
No Frame Right



FB
No Frame Both Sides



FL
No Frame Left

Panel Width

18	18"	+\$0
24	24"	+\$171
30	30"	+\$287
36	36"	+\$411
42	42"	+\$517
48	48"	+\$31

Frame Option

FR	No Frame Right
FL	No Frame Left
FB	No Frame Both Sides

Trim Finish

AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	snow white

Base Height


00	No Base
04	4"
06	6"

Glass Finish

GW	3/8" clear temp	+\$550
GY	3/8" laminated	+\$1956
GZ	3/8" frosted	+\$2565
GI	3/8" white lam	+\$3587
GC	1/2" clear temp	+\$1107
GJ	1/2" laminated	+\$2896
GU	1/2" frosted	+\$3455
GV	1/2" white lam	+\$3988
GX	custom or CUS	
FX	custom applied film	

e 2 2 7 4

e2275 Modular Panel Frame (1/4")
 e2276 Modular Panel Frame (1/4"), Systems
 e2277 Modular Panel Frame (3/8" or 1/2")
 e2278 Modular Panel Frame (3/8" or 1/2"), Systems



Shown with: **A** Glass Inserts (e2282 & e2286)
B Hard Surface Inserts (e2291)
C Hard Surface Outserts (e2296)

Product Information

Features:

- Inserts into ceiling and floor runners (e2110, e2120, e2122, e2124)
- Aluminum panel frame accepts non-standard panel details:
 1. Selection & location of any combination of finishes
 2. Custom layout of lites & vertical location of horizontal muntins
 3. Custom finishes
- Inserts (e2282, e2283, e2284, e2285, e2286, e2287, e2288 and e2289) and Outserts (e2291, e2292, e2293, e2296, e2297, e2298) are ordered separately
- Ceiling runners, floor runners, base trim and 8-wire electrical system ordered separately

Specifiers:



- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify correct ceiling height(s) - see PIN
- Use modular panel widths as required by layout - see PIN
- Identify aluminum trim finish color
- Identify number of horizontal muntins required by layout

Note: Each muntin adds 1 lite
 ie. 1 muntin creates 2 lites or openings
 2 muntins create 3 lites or openings
 3 muntins create 4 lites or openings

- Identify base height

Product Number	Ceiling Height	Panel Width	Trim Finish	Horizontal Muntins	Base Height
e2275 1/4" Modular Panel Frame	96 8'0" \$851	18 18" +\$0	AN clear anodized	NA no muntins +\$0	00 No Base
	97 8'1" \$851	24 24" +\$23	AW apollo white	01 1 muntin +\$93	04 4"
	98 8'2" \$851	30 30" +\$48	BA black arch	02 2 muntins +\$187	06 6"
	99 8'3" \$851	36 36" +\$72	BD bonded aluminum	03 3 muntins +\$281	
e2276 1/4" Modular Panel Frame, Systems	100 8'4" \$851	42 42" +\$96	BM black matte	04 4 muntins +\$375	
	101 8'5" \$851	48 48" +\$121	BU black undertone	05 5 muntins +\$468	
	102 8'6" \$851		CG cosmic gray	06 6 muntins +\$562	
	103 8'7" \$851		CH metallic champagne	07 7 muntins +\$656	
	104 8'8" \$851		DB dark bronze	08 8 muntins +\$749	
	105 8'9" \$851		GS grey storm	09 9 muntins +\$843	
	106 8'10" \$851		KH khaki		
	107 8'11" \$851		MB medium bronze		
e2277 3/8" or 1/2" Modular Panel Frame	108 9'0" \$851		MC mocha		
		Systems Panel Width	PW powder white		
	109 9'1" \$886	23 23" +\$23	SB steel blue		
	110 9'2" \$886	29 29" +\$48	SL slate		
	111 9'3" \$886	35 35" +\$72	SW snow white		
	112 9'4" \$886	41 41" +\$96			
	113 9'5" \$886	47 47" +\$121			
	114 9'6" \$886				
	115 9'7" \$886				
	116 9'8" \$886				
	117 9'9" \$886				
	118 9'10" \$886				
119 9'11" \$886					
e2278 3/8" or 1/2" Modular Panel Frame, Systems	120 10'0" \$886				

e 2 2 7 .



Product Information

Features:

- Inserts into Ceiling Runner and (e2110), Compound Connector 180 (e2344) or top of Partial Height Door Frame (e2514, e2515)
- Pre-glazed
- Ceiling runner, transitional connector, and door frame ordered separately

Note: Order height according to clear opening between ceiling runner and transitional component

Example: A 9' ceiling height with a 7' partial height door frame requires a 21" unit: 108"-84"-1½"-1½" = 21"

Specifiers:

- Identify glass height
 - Identify unit width
 - Identify trim finish
 - Identify glass finish
- See appendix for "FX" custom applied film options

Glass Height		
12	1'0"	\$589
13	1'1"	\$589
14	1'2"	\$589
15	1'3"	\$589
16	1'4"	\$589
17	1'5"	\$589
18	1'6"	\$589
19	1'7"	\$589
20	1'8"	\$589
21	1'9"	\$589
22	1'10"	\$589
23	1'11"	\$589
24	2'0"	\$662
25	2'1"	\$662
26	2'2"	\$662
27	2'3"	\$662
28	2'4"	\$662
29	2'5"	\$662
30	2'6"	\$662
31	2'7"	\$662
32	2'8"	\$662
33	2'9"	\$662
34	2'10"	\$662
35	2'11"	\$662



Unit Width for Heights 1'0" to 1'11"		
24	24"	+\$0
30	30"	+\$48
36	36"	+\$98
42	42"	+\$133
48	48"	+\$183
60	60"	+\$282
72	72"	+\$371
85	85"	+\$464
Unit Width for Heights 2'0" to 2'11"		
24	24"	+\$0
30	30"	+\$60
36	36"	+\$120
42	42"	+\$165
48	48"	+\$225
60	60"	+\$344
72	72"	+\$454
85	85"	+\$566

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	snow white

Glass Finish			
	for Heights 1'0" to 1'11"	for Heights 2'0" to 2'11"	
GR	1/4" clear temp	+\$0	+0
GP	1/4" pattern 62	+\$46	+\$93
GS	1/4" laminated	+\$228	+\$458
GG	1/4" frosted	+\$322	+\$645
GL	1/4" white lam	+\$357	+\$713
GW	3/8" clear temp	+\$105	+\$211
GY	3/8" laminated	+\$377	+\$755
GZ	3/8" frosted	+\$492	+\$984
GI	3/8" white lam	+\$685	+\$1370
GC	1/2" clear temp	+\$210	+\$421
GJ	1/2" laminated	+\$553	+\$1107
GU	1/2" frosted	+\$658	+\$1317
GV	1/2" white lam	+\$761	+\$1522
GX	custom or CUS		
FX	custom applied film		

e 2 2 8 0 .

e2280 Transom Clerestory Glass, 3'-5' Height



Product Information

Features:

- Inserts into Ceiling Runner and (e2110), Compound Connector 180 (e2344) or top of Partial Height Door Frame (e2514, e2515)
- Pre-glazed
- Ceiling runner, transitional connector, and door frame ordered separately

Note: Order height according to clear opening between ceiling runner and transitional component

Example: A 9' ceiling height with a 7' partial height door frame requires a 21" unit: $108'' - 84'' - 1\frac{1}{2}'' - 1\frac{1}{2}'' = 21''$

Specifiers:

- Identify glass height
 - Identify unit width
 - Identify trim finish
- Identify glass finish "FX" custom applied film options

Glass Height		
36	3'0"	\$736
37	3'1"	\$736
38	3'2"	\$736
39	3'3"	\$736
40	3'4"	\$736
41	3'5"	\$736
42	3'6"	\$736
43	3'7"	\$736
44	3'8"	\$736
45	3'9"	\$736
46	3'10"	\$736
47	3'11"	\$736
48	4'0"	\$811
49	4'1"	\$811
50	4'2"	\$811
51	4'3"	\$811
52	4'4"	\$811
53	4'5"	\$811
54	4'6"	\$811
55	4'7"	\$811
56	4'8"	\$811
57	4'9"	\$811
58	4'10"	\$811
59	4'11"	\$811
60	5'0"	\$811

Unit Width for Heights 3'0" to 3'11"		
24	24"	+\$0
30	30"	+\$71
36	36"	+\$140
42	42"	+\$210
48	48"	+\$280
60	60"	+\$419
72	72"	+\$558
85	85"	+\$699



Unit Width for Heights 4'0" to 5'0"		
24	24"	+\$0
30	30"	+\$79
36	36"	+\$160
42	42"	+\$240
48	48"	+\$319
60	60"	+\$479
72	72"	+\$638
85	85"	+\$798

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	snow white

	Glass Finish	
	for Heights 3'0" to 3'11"	for Heights 4'0" to 5'0"
GR	1/4" clear temp	+\$0
GP	1/4" pattern62	+\$141
GS	1/4" laminated	+\$687
GG	1/4" frosted	+\$968
GL	1/4" white lam	+\$1071
GW	3/8" clear temp	+\$317
GY	3/8" laminated	+\$1134
GZ	3/8" frosted	+\$1476
GI	3/8" white lam	+\$2056
GC	1/2" clear temp	+\$633
GJ	1/2" laminated	+\$1661
GU	1/2" frosted	+\$1977
GV	1/2" white lam	+\$2284
GX	custom or CUS	
FX	custom applied film	

e 2 2 8 0 .

e2281 Transom Clerestory Multi-lite, 2'1" - 5' Height



Product Information

Features:

- Inserts into Ceiling Runner and (e2110), Compound Connector 180 (e2344) or top of Partial Height Door Frame (e2514, e2515)
- Pre-glazed
- Ceiling runner, transitional connector, and door frame ordered separately
- Top lite varies in height according to ceiling height, standard lites are 16" on center
- For combination of glazing finishes or non-standard lite layout, specify "GX" glazing finish and use the Custom Transom Clerestory Multi-Lite Worksheet for e2281 (see appendix)

Note: Order height according to clear opening between ceiling runner and transitional component

Example: A 9' ceiling height with a 7' partial height door frame requires a 21" unit: $108''-84''-1\frac{1}{2}''-1\frac{1}{2}'' = 21''$

Specifiers:

- Identify multi-lite height
 - Identify unit width
 - Identify trim finish
 - Identify glass finish
- See appendix for "FX" custom applied film options

Multi-lite Height		
25	2'1"	\$820
26	2'2"	\$820
27	2'3"	\$820
28	2'4"	\$820
29	2'5"	\$820
30	2'6"	\$820
31	2'7"	\$820
32	2'8"	\$820
33	2'9"	\$820
34	2'10"	\$820
35	2'11"	\$820
36	3'0"	\$820
37	3'1"	\$820
38	3'2"	\$820
39	3'3"	\$820
40	3'4"	\$820
41	3'5"	\$985
42	3'6"	\$985
43	3'7"	\$985
44	3'8"	\$985
45	3'9"	\$985
46	3'10"	\$985
47	3'11"	\$985
48	4'0"	\$985
49	4'1"	\$985
50	4'2"	\$985
51	4'3"	\$985
52	4'4"	\$985
53	4'5"	\$985
54	4'6"	\$985
55	4'7"	\$985
56	4'8"	\$985
57	4'9"	\$985
58	4'10"	\$985
59	4'11"	\$985
60	5'0"	\$985

Unit Width for Heights 2'1" to 3'4"		
24	24"	+\$0
30	30"	+\$73
36	36"	+\$146
42	42"	+\$220
48	48"	+\$294
60	60"	+\$442
72	72"	+\$590
85	85"	+\$738
Unit Width for Heights 3'5" to 5'0"		
24	24"	+\$0
30	30"	+\$100
36	36"	+\$199
42	42"	+\$299
48	48"	+\$399
60	60"	+\$589
72	72"	+\$797
85	85"	+\$996


Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	snow white

	Glass Finish	
	for Heights 2'1" to 3'4"	for Heights 3'5" to 5'0"
GR	1/4" clear temp	+\$0
GP	1/4" pattern62	+\$188
GS	1/4" laminated	+\$915
GG	1/4" frosted	+\$1290
GL	1/4" white lam	+\$1428
GW	3/8" clear temp	+\$316
GY	3/8" laminated	+\$1133
GZ	3/8" frosted	+\$1476
GI	3/8" white lam	+\$2055
GC	1/2" clear temp	+\$632
GJ	1/2" laminated	+\$1660
GU	1/2" frosted	+\$1976
GV	1/2" white lam	+\$2284
GX	custom or CUS	
FX	custom applied film	

e 2 2 8 1 .

e2282
e2286

Standard Glass Insert 8-80"
Systems Glass Insert 8-80"



Product Information

Features:

- Safety glass used in a Modular Panel Frame (e2275, e2276, e2277, or e2278) which is ordered separately - comes pre-installed

- Use when ordering nonstandard panel details

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify glass height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275, e2276, e2277 or e2278)
- Identify glass finish. See appendix for "FX" custom applied film options

Product Number	Glass Height	Panel Width	
e2282 Standard	16 16"	18 18"	
	32 32"	24 24"	
	48 48"	30 30"	
	64 64"	36 36"	
e2286 Systems	80 80"	42 42"	
	88 88"	48 48"	
	CC	8 - 15"	Systems Panel Width
		17 - 31"	
23 23"			
29 29"			
35 35"			
	41 41"		
	47 47"		

Glass Finish for Lite 8"-20"							Glass Finish for Lite 8"-20"								
	Width	18"	24"	30"	36"	42"	48"		Width	18"	24"	30"	36"	42"	48"
GR	1/4" clear temp	\$48	\$64	\$81	\$97	\$113	\$129	GC	1/2" clear temp	\$127	\$170	\$212	\$255	\$297	\$340
GP	1/4" pattern62	\$66	\$88	\$110	\$132	\$154	\$176	GJ	1/2" laminated	\$255	\$341	\$425	\$510	\$596	\$681
GS	1/4" laminated	\$135	\$179	\$224	\$268	\$313	\$357	GU	1/2" frosted	\$296	\$394	\$492	\$590	\$688	\$786
GG	1/4" frosted	\$168	\$225	\$281	\$337	\$392	\$448	GV	1/2" white lam	\$334	\$445	\$555	\$666	\$777	\$889
GL	1/4" white lam	\$182	\$243	\$303	\$365	\$425	\$485								
							Glass Finish for Lite 21"- 36"								
GW	3/8" clear temp	\$88	\$117	\$146	\$176	\$205	\$233	GC	1/2" clear temp	\$255	\$340	\$425	\$463	\$594	\$679
GY	3/8" laminated	\$189	\$253	\$313	\$376	\$439	\$501	GJ	1/2" laminated	\$511	\$682	\$851	\$928	\$1190	\$1360
GZ	3/8" frosted	\$231	\$310	\$387	\$464	\$540	\$618	GU	1/2" frosted	\$590	\$788	\$984	\$1071	\$1378	\$1574
GI	3/8" white lam	\$305	\$407	\$508	\$609	\$710	\$813	GV	1/2" white lam	\$666	\$890	\$1111	\$1211	\$1555	\$1776
							Glass Finish for Lite 21"- 36"								
GR	1/4" clear temp	\$97	\$129	\$161	\$176	\$225	\$258	GC	1/2" clear temp	\$382	\$510	\$637	\$764	\$92	\$1019
GP	1/4" pattern62	\$132	\$176	\$220	\$240	\$307	\$351	GJ	1/2" laminated	\$766	\$1023	\$1275	\$1530	\$1786	\$2041
GS	1/4" laminated	\$268	\$357	\$448	\$488	\$627	\$716	GU	1/2" frosted	\$886	\$1182	\$1476	\$1769	\$2066	\$2360
GG	1/4" frosted	\$337	\$451	\$561	\$612	\$786	\$897	GV	1/2" white lam	\$1000	\$1335	\$1666	\$1998	\$2332	\$2665
GL	1/4" white lam	\$365	\$486	\$606	\$662	\$849	\$971								
							Glass Finish for Lite 37"- 52"								
GW	3/8" clear temp	\$176	\$234	\$291	\$319	\$408	\$467	GC	1/2" clear temp	\$382	\$510	\$637	\$764	\$92	\$1019
GY	3/8" laminated	\$376	\$507	\$627	\$685	\$877	\$1003	GJ	1/2" laminated	\$766	\$1023	\$1275	\$1530	\$1786	\$2041
GZ	3/8" frosted	\$464	\$621	\$772	\$843	\$1081	\$1234	GU	1/2" frosted	\$886	\$1182	\$1476	\$1769	\$2066	\$2360
GI	3/8" white lam	\$609	\$814	\$1015	\$1107	\$1422	\$1624	GV	1/2" white lam	\$1000	\$1335	\$1666	\$1998	\$2332	\$2665
							Glass Finish for Lite 37"- 52"								
GR	1/4" clear temp	\$145	\$193	\$242	\$290	\$338	\$387	GC	1/2" clear temp	\$382	\$510	\$637	\$764	\$92	\$1019
GP	1/4" pattern62	\$198	\$264	\$329	\$395	\$461	\$527	GJ	1/2" laminated	\$766	\$1023	\$1275	\$1530	\$1786	\$2041
GS	1/4" laminated	\$403	\$537	\$672	\$805	\$940	\$1075	GU	1/2" frosted	\$886	\$1182	\$1476	\$1769	\$2066	\$2360
GG	1/4" frosted	\$505	\$678	\$842	\$1010	\$1179	\$1346	GV	1/2" white lam	\$1000	\$1335	\$1666	\$1998	\$2332	\$2665
GL	1/4" white lam	\$546	\$729	\$911	\$1092	\$1275	\$1457								
							Glass Finish for Lite 53"- 66"								
GW	3/8" clear temp	\$264	\$351	\$438	\$527	\$613	\$700	GC	1/2" clear temp	\$463	\$679	\$849	\$1019	\$1189	\$1359
GY	3/8" laminated	\$565	\$760	\$940	\$1130	\$1316	\$1504	GJ	1/2" laminated	\$928	\$1365	\$1700	\$2039	\$2382	\$2722
GZ	3/8" frosted	\$695	\$931	\$1158	\$1391	\$1621	\$1852	GU	1/2" frosted	\$1074	\$1575	\$1968	\$2359	\$2754	\$3146
GI	3/8" white lam	\$914	\$1221	\$1523	\$1827	\$2132	\$2436	GV	1/2" white lam	\$1213	\$1780	\$2221	\$2665	\$3110	\$3553
							Glass Finish for Lite 53"- 66"								
GR	1/4" clear temp	\$193	\$258	\$322	\$387	\$451	\$515	GC	1/2" clear temp	\$637	\$849	\$1061	\$1274	\$1486	\$1698
GP	1/4" pattern62	\$264	\$351	\$439	\$527	\$615	\$703	GJ	1/2" laminated	\$1277	\$1706	\$2126	\$2550	\$2977	\$3401
GS	1/4" laminated	\$537	\$716	\$895	\$1073	\$1252	\$1432	GU	1/2" frosted	\$1476	\$1969	\$2460	\$2947	\$3444	\$3934
GG	1/4" frosted	\$673	\$903	\$1123	\$1347	\$1571	\$1794	GV	1/2" white lam	\$1666	\$2225	\$2777	\$3331	\$3887	\$4441
GL	1/4" white lam	\$728	\$971	\$1214	\$1457	\$1700	\$1941								
							Glass Finish for Lite 67"- 80"								
GW	3/8" clear temp	\$351	\$469	\$584	\$703	\$818	\$933	GC	1/2" clear temp	\$637	\$849	\$1061	\$1274	\$1486	\$1698
GY	3/8" laminated	\$754	\$1013	\$1253	\$1507	\$1755	\$2004	GJ	1/2" laminated	\$1277	\$1706	\$2126	\$2550	\$2977	\$3401
GZ	3/8" frosted	\$927	\$1242	\$1545	\$1855	\$2161	\$2470	GU	1/2" frosted	\$1476	\$1969	\$2460	\$2947	\$3444	\$3934
GI	3/8" white lam	\$1218	\$1628	\$2031	\$2436	\$2842	\$3249	GV	1/2" white lam	\$1666	\$2225	\$2777	\$3331	\$3887	\$4441
							Glass Finish for Lite 67"- 80"								
GR	1/4" clear temp	\$242	\$322	\$403	\$483	\$564	\$644	GC	1/2" clear temp	\$637	\$849	\$1061	\$1274	\$1486	\$1698
GP	1/4" pattern62	\$329	\$439	\$549	\$659	\$769	\$878	GJ	1/2" laminated	\$1277	\$1706	\$2126	\$2550	\$2977	\$3401
GS	1/4" laminated	\$671	\$895	\$1119	\$1343	\$1565	\$1791	GU	1/2" frosted	\$1476	\$1969	\$2460	\$2947	\$3444	\$3934
GG	1/4" frosted	\$842	\$1129	\$1403	\$1684	\$1965	\$2243	GV	1/2" white lam	\$1666	\$2225	\$2777	\$3331	\$3887	\$4441
GL	1/4" white lam	\$911	\$1214	\$1517	\$1820	\$2124	\$2427								
							Glass Finish for Lite 67"- 80"								
GW	3/8" clear temp	\$439	\$586	\$729	\$878	\$1022	\$1167	GC	1/2" clear temp	\$637	\$849	\$1061	\$1274	\$1486	\$1698
GY	3/8" laminated	\$941	\$1266	\$1567	\$1884	\$2193	\$2507	GJ	1/2" laminated	\$1277	\$1706	\$2126	\$2550	\$2977	\$3401
GZ	3/8" frosted	\$1160	\$1552	\$1930	\$2318	\$2701	\$3086	GU	1/2" frosted	\$1476	\$1969	\$2460	\$2947	\$3444	\$3934
GI	3/8" white lam	\$1523	\$2035	\$2537	\$3045	\$3553	\$4060	GV	1/2" white lam	\$1666	\$2225	\$2777	\$3331	\$3887	\$4441
							Glass Finish for Lite 67"- 80"								
							GX custom or CUS								
							FX custom applied film								


e 2 2 8 . . .

. . .

- e2283 Hard / Hard Surface Insert, 8-16"
- e2284 Hard / Tack Surface Insert, 8-16"
- e2285 Tack / Tack Surface Insert, 8-16"
- e2287 Systems Hard / Hard Surface Insert, 8-16"
- e2288 Systems Hard / Tack Surface Insert, 8-16"
- e2289 Systems Tack / Tack Surface Insert, 8-16"



8 - 16"
hard surface
tack surface
hard / tack surface



Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify insert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply .5 linear yards of fabric per side, 1 linear yard total per insert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2283.	hard surface both sides	\$201
e2287.	for systems	\$201
e2284.	hard surface side 1, tack surface side 2	\$212
e2288.	for systems	\$212
e2285.	tack surface both sides	\$236
e2289.	for systems	\$236

Panel Width		
18	18"	+\$0
24	24"	+\$9
30	30"	+\$20
36	36"	+\$29
42	42"	+\$38
48	48"	+\$47
Systems Panel Width		
23	23"	+\$9
29	29"	+\$20
35	35"	+\$29
41	41"	+\$38
47	47"	+\$47

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$1
AD__	adobe	+\$12
----	category 1	+\$28
----	category 2	+\$31
----	category 3	+\$35
----	category 4	+\$45
----	category 5	+\$63
----	category 6	+\$92


Insert Height	
16	16"
CC	8 - 15"

e | 2 | 2 | 8 | . | | | |


| | |

| | | | | | | | | |

- e2283 Hard / Hard Surface Insert, 17-32"
- e2284 Hard / Tack Surface Insert, 17-32"
- e2285 Tack / Tack Surface Insert, 17-32"
- e2287 Systems Hard / Hard Surface Insert, 17-32"
- e2288 Systems Hard / Tack Surface Insert, 17-32"
- e2289 Systems Tack / Tack Surface Insert, 17-32"



17 - 32"
hard surface
tack surface
hard / tack surface



Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 1 linear yards of fabric per side, 2 linear yards total per insert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2283.	hard surface both sides	\$231
e2287.	for systems	\$231
e2284.	hard surface side 1, tack surface side 2	\$255
e2288.	for systems	\$255
e2285.	tack surface both sides	\$302
e2289.	for systems	\$302

Panel Width		
18	18"	+\$0
24	24"	+\$16
30	30"	+\$45
36	36"	+\$61
42	42"	+\$78
48	48"	+\$94

Systems Panel Width		
23	23"	+\$16
29	29"	+\$45
35	35"	+\$61
41	41"	+\$78
47	47"	+\$94

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$3
AD __	adobe	+\$23
----	category 1	+\$56
----	category 2	+\$61
----	category 3	+\$70
----	category 4	+\$91
----	category 5	+\$126
----	category 6	+\$184

Insert Height	
32	32"
CC	17 - 31"

e	2	2	8	.					
---	---	---	---	---	--	--	--	--	--


--	--	--

--	--	--	--	--	--	--	--	--	--

- e2283 Hard / Hard Surface Insert, 33-48"
- e2284 Hard / Tack Surface Insert, 33-48"
- e2285 Tack / Tack Surface Insert, 33-48"
- e2287 Systems Hard / Hard Surface Insert, 33-48"
- e2288 Systems Hard / Tack Surface Insert, 33-48"
- e2289 Systems Tack / Tack Surface Insert, 33-48"



33 - 48"
hard surface
tack surface
hard / tack surface



Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify insert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 1.5 linear yards of fabric per side, 3 linear yards total per insert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2283.	hard surface both sides	\$262
e2287.	for systems	\$262
e2284.	hard surface side 1, tack surface side 2	\$297
e2288.	for systems	\$297
e2285.	tack surface both sides	\$367
e2289.	for systems	\$367

Panel Width		
18	18"	+\$0
24	24"	+\$25
30	30"	+\$66
36	36"	+\$91
42	42"	+\$116
48	48"	+\$141
Systems Panel Width		
23	23"	+\$25
29	29"	+\$66
35	35"	+\$91
41	41"	+\$116
47	47"	+\$141

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$4
AD __	adobe	+\$35
----	category 1	+\$83
----	category 2	+\$92
----	category 3	+\$105
----	category 4	+\$136
----	category 5	+\$189
----	category 6	+\$277


Insert Height	
48	48"
CC	33 - 47"

e 2 2 8 .

- e2283 Hard / Hard Surface Insert, 49-64"
- e2284 Hard / Tack Surface Insert, 49-64"
- e2285 Tack / Tack Surface Insert, 49-64"
- e2287 Systems Hard / Hard Surface Insert, 49-64"
- e2288 Systems Hard / Tack Surface Insert, 49-64"
- e2289 Systems Tack / Tack Surface Insert, 49-64"



49 - 64"
hard surface
tack surface
hard / tack surface



Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify insert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 2 linear yards of fabric per side, 4 linear yards total per insert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2283.	hard surface both sides	\$340
e2287.	for systems	\$340
e2284.	hard surface side 1, tack surface side 2	\$387
e2288.	for systems	\$387
e2285.	tack surface both sides	\$480
e2289.	for systems	\$480

Panel Width		
18	18"	+\$0
24	24"	+\$34
30	30"	+\$85
36	36"	+\$119
42	42"	+\$152
48	48"	+\$186

Systems Panel Width		
23	23"	+\$34
29	29"	+\$85
35	35"	+\$119
41	41"	+\$152
47	47"	+\$186

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$6
AD __	adobe	+\$47
----	category 1	+\$111
----	category 2	+\$123
----	category 3	+\$141
----	category 4	+\$182
----	category 5	+\$252
----	category 6	+\$369

Insert Height	
64	64"
CC	49 - 63"

e	2	2	8	.					
---	---	---	---	---	--	--	--	--	--


--	--	--

--	--	--	--	--	--	--	--	--	--

- e2283 Hard / Hard Surface Insert, 65-80"
- e2284 Hard / Tack Surface Insert, 65-80"
- e2285 Tack / Tack Surface Insert, 65-80"
- e2287 Systems Hard / Hard Surface Insert, 65-80"
- e2288 Systems Hard / Tack Surface Insert, 65-80"
- e2289 Systems Tack / Tack Surface Insert, 65-80"



65 - 80"
hard surface
tack surface
hard / tack surface



Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify insert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 2.5 linear yards of fabric per side, 5 linear yards total per insert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2283.	hard surface both sides	\$370
e2287.	for systems	\$370
e2284.	hard surface side 1, tack surface side 2	\$429
e2288.	for systems	\$429
e2285.	tack surface both sides	\$548
e2289.	for systems	\$548


Panel Width		
18	18"	+\$0
24	24"	+\$42
30	30"	+\$105
36	36"	+\$148
42	42"	+\$190
48	48"	+\$233
Systems Panel Width		
23	23"	+\$42
29	29"	+\$105
35	35"	+\$148
41	41"	+\$190
47	47"	+\$233

Insert Height	
80	80"
CC	65 - 79"

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$7
AD __	adobe	+\$59
----	category 1	+\$139
----	category 2	+\$154
----	category 3	+\$176
----	category 4	+\$227
----	category 5	+\$315
----	category 6	+\$461

e 2 2 8 .

- e2283 Hard / Hard Surface Insert, 81-96"
- e2284 Hard / Tack Surface Insert, 81-96"
- e2285 Tack / Tack Surface Insert, 81-96"
- e2287 Systems Hard / Hard Surface Insert, 81-96"
- e2288 Systems Hard / Tack Surface Insert, 81-96"
- e2289 Systems Tack / Tack Surface Insert, 81-96"



81 - 96"
hard surface
tack surface
hard / tack surface

Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or V2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify insert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 3 linear yards of fabric per side, 6 linear yards total per insert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2283.	hard surface both sides	\$448
e2287.	for systems	\$448
e2284.	hard surface side 1, tack surface side 2	\$518
e2288.	for systems	\$518
e2285.	tack surface both sides	\$659
e2289.	for systems	\$659

Panel Width		
18	18"	+\$0
24	24"	+\$50
30	30"	+\$130
36	36"	+\$180
42	42"	+\$230
48	48"	+\$280
Systems Panel Width		
23	23"	+\$50
29	29"	+\$130
35	35"	+\$180
41	41"	+\$230
47	47"	+\$280

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$9
AD __	adobe	+\$70
----	category 1	+\$167
----	category 2	+\$184
----	category 3	+\$211
----	category 4	+\$272
----	category 5	+\$378
----	category 6	+\$553


Insert Height	
CC	81 - 95"
96	96"
99	97" -114"

e 2 2 8 .

- e2291 Hard / Hard Surface Outsert, 8-16"
- e2292 Hard / Tack Surface Outsert, 8-16"
- e2293 Tack / Tack Surface Outsert, 8-16"
- e2296 Systems Hard / Hard Surface Outsert, 8-16"
- e2297 Systems Hard / Tack Surface Outsert, 8-16"
- e2298 Systems Tack / Tack Surface Outsert, 8-16"



8 - 16"
hard surface
tack surface
hard / tack surface



Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify outsert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply .5 linear yard of fabric per side, 1 linear yard total per outsert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2291.	hard surface both sides	\$281
e2296.	for systems	\$281
e2292.	hard surface side 1, tack surface side 2	\$293
e2297.	for systems	\$293
e2293.	tack surface both sides	\$316
e2298.	for systems	\$316

Panel Width		
18	18"	+\$0
24	24"	+\$9
30	30"	+\$20
36	36"	+\$29
42	42"	+\$38
48	48"	+\$47
Systems Panel Width		
23	23"	+\$9
29	29"	+\$20
35	35"	+\$29
41	41"	+\$38
47	47"	+\$47

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$1
AD __	adobe	+\$12
----	category 1	+\$28
----	category 2	+\$31
----	category 3	+\$35
----	category 4	+\$45
----	category 5	+\$63
----	category 6	+\$92


Outsert Height	
16	16"
CC	8 - 15"

e | 2 | 2 | 9 | . | | |


| | |

| | | | | | | |

- e2291 Hard / Hard Surface Outsert, 17-32"
- e2292 Hard / Tack Surface Outsert, 17-32"
- e2293 Tack / Tack Surface Outsert, 17-32"
- e2296 Systems Hard / Hard Surface Outsert, 17-32"
- e2297 Systems Hard / Tack Surface Outsert, 17-32"
- e2298 Systems Tack / Tack Surface Outsert, 17-32"



17 - 32"
hard surface
tack surface
hard / tack surface



Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify outsert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 1 linear yard¹ of fabric per side, 2 linear yards total per outsert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2291.	hard surface both sides	\$328
e2296.	for systems	\$328
e2292.	hard surface side 1, tack surface side 2	\$351
e2297.	for systems	\$351
e2293.	tack surface both sides	\$398
e2298.	for systems	\$398

Panel Width		
18	18"	+\$0
24	24"	+\$16
30	30"	+\$45
36	36"	+\$61
42	42"	+\$78
48	48"	+\$94
Systems Panel Width		
23	23"	+\$16
29	29"	+\$45
35	35"	+\$61
41	41"	+\$78
47	47"	+\$94

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$3
AD __	adobe	+\$23
----	category 1	+\$56
----	category 2	+\$61
----	category 3	+\$70
----	category 4	+\$91
----	category 5	+\$126
----	category 6	+\$184

Outsert Height	
32	32"
CC	17 - 31"

e	2	2	9	.					
---	---	---	---	---	--	--	--	--	--


--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--

- e2291 Hard / Hard Surface Outsert, 33-48"
- e2292 Hard / Tack Surface Outsert, 33-48"
- e2293 Tack / Tack Surface Outsert, 33-48"
- e2296 Systems Hard / Hard Surface Outsert, 33-48"
- e2297 Systems Hard / Tack Surface Outsert, 33-48"
- e2298 Systems Tack / Tack Surface Outsert, 33-48"



33 - 48"
hard surface
tack surface
hard / tack surface



Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify outsert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 1.5 linear yards of fabric per side,
3 linear yards total per outsert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2291.	hard surface both sides	\$375
e2296.	for systems	\$375
e2292.	hard surface side 1, tack surface side 2	\$410
e2297.	for systems	\$410
e2293.	tack surface both sides	\$480
e2298.	for systems	\$480

Panel Width		
18	18"	+\$0
24	24"	+\$25
30	30"	+\$66
36	36"	+\$91
42	42"	+\$116
48	48"	+\$141
Systems Panel Width		
23	23"	+\$25
29	29"	+\$66
35	35"	+\$91
41	41"	+\$116
47	47"	+\$141

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$4
AD	__adobe	+\$35
----	category 1	+\$83
----	category 2	+\$92
----	category 3	+\$105
----	category 4	+\$136
----	category 5	+\$189
----	category 6	+\$277


Outsert Height	
48	48"
CC	33 - 47"

e 2 2 9 .

- e2291 Hard / Hard Surface Outsert, 49-64"
- e2292 Hard / Tack Surface Outsert, 49-64"
- e2293 Tack / Tack Surface Outsert, 49-64"
- e2296 Systems Hard / Hard Surface Outsert, 49-64"
- e2297 Systems Hard / Tack Surface Outsert, 49-64"
- e2298 Systems Tack / Tack Surface Outsert, 49-64"



33 - 48"
hard surface
tack surface
hard / tack surface



Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify outsert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 2 linear yards of fabric per side, 4 linear yards total per outsert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2291.	hard surface both sides	\$469
e2296.	for systems	\$469
e2292.	hard surface side 1, tack surface side 2	\$515
e2297.	for systems	\$515
e2293.	tack surface both sides	\$609
e2298.	for systems	\$609


Panel Width		
18	18"	+\$0
24	24"	+\$34
30	30"	+\$85
36	36"	+\$119
42	42"	+\$152
48	48"	+\$186
Systems Panel Width		
23	23"	+\$34
29	29"	+\$85
35	35"	+\$119
41	41"	+\$152
47	47"	+\$186

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$6
AD __	adobe	+\$47
----	category 1	+\$111
----	category 2	+\$123
----	category 3	+\$141
----	category 4	+\$182
----	category 5	+\$252
----	category 6	+\$369

Outsert Height	
64	64"
CC	49 - 63"

e 2 2 9 .

- e2291 Hard / Hard Surface Outsert, 65-80"
- e2292 Hard / Tack Surface Outsert, 65-80"
- e2293 Tack / Tack Surface Outsert, 65-80"
- e2296 Systems Hard / Hard Surface Outsert, 65-80"
- e2297 Systems Hard / Tack Surface Outsert, 65-80"
- e2298 Systems Tack / Tack Surface Outsert, 65-80"



65 - 80"
hard surface
tack surface
hard / tack surface

Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify outsert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 2.5 linear yards of fabric per side, 5 linear yards total per filler
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2291.	hard surface both sides	\$515
e2296.	for systems	\$515
e2292.	hard surface side 1, tack surface side 2	\$574
e2297.	for systems	\$574
e2293.	tack surface both sides	\$691
e2298.	for systems	\$691

Panel Width		
18	18"	+\$0
24	24"	+\$42
30	30"	+\$105
36	36"	+\$148
42	42"	+\$190
48	48"	+\$233
Systems Panel Width		
23	23"	+\$42
29	29"	+\$105
35	35"	+\$148
41	41"	+\$190
47	47"	+\$233

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$7
AD __	adobe	+\$59
----	category 1	+\$139
----	category 2	+\$154
----	category 3	+\$176
----	category 4	+\$227
----	category 5	+\$315
----	category 6	+\$461


Outsert Height	
80	80"
CC	65 - 79"

e | 2 | 2 | 9 | . | | |

| | |

| | | | | | | | | | |

- e2291 Hard / Hard Surface Outsert, 81-96"
- e2292 Hard / Tack Surface Outsert, 81-96"
- e2293 Tack / Tack Surface Outsert, 81-96"
- e2296 Systems Hard / Hard Surface Outsert, 81-96"
- e2297 Systems Hard / Tack Surface Outsert, 81-96"
- e2298 Systems Tack / Tack Surface Outsert, 81-96"



81 - 96"
hard surface
tack surface
hard / tack surface

Product Information

Features:

- Use when ordering Modular Panel Frame (e2275 or e2276) - comes pre-installed
- Use when ordering the following nonstandard panel details:
 1. Selection & location of any combination of glazing or solid lite filler
 2. Custom layout of lites & vertical location of horizontal muntins
- Durable composite substrate
- Receives specified finish on both sides

Specifiers:

- Requires use of *Modular Panel Frame Worksheet* (see appendix)
- Identify product number
- Identify outsert height
- Use modular panel widths as required by layout using same panel width as Modular Panel Frame (e2275 or e2276)
- Identify finish for each face separately
See appendix for vinyl styles and colors
- For "CUS" option - supply 3 linear yards of fabric per side, 6 linear yard total per outsert
- "Adobe" vinyl not available on Tack Surface
- Order Modular Panel Frame (e2275 or e2276) separately

Product Number		
e2291.	hard surface both sides	\$609
e2296.	for systems	\$609
e2292.	hard surface side 1, tack surface side 2	\$679
e2297.	for systems	\$679
e2293.	tack surface both sides	\$820
e2298.	for systems	\$820

Panel Width		
18	18"	+\$0
24	24"	+\$50
30	30"	+\$130
36	36"	+\$180
42	42"	+\$230
48	48"	+\$280


Systems Panel Width		
23	23"	+\$50
29	29"	+\$130
35	35"	+\$180
41	41"	+\$230
47	47"	+\$280

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$9
AD __	adobe	+\$70
----	category 1	+\$167
----	category 2	+\$184
----	category 3	+\$211
----	category 4	+\$272
----	category 5	+\$378
----	category 6	+\$553

Outsert Height	
CC	81 - 95"
96	96"
99	97 - 114"

e 2 2 9 .

e2230 Electrical Coverplates




Product Information

Features:

- Cover the optional electrical systems offered with the panels
- Electrical switches and outlets are not included and must be installed by a locally approved licensed electrician

Specifiers:


- Identify product number
- Identify finish color



Product #			Finish	
1	duplex receptacle	\$15	WH	white
2	single switch	\$15	IV	ivory
3	telecommunication	\$15	BW	brown
4	double duplex	\$16	CY	grey
5	double switch	\$16	SS	stainless

e 2 2 3 0 .

e2231 Ceiling Power Jumper



Product Information


Features:

- Allows two to ten E1 electrical drops to be interconnected to a single power feed

Note: Make note on order if using with panels built before 1995

Specifiers:

- Identify length




Length		
1	6'	\$167
2	10'	\$196
3	16'	\$228
4	20'	\$259

e 2 2 3 1 .

e2234
e2236

Power Spacer
Modular Power Spacer



Product Information


Features:

- Connects two 180° wall runs
- Allows for vertical cabling or power
- Condition clips into ceiling runner, which is ordered separately

Note: Cannot be converted to a 2-way 90° Connector

Specifiers:

- Identify product number and ceiling height
- Identify surface finish for side 1 and side 2
See appendix for vinyl styles and colors
Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per 4 units



Product Number
& Ceiling Height

Power Spacer		
e2234.108	9'	\$334
e2234.120	10'	\$356
Modular Power Spacer		
e2236.108	9'	\$441
e2236.120	10'	\$460

Surface Finish Side 1 / Side 2


First 2 digits specify series,
last 2 specify color

0000	unfinished	+\$0
CUS	customer material	+\$7
AD__	adobe	+\$13
----	price category 1	+\$32
----	price category 2	+\$35
----	price category 3	+\$41
----	price category 4	+\$53
----	price category 5	+\$73
----	price category 6	+\$107

e 2 2 3 . | | | |

| | | | | | | | | |

e2237 Modular Power Spacer, 3 Way 90°




Product Information

Features:

- Connects three wall runs intersecting at 90°
- Allows for vertical cabling or power
- Connects to other Modular Components and Concealed Connector, Panel to Corner (e2351)

Specifiers:

- Identify ceiling height
- Identify surface finish
See appendix for vinyl styles and colors
Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per 4 units




Ceiling Height		
108	9'	\$460
120	10'	\$486

Surface Finish		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$7
AD__	adobe	+\$13
----	price category 1	+\$32
----	price category 2	+\$35
----	price category 3	+\$41
----	price category 4	+\$53
----	price category 5	+\$73
----	price category 6	+\$107

e 2 2 3 7 .

Product Information



Features:

- Single-extruded, 4 1/4" wide modular spacer connects two 180° wall runs for special fill applications
- Includes clips for attachment to modular components

Specifiers:

- Identify ceiling height
- Identify finish color




Ceiling Height		
108	9'	\$403
120	10'	\$442

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e | 2 | 2 | 3 | 8 | . | | |

| |

e2250 Base Power Entry



Product Number

e2250 \$249



Product Information

Features:

- Connects a building's electrical supply from a wall, floor or column to the base electrical system
- Distributes up to four 20-amp circuits and includes a 6' cable which can be field cut to appropriate length
- Plugs directly into a Base Power Block (e2258) using the same connection point as receptacles
- UL listed and CSA certified
- Locally approved licensed electrician must wire power entry
- Not handed
- Base electrical requires use of 4" wireway (e2130) with gypsum panels
- Base electrical requires use of 6" Vinyl Base (e2140)

e 2 2 5 0 .

e2251 Ceiling Power Entry



Product Information

Features:

- Connects a building's electrical supply from ceiling access to the base electrical system
- Can be run through a panel, 3-way, 4-way or 90° corner
- Distributes up to four 20-amp circuits
- Connects directly to a Base Power Block (e2258)
- UL listed and CSA certified
- Licensed electrician must wire power entry
- Special oval conduit comes with utility box connector and comes in two lengths: 6' long with 7' wires
16' long with 17' wires
- Base electrical requires use of 4" wireway (e2130) with gypsum panels
- Base electrical requires use of 6" Vinyl Base (e2140)

Specifiers:

- Identify length


Length		
06	6'	\$242
16	16'	\$280

e 2 2 5 1 .

Product Information

Features:


- Open box for communications or field-installed wiring.
- Fits behind base trim
- Includes attachment clip and screws
- Attaches to Floor Runner (e2120) or Narrow Floor Runner (e2122) which are ordered separately
- Base electrical requires use of 4" wireway (e2130) with gypsum panels
- Base electrical requires use of 6" Vinyl Base (e2140)
- Handy Box is 2" x 4" x 1 7/8", equivalent to Raco® 660



Product Number	
e2252	\$37

e 2 2 5 2 . | |


e2254 Power Jumper



Product Information

Features:


- Distributes up to four 20-amp circuits and connects directly to a Base Power Block (e2258) or a Jumper Coupling (e2255)
- Encased in flexible oval conduit
- UL listed and CSA certified
- Lengths are net usable. For outlet blocks, figure center to center of panels and deduct 6", figure 12" for double blocks
- Can compress or expand 2"
- Base electrical requires use of 4" wireway (e2130) with gypsum panels
- Base electrical requires use of 6" Vinyl Base (e2140)



Length		
12	12"	\$126
18	18"	\$127
21	21"	\$130
24	24"	\$135
36	36"	\$146
42	42"	\$157
48	48"	\$167
54	54"	\$176
72	72"	\$206
96	96"	\$236
120	120"	\$266

e 2 2 5 4 .


e2255 Jumper Coupling




Product Information

Features:

- Connects Power Jumpers (e2254)
- Has connection points for four Power Jumpers (e2254) OR one Ceiling Power Entry (e2251) and three Power Jumpers (e2254)
- Allows extra long extensions or utilization of two shorter components for one longer connection
- Distributes up to four 20-amp circuits
- UL listed and CSA certified
- Base electrical requires use of 4" wireway (e2130) with gypsum panels
- Base electrical requires use of 6" Vinyl Base (e2140)



END





FRONT

Product Number	
e2255	\$50

e 2 2 5 5 .

e2256 Systems Power Adapter, Concealed
 e2257 Systems Power Adapter, Exposed



Product Information

Features:


- Connects directly to a Base Power Block (e2258) and adapts for connection to 8-wire systems
- Distributes up to 4 20-amp circuits
- Base electrical requires use of 4" wireway (e2130) with gypsum panels
- Base electrical requires use of 6" Vinyl Base (e2140)
- e2257 Exposed Systems Power Adapter has protected flexible conduit

Specifiers:

- Identify product number and length
 Concealed - e2256
 for 18" & 24" Systems Panels specify "A"
 for 30" & 36" Systems Panels specify "B"
 for 42" & 48" Systems Panels specify "C"
 Exposed - e2257

Product Number & Length		
Concealed		
e2256.A	27"	\$315
e2256.B	36"	\$315
e2256.C	45"	\$315
Exposed		
e2257.A	72"	\$356
e2257.B	72"	\$426

e 2 2 5 . . .




Product Information

Features:

- Provides distribution for Receptacles (e2259) or the Base Power Entry (e2250) on both sides of the panel
- Has connection points for four Power Jumpers (e2254) OR one Ceiling Power Entry (e2251) and three Power Jumpers (e2254)
- Distributes up to four 20-amp circuits
- UL listed and CSA certified
- Single block may be used when under panel with ceiling power entry
- Base electrical requires use of 4" wireway (e2130) with gypsum panels
- Base electrical requires use of 6" Vinyl Base (e2140)

Specifiers:



- Identify single or double



Product Number		
1	single	\$107
2	double	\$148

e 2 2 5 8 .

e2259 Receptacle, 4 Circuit



Product Information

Features:

- Locks into Base Power Block (e2258)
- Base electrical requires use of 4" wireway (e2130) with gypsum panels
- Base electrical requires use of 6" Vinyl Base (e2140)
- Includes 48" base trim piece with cut-out for receptacle
- Duplex receptacles are packaged 6 to the box
Surge suppressed receptacles are packaged 1 to the box

Specifiers:


- Identify receptacle
- Identify receptacle finish
- Identify base trim finish

Duplex Receptacle		
A	circuit a	\$290
B	circuit b	\$290
C	circuit c	\$290
D	circuit d, isolated	\$290
BI	circuit b, isolated	\$290
CI	circuit c, isolated	\$290
Simplex Receptacle Surge Suppression		
BIS	circuit b, isolated	\$199
CIS	circuit c, isolated	\$199
DIS	circuit d, isolated	\$199

Receptacle Finish	
CL	cool grey neutral (AN match)
MC	mocha
WN	warm grey neutral (CH match)
SL	slate
BU	black undertone

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 2 5 9 .




Product Information

Features:

- Extruded aluminum is used to capture and hold panel edge
- Can be field-cut and modified to fit architectural elements such as convactor units and exterior glazing sills
- Backed with polyfoam light and sound seal gaskets
- Clipped at the top for attachment to the Ceiling Runner (e2110)

Specifiers:

- Identify ceiling height
- Identify trim finish



Ceiling Height		
108	9'0"	\$165
120	10'0"	\$179

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 1 0 .



Product Information

Features:

- Structural, aluminum components
- Allows for out-of-plumb building wall construction
- Choice of aluminum finish color
- Part dimension: 7/8" - 1 3/8"
- Condition clips into ceiling runner, which is ordered separately

Specifiers:

- Identify correct ceiling height
- Identify aluminum trim finish color



Ceiling Height		
108	9'0"	\$291
120	10'0"	\$316

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 1 1 .

e2312 Trueable Deep Modular Wall Start



Product Information

Features:

- Structural, aluminum components
- Allows for out-of-plumb building wall construction
- Allows for vertical cabling or power
- Choice of aluminum finish color
- Part dimension: 4" - 5 3/8"
- Condition clips into ceiling runner, which is ordered separately

Specifiers:

- Identify correct ceiling height
- Identify aluminum trim finish color




Ceiling Height		
108	9'0"	\$511
120	10'0"	\$559

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 1 2 .

Product Information



Features:

- Structural, aluminum components
- Choice of aluminum finish color
- Ready to clip attach to adjacent panel
- Condition clips into ceiling runner, which is ordered separately


Specifiers:

- Identify correct ceiling height
- Identify aluminum trim finish color

Ceiling Height		
108	9'0"	\$234
120	10'0"	\$250

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 1 3 .



Product Information

Features:

- Structural, aluminum components
- Choice of aluminum finish color
- Ready to clip attach to adjacent panel
- Condition clips into ceiling runner, which is ordered separately

Specifiers:


- Identify correct ceiling height
- Identify aluminum trim finish color

Ceiling Height		
108	9'0"	\$209
120	10'0"	\$227

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white
MK	bronze anodized

e 2 3 1 4 .

e2315 Off-Module Connector



Product Information

Features:

- Semi-rigid plastic extrusion with heavy polyfoam sound and light seal
- Allows off-module connection to other Movable Wall panel faces at a 90° intersection
- Slides into end of aluminum-framed Movable Wall panel before panel installation
- Concealed once panel is installed
- Can be field cut

Specifiers:


- Identify minimum panel height

Ceiling Height		
108	9'0"	\$56
120	10'0"	\$59

e 2 3 1 5 .

Product Information

- Features:**
- Structural, aluminum components
 - Receives specified finish on 120° side
 - Choice of aluminum finish color
 - Ready to clip attach to adjacent panels
 - Connector inserts into ceiling and floor runners, which are ordered separately
- Specifiers:**
- Identify correct ceiling height
 - Identify aluminum trim finish color



Ceiling Height		
108	9'0"	\$603
120	10'0"	\$647

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e | 2 | 3 | 1 | 6 | . | | |

| |

e2317 Modular Connector, 3 Way 120°


Product Information

Features:

- Structural, aluminum components
- Choice of aluminum finish color
- Ready to clip attach to adjacent panels
- Connector inserts into ceiling and floor runners, which are ordered separately

Specifiers:

- Identify correct ceiling height
- Identify aluminum trim finish color




Ceiling Height		
108	9'0"	\$707
120	10'0"	\$761

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 1 7 .

e2318 Aluminum Base, Modular Connector - 2 Way 120°
 e2331 Aluminum Base, Modular Connector - 2 Way 90° Square




Product Information

Features:


- Pre-formed to trim base of modular connector
- Attaches to Narrow Floor Runner (e2122)
- Available in 4" height only

Specifiers:

- Identify product number
- Identify finish color



2 Way 120°



2 Way 90° Square


Product Number	
2 Way 120°	
e2318.4A	\$123
e2318.6A	\$139
2 Way 90° Square	
e2331.4A	\$123
e2331.6A	\$139

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 | | | . | | | A

| |

e2322 Compound Finished End, Square




Product Information

Features:

- Trims the grooved or cut end of a panel at the end of a wall run
- Clip for attachment to the Ceiling Runner (e2110) is included
- Order Vinyl Base Finished End (e2323) separately; specify 1 for each finished end

Specifiers:

- Identify ceiling height
- Identify trim finish





Ceiling Height		
108	9'	\$202
120	10'	\$221

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 2 2 . | | | |

| | |

e2330 Modular Connector, 2 Way 90°



Product Information

Features:

- Connects two perpendicular wall runs
- Connects to the following elements:
 - Aluminum-framed panels
 - Concealed Connector, Panel to Corner (e2351)
 - Concealed Connector, Jamb to Corner (e2352) for door or glazing jambs
- Assembly screws, 1 ceiling runner trim plate (for radius only), and 1 clip are included
- Order Vinyl Base - Modular Connector (e2331) separately; specify 1 for each modular connector

Specifiers:

- Identify product number & ceiling height
- Identify trim finish for radius only
- Identify surface finish
 - See appendix for vinyl styles and colors
 - Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per 4 units

Height		
Radius		
108.R	9'	\$284
120.R	10'	\$300
Square		
108.S	9'	\$284
120.S	10'	\$300

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white



Surface Finish - Radius Only		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$7
AD __	adobe	+\$13
----	price category 1	+\$32
----	price category 2	+\$35
----	price category 3	+\$41
----	price category 4	+\$53
----	price category 5	+\$73
----	price category 6	+\$107

e 2 3 3 0

.

.

e2332 Modular Connector, 2 Way 135°



Product Information

Features:

- Connects two wall runs at 135°
- Connects to the following elements:
 - Aluminum-framed panels
 - Concealed Connector, Panel to Corner (e2351)
 - Concealed Connector, Jamb to Corner (e2352) for door or glazing jambs
- Assembly screws, 1 ceiling runner trim plate (for radius only), and 1 clip are included
- Order Vinyl Base Modular Connector (e2333) separately; specify 1 for each modular connector

Specifiers:

- Identify ceiling height
- Identify trim finish
- Identify surface finish for side 1 and side 2
See appendix for vinyl styles and colors
Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per 4 units



Ceiling Height		
108	9'	\$293
120	10'	\$309

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$7
AD __	adobe	+\$13
----	price category 1	+\$32
----	price category 2	+\$35
----	price category 3	+\$41
----	price category 4	+\$53
----	price category 5	+\$73
----	price category 6	+\$107

e 2 3 3 2 .

e2334 Modular Spacer
 e2338 Modular Spacer for Systems



Product Information

Features:

- Connects two wall runs at 180°
- Connects to the following elements:
 - Aluminum-framed panels
 - Concealed Connector, Panel to Corner (e2351)
 - Wallstrip Connector (e2615)
 - Panel to Corner (e2611, e2661, e2711)
 - Concealed Connector, Jamb to Corner (e2352) for door or glazing jambs

Specifiers:

- Identify product number and ceiling height
- Identify surface finish for side 1 and side 2
 See appendix for vinyl styles and colors
 Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per 4 units

Product Number & Height			Surface Finish Side 1 / Side 2 First 2 digits specify series, last 2 specify color		
e2334.108	9'	\$265	0000	unfinished	+\$0
e2334.120	10'	\$281	CUS	customer material	+\$7
for Systems			AD	adobe	+\$13
e2338.108	9'	\$232	----	price category 1	+\$32
e2338.120	10'	\$246	----	price category 2	+\$35
			----	price category 3	+\$41
			----	price category 4	+\$53
			----	price category 5	+\$73
			----	price category 6	+\$107

e | 2 | 3 | 3 | . | | | | | | | | | | | | | | | | | | | | | |



Product Information

Features:

- Connects three wall runs intersecting at 90°
- Connects to the following elements:
 - Aluminum-framed Panels
 - Concealed Connector, Panel to Corner (e2351)
 - Wallstrip Connector (e2615)
 - Panel to Corner (e2611, e2661, e2711)
 - Concealed Connector, Jamb to Corner (e2352) for door or glazing jambs

Specifiers:

- Identify ceiling height
- Identify surface finish
See appendix for vinyl styles and colors
Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per 4 units




Ceiling Height		
108	9'	\$359
120	10'	\$379

Surface Finish		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$7
AD	adobe	+\$13
----	price category 1	+\$32
----	price category 2	+\$35
----	price category 3	+\$41
----	price category 4	+\$53
----	price category 5	+\$73
----	price category 6	+\$107

e 2 3 3 5 .

e2336 Modular Connector, 4 Way 90°




Product Information

Features:

- Connects four wall runs at 90°
- Connects to the following elements:
 - Aluminum-framed panels
 - Concealed Connector, Panel to Corner (e2351)
 - Wallstrip Connector (e2615)
 - Panel to Corner (e2611, e2661, e2711)
 - Concealed Connector, Jamb to Corner (e2352) for door or glazing jambs

Specifiers:



- Identify ceiling height



Ceiling Height		
108	9'	\$376
120	10'	\$400

e 2 3 3 6 .

e2337 Modular Connector, 3 Way 135°



Product Information

Features:

- Connects three wall runs intersecting at 135°, 135° & 90°
- Connects to the following elements:
 - Aluminum-framed panels
 - Concealed Connector, Panel to Corner (e2351)
 - Wallstrip Connector (e2615)
 - Panel to Corner (e2611, e2661, e2711)
 - Concealed Connector, Jamb to Corner (e2352) for door or glazing jambs

Specifiers:


- Identify ceiling height
- Identify surface finish for side 1 and side 2
See appendix for vinyl styles and colors
Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per 6 units

Ceiling Height		
108	9'	\$356
120	10'	\$378

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$7
AD	adobe	+\$13
----	price category 1	+\$32
----	price category 2	+\$35
----	price category 3	+\$41
----	price category 4	+\$53
----	price category 5	+\$73
----	price category 6	+\$107

e 2 3 3 7 .

e2340 Compound Connector, 2 Way 90°




Product Information

Features:

- Connects panels or any combination of panels, Glazing Closures (e2445 & e2450), and Jamb Converter (e2354)
- Clipped at the top for attachment to the Ceiling Runner (e2110)
- Order Vinyl Base Compound Connector (e2341) separately; specify 1 for each compound connector

Specifiers:

- Identify product number and ceiling height
- Identify trim finish




Product # & Ceiling Height		
Radius		
108.R	9'	\$329
120.R	10'	\$362
Square		
108.S	9'	\$329
120.S	10'	\$362

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 4 0

. . .

e2342 Compound Connector, 2 Way 135°




Product Information

Features:

- Connects panels or any combination of panels, Glazing Closures (e2445 & e2450), and Jamb Converter (e2354)
- Clipped at the top for attachment to the Ceiling Runner (e2110)
- Order Vinyl Base Compound Connector (e2343) separately; specify 1 for each compound connector

Specifiers:

- Identify ceiling height
- Identify trim finish





Ceiling Height		
108	9'	\$171
120	10'	\$187

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 4 2 . | | |

| | |



Product Information

Features:

- Aluminum extrusion permits a transition from full- to partial-panel modules
- Each side of extrusion accepts cut panel ends, snap-in compound connecting units, or glazing sections
- 9' and 10' units clipped at top for vertical attachment to Ceiling Runner (e2110), clip not included with 12' unit
- Panels and other connectors sold separately

Specifiers:

- Identify height/length
- Identify trim finish



Height/Length		
108	9'	\$155
120	10'	\$170
144	12'	\$198

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e | 2 | 3 | 4 | 4 | . | | |

| |

e2345 Compound Connector, 3 Way 90°



Product Information

Features:

- Aluminum extrusion connects 3 intersecting walls
- Each side can receive modular or non-modular panels as well as compound connectors and glazing or hang-on components
- Clipped at the top for attachment to the Ceiling Runner (e2110)

Specifiers:

- Identify ceiling height
- Identify trim finish



Ceiling Height		
108	9'	\$269
120	10'	\$297

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 4 5 . | | |

| | |

e2350 Concealed Connector, Panel to Panel



Product Information

Features:

- Vinyl extrusion connects one grooved gypsum panel to another grooved gypsum panel



Specifiers:

- Identify ceiling height

Ceiling Height

108	9'	\$79
120	10'	\$86

e 2 3 5 0 .



Product Information

Features:

- Aluminum extrusion connects a grooved gypsum panel to a modular corner, spacer or intersection
- Package contains 1



Specifiers:

- Identify ceiling height

Ceiling Height		
108	9'	\$97
120	10'	\$107

e 2 3 5 1 .

e2352 Concealed Connector, Jamb to Corner



Product Information

Features:

- Aluminum extrusion connects door jamb, glazing jamb and vertical converters to modular corner connectors

Note: Will not connect to aluminum-framed panels



Specifiers:

- Identify ceiling height
- Identify trim finish

Ceiling Height		
108	9'	\$61
120	10'	\$67

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 5 2 .



Product Information

Features:

- Aluminum extrusion snaps into either side of a compound connector and provides a receiver for a modular type connector

Specifiers:


- Identify ceiling height
- Identify trim finish

Height		
108	9'	\$78
120	10'	\$85

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 5 4 .

e2355 2-Way to 3-Way Converter Kit



Product Information

Features:

- Converts a modular 2-Way to a modular 3-Way
- Includes concealed receiver part, two inside vinyl corner trims, and a finished flat vinyl trim cover

Specifiers:

- Identify height
- Identify surface finish
See appendix for vinyl styles and colors
Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 3.3 linear yards (min) per 4 units


Height		
108	9'	\$180
120	10'	\$183

Surface Finish		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$7
AD __	adobe	+\$13
----	price category 1	+\$32
----	price category 2	+\$35
----	price category 3	+\$41
----	price category 4	+\$53
----	price category 5	+\$73
----	price category 6	+\$107


e | 2 | 3 | 5 | 5 | . | | |

| | | |


RC radius 90° cover




SC square 90° cover




IC inside 135° cover



FC flat cover



OC outside 135° cover



Product Information

Features:

- Replacement vinyl covers snap fit onto existing modular components
- Comes in 10' height, trim to fit

Specifiers:

- Identify style
- Identify surface finish

Product Number		
e2358.120	10'	\$124

Cover Style	
FC	flat cover
SC	square 90° cover
RC	radius 90° cover
OC	outside 135° cover
IC	inside 135° cover

Surface Finish		
First 2 digits specify series, last 2 specify color		
0000	unfinished	+\$0
CUS	customer material	+\$7
AD __	adobe	+\$13
----	price category 1	+\$32
----	price category 2	+\$35
----	price category 3	+\$41
----	price category 4	+\$53
----	price category 5	+\$73
----	price category 6	+\$107

e 2 3 5 8 . 1 2 0

e2359 Aluminum Double Spacer Cover


Product Information

Features:

- Aluminum components comes in 10' lengths
- Covers 5" wide side by side double spacer or power spacer units
- Spacer units are ordered separately
- Order 2 per condition

Specifiers:



- Identify height
- Identify trim finish



Product Number	Trim Finish
e2359. \$227	AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW show white

e 2 3 5 9 .

e2370 3/4" Wall Start



Product Information

Features:

- Provides 3/4" pocket to receive panels only

Specifiers:



- Identify ceiling height
- Identify trim finish

Ceiling Height		
108	9'	\$124
120	10'	\$135

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 3 7 0 . | | |

| |



Product Information

Features:

- Provides an outside dimension of 2 1/4" finished channel to be sleeved by a compound connector or door jamb
- Allows an out-of-plumb building partition connection

Specifiers:

- Identify height
- Identify trim finish

Height		
108	9'	\$148
120	10'	\$163

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e | 2 | 3 | 7 | 1 | . | | |

| |


Product Information

Features:

- Aluminum component comes in 10' length
- 1" wide attaches to modular panel or connector for special fill applications

Specifiers:

- Identify trim finish



<p>Product Number</p> <p>e2372. \$157</p>	<p>Trim Finish</p> <p>AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW show white</p>
--------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

e 2 3 7 2 .

□ □


Product Information

Features:

- Aluminum component comes in 10' length
- 1/2" wide attaches to modular panel or connector for special fill applications

Specifiers:

- Identify trim finish





Product Number		Trim Finish
e2373.	\$123	AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW show white

e | 2 | 3 | 7 | 3 | .

□ □

Glazing Components for 1/4" Glass

e2410 Side Light Kit - 12", 24" or 48" Wide



Product Information

Features:

- Field-built kit includes:
 1. Glazing closure for the Ceiling Runner (e2110) and door jamb
 2. Glazing jamb that can connect to a wall panel
 3. Glazing sill with an adjustable leveling base that snaps onto the Floor Runner (e2120)
- Base has a total height adjustment of 1½"
- Includes clips, screws and glazing bead
- Does **not** include glazing
- Only one Side Light can be used adjacent to door jambs or square finished end. Side Lights can not be ganged together to create continuous runs of glass
- Can be field-cut to narrower width
- Vinyl base and floor runner sold separately

Specifiers:

- Identify ceiling height and side light width
- Identify trim finish

Ceiling Height & Side Light Width



108.12	9'x12"	\$429
120.12	10'x12"	\$458
108.24	9'x24"	\$485
120.24	10'x24"	\$514
108.48	9'x48"	\$594
120.48	10'x48"	\$624

Trim Finish

AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 4 1 0

.



Product Information

Features:

- Pre-cut clear safety glass units are cut to fit standard Side Light (e2410) units or can be cut to fit custom openings
- Order glazing framing or Side Lights and glazing assembly separately
- **XX.24** are custom sizes up to 24" width
XX.48 are custom sizes up to 48" width

Specifiers:

- Identify size
- Orders for less than five pieces any size, combined, require crating option



Product Number	Size	Crating
e2415 \$813	108.12 9'x12" 120.12 10'x12"	NA CR under 5 pieces +\$87
	108.24 9'x24" 120.24 10'x 24" XX.24	
	108.48 9'x48" +\$790 120.48 10'x48" +\$790 XX.48 +\$790	

e 2 4 1 5 .

.

. . .

e2420 Glazing Sill, Adjustable Height



Product Information

Features:

- 12' assembly includes:
 1. Glazing closure for the Ceiling Runner (e2110)
 2. Sill with snap-on glazing stops
 3. Adjustable leveling base that snaps into Floor Runner (e2120)
- Base has a total height adjustment of 1½"
- Order Glazing Bead (e2460) separately
- Glass not included

Specifiers:

Note: Measure overall length of glazing run and round up to next 2' increment (i.e. a 12'10" run rounds up to 14'.) Add up all rounded glazing run lengths and divide by 12 for order quantity

- Identify trim finish

Product Number

e2420 \$1669



Trim Finish

AN clear anodized
AW apollo white
BA black arch
BD bonded aluminum
BM black matte
BU black undertone
CG cosmic gray
CH metallic champagne
DB dark bronze
GS grey storm
KH khaki
MB medium bronze
MC mocha
PW powder white
SB steel blue
SL slate
SW show white

e 2 4 2 0 .

□ □

e2421 Glazing Sill, Fixed Height



Product Information

Features:

- 12' assembly includes:
 1. Glazing closure for the Ceiling Runner (e2110)
 2. Sill with snap-on glazing stops
- Order Glazing Bead (e2460) separately
- Glass not included

- Note:**
1. If sill is used in horizontal mullion application, order shallow snap-in closure separately. Contact Regional Wall Service Center for order information
 2. In full-height applications, order Vinyl Base End Plug (e2141) separately
 3. Add "D" clips (e2461) for multiple cut uses


Specifiers:

- Note:** Measure overall length of glazing run and round up to next 2' increment (i.e. a 12'10" run rounds up to 14'.) Add up all rounded glazing run lengths and divide by 12 for order quantity
- Identify trim finish

Product Number	Trim Finish
e2421 \$454	AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW show white

e | 2 | 4 | 2 | 1 | . |

 | |




Product Information

Features:

- Holds and conceals the cut edge of a gypsum panel or connects to a Jamb Converter (e2354)
- Clipped for attachment to the Ceiling Runner (e2110)
- Assembly Clips and screws are included
- Order Glazing Bead (e2460) separately

Specifiers:

- Identify ceiling height
- Identify trim finish




Ceiling Height		
108	9'	\$206
120	10'	\$227

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 4 3 0 . [] []

[] []

e2440 Glazing Mullion



Product Information

Features:

- Accepts glazing on both sides
- Clipped for attachment to the Ceiling Runner (e2110)
- Assembly clips and screws are included
- Order Glazing Bead (e2460) separately

Note: Check local code authority for applications
Maximum of 5' of glazing between mullions

Specifiers:



- Identify ceiling height
- Identify trim finish

Ceiling Height		
108	9'	\$272
120	10'	\$293

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 4 4 0 .

e2445 Shallow Glazing Closure



Product Information

Features:

- Accepts glazing and snaps into a door jamb, Wall Start (e2310) or compound connector
- Used vertically or horizontally
- Order Glazing Bead (e2460) separately

Specifiers:



- Identify length
- Identify trim finish

Length		
108	9'	\$83
120	10'	\$91
144	12'	\$105

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 4 4 5 .

e2450 Glazing Closure



Product Information

Features:

- Accepts glazing and snaps into a door jamb, Wall Start (e2310) or compound connector
- Order Glazing Bead (e2460) separately



Specifiers:

- Identify ceiling height
- Identify trim finish

Ceiling Height		
108	9'	\$97
120	10'	\$105

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 4 5 0 .



Product Information

Features:

- Flexible bead is sized for 1/4" thick glazing for use on all glazing components
- Each roll is 250' long

Note: Measure perimeter of each glazing section to calculate total linear feet required. Use Glazing Bead on 1 side of glazing only

Specifiers:


- Identify color

Product Number		Color	
e2460	\$171	BK	black
		GY	grey

e | 2 | 4 | 6 | 0 | . |

| |


e2461 Glazing Sill D Clips



Product Information

Features:

- These extra clips are required when trimming e2420 Glazing Sill, Adjustable Height and e2421 Glazing Sill, Fixed Height for multiple openings.
- Sills require 4 clips per opening
- D clips come in quantities of 50 per box





Product Number

e2461 \$176

e 2 4 6 1 .

Cased Openings, Door Frames, Door Panels & Doors

e2501 Full Height Modular Cased Opening




Product Information

Features:

- Comes with installation clips and screws
- On-site trimming of frame may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations

Specifiers:

- Identify correct ceiling height
- Identify cased opening width
- Vertical opening dimensions are 1/2" less than specified ceiling height.
- Identify aluminum trim finish color
- Identify base height



Ceiling Height		
96	8'0"	\$886
97	8'1"	\$886
98	8'2"	\$886
99	8'3"	\$886
100	8'4"	\$886
101	8'5"	\$886
102	8'6"	\$886
103	8'7"	\$886
104	8'8"	\$886
105	8'9"	\$886
106	8'10"	\$886
107	8'11"	\$886
108	9'0"	\$886
109	9'1"	\$924
110	9'2"	\$924
111	9'3"	\$924
112	9'4"	\$924
113	9'5"	\$924
114	9'6"	\$924
115	9'7"	\$924
116	9'8"	\$924
117	9'9"	\$924
118	9'10"	\$924
119	9'11"	\$924
120	10'0"	\$924

Width		
24	24"	+\$0
30	30"	+\$20
36	36"	+\$39
39	39.5"	+\$60
42	42"	+\$60
48	48"	+\$79

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Base Height	
00	No Base
04	4"
06	6"

e 2 5 0 1 .




Product Information

Features:

- This door frame unit includes 2 metal jambs (1 strike side, 1 hinge side) and a mitered header to attach to a ceiling runner.
- Center line of strike plate is 38" ±1" from finished floor, depending on variation in floor-to-ceiling height
- Choice of left or right door swing
- Accepts standard architectural door
- Accepts 4 hinges (2 pair) and standard ASA 4 7/8" strike plate
- Comes with installation clips and screws
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Vertical opening dimensions are 1½" less than specified ceiling height. Order doors 2" shorter than specified ceiling height for proper fit
- Door, door hinges, base plug and door hardware ordered separately

Specifiers:

- Identify ceiling height
Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
Specify "8X" for ceiling heights from 8' to 8'11"
Specify "9X" for ceiling heights from 9' to 9'11"
Specify "10X" for ceiling heights 10'
- Identify frame width
- Identify left or right door swing
- Identify aluminum trim finish color
- Identify base height



Ceiling Height		
96	8'0"	\$1312
97	8'1"	\$1312
98	8'2"	\$1312
99	8'3"	\$1312
100	8'4"	\$1312
101	8'5"	\$1312
102	8'6"	\$1312
103	8'7"	\$1312
104	8'8"	\$1312
105	8'9"	\$1312
106	8'10"	\$1312
107	8'11"	\$1312
8X	jamb sheet	\$1326
108	9'0"	\$1312
109	9'1"	\$1392
110	9'2"	\$1392
111	9'3"	\$1392
112	9'4"	\$1392
113	9'5"	\$1392
114	9'6"	\$1392
115	9'7"	\$1392
116	9'8"	\$1392
117	9'9"	\$1392
118	9'10"	\$1392
119	9'11"	\$1392
9X	jamb sheet	\$1407
120	10'0"	\$1392
10X	jamb sheet	\$1407

Width		
36	39.5"	+\$0
42	45.5"	+\$0
48	51.5"	+\$132

Door Swing	
L	left
R	right

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Base Height	
00	No Base
04	4"
06	6"

e 2 5 0 3 . | | | | |

| | |

|

| |

| |




Product Information

Features:

- This door frame unit includes 2 metal jambs (both hinge sides) and a mitered header to attach to a ceiling runner.
- Accepts pair of swing door 36" or 42" wide
- Center line of strike plate is 38" ±1" from finished floor, depending on variation in floor-to-ceiling height
- Accepts 8 hinges (4 pair) and standard ASA 4 7/8" strike plate
- Comes with installation clips and screws
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Vertical opening dimensions are 1/2" less than specified ceiling height. Order doors 2" shorter than specified ceiling height for proper fit
- Door, door hinges, base plug and door hardware ordered separately

Specifiers:

- Identify ceiling height
Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
Specify "8X" for ceiling heights from 8' to 8'11"
Specify "9X" for ceiling heights from 9' to 9'11"
Specify "10X" for ceiling heights 10'
- Identify frame width
Identify aluminum trim finish color
- Identify base height



Ceiling Height

96	8'0"	\$1772
97	8'1"	\$1772
98	8'2"	\$1772
99	8'3"	\$1772
100	8'4"	\$1772
101	8'5"	\$1772
102	8'6"	\$1772
103	8'7"	\$1772
104	8'8"	\$1772
105	8'9"	\$1772
106	8'10"	\$1772
107	8'11"	\$1772
8X	jamb sheet	\$1786
108	9'0"	\$1772
109	9'1"	\$1880
110	9'2"	\$1880
111	9'3"	\$1880
112	9'4"	\$1880
113	9'5"	\$1880
114	9'6"	\$1880
115	9'7"	\$1880
116	9'8"	\$1880
117	9'9"	\$1880
118	9'10"	\$1880
119	9'11"	\$1880
9X	jamb sheet	\$1895
120	10'0"	\$1880
10X	jamb sheet	\$1895

Width

75.50	75.5"
87.50	87.5"

Trim Finish

AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Base Height

00	No Base
04	4"
06	6"

e 2 5 0 4 .

.



Product Information

Features:


- Door frame panel comes complete with clip mount to floor
- Center line of strike plate is 38" ±1" from finished floor, depending on variation in floor-to-ceiling height
- Choice of left or right door swing
- Accepts standard architectural door
- Accepts 3 hinges and standard ASA 4 7/8" strike plate
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Glass transom sill height matches standard 86" sill height on wall panels
- Door, door hinges, base plug and door hardware ordered separately

Specifiers:

- Identify ceiling height
Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
Specify "8X" for ceiling heights from 8' to 8'11"
Specify "9X" for ceiling heights from 9' to 9'11"
Specify "10X" for ceiling heights 10'
- Identify frame width
- Identify left or right door swing
- Identify glass finish
See appendix for "FX" custom applied film options
- Identify aluminum trim finish color
- Identify base height





Ceiling Height		
96	8'0"	\$1886
97	8'1"	\$1886
98	8'2"	\$1886
99	8'3"	\$1886
100	8'4"	\$1886
101	8'5"	\$1886
102	8'6"	\$1886
103	8'7"	\$1886
104	8'8"	\$1886
105	8'9"	\$1886
106	8'10"	\$1886
107	8'11"	\$1886
8X	jamb sheet	\$1900
108	9'0"	\$1886
109	9'1"	\$1915
110	9'2"	\$1915
111	9'3"	\$1915
112	9'4"	\$1915
113	9'5"	\$1915
114	9'6"	\$1915
115	9'7"	\$1915
116	9'8"	\$1915
117	9'9"	\$1915
118	9'10"	\$1915
119	9'11"	\$1915
9X	jamb sheet	\$1930
120	10'0"	\$1915
10X	jamb sheet	\$1930



Width			Glass Finish			Trim Finish	
36	39.5"	+\$0	39.5" & 42"			AN clear anodized	
42	45.5"	+\$0	Widths			AW	apollo white
48	51.5"	+\$218	GR	1/4" clear temp	+\$225	48" Width	+\$258
			GP	1/4" pattern 62	+\$307	BA	black arch
			GS	1/4" laminated	+\$626	BD	bonded aluminum
			GG	1/4" frosted	+\$786	BM	black matte
			GL	1/4" white lam	+\$849	BU	black undertone
			GW	3/8" clear temp	+\$408	CG	cosmic gray
			GY	3/8" laminated	+\$877	CH	metallic champagne
			GZ	3/8" frosted	+\$1080	DB	dark bronze
			GI	3/8" white lam	+\$1421	GS	grey storm
			GC	1/2" clear temp	+\$594	KH	khaki
			GJ	1/2" laminated	+\$1190	MB	medium bronze
			GV	1/2" white lam	+\$1555	MC	mocha
			GX	custom or CUS		PW	powder white
			FX	custom applied film		SB	steel blue
						SL	slate
						SW	show white
						Base Height	
						00	No Base
						04	4"
						06	6"

Door Swing	
L	left
R	right

e 2 5 0 5 .



Product Information


Features:

- Accepts standard architectural doors
- Accepts 6 hinges (3 on each side)
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Glass transom sill height matches standard 86" sill height on wall panels
- Door, door hinges, base plug and door hardware ordered separately

Specifiers:

- Identify correct ceiling height
Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
Specify "8X" for ceiling heights from 8' to 8'11"
Specify "9X" for ceiling heights from 9' to 9'11"
Specify "10X" for ceiling heights 10'
- Identify frame width
- Identify glass finish
See appendix for "FX" custom applied film options
- Identify aluminum trim finish color
- Identify base height

Ceiling Height		
96	8'0"	\$2829
97	8'1"	\$2829
98	8'2"	\$2829
99	8'3"	\$2829
100	8'4"	\$2829
101	8'5"	\$2829
102	8'6"	\$2829
103	8'7"	\$2829
104	8'8"	\$2829
105	8'9"	\$2829
106	8'10"	\$2829
107	8'11"	\$2829
8X	jamb sheet	\$2843
108	9'0"	\$2829
109	9'1"	\$2873
110	9'2"	\$2873
111	9'3"	\$2873
112	9'4"	\$2873
113	9'5"	\$2873
114	9'6"	\$2873
115	9'7"	\$2873
116	9'8"	\$2873
117	9'9"	\$2873
118	9'10"	\$2873
119	9'11"	\$2374
9X	jamb sheet	\$2887
120	10'0"	\$2873
10X	jamb sheet	\$2887





Width	
75	75.5"
87	87.5"

Glass Finish			
	75.5" Width	87.5" Width	
GR	1/4" clear temp	+\$386	+\$483
GP	1/4" pattern 62	+\$527	+\$658
GS	1/4" laminated	+\$1074	+\$1342
GG	1/4" frosted	+\$1345	+\$1682
GL	1/4" white lam	+\$1456	+\$1820
GW	3/8" clear temp	+\$699	+\$875
GY	3/8" laminated	+\$1503	+\$1880
GZ	3/8" frosted	+\$1852	+\$2316
GI	3/8" white lam	+\$2436	+\$3045
GC	1/2" clear temp	+\$1019	+\$1273
GJ	1/2" laminated	+\$2041	+\$2552
GU	1/2" frosted	+\$2360	+\$2950
GV	1/2" white lam	+\$2664	+\$3330
GX	custom or CUS		
FX	custom applied film		

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white
Base Height	
00	No Base
04	4"
06	6"

e 2 5 0 6 .

e2510 Full Height Door Frame



Product Information

Features:

- Frame includes:
 - 2 metal jambs (1 strike side and 1 hinge side)
 - Snap-in 36" header to trim the Ceiling Runner (e2110)
- Installation clips and screws are included
- Center line of strike plate is 38" ±1" from finished floor, depending on variation in floor-to-ceiling height
- Accepts 4 hinges (2 pair) and standard ASA 4 7/8" strike plate
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Door, Door Hinges (e2530), and door hardware ordered separately
- Vertical opening dimensions are 1 1/2" less than specified ceiling height. Order doors 1" shorter than specified ceiling height, with cut-to-fit bottom rail, for proper fit.

Specifiers:

- Identify ceiling height
 - Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
 - Specify "8X" for ceiling heights from 8' to 8'11"
 - Specify "9X" for ceiling heights from 9' to 9'11"
 - Specify "10X" for ceiling heights 10'
- Identify left or right door swing
- Identify trim finish
- Identify plate option
 - Order "TP" option for panel interface
 - Order "FP" option for glazing or connector interface

Ceiling Height		
96	8'0"	\$504
97	8'1"	\$504
98	8'2"	\$504
99	8'3"	\$504
100	8'4"	\$504
101	8'5"	\$504
102	8'6"	\$504
103	8'7"	\$504
104	8'8"	\$504
105	8'9"	\$504
106	8'10"	\$504
107	8'11"	\$504
8X	jamb sheet	\$518
108	9'0"	\$504
109	9'1"	\$534
110	9'2"	\$534
111	9'3"	\$534
112	9'4"	\$534
113	9'5"	\$534
114	9'6"	\$534
115	9'7"	\$534
116	9'8"	\$534
117	9'9"	\$534
118	9'10"	\$534
119	9'11"	\$534
9X	jamb sheet	\$549
120	10'0"	\$534
10X	jamb sheet	\$549

Swing	
L	left
R	right

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Plate Option	
FP	flat plates
TP	tong plates




e 2 5 1 0 . [] [] [] [] [] []

[] []

[] [] [] []

[] [] [] []

e2511 Full Height Double Door Frame



Product Information

Features:

- Frame includes:
 - 2 metal jambs (both hinge sides)
 - Snap-in 72" header to trim the Ceiling Runner (e2110)
- Installation clips and screws are included
- Accepts 8 hinges (4 pair)
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Door, Door Hinges (e2530), and door hardware ordered separately
- Vertical opening dimensions are 1½" less than specified ceiling height. Order doors 1" shorter than specified ceiling height, with cut-to-fit bottom rail, for proper fit.

Specifiers:

- Identify ceiling height
 - Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
 - Specify "8X" for ceiling heights from 8' to 8'11"
 - Specify "9X" for ceiling heights from 9' to 9'11"
 - Specify "10X" for ceiling heights 10'
- Identify trim finish
- Identify plate option
 - Order "TP" option for panel interface
 - Order "FP" option for glazing or connector interface


Ceiling Height		
96	8'0"	\$561
97	8'1"	\$561
98	8'2"	\$561
99	8'3"	\$561
100	8'4"	\$561
101	8'5"	\$561
102	8'6"	\$561
103	8'7"	\$561
104	8'8"	\$561
105	8'9"	\$561
106	8'10"	\$561
107	8'11"	\$561
8X	jamb sheet	\$575
108	9'0"	\$561
109	9'1"	\$591
110	9'2"	\$591
111	9'3"	\$591
112	9'4"	\$591
113	9'5"	\$591
114	9'6"	\$591
115	9'7"	\$591
116	9'8"	\$591
117	9'9"	\$591
118	9'10"	\$591
119	9'11"	\$591
9X	jamb sheet	\$606
120	10'0"	\$591
10X	jamb sheet	\$606

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Plate Option	
FP	flat plates
TP	tong plates

e 2 5 1 1 .

e2512 Transom Door Frame




Product Information

Features:

- Frame includes:
 - 2 metal jambs (1 strike side and 1 hinge side)
 - 36" transom header to trim the Ceiling Runner (e2110)
- Installation clips and screws are included
- Center line of strike plate is 38" ±1" from finished floor, depending on variation in floor-to-ceiling height
- Accepts 3 hinges and standard ASA 4 7/8" strike plate
- Frame is made to fit 9' or 10' ceiling heights, but may be field cut to fit lower ceiling heights. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Door & transom, Door Hinges (e2530), and door hardware ordered separately

Specifiers:

- Identify ceiling height
 - Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
 - Specify "**8X**" for ceiling heights from 8' to 8'11"
 - Specify "**9X**" for ceiling heights from 9' to 9'11"
 - Specify "**10X**" for ceiling heights 10'
- Identify left or right door swing
- Identify trim finish
- Identify plate option
 - Order "**TP**" option for panel interface
 - Order "**FP**" option for glazing or connector interface



Ceiling Height		
96	8'0"	\$485
97	8'1"	\$485
98	8'2"	\$485
99	8'3"	\$485
100	8'4"	\$485
101	8'5"	\$485
102	8'6"	\$485
103	8'7"	\$485
104	8'8"	\$485
105	8'9"	\$485
106	8'10"	\$485
107	8'11"	\$485
8X	jamb sheet	\$499
108	9'0"	\$485
109	9'1"	\$515
110	9'2"	\$515
111	9'3"	\$515
112	9'4"	\$515
113	9'5"	\$515
114	9'6"	\$515
115	9'7"	\$515
116	9'8"	\$515
117	9'9"	\$515
118	9'10"	\$515
119	9'11"	\$515
9X	jamb sheet	\$530
120	10'0"	\$515
10X	jamb sheet	\$530




Swing	
L	left
R	right

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Plate Option	
FP	flat plates
TP	tong plates

e 2 5 1 2 .

e2513 Transom Double Door Frame



Product Information

Features:

- Frame includes:
 - 2 metal jambs (both hinge sides)
 - 72" transom header to trim the Ceiling Runner (e2110)
- Installation clips and screws are included
- Accepts 6 hinges (3 pair)
- Frame is made to fit 9' or 10' ceiling heights, but may be field cut to fit lower ceiling heights. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Door & transom, Door Hinges (e2530), and door hardware ordered separately

Specifiers:

- Identify ceiling height
 - Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
 - Specify "8X" for ceiling heights from 8' to 8'11"
 - Specify "9X" for ceiling heights from 9' to 9'11"
 - Specify "10X" for ceiling heights 10'
- Identify trim finish
- Identify plate option
 - Order "TP" option for panel interface
 - Order "FP" option for glazing or connector interface


Ceiling Height		
96	8'0"	\$537
97	8'1"	\$537
98	8'2"	\$537
99	8'3"	\$537
100	8'4"	\$537
101	8'5"	\$537
102	8'6"	\$537
103	8'7"	\$537
104	8'8"	\$537
105	8'9"	\$537
106	8'10"	\$537
107	8'11"	\$537
8X	jamb sheet	\$552
108	9'0"	\$537
109	9'1"	\$568
110	9'2"	\$568
111	9'3"	\$568
112	9'4"	\$568
113	9'5"	\$568
114	9'6"	\$568
115	9'7"	\$568
116	9'8"	\$568
117	9'9"	\$568
118	9'10"	\$568
119	9'11"	\$568
9X	jamb sheet	\$583
120	10'0"	\$568
10X	jamb sheet	\$583

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Plate Option	
FP	flat plates
TP	tong plates

e 2 5 1 3 .

e2514 Partial Height Door Frame



Product Information

Features:

- Frame includes:
 - 2 mitered metal jambs (1 strike side and 1 hinge side)
 - 36" mitered header
- Fits into an opening cut into the panel wall run
- Installation clips and screws are included
- Center line of strike plate is 38" ±1" from finished floor
- 7' - 7'9" frames accept 3 hinges, 7'10" - 10' frames accept 4 hinges (2 pair). All sizes accept standard ASA 4 7/8" strike plate
- On-site trimming of frames may be required, 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Door, Door Hinges (e2530), and door hardware ordered separately

Specifiers:


- Identify door height
 - Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
 - Specify "7X" for ceiling heights from 7' to 7'11"
 - Specify "8X" for ceiling heights from 8' to 8'11"
 - Specify "9X" for ceiling heights from 9' to 9'11"
 - Specify "10X" for ceiling heights 10'
- Identify left or right door swing
- Identify trim finish
- Identify plate option
 - Order "TP" option for panel interface
 - Order "FP" option for glazing or connector interface

Door Height		
84	7'0"	\$568
85	7'1"	\$568
86	7'2"	\$568
87	7'3"	\$568
88	7'4"	\$568
89	7'5"	\$568
90	7'6"	\$568
91	7'7"	\$568
92	7'8"	\$568
93	7'9"	\$568
94	7'10"	\$568
95	7'11"	\$568
7X	jamb sheet	\$583
96	8'0"	\$568
97	8'1"	\$568
98	8'2"	\$568
99	8'3"	\$568
100	8'4"	\$568
101	8'5"	\$568
102	8'6"	\$568
103	8'7"	\$568
104	8'8"	\$568
105	8'9"	\$568
106	8'10"	\$568
107	8'11"	\$568
8X	jamb sheet	\$583
108	9'0"	\$568
109	9'1"	\$597
110	9'2"	\$597
111	9'3"	\$597
112	9'4"	\$597
113	9'5"	\$597
114	9'6"	\$597
115	9'7"	\$597
116	9'8"	\$597
117	9'9"	\$597
118	9'10"	\$597
119	9'11"	\$597
9X	jamb sheet	\$612
120	10'0"	\$597
10X	jamb sheet	\$612

Swing	
L	left
R	right


Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Plate Option	
FP	flat plates
TP	tong plates



e 2 5 1 4 .

e2515 Partial Height Double Door Frame



Product Information

Features:

- Frame includes:
 - 2 mitered metal jambs (both hinge sides)
 - 72" mitered header
- Installation clips and screws are included
- 7' - 7'9" frames accept 3 hinges, 7'10" - 10' frames accept 4 hinges (2 pair).
- On-site trimming of frames may be required, 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Door, Door Hinges (e2530), and door hardware ordered separately
- Installer must supply additional bracing at header



Specifiers:

- Identify door height
 - Use Jamb Sheet (see appendix) for ordering door frames with non-standard location of hinges as follows:
 - Specify "7X" for ceiling heights from 7' to 7'11"
 - Specify "8X" for ceiling heights from 8' to 8'11"
 - Specify "9X" for ceiling heights from 9' to 9'11"
 - Specify "10X" for ceiling heights 10'
- Identify trim finish
- Identify plate option
 - Order "TP" option for panel interface
 - Order "FP" option for glazing or connector interface


Door Height		
84	7'0"	\$659
85	7'1"	\$659
86	7'2"	\$659
87	7'3"	\$659
88	7'4"	\$659
89	7'5"	\$659
90	7'6"	\$659
91	7'7"	\$659
92	7'8"	\$659
93	7'9"	\$659
94	7'10"	\$659
95	7'11"	\$659
7X	jamb sheet	\$673
96	8'0"	\$659
97	8'1"	\$659
98	8'2"	\$659
99	8'3"	\$659
100	8'4"	\$659
101	8'5"	\$659
102	8'6"	\$659
103	8'7"	\$659
104	8'8"	\$659
105	8'9"	\$659
106	8'10"	\$659
107	8'11"	\$659
8X	jamb sheet	\$673
108	9'0"	\$659
109	9'1"	\$706
110	9'2"	\$706
111	9'3"	\$706
112	9'4"	\$706
113	9'5"	\$706
114	9'6"	\$706
115	9'7"	\$706
116	9'8"	\$706
117	9'9"	\$706
118	9'10"	\$706
119	9'11"	\$706
9X	jamb sheet	\$720
120	10'0"	\$706
10X	jamb sheet	\$720

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Plate Option	
FP	flat plates
TP	tong plates



e 2 5 1 5 .





Product Information

Features:

- Door frame and sidelight kit includes:
 - 2 mitered metal jambs (1 strike side and 1 hinge side)
 - 60" mitered header
 - Glazing closure
 - Glazing jamb
 - Glazing sill
 - Glazing bead
- Does **not** include glass
- Installation clips and screws are included
- Center line of strike plate is 38" ±1" from finished floor
- Door frames accept 3 hinges and standard ASA 4 7/8" strike plate
- On-site trimming of frames may be required, 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Standard side light is 24 inches wide
- Side light can be field-cut to narrower width
- Door, Door Hinges (e2530), and door hardware ordered separately

Specifiers:

- Identify left or right door swing
- Identify trim finish
- Identify plate option
 - Order "TP" option for panel interface
 - Order "FP" option for glazing or connector interface



Door Height		
84	7'0"	\$1162


Swing
L left
R right

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Plate Option
FP flat plates
TP tong plates

e 2 5 1 6 . 8 4

e2520 Wood Door, Swinging



Product Information

Features:

- 3' wide, beveled edge, solid core door
- Standard 1/8" clearance between door and frame on each side and at the top
- On-site trimming of door may be required. A maximum of 1" may be trimmed at bottom to accommodate floor-to-ceiling variation
- 7' doors accept 3 hinges, 8' - 10' doors accept 4 hinges (2 pair)
- Hinges (e2530) and door hardware ordered separately
- Centerline of hardware preparation is 38" ± 1" from floor

Note: If cylindrical preparation is specified, the door will be prepared for standard cylindrical hardware, 2¾" backset. If hardware is to be field-supplied, determine compatibility with standard door prep.

Specifiers:

- Identify door height
Use *Hinged Door Worksheet* (see appendix) when specifying "7X", "8X", "9X" or "10X" for special sized and/or non-standard machined doors
- Identify left or right door swing
- Identify hardware preparation
- Identify finish
- Reference page 128 **View Window Options for Wood Doors**
- Identify crating option

Door Height		
84	7'0"	\$1318
7X	jamb sheet	\$1391
96	8'0"	\$1692
97	8'1"	\$1692
98	8'2"	\$1692
99	8'3"	\$1692
100	8'4"	\$1692
101	8'5"	\$1692
102	8'6"	\$1692
103	8'7"	\$1692
104	8'8"	\$1692
105	8'9"	\$1692
106	8'10"	\$1692
107	8'11"	\$1692
8X	door sheet	\$18766
108	9'0"	\$1692
109	9'1"	\$1835
110	9'2"	\$1835
111	9'3"	\$1835
112	9'4"	\$1835
113	9'5"	\$1835
114	9'6"	\$1835
115	9'7"	\$1835
116	9'8"	\$1835
117	9'9"	\$1835
118	9'10"	\$1835
119	9'11"	\$1835
9X	door sheet	\$1908
120	10'0"	\$1835
10X	door sheet	\$1908

Swing	
L	left
R	right

Hardware Preparation	
NA	none
CY	cylindrical prep

Finish	
DU	paint grade (unfinished) +0
DR	plain sliced red oak +\$732
DE	plain sliced white oak +\$732
DC	light ash laminate +\$732
DD	mahogany laminate +\$732
DA	light ash +\$1098
DM	mahogany +\$1098
DN	mahogany dark +\$1098

View Window See PAGE 128 for Option Information	
NA	none
W5	6"x27" +\$402
W6	6"x12" +\$366
W7	12"x12" +\$392
W8	24"x64" +\$922
W9	28"x86" +\$1102

Crating	
NA	quantity is 5 or more doors
DV	quantity is 4 doors or less +\$322

e 2 5 2 0 .

S W

View Window Options for Wood Doors


Option Information

Features:


- For use with Wood Door, Swinging (e2520), Wood Door, Sliding (e2521) and Wood Door, Swinging & Matching Transom (e2522)
- 1/4" clear tempered glass
- Window trim matches door finish

Specifiers:


- W5 is 6" x 27"
- W6 is 6" x 12"
- W7 is 12" x 12"
- W8 is 24" x 64"
- W9 is 24" x 86" (Available on 9' or greater door height)




W5




W6




W7



W8



W9



Product Information

Features:

- solid core door
- Attaches to Sliding Door Track & Valance (e2546)
- Lockset is equivalent to Adams Rite MS 1850S-050 ANSI/BHMI Type E8281/E8291 (grade 1)
- Receiver is for double doors that lock
- Sliding Door Track & Valance (e2546), Jamb Post (e2549) and Sliding Door Pulls (e2556) are ordered separately

Specifiers:

- Identify door height
Use *Sliding Door Worksheet* (see appendix) when specifying "7X", "8X", "9X" or "10X" for special sized and/or non-standard machined doors
- Identify door width
- Identify left or right slide direction to close
- Identify machining and lockset
- Identify finish
- Reference page 128 **View Window Options for Wood Doors**
- Identify crating option

Door Height		
84	7'0"	\$1318
7X	jamb sheet	\$1391
96	8'0"	\$1692
97	8'1"	\$1692
98	8'2"	\$1692
99	8'3"	\$1692
100	8'4"	\$1692
101	8'5"	\$1692
102	8'6"	\$1692
103	8'7"	\$1692
104	8'8"	\$1692
105	8'9"	\$1692
106	8'10"	\$1692
107	8'11"	\$1692
8X	door sheet	\$18766
108	9'0"	\$1692
109	9'1"	\$1835
110	9'2"	\$1835
111	9'3"	\$1835
112	9'4"	\$1835
113	9'5"	\$1835
114	9'6"	\$1835
115	9'7"	\$1835
116	9'8"	\$1835
117	9'9"	\$1835
118	9'10"	\$1835
119	9'11"	\$1835
9X	door sheet	\$1908
120	10'0"	\$1835
10X	door sheet	\$1908

Width		
36	36"	+\$0
37	37"	+\$439
42	42"	+\$439
48	48"	+\$439

Slide Direction to Close	
L	left
R	right

Machining / Lockset	
NA	none \$0
M1	cup pulls & lockset \$864
M2	cup pulls \$73
M3	lockset \$790
M4	receiver for dbl doors \$88
M5	cutout \$73
M6	cup pulls & receiver \$161
MC	custom \$161


Finish		
DU	paint grade (unfinished)	+0
DR	plain sliced red oak	+\$732
DE	plain sliced white oak	+\$732
DC	light ash laminate	+\$732
DD	mahogany laminate	+\$732
DA	light ash	+\$1098
DM	mahogany	+\$1098
DN	mahogany dark	+\$1098

View Window See Page 128 for Option Information		
NA	none	
W5	6"x27"	+\$402
W6	6"x12"	+\$366
W7	12"x12"	+\$392
W8	24"x64"	+\$922
W9	28"x86"	+\$1102

Crating	
NA	quantity is 5 or more doors
DV	quantity is 4 doors or less +\$322

e 2 5 2 1 .

S L



Product Information

Features:

- 3' x 7' solid core door with 24" or 36" high transom
- Standard 1/8" clearance between door and frame on each side
- On-site trimming of door may be required. A maximum of 1" may be trimmed at bottom to accommodate floor-to-ceiling variation
- Transom will require field-cutting for ceilings under 9' or 10'
- Door accepts 3 hinges
- Hinges (e2530) and door hardware ordered separately
- Centerline of hardware preparation is 38" ± 1" from floor
- View window or grill may be special ordered on Door Sheet (see appendix)

Note: If cylindrical preparation is specified, the door will be prepared for standard cylindrical hardware, 1¼" backset. If hardware is to be field-supplied, determine compatibility with standard door prep.

Specifiers:

- Identify door height
Use *Hinged Door Worksheet* (see appendix) when specifying "9X" or "10X" for special sized and/or non-standard machined doors
- Identify left or right door swing
- Identify hardware preparation
- Identify finish
- Reference page 128 **View Window Options for Wood Doors**
- Identify crating option

Ceiling Height		
96	9'0"	\$2987
9X	door sheet	\$3060
120	10'0"	\$3262

Swing	
L	left
R	right

Hardware Preparation	
NA	none
CY	cylindrical prep

Finish	
DU	paint grade (unfinished) +0
DR	plain sliced red oak +\$732
DE	plain sliced white oak +\$732
DC	light ash laminate +\$732
DD	mahogany laminate +\$732
DA	light ash +\$1098
DM	mahogany +\$1098
DN	mahogany dark +\$1098

Crating	
NA	quantity is 5 or more doors
DV	quantity is 4 doors or less +\$322

View Window See Page 128 for Option Information	
NA	none
W5	6"x27" +\$402
W6	6"x12" +\$366
W7	12"x12" +\$392
W8	24"x64" +\$922
W9	28"x86" +\$1102

e 2 5 2 2 . | | |

| S W |



| |

| |

| |

| |

e2525 Aluminum & Glass Door, Swinging



Product Information

Features:

- Aluminum-framed glass door hangs directly into standard doorframes and uses standard hinges
- Machining for hardware and 1/4" clear tempered glass is included
- Standard 1/8" clearance between door and frame on each side and at the top
- Standard 1/2" undercut clearance
- 7' doors accept 3 hinges, 8' - 10' doors accept 4 hinges (2 pair)
- Hinges (e2530) and door hardware ordered separately

Note: See your Environamics sales rep. for special sizes or applications

Specifiers:

- Identify door height
Use *Hinged Door Worksheet* (see appendix) when specifying "7X", "8X", "9X" or "10X" for special sized and/or non-standard machined doors
- Identify left or right door swing
- Identify aluminum trim finish
- Identify glass finish
See appendix for "FX" custom applied film options
- Identify crating option

Door Height		
84	7'0"	\$2613
7X	door sheet	\$2687
96	8'0"	\$2877
97	8'1"	\$2877
98	8'2"	\$2877
99	8'3"	\$2877
100	8'4"	\$2877
101	8'5"	\$2877
102	8'6"	\$2877
103	8'7"	\$2877
104	8'8"	\$2877
105	8'9"	\$2877
106	8'10"	\$2877
107	8'11"	\$2877
8X	door sheet	\$2994
108	9'0"	\$2877
109	9'1"	\$2921
110	9'2"	\$2921
111	9'3"	\$2921
112	9'4"	\$2921
113	9'5"	\$2921
114	9'6"	\$2921
115	9'7"	\$2921
116	9'8"	\$2921
117	9'9"	\$2921
118	9'10"	\$2921
119	9'11"	\$2921
9X	door sheet	\$3067
120	10'0"	\$2921
10X	door sheet	\$3067

Frame Dimensions / Door Swing				
	Vertical	Top Rail	Bottom Rail	Swing
1L	2 5/8"	2 5/8"	2 5/8"	left
1R	2 5/8"	2 5/8"	2 5/8"	right
2L	2 5/8"	2 5/8"	4"	left
2R	2 5/8"	2 5/8"	4"	right
3L	2 5/8"	2 5/8"	6"	left
3R	2 5/8"	2 5/8"	6"	right
4L	2 5/8"	4"	4"	left
4R	2 5/8"	4"	4"	right
5L	2 5/8"	4"	6"	left
5R	2 5/8"	4"	6"	right
6L	2 5/8"	6"	6"	left
6R	2 5/8"	6"	6"	right
10L	5 1/2"	6"	6"	left
10R	5 1/2"	6"	6"	right
11L	5 1/2"	6"	10"	left
11R	5 1/2"	6"	10"	right


Width		
36	35.75"	+\$0
42	41.75"	+\$440
48	47.75"	+\$440

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Crating	
NA	quantity is 5 or more doors
DV	quantity is 4 doors or less +\$322

Glass Finish				
	36"	37"- 42"	43"- 48"	
GR	1/4" clear temp	+\$194	+\$225	+\$257
GP	1/4" pattern 62	+\$264	+\$307	+\$351
GS	1/4" laminated	+\$538	+\$626	+\$716
GG	1/4" frosted	+\$674	+\$786	+\$897
GL	1/4" white lam	+\$728	+\$849	+\$970
GW	3/8" clear temp	+\$352	+\$408	+\$467
GZ	3/8" laminated	+\$754	+\$877	+\$1003
GZ	3/8" frosted	+\$927	+\$1080	+\$1234
GI	3/8" white lam	+\$1219	+\$1421	+\$1623
GC	1/2" clear temp	+\$510	+\$594	+\$679
GJ	1/2" laminated	+\$1021	+\$1190	+\$1360
GU	1/2" frosted	+\$1179	+\$1377	+\$1574
GV	1/2" white lam	+\$1333	+\$1555	+\$1776
GX	custom or CUS			
FX	custom applied film			

e 2 5 2 5 .



Product Information

Features:

- Square-cornered butt leaf design

Specifiers:

- Identify quantity
- Identify finish

Quantity			Finish	
3	3 hinges	\$127	10A	antique bronze (US10A)
4	4 hinges	\$170	26D	satin chrome (US26D)

e 2 5 3 0 .


Product Information

Features:

- Attaches to Sliding Door Track & Valance (e2546)
- Choice of right or left action (required for glass configuration) in elevation from outside the room, direction to close.
- Lockset is 'Hook Bolt' type mortise
- Receiver is for double doors that lock
- Sliding Door Track & Valance (e2546), Sliding Door Pulls (e2556), and Sliding Door Receiver Post (e2549) are ordered separately

Specifiers:

- Identify door height
- Identify door width
- Identify aluminum trim finish
- Identify frame dimensions & direction of close
- Identify glass finish
- Use *Sliding Door Worksheet* (see appendix) when specifying "MC"
- See appendix for "FX" custom applied film options
- Identify crating option



Door Height		
84	7'0"	\$2196
85	7'1"	\$2196
86	7'2"	\$2196
87	7'3"	\$2196
88	7'4"	\$2196
89	7'5"	\$2196
90	7'6"	\$2196
91	7'7"	\$2196
92	7'8"	\$2196
93	7'9"	\$2196
94	7'10"	\$2196
95	7'11"	\$2196
96	8'0"	\$2442
97	8'1"	\$2442
98	8'2"	\$2442
99	8'3"	\$2442
100	8'4"	\$2442
101	8'5"	\$2442
102	8'6"	\$2442
103	8'7"	\$2442
104	8'8"	\$2442
105	8'9"	\$2442
106	8'10"	\$2442
107	8'11"	\$2442
108	9'0"	\$2565
109	9'1"	\$2565
110	9'2"	\$2565
111	9'3"	\$2565
112	9'4"	\$2565
113	9'5"	\$2565
114	9'6"	\$2565
115	9'7"	\$2565
116	9'8"	\$2565
117	9'9"	\$2565
118	9'10"	\$2565
119	9'11"	\$2565
120	10'0"	\$2565

Width		
36	36"	+\$0
37	37"	+\$88
38	38"	+\$88
39	39"	+\$88
40	40"	+\$88
41	41"	+\$88
42	42"	+\$88
43	43"	+\$117
44	44"	+\$117
45	45"	+\$117
46	46"	+\$117
47	47"	+\$117
48	48"	+\$117

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Machining / Lockset		
NA	none	\$0
M1	cup pulls & lockset	\$864
M2	cup pulls	\$73
M3	lockset	\$790
M4	receiver for dbl doors	\$88
M5	cutout	\$73
M6	cup pulls & receiver	\$161
MC	custom	\$161


Frame Dimensions / Slide Direction to Close				
	Vertical	Top Rail	Bottom Rail	Slide
1L	2 5/8"	2 5/8"	2 5/8"	left
1R	2 5/8"	2 5/8"	2 5/8"	right
2L	2 5/8"	2 5/8"	4"	left
2R	2 5/8"	2 5/8"	4"	right
3L	2 5/8"	2 5/8"	6"	left
3R	2 5/8"	2 5/8"	6"	right
4L	2 5/8"	4"	4"	left
4R	2 5/8"	4"	4"	right
5L	2 5/8"	4"	6"	left
5R	2 5/8"	4"	6"	right
6L	2 5/8"	6"	6"	left
6R	2 5/8"	6"	6"	right
7L	4"	4"	4"	left
7R	4"	4"	4"	right
8L	4"	4"	6"	left
8R	4"	4"	6"	right
9L	4"	6"	6"	left
9R	4"	6"	6"	right
10L	6"	6"	6"	left
10R	6"	6"	6"	right

Glass Finish				
	36"	37 - 42"	43 - 48"	
GR	1/4" clear temp	+\$387	+\$451	+\$516
GP	1/4" pattern 62	+\$527	+\$615	+\$703
GS	1/4" laminated	+\$1073	+\$12552	+\$1432
GG	1/4" frosted	+\$1347	+\$1571	+\$1794
GL	1/4" white lam	+\$1457	+\$1700	+\$1942
GW	3/8" clear temp	+\$703	+\$818	+\$933
GY	3/8" laminated	+\$1507	+\$1755	+\$2005
GZ	3/8" frosted	+\$1855	+\$2161	+\$2470
GI	3/8" white lam	+\$2436	+\$2842	+\$3249
GC	1/2" clear temp	+\$1019	+\$1189	+\$1359
GJ	1/2" laminated	+\$2040	+\$2382	+\$2722
GU	1/2" frosted	+\$2359	+\$2754	+\$3147
GV	1/2" white lam	+\$2665	+\$3110	+\$3554
GX	custom or CUS			
FX	custom applied film			

Crating	
NA	quantity is 5 or more doors
DV	quantity is 4 doors or less +\$322

e 2 5 3 5 .

e2537 Frameless Glass Door, Sliding



Product Information

Features:

- Attaches to Sliding Door Track & Valance (e2546) sold separately
- Choice of right or left action (required for glass configuration) in elevation from outside the room, direction to close.
- Lockset is 4" x 10" with integrated 'D' handle
- Sliding Door Track & Valance (e2546), and Sliding Door Pulls (e2556) sold separately

Specifiers:

- Identify door height
- Identify door width
- Identify direction of close
- Identify lockset
- Identify glass finish
See appendix for "FX" custom applied film options
- Identify crating option

Door Height

84	7'0"	\$2987
85	7'1"	\$2987
86	7'2"	\$2987
87	7'3"	\$2987
88	7'4"	\$2987
89	7'5"	\$2987
90	7'6"	\$2987
91	7'7"	\$2987
92	7'8"	\$2987
93	7'9"	\$2987
94	7'10"	\$2987
95	7'11"	\$2987
96	8'0"	\$3353
97	8'1"	\$3353
98	8'2"	\$3353
99	8'3"	\$3353
100	8'4"	\$3353
101	8'5"	\$3353
102	8'6"	\$3353
103	8'7"	\$3353
104	8'8"	\$3353
105	8'9"	\$3353
106	8'10"	\$3353
107	8'11"	\$3353
108	9'0"	\$3719
109	9'1"	\$3719
110	9'2"	\$3719
111	9'3"	\$3719
112	9'4"	\$3719
113	9'5"	\$3719
114	9'6"	\$3719
115	9'7"	\$3719
116	9'8"	\$3719
117	9'9"	\$3719
118	9'10"	\$3719
119	9'11"	\$3719
120	10'0"	\$3719



Door Width

36	36"	+0
42	42"	+\$146
48	48"	+\$293

Slide Direction to Close

L	left
R	right

Lockset

NA	none	+0
M7	lockset	+\$1274
MC	custom	


Glass Finish

	36"	37"- 42"	43"- 48"	
GW	3/8" clear temp	+\$1054	+\$1227	+\$1400
GY	3/8" laminated	+\$2261	+\$2632	+\$3007
GZ	3/8" frosted	+\$2782	+\$3242	+\$3704
GI	3/8" white lam	+\$3654	+\$4263	+\$4873
GC	1/2" clear temp	+\$1529	+\$1783	+\$2038
GJ	1/2" laminated	+\$3060	+\$3572	+\$4082
GU	1/2" frosted	+\$3537	+\$4132	+\$4720
GV	1/2" white lam	+\$3997	+\$4665	+\$5329
GX	custom or CUS			
FX	custom applied film			

Crating

NA	quantity is 5 or more doors
DV	quantity is 4 doors or less +\$322

e 2 5 3 7 . [] [] [] [] S L [] [] [] [] [] [] [] [] [] [] []



Shown with acoustic option

Product Information

Features:

- Aluminum track and valance supports sliding doors (e2535 and e2536)
- Single or double door rollers/length.
 - Single is one pair of rollers, track = 2X unit width
 - Double is two pair of rollers, track = 4X unit width
- Partial height includes shim for mounting. Full height does not require shim
- Double (4X unit width) will have a splice joint in the centerline of front valance cover
- Acoustic Option includes vertical mount and valance seals
- Soft Open/Close Option
- Sliding Door (e2535 & e2536), Sliding Door Receiver Post (e2549) ordered separately

Specifiers:

- Identify height
- Identify unit width
- Identify single or double door use & acoustic option
- Identify soft closing/soft opening option
- Identify trim finish

Height		Door Unit Width			Single / Double		Soft Open/Close		Trim Finish		
FH	full height	36	36"	\$1794	1S	single	+\$0	NA	none	AN	clear anodized
PH	partial height	37	37"	\$1830	1A	single acoustic	+\$44	1C	soft closer	AW	apollo white
		38	38"	\$1830				2C	Soft open/close	BA	black arch
		39	39"	\$1830	2S	double	+\$1025			BD	bonded aluminum
		40	40"	\$1830	2A	double acoustic	+\$1112			BM	black matte
		41	41"	\$1830						BU	black undertone
		42	42"	\$1830						CG	cosmic gray
		43	43"	\$1867						CH	metallic champagne
		44	44"	\$1867						DB	dark bronze
		45	45"	\$1867						GS	grey storm
		46	46"	\$1867						KH	khaki
		47	47"	\$1867						MB	medium bronze
		48	48"	\$1867						MC	mocha
										PW	powder white
										SB	steel blue
										SL	slate
										SW	show white

e 2 5 4 6 .

e2549 Sliding Door Receiver Post


Product Information

Features:

- Attaches to cased opening which is ordered separately
- Includes installation clips
- Ships as a 2 piece kit
- Sliding Door (e2535 & e2536), Sliding Door Track & Valance (e2546) ordered separately

Specifiers:

- Identify door height
- Identify machining option
- Identify trim finish



Door Height

84	7'0"	\$445
85	7'1"	\$445
86	7'2"	\$445
87	7'3"	\$445
88	7'4"	\$445
89	7'5"	\$445
90	7'6"	\$445
91	7'7"	\$445
92	7'8"	\$445
93	7'9"	\$445
94	7'10"	\$445
95	7'11"	\$445
96	8'0"	\$445
97	8'1"	\$445
98	8'2"	\$445
99	8'3"	\$445
100	8'4"	\$445
101	8'5"	\$445
102	8'6"	\$445
103	8'7"	\$445
104	8'8"	\$445
105	8'9"	\$445
106	8'10"	\$445
107	8'11"	\$445
108	9'0"	\$445
109	9'1"	\$477
110	9'2"	\$477
111	9'3"	\$477
112	9'4"	\$477
113	9'5"	\$477
114	9'6"	\$477
115	9'7"	\$477
116	9'8"	\$477
117	9'9"	\$477
118	9'10"	\$477
119	9'11"	\$477
120	10'0"	\$477


Machining

NA	none	
M9	lock channel	+\$220

Trim Finish

AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 5 4 9 .



Product Information

Features:

- Floor-mounted stop is installed behind doors at the full open position to prevent damage to adjacent surfaces

Specifiers:

- Identify finish


Product Number	Finish
e2540 \$28	10A bronze (US10A) 26D satin chrome (US26D)

e | 2 | 5 | 4 | 0 |

↓
| | |

V2545

Coat Hook



Product Information

Features:

- Heavy duty cast unit
- Attaches into door
- Attachment hardware included


Specifiers:

- Identify finish

Product Number	Finish
e2545 \$50	10A antique bronze (US10A) 26D satin chrome (US26D)

e | 2 | 5 | 4 | 5

| | |



Product Information

Features:

- Door lever with lock or passage function
- Similar to Yale 5407L or Cal-Royal Genesys levers

Specifiers:

- Identify function
- Identify lock face
- Identify finish

Product Number	Function	Lock Face	Finish
e2550.L \$558	N passage W lockset +\$385	S standard R reverse	10A antique bronze (US10A) 26D satin chrome (US26D)


e | 2 | 5 | 5 | 0 | . | L |

↓

↓

↓

e2551 Construction Core Lockset



Product Information

Features:

- Lever lockset comes with replaceable keyed core
- Construction core is replaced by the facility management
- Similar to Best Lockset 7K or Cal-Royal Genesys levers
- Includes turn button lock

Specifiers:


- Identify bevel face
 - When door swings away from keyed side, specify "S"
 - When door swings toward keyed side, specify "R"
- Identify finish

Product Number	Bevel Face	Finish
e2551.MW \$943	S standard R reverse	10A antique bronze (US10A) 26D satin chrome (US26D)

e 2 5 5 1 . M W

□

□ □ □ □



Product Information

Features:

- Lever lockset includes 5 pushbutton access
- Mounts into standard doors with standard preparation
- Equivalent to Simplex L1000 model
- Includes replaceable core and turn button lock

Specifiers:

- Identify bevel face
 - When door swings away from keyed side, specify "S"
 - When door swings toward keyed side, specify "R"
- Identify finish

Product Number
e2552.MW \$3485


Bevel Face
S standard
R reverse

Finish
10A antique bronze (US10A)
26D satin chrome (US26D)

e | 2 | 5 | 5 | 2 | . | M | W

e2553

Dummy Door Lever



Product Information

Features:

- Dummy lever for swing style double door sets
- Attaches to inactive door to match hardware on active door
- Equivalent to Schlage AL170 Jupiter style

Specifiers:

- Identify finish


Product Number	Finish
e2553 \$410	10A antique bronze (US10A)
	26D satin chrome (US26D)

e | 2 | 5 | 5 | 3 | . | | | |

Product Information

- Features:**
- Solid stainless steel or bronze bar pulls
 - Matching pair
 - Use in Sliding Doors e2535 or e2536
 - Includes attachment screws
 - Does not interfere with Sliding Door Receiver Post e2549


- Specifiers:**
- Identify style / length
 - Identify finish




P1



P2



P3 & P5





P4 & P6

Style / Length		
P1	straight 10" D pulls	\$278
P2	offset 10" D pulls	\$700
P3	straight 13" post pulls	\$1076
P4	offset 13" post pulls	\$1310
P5	straight 48" post pulls	\$1427
P6	offset 48" post pulls	\$1662

Finish	
10A	antique bronze (US10A)
26D	satn chrome (US26D)

e 2 5 5 6 . | | |

| | |



Product Information


Features:

- This door frame unit includes 2 metal jambs (1 strike side, 1 hinge side) and a mitered header to attach to a ceiling runner.
- Includes open aluminum chase for relocatable switch or cabling
- Center line of strike plate is 38" ±1" from finished floor, depending on variation in floor-to-ceiling height
- Choice of left or right door swing
- Choice of electrical switch assembly (located on inside)
- Accepts standard architectural 36" wide door
- Accepts 4 hinges (2 pair) and standard ASA 4 7/8" strike plate
- Comes with installation clips and screws
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations

Specifiers:

- Identify ceiling height - see PIN
Vertical opening dimensions are 1/2" less than specified ceiling height. Order doors 2" shorter than specified ceiling height for proper fit
- Use Jamb Sheet (see appendix) for non-standard location of strike plate or hinges
Specify "8X" for ceiling heights from 8' to 8'11"
Specify "9X" for ceiling heights from 9' to 9'11"
Specify "10X" for ceiling heights 10'
- Identify left or right door swing
- Identify electrical option
- Identify aluminum trim finish color
- Door, door hinges and door hardware ordered separately

Ceiling Height		
96	8'0"	\$1613
97	8'1"	\$1613
98	8'2"	\$1613
99	8'3"	\$1613
100	8'4"	\$1613
101	8'5"	\$1613
102	8'6"	\$1613
103	8'7"	\$1613
104	8'8"	\$1613
105	8'9"	\$1613
106	8'10"	\$1613
107	8'11"	\$1613
8X	jamb sheet	\$1628
108	9'0"	\$1613
109	9'1"	\$1704
110	9'2"	\$1704
111	9'3"	\$1704
112	9'4"	\$1704
113	9'5"	\$1704
114	9'6"	\$1704
115	9'7"	\$1704
116	9'8"	\$1704
117	9'9"	\$1704
118	9'10"	\$1704
119	9'11"	\$1704
9X	jamb sheet	\$1719
120	10'0"	\$1704
10X	jamb sheet	\$1719



Width	
42	42"

Door Swing	
L	left
R	right

Electrical Option		
NA	none	+\$0
E4	switch assembly, 120v	+\$356
E5	switch assembly, 277v	+\$356

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Base Height	
00	No Base
04	4"
06	6"

e 2 5 7 0 .

4 2




Product Information

Features:

- This door frame kit Includes 2 metal jambs (1 strike side, 1 hinge side) and a 36" transom header at the ceiling runner.
- Open aluminum chase for relocatable switch or cabling
- Center line of strike plate is 38" ±1" from finished floor, depending on variation in floor-to-ceiling height
- Choice of left or right door swing
- Choice of electrical switch assembly (located on inside)
- Accepts standard architectural 3'0" x 7'0" door
- Accepts 3 hinges and standard ASA 4 7/8" strike plate
- Comes with installation clips and screws
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations

Specifiers:

- Identify correct ceiling height - see PIN
- Use Jamb Sheet (see appendix) for non-standard location of strike plate or hinges
 - Specify "8X" for ceiling heights from 8' to 8'11"
 - Specify "9X" for ceiling heights from 9' to 9'11"
 - Specify "10X" for ceiling heights 10'
- Identify left or right door swing
- Identify electrical option
- Identify aluminum trim finish color
- Door, transom, door hinges and door hardware ordered separately



Ceiling Height		
96	8'0"	\$1621
97	8'1"	\$1621
98	8'2"	\$1621
99	8'3"	\$1621
100	8'4"	\$1621
101	8'5"	\$1621
102	8'6"	\$1621
103	8'7"	\$1621
104	8'8"	\$1621
105	8'9"	\$1621
106	8'10"	\$1621
107	8'11"	\$1621
8X	jamb sheet	\$1635
108	9'0"	\$1621
109	9'1"	\$1712
110	9'2"	\$1712
111	9'3"	\$1712
112	9'4"	\$1712
113	9'5"	\$1712
114	9'6"	\$1712
115	9'7"	\$1712
116	9'8"	\$1712
117	9'9"	\$1712
118	9'10"	\$1712
119	9'11"	\$1712
9X	jamb sheet	\$1726
120	10'0"	\$1712
10X	jamb sheet	\$1726

Width	
42	42"

Door Swing	
L	left
R	right

Electrical Option		
NA	none	+\$0
E4	switch assembly, 120v	+\$356
E5	switch assembly, 277v	+\$356

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate

Base Height	
00	No Base
04	4"
06	6"

e 2 5 7 1 .

4 2



Product Information

Features:


- Door frame panel comes complete with clip mount to floor
- Center line of strike plate is 38" ±1" from finished floor, depending on variation in floor-to-ceiling height
- Choice of left or right door swing
- Accepts standard architectural 3'0" x 7'0" door
- Accepts 3 hinges and standard ASA 4 7/8" strike plate
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Transom sill height matches standard 86" sill height on wall panels

Specifiers:

- Identify correct ceiling height
 - Specify "8X" for ceiling heights from 8' to 8'11"
 - Specify "9X" for ceiling heights from 9' to 9'11"
 - Specify "10X" for ceiling heights 10'
- Identify left or right door swing
- Identify side lite glass finish
 - See appendix for "FX" custom applied film options
- Identify transom finish (Insert/Outsert sold separately)
- Identify aluminum trim finish color
- Identify base height
- Door, door hinges and door hardware ordered separately



Ceiling Height		
96	8'0"	\$2726
97	8'1"	\$2726
98	8'2"	\$2726
99	8'3"	\$2726
100	8'4"	\$2726
101	8'5"	\$2726
102	8'6"	\$2726
103	8'7"	\$2726
104	8'8"	\$2726
105	8'9"	\$2726
106	8'10"	\$2726
107	8'11"	\$2726
8X	jamb sheet	\$2739
108	9'0"	\$2726
109	9'1"	\$2776
110	9'2"	\$2776
111	9'3"	\$2776
112	9'4"	\$2776
113	9'5"	\$2776
114	9'6"	\$2776
115	9'7"	\$2776
116	9'8"	\$2776
117	9'9"	\$2776
118	9'10"	\$2776
119	9'11"	\$2776
9X	jamb sheet	\$2790
120	10'0"	\$2776
10X	jamb sheet	\$2790



Width	Side Lite Glass Finish	Transom Finish	Trim Finish								
48 48"	GR 1/4" clear temp +\$515 GP 1/4" pattern 62 +\$702 GS 1/4" laminated +\$1431 GG 1/4" frosted +\$1793 GL 1/4" white lam +\$1941 GW 3/8" clear temp +\$932 GY 3/8" laminated +\$2004 GZ 3/8" frosted +\$2469 GI 3/8" white lam +\$3248	GR 1/4" clear temp +\$258 GP 1/4" pattern 62 +\$352 GS 1/4" laminated +\$716 GG 1/4" frosted +\$898 GL 1/4" white lam +\$971 GW 3/8" clear temp +\$467 GY 3/8" laminated +\$1003 GZ 3/8" frosted +\$1235 GI 3/8" white lam +\$1624	AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW show white								
Door Swing L left R right	GC 1/2" clear temp +\$1358 GJ 1/2" laminated +\$2721 GU 1/2" frosted +\$3146 GV 1/2" white lam +\$3553 GX custom or CUS FX custom applied film	GC 1/2" clear temp +\$680 GJ 1/2" laminated +\$1360 GU 1/2" frosted +\$1574 GV 1/2" white lam +\$1776 GX custom or CUS FX custom applied film IN Insert (Outsert) Sold Separately	<table border="1"> <thead> <tr> <th colspan="2">Base Height</th> </tr> </thead> <tbody> <tr><td>00</td><td>No Base</td></tr> <tr><td>04</td><td>4"</td></tr> <tr><td>06</td><td>6"</td></tr> </tbody> </table>	Base Height		00	No Base	04	4"	06	6"
Base Height											
00	No Base										
04	4"										
06	6"										

e 2 5 7 4 .

4 8





Product Information

Features:

- Comes with installation clips and screws
- On-site trimming of frame may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations

Specifiers:

- Identify correct ceiling height
 - Identify frame width
 - Identify aluminum trim finish color
 - Identify hard surface finish for each side separately
- For "CUS" customer must provide 1 linear yard per side
See appendix for vinyl styles and colors



Ceiling Height		
96	8'0"	\$1268
97	8'1"	\$1268
98	8'2"	\$1268
99	8'3"	\$1268
100	8'4"	\$1268
101	8'5"	\$1268
102	8'6"	\$1268
103	8'7"	\$1268
104	8'8"	\$1268
105	8'9"	\$1268
106	8'10"	\$1268
107	8'11"	\$1268
108	9'0"	\$1268
109	9'1"	\$1325
110	9'2"	\$1325
111	9'3"	\$1325
112	9'4"	\$1325
113	9'5"	\$1325
114	9'6"	\$1325
115	9'7"	\$1325
116	9'8"	\$1325
117	9'9"	\$1325
118	9'10"	\$1325
119	9'11"	\$1325
120	10'0"	\$1325

Width		
24	24"	+\$0
30	30"	+\$33
36	36"	+\$66
39	39.5"	+\$99
42	42"	+\$99
48	48"	+\$133

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Base Height	
00	No Base
04	4"
06	6"

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$4
AD __	adobe	+\$35
----	category 1	+\$83
----	category 2	+\$92
----	category 3	+\$105
----	category 4	+\$136
----	category 5	+\$189
----	category 6	+\$277

e 2 5 7 7 .





Product Information

Features:

- Door frame panel comes complete with clip mount to floor
- Accepts standard architectural 3'0"x7'0" or 2' door
- Accepts 6 hinges (3 on each side)
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations

Specifiers:

- Identify correct ceiling height
 - Specify "8X" for ceiling heights from 8' to 8'11"
 - Specify "9X" for ceiling heights from 9' to 9'11"
 - Specify "10X" for ceiling heights 10'
- Identify left or right door swing
- Identify aluminum trim finish color
- Identify hard surface finish for each side separately
 - For "CUS" customer must provide 1 linear yard per side
 - See appendix for vinyl styles and colors
- Door, door hinges and door hardware ordered separately



Ceiling Height		
96	8'0"	\$3167
97	8'1"	\$3167
98	8'2"	\$3167
99	8'3"	\$3167
100	8'4"	\$3167
101	8'5"	\$3167
102	8'6"	\$3167
103	8'7"	\$3167
104	8'8"	\$3167
105	8'9"	\$2879
106	8'10"	\$3167
107	8'11"	\$3167
8X	jamb sheet	\$3181
108	9'0"	\$3167
109	9'1"	\$3220
110	9'2"	\$3220
111	9'3"	\$3220
112	9'4"	\$3220
113	9'5"	\$3220
114	9'6"	\$3220
115	9'7"	\$3220
116	9'8"	\$3220
117	9'9"	\$3220
118	9'10"	\$3220
119	9'11"	\$3220
9X	jamb sheet	\$3234
120	10'0"	\$3220
10X	jamb sheet	\$3234

Width		
63	63.5"	+\$0
75	75.5"	+\$659

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Base Height	
00	No Base
04	4"
06	6"

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$6
AD __	adobe	+\$47
----	category 1	+\$111
----	category 2	+\$123
----	category 3	+\$140
----	category 4	+\$181
----	category 5	+\$252
----	category 6	+\$369

e 2 5 7 8 .



Product Information

Features:

- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations

Specifiers:

- Identify correct ceiling height
- Identify frame width
- Identify trim finish
- Identify hard surface finish for each side separately
For "CUS" customer must provide 1 linear yard per side
See appendix for vinyl styles and colors



Ceiling Height		
96	8'0"	\$3167
97	8'1"	\$3167
98	8'2"	\$3167
99	8'3"	\$3167
100	8'4"	\$3167
101	8'5"	\$3167
102	8'6"	\$3167
103	8'7"	\$3167
104	8'8"	\$3167
105	8'9"	\$3167
106	8'10"	\$3167
107	8'11"	\$3167
108	9'0"	\$3167
109	9'1"	\$3220
110	9'2"	\$3220
111	9'3"	\$3220
112	9'4"	\$3220
113	9'5"	\$3220
114	9'6"	\$3220
115	9'7"	\$3220
116	9'8"	\$3220
117	9'9"	\$3220
118	9'10"	\$3220
119	9'11"	\$3220
120	10'0"	\$3220


Width		
63	63.5"	+\$0
75	75.5"	+\$659

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Base Height	
00	No Base
04	4"
06	6"

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$9
AD __	adobe	+\$70
----	category 1	+\$167
----	category 2	+\$184
----	category 3	+\$210
----	category 4	+\$272
----	category 5	+\$378
----	category 6	+\$553

e 2 5 7 9 .





Features:

- Door frame panel comes complete with clip mount to floor
- Center line of strike plate is 38" ±1" from finished floor, depending on variation in floor-to-ceiling height
- Choice of left or right door swing
- Accepts standard architectural 3'0" x 7'0" door
- Accepts 3 hinges and standard ASA 4 7/8" strike plate
- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations

Specifiers:

- Identify correct ceiling height
- Use Jamb Sheet (see appendix) for non-standard location of strike plate or hinges
- Identify left or right door swing
- Identify aluminum trim finish color
- Identify hard surface finish for each side separately
For "CUS" customer must provide 3.5 linear yards per side
See appendix for vinyl styles and colors
- Door, door hinges, base plug and door hardware ordered separately



Ceiling Height		
96	8'0"	\$2304
97	8'1"	\$2304
98	8'2"	\$2304
99	8'3"	\$2304
100	8'4"	\$2304
101	8'5"	\$2304
102	8'6"	\$2304
103	8'7"	\$2304
104	8'8"	\$2304
105	8'9"	\$2304
106	8'10"	\$2304
107	8'11"	\$2304
108	9'0"	\$2304
109	9'1"	\$2386
110	9'2"	\$2386
111	9'3"	\$2386
112	9'4"	\$2386
113	9'5"	\$2386
114	9'6"	\$2386
115	9'7"	\$2386
116	9'8"	\$2386
117	9'9"	\$2386
118	9'10"	\$2386
119	9'11"	\$2386
120	10'0"	\$2386

Width	
48	48"


Door Swing	
L	left
R	right

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Surface Finish Side 1 / Side 2		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$9
AD	adobe	+\$71
----	category 1	+\$167
----	category 2	+\$185
----	category 3	+\$211
----	category 4	+\$273
----	category 5	+\$378
----	category 6	+\$554

e 2 5 8 0 .

4 8




Product Information

Features:

- On-site trimming of frames may be required. 1" excess is provided at bottom to accommodate floor-to-ceiling variations
- Glass transom sill height matches standard 86" sill height on wall panels

Specifiers:

- Identify correct ceiling height
- Identify frame width
- Identify glass finish
See appendix for "FX" custom applied film options
- Identify aluminum trim finish
- Identify base height



Ceiling Height		
96	8'0"	\$1621
97	8'1"	\$1621
98	8'2"	\$1621
99	8'3"	\$1621
100	8'4"	\$1621
101	8'5"	\$1621
102	8'6"	\$1621
103	8'7"	\$1621
104	8'8"	\$1621
105	8'9"	\$1621
106	8'10"	\$1621
107	8'11"	\$1621
108	9'0"	\$1621
109	9'1"	\$1769
110	9'2"	\$1769
111	9'3"	\$1769
112	9'4"	\$1769
113	9'5"	\$1769
114	9'6"	\$1769
115	9'7"	\$1769
116	9'8"	\$1769
117	9'9"	\$1769
118	9'10"	\$1769
119	9'11"	\$1769
120	10'0"	\$1769

Width	
63	63.5"
75	75.5"
85	85.5"

	Glass Finish		
		63.5" and 75.5" Width	87.5" Width
GR	1/4" clear temp	+\$386	+\$483
GP	1/4" pattern 62	+\$527	+\$659
GS	1/4" laminated	+\$1073	+\$1341
GG	1/4" frosted	+\$1345	+\$1682
GL	1/4" white lam	+\$1455	+\$1820
GW	3/8" clear temp	+\$700	+\$874
GY	3/8" laminated	+\$1503	+\$1880
GZ	3/8" frosted	+\$1850	+\$2315
GI	3/8" white lam	+\$2435	+\$3045
GC	1/2" clear temp	+\$1019	+\$1274
GJ	1/2" laminated	+\$2039	+\$2552
GU	1/2" frosted	+\$2360	+\$2948
GV	1/2" white lam	+\$2663	+\$3331
GX	custom or CUS		
FX	custom applied film		

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Base Height	
00	No Base
04	4"
06	6"

e 2 5 8 1 .

Symbio® Movable Walls provide components that allow most major furniture manufacturers' systems furniture to integrate with our wall system.


There are primarily two Types of Wallstrip Connectors:

A Type - Integrate with AO®, AO1®, AO2®, AO3®, Action Office®, Prospects®, systems which are either registered trademarks or trademarks of Herman Miller, Inc., in the USA and/or other countries.

B Type - Integrate with Canvas®, Vivo®, Ethospace®, and Q™ systems which are either registered trademarks or trademarks of Herman Miller, Inc., in the USA and/or other countries.

All other brand names, product names, or trademarks belong to their respective holders. All rights reserved.

e2610 A Type Wallstrip Connector, Panel to Panel
 e2710 B Type Wallstrip Connector, Panel to Panel





Product Information

Features:

- Joins 2 gypsum panels (grooved ends) and provides hang-on capability
- Accepts Wallstrip Closure (e2631), Wallstrip Flat Cover (e2632) or Wallstrip Aluminum Flat Cover (e2633) at any panel connection to conceal slotted standard

Specifiers:

- Identify height
- Identify trim finish




Product Number & Height		
A Type		
e2610.108	9'	\$445
e2610.120	10'	\$480
B Type		
e2710.108	9'	\$467
e2710.120	10'	\$502

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 | 1 0 . | | |

| | |

e2611 A Type Wallstrip Connector, Panel to Corner
 e2661 A Type Wallstrip Connector, Panel to Corner
 e2711 B Type Wallstrip Connector, Panel to Corner






Product Information

Features:

- Joins a gypsum panel (grooved end) to modular corner, spacer, or intersection and provides hang-on capability.
- Accepts Wallstrip Closure (e2631), Wallstrip Flat Cover (e2632) or Wallstrip Aluminum Flat Cover (e2633) at any panel connection to conceal slotted standard

Specifiers:

- Identify height
- Identify trim finish




Product Number & Height			
A Type			
e2611.108	9'	\$391	
e2611.120	10'	\$419	
A Type			
e2661.108	9'	\$469	
e2661.120	10'	\$493	
B Type			
e2711.108	9'	\$417	
e2711.120	10'	\$447	

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 | | | 1 | . | | |

| | |

e2612 A Type Wall Strip/Connector, Panel to Jamb
 e2662 A Type Wall Strip/Connector, Panel to Jamb
 e2712 B Type Strip/Connector, Panel to Jamb






Product Information

Features:

- Joins a panel to a door or glazing jamb, or a Wall Start (e2310) and provides hang-on capability.
- Accepts Wallstrip Closure (e2631) at any panel connection to conceal slotted standard

Specifiers:

- Identify product number and height
- Identify trim finish




Product Number & Height		
A Type		
e2612.108	9'	\$469
e2612.120	10'	\$505
A Type		
e2662.108	9'	\$546
e2662.120	10'	\$583
B Type		
e2712.108	9'	\$490
e2712.120	10'	\$527

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white
MK	bronze anodized

e 2 | | | 2 . | | |

e2620 A Type Wall Start
 e2670 A Type Wall Start
 e2720 B Type Wall Start






Product Information

Features:

- Allows a systems Corner Work Surface to be hung at the intersection of a Movable Wall panel and a fixed wall
- Clipped at the top for attachment to the Ceiling Runner (e2110)
- Accepts Wallstrip Closure (e2631) at any panel connection to conceal slotted standard

Specifiers:

- Identify product number and height







Product Number & Height		
A Type		
e2620.108	9'	\$580
e2620.120	10'	\$627
A Type		
e2670.108	9'	\$657
e2670.120	10'	\$704
B Type		
e2720.108	9'	\$561
e2720.120	10'	\$634

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e 2 | | 0 . | | |

| | |

e2615 Modular Wallstrip Connector



Product Information

Features:

- Structural, aluminum extrusion with steel inserts
- Allows furniture component support to be added to existing product
- Slides into end of modular panel or modular connector before installation
- Semi-rigid PVC continuous "zipclip" included
- Part dimension: **QV** 13/16"
YV 13/16"
XV 1-1/16"
ZV 1-1/16"

Note: **QV & YV** are only required at modular connectors (i.e. corners & 3-ways) to maintain the correct dimension creep.

Wallstrip adds include 1/16" gain from clip

Specifiers:

- Identify minimum panel height
- Identify trim finish
- Identify wallstrip unit according to furniture support and layout requirement

Ceiling Height		
96	8'0"	\$395
97	8'1"	\$395
98	8'2"	\$395
99	8'3"	\$395
100	8'4"	\$395
101	8'5"	\$395
102	8'6"	\$395
103	8'7"	\$395
104	8'8"	\$395
105	8'9"	\$395
106	8'10"	\$395
107	8'11"	\$395
108	9'0"	\$395
109	9'1"	\$414
110	9'2"	\$414
111	9'3"	\$414
112	9'4"	\$414
113	9'5"	\$414
114	9'6"	\$414
115	9'7"	\$414
116	9'8"	\$414
117	9'9"	\$414
118	9'10"	\$414
119	9'11"	\$414
120	10'0"	\$414

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

Wallstrip	
QV	13/16"
XV	13/16"
YV	1-1/16"
ZV	1-1/16"

e 2 6 1 5 .


Product Information

Features:

- Rigid extruded aluminum snap fit closure
- Installer trims from 10' length to fit on site to either full height or above and below furniture component interface
- Package contains 10 units

Specifiers:

- Select trim color



Wallstrip Closure		Trim Finish
e2631.A		AN clear anodized
aluminum	\$469	AW apollo white
pack of 10		BA black arch
		BD bonded aluminum
		BM black matte
		BU black undertone
		CG cosmic gray
		CH metallic champagne
		DB dark bronze
		GS grey storm
		KH khaki
		MB medium bronze
		MC mocha
		PW powder white
		SB steel blue
		SL slate
		SW show white

e 2 6 3 1 . A

□ □


Product Information

Features:

- Rigid vinyl receiver clips in wallstrips
- Selection of surface finish
- Installer trims from 10' length to fit on site to either full height or above and below furniture component interface

Specifiers:

- Identify surface finish
For "CUS" customer must provide 3.5 linear yards per 12 units
See appendix for vinyl styles and colors



Wallstrip Flat Cover		
e2632	10'0"	\$81

Surface Finish		
First 2 digits specify series, last 2 specify color		
CUS	customer material	+\$7
AD __	adobe	+\$13
----	category 1	+\$32
----	category 2	+\$35
----	category 3	+\$41
----	category 4	+\$52
----	category 5	+\$73
----	category 6	+\$106

e | 2 | 6 | 3 | 2 | . |

| | | | |

e2633 Wallstrip Aluminum Flat Cover


Product Information

Features:

- Extruded aluminum snap fits into wallstrip
- Selection of trim finish
- Installer trims from 10' length to fit on site to either full height or above and below furniture component interface

Specifiers:

- Identify trim finish



Aluminum Flat Cover

e2633 10'0" \$69



Trim Finish

AN clear anodized
AW apollo white
BA black arch
BD bonded aluminum
BM black matte
BU black undertone
CG cosmic gray
CH metallic champagne
DB dark bronze
GS grey storm
KH khaki
MB medium bronze
MC mocha
PW powder white
SB steel blue
SL slate
SW show white

e 2 6 3 3 .

□ □

e2640 A Type Panel Adapter, 90° Corner



Product Information

Features:



- Permits attachment of systems panels to modular connector
- Draw Rod ordered separately
- Modular connector ordered separately

Specifiers:

- Identify adapter height
 - For 34" & 39" panel heights, specify "39"
 - For 42" & 47" panel heights, specify "47"
 - For 48" & 53" panel heights, specify "53"
 - For 62" & 67" panel heights, specify "67"
 - For 80" & 85" panel heights, specify "85"
- Identify trim finish
- Identify surface finish
 - See appendix for vinyl styles and colors
 - Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 2.5 linear yards (min) per 4 units

Adapter Height			Trim Finish		Surface Finish		
					First 2 digits specify series, last 2 specify color		
39	39"	\$141	AN	clear anodized	CUS	customer material	+\$7
47	47"	\$155	AW	apollo white	AD	adobe	+\$13
53	53"	\$170	BA	black arch	----	category 1	+\$32
67	67"	\$186	BD	bonded aluminum	----	category 2	+\$35
85	85"	\$201	BM	black matte	----	category 3	+\$41
			BU	black undertone	----	category 4	+\$52
			CG	cosmic gray	----	category 5	+\$73
			CH	metallic champagne	----	category 6	+\$106
			DB	dark bronze			
			GS	grey storm			
			KH	khaki			
			MB	medium bronze			
			MC	mocha			
			PW	powder white			
			SB	steel blue			
			SL	slate			
			SW	show white			

e 2 6 4 0 .



Product Information

Features:

- Permits attachment of systems panel to modular connector
- Draw Rod ordered separately
- Modular connector ordered separately



Specifiers:

- Identify adapter height
 - For 34" & 39" panel heights, specify "39"
 - For 42" & 47" panel heights, specify "47"
 - For 48 & 53" panel heights, specify "53"
 - For 62" & 67" panel heights, specify "67"
 - For 80" & 85" panel heights, specify "85"
- Identify trim finish

Adapter Height			Trim Finish	
39	39"	\$129	AN	clear anodized
47	47"	\$143	AW	apollo white
53	53"	\$158	BA	black arch
67	67"	\$184	BD	bonded aluminum
85	85"	\$199	BM	black matte
			BU	black undertone
			CG	cosmic gray
			CH	metallic champagne
			DB	dark bronze
			GS	grey storm
			KH	khaki
			MB	medium bronze
			MC	mocha
			PW	powder white
			SB	steel blue
			SL	slate
			SW	show white

e 2 6 4 1 . [] [] [] [] [] [] [] [] [] []

e2642 A Type Panel Adapter, 135° Corner



Product Information

Features:

- Permits attachment of systems panels to modular connector
- Draw Rod ordered separately
- Modular connector ordered separately

Specifiers:

For 34" & 39" panel heights, specify "39"

For 42" & 47" panel heights, specify "47"

For 48" & 53" panel heights, specify "53"



For 62" & 67" panel heights, specify "67"

For 80" & 85" panel heights, specify "85"

- Identify trim finish
- Identify surface finish
See appendix for vinyl styles and colors
Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 2.5 linear yards (min) per 4 units

Adapter Height			Trim Finish		Surface Finish		
					First 2 digits specify series, last 2 specify color		
39	39"	\$177	AN	clear anodized	CUS	customer material	+\$7
47	47"	\$192	AW	apollo white	AD	adobe	+\$13
53	53"	\$206	BA	black arch	----	category 1	+\$32
67	67"	\$224	BD	bonded aluminum	----	category 2	+\$35
85	85"	\$239	BM	black matte	----	category 3	+\$41
			BU	black undertone	----	category 4	+\$52
			CG	cosmic gray	----	category 5	+\$73
			CH	metallic champagne	----	category 6	+\$106
			DB	dark bronze			
			GS	grey storm			
			KH	khaki			
			MB	medium bronze			
			MC	mocha			
			PW	powder white			
			SB	steel blue			
			SL	slate			
			SW	show white			

e 2 6 4 2 .



Product Information

Features:

- Permits attachment of systems panel to modular connector
- Requires Draw Rod of equal height to match panel, ordered separately
- Modular connector ordered separately



Specifiers:

- Identify adapter height
 - For 34" & 39" panel heights, specify "39"
 - For 42" & 47" panel heights, specify "47"
 - For 48" & 53" panel heights, specify "53"
 - For 62" & 67" panel heights, specify "67"
 - For 80" & 85" panel heights, specify "85"
- Identify surface finish
 - See appendix for vinyl styles and colors
 - Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 2.5 linear yards (min) per 4 units

Adapter Height			Surface Finish		
			First 2 digits specify series, last 2 specify color		
31	31"	\$161	CUS	customer material	+\$7
40	40"	\$163	AD	adobe	+\$13
54	54"	\$165	---	category 1	+\$32
63	63"	\$170	----	category 2	+\$35
68	68"	\$173	-----	category 3	+\$41
80	80"	\$198	-----	category 4	+\$52
			-----	category 5	+\$73
			-----	category 6	+\$106

e 2 6 4 4 . | | | | |

e2645 A Type Panel Adapter for Spacer



Product Information

Features:



- Permits attachment of systems panel to Modular Spacer
- Requires Draw Rod of equal height to match panel, ordered separately
- Modular Spacer for ordered separately

Specifiers:

- Identify adapter height
 - For 31" panel height, specify "31"
 - For 40" panel height, specify "40"
 - For 54" panel height, specify "54"
 - For 63" panel height, specify "63"
 - For 68" panel height, specify "68"
 - For 80" panel height, specify "80"

Adapter Height		
31	31"	\$108
40	40"	\$111
54	54"	\$116
63	63"	\$120
68	68"	\$126
80	80"	\$133

e 2 6 4 5 . | | |



Product Information

Features:



- Permits attachment of systems panel to modular connector
- Requires Draw Rod of equal height to match panel, ordered separately
- Modular connector ordered separately

Specifiers:

- Identify adapter height
 - For 31" panel height, specify "31"
 - For 40" panel height, specify "40"
 - For 54" panel height, specify "54"
 - For 63" panel height, specify "63"
 - For 68" panel height, specify "68"
 - For 80" panel height, specify "80"

Adapter Height		
31	31"	\$126
40	40"	\$129
54	54"	\$133
63	63"	\$139
68	68"	\$143
80	80"	\$151

e 2 6 4 6 .



Product Information

Features:

- Permits attachment of systems panel to modular connector
- Requires Draw Rod of equal height to match panel, ordered separately
- Modular connector ordered separately

Specifiers:

- Identify adapter height
 - For 31" panel height, specify "31"
 - For 40" panel height, specify "40"
 - For 54" panel height, specify "54"
 - For 63" panel height, specify "63"
 - For 68" panel height, specify "68"
 - For 80" panel height, specify "80"
- Identify surface finish
 - See appendix for vinyl styles and colors
 - Specify "0000" for unfinished units; units must be field-finished
- For "CUS" option - supply 2.5 linear yards (min) per 6 units

Adapter Height			Surface Finish		
			First 2 digits specify series, last 2 specify color		
31	31"	\$164	CUS	customer material	+\$7
40	40"	\$165	AD	adobe	+\$13
54	54"	\$170	----	category 1	+\$32
63	63"	\$173	----	category 2	+\$35
68	68"	\$177	----	category 3	+\$41
80	80"	\$193	----	category 4	+\$52
			----	category 5	+\$73
			----	category 6	+\$106

e | 2 | 6 | 4 | 7 | . | | | | | | | | |

e2740 B Type Panel Adapter


Product Information

Features:

- Metal components allow for structural connection to systems frame (ordered separately)
- Attaches to modular connector
- Allows electrical connection through base
- Includes draw channel connector

Specifiers:

- Identify height of adapter as required by systems frame height





Systems Panel Height

Panel Attachment Height		
38	38"	\$217
46	46"	\$237
54	54"	\$237
62	62"	\$291
70	70"	\$291
86	86"	\$348

e 2 7 4 0 . | |

Architectural Trim Components

e2810 Ceiling Runner Trim, Fixed Wall



Product Information

Features:

- 12' flat aluminum extrusion simulates the appearance of a Ceiling Runner (e2110) on fixed walls
- Includes installation screws

Note: Measure overall length of wall run, including door and glazed openings, and round up to next 2' increment.

Example: A 12'10" wall run rounds up to 14'

Add up all rounded wall run lengths and divide by 12 for order quantity

Specifiers:



- Identify trim finish

Product Number	Trim Finish
e2810 \$81	AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW show white

e 2 8 1 0 .

□ □

e2812 Wall Clip, Vinyl Base to Fixed Wall



Product Information

Features:

- 12' vinyl clip is stapled or screw-attached to fixed walls at the floor line to permit attachment of Vinyl Base (e2140)
- Vinyl Base (e2140) ordered separately. Vinyl Base comes 2 per package so order half as much Vinyl Base as wall clip



Note: Measure overall length of wall run, including door and glazed openings, and round up to next 2' increment.

Example: A 12'10" wall run rounds up to 14'

Add up all rounded wall run lengths and divide by 12 for order quantity

Product Number	
e2812	\$28

e 2 8 1 2 .



Product Information

Features:

- Slotted aluminum strip is attached to fixed primary or building core walls to permit hanging of systems components
- Appropriate fasteners must field supplied

Specifiers:


- Identify ceiling height
- Identify trim finish

Ceiling Height		
108	9'	\$123
120	10'	\$130

Trim Finish	
AN	clear anodized
AW	apollo white
BA	black arch
BD	bonded aluminum
BM	black matte
BU	black undertone
CG	cosmic gray
CH	metallic champagne
DB	dark bronze
GS	grey storm
KH	khaki
MB	medium bronze
MC	mocha
PW	powder white
SB	steel blue
SL	slate
SW	show white

e | 2 | 8 | 3 | 0 | . | | |

| |



Product Information

Features:

- Matches powder-coated trim finishes
- All spray cans are 13 ounces


Specifiers:

- Identify paint color

Product Number	Color
<p>e2910 \$85</p>	<p>AN clear anodized AW apollo white BA black arch BD bonded aluminum BM black matte BU black undertone CG cosmic gray CH metallic champagne DB dark bronze GS grey storm KH khaki MB medium bronze MC mocha PW powder white SB steel blue SL slate SW show white</p>

e | 2 | 9 | 1 | 0 | . |

 | |



Product Information

Features:

- Allows fixed walls to match Movable wall panels
- Vinyl is 54" wide with 30 yards to the bolt.
- Class A or Type 1 flame-spread rated
- Use standard commercial grade wallcovering adhesive


Specifiers:

- Identify surface finish
See appendix for vinyl styles and colors

Product Number	Surface Finish
e2920 \$649	First 2 digits specify series, last 2 specify color
	AD __ adobe vinyl +\$0

e | 2 | 9 | 2 | 0 | . |

| | | |



Product Information

Features:

- Hardwood blocks provide a seat for screws when installing door jambs into cut panels or open core areas and when installing a fixed height glazing sill in a partial-height glass application
- Allow 1 piece for each hinge and 2 pieces per strike plate for door jamb attachment
- Allow 1 square block for each panel when attaching fixed height glazing sill to partial height panel



Specifiers:

- Identify product number
Specify round dowels "R" when installing door frame jambs in opening cut through solid gypsum portion of panel
Specify square blocks "S" when installing door frame jambs in opening cut through open core of panel
- Specify package

Product Number			Package	
e2930.R	round	\$41	A	12 pieces
e2930.S	square	\$41	B	bulk (100) +\$198

e | 2 | 9 | 3 | 0 | . |

e2950 Door Frame Plate - Hinge Tong
 e2951 Door Frame Plate - Hinge Flat
 e2952 Door Frame Plate - Strike Tong



Product Information

Features:

- Used to field change frames for hinge attachment
- Tong Plates come 40 per package
Flat Plates come 32 per package
- Hinge reinforcement plates come drilled and tapped to receive industry standard 4½" x 4" or 4½" x 4½" hinges


Specifiers:

- Identify product number
Specify **e2950** for hinge-side jamb installment anchors or hinge attachment and reinforcement plates for gypsum panel installation condition
Specify **e2951** for hinge attachment and reinforcement plates for installation next to modular intersections or glazing units
Specify **e2952** for strike-side jamb installation anchors for gypsum panel installation conditions

Product Number		
e2950	hinge reinforcement tong plate	\$653
e2951	hinge reinforcement flat plate	\$315
e2952	strike installation tong plate	\$602

e 2 9 5 .

Product Information




- Features:**
- Allows 8" or 16" Systems Tiles to be surface mounted on Movable wall panels.
 - Installer removes clips from Systems tile, screw attaches brackets through pre-drilled holes, then mounts Systems tile on wallstrips
 - Comes in pairs

- Specifiers:**
- Specify Systems tile height

Tile Height		
08	8"	\$72
16	16"	\$89

e 2 9 6 0 . | | |

Modular Panel Frame Worksheet for e2275, e2276, e2277 & e2278



Specifiers

- Product Number** (check one)
 e2275(1/4") or e2277(3/8 or 1/2") Modular Panel Frame
 e2276(1/4") or e2278(3/8 or 1/2") Modular Panel Frame, Systems
- Ceiling Height** CH = _____ " **Panel Width** PW = _____ "
- Trim Finish** (circle one) **AN BU HF HH HT LT LU MT WB**
 (*Extended Lead Time) **SG SW EH CN *MK**
- Number of Horizontal Muntins:** _____
- Muntin Height & Location (6" minimum height)**
Total planning dimension height is 2" less than ceiling height due to top rail of panel and ceiling runner
Muntin A = _____ " (Floor to centerline of 1" muntin. Lite height will be 4 or 6" less than A height due to base trim at floor)
Muntin B = _____ " **Muntin G** = _____ "
Muntin C = _____ " Not Shown:
Muntin D = _____ " **Muntin H** = _____ "
Muntin E = _____ " **Muntin I** = _____ "
Muntin F = _____ " **Muntin J** = _____ "
- Base Height** (circle one) **0" 4" 6"**
- Lite Fillers** (refer to product pages for dimension & finish specifiers):
 Glass Insert e2282 & e2286
 Hard / Hard Surface Insert e2283 & e2287
 Hard / Tack Surface Insert e2284 & e2288
 Hard / Tack Surface Insert e2285 & e2289
 Hard / Hard Surface Outsert e2291 & e2296
 Hard / Tack Surface Outsert e2292 & e2297
 Hard / Tack Surface Outsert e2293 & e2298

	Product Number	Ht	Wth	Finish (2 or 8 characters)
Lite 01:	e 2 2	.		
Lite 02:	e 2 2	.		
Lite 03:	e 2 2	.		
Lite 04:	e 2 2	.		
Lite 05:	e 2 2	.		
Lite 06:	e 2 2	.		
Lite 07:	e 2 2	.		
Lite 08:	e 2 2	.		
Lite 09:	e 2 2	.		
Lite 10:	e 2 2	.		

8) **Quantity of panels** = _____

9) **Project or Order Reference # & Name**

NOTE: Customer-provided glass must meet manufacturing requirements. Forward this document to Environamics, Inc. (see page 4) for exact glass dimensions.

For Environamics, Inc. use only


Glass size must be:

Height = _____ "

Width = _____ "

Thickness = _____ "

Custom Transom Clerestory Multi-Lite Worksheet for e2281



Specifiers

This completed sheet must accompany all Transom Clerestory Multi-lite orders designated "GX" Glass Finish. Fill in all requested measurements and verify trim and glass finishes

- 1) Ceiling Height CH = _____"
- 2) Multi-Lite Unit Width UW = _____"
 Note: e2281 may be wider than the panel or door below it.
 (i.e. One 48" transom clerestory unit above two 24" gypsum panels)
- 3) Trim Finish (circle one) AN BU HF HH HT LT LU MT WB
 (*Extended Lead Time) SG SW EH CN *MK
- 4) Transition height (from floor to top of transition connector)
 TH = _____"
- 5) Muntin Location & Lite Height (6" minimum)
 A = _____" (transition to centerline of 1" muntin)
 B = _____"
 C = _____"
 D = _____"
- 6) Lite Finish (circle one for each lite)

lite 1 =	GX	GR	GP	GS	GG	GL
lite 2 =	GX	GR	GP	GS	GG	GL
lite 3 =	GX	GR	GP	GS	GG	GL
lite 4 =	GX	GR	GP	GS	GG	GL
- 7) Quantity of panels = _____
- 8) Project or Order Reference # & Name

- 9) Special Requirements / Comments:


NOTE: Customer-provided glass must meet manufacturing requirements. Forward this document to Environamics, Inc. (see page 4) for exact glass dimensions.

For Environamics, Inc. use only

Glass size must be:

Height = _____"
 Width = _____"
 Thickness = _____"

Wrapped Aluminum Frame and Multi-Lite Panel Worksheet



Specifiers

- 1) **Product Number** (check one)
 - _____ **e5141** Hard Surface & Multi-Lite Panel
 - _____ **e5241** Systems Hard Surface & Multi-Lite Panel
 - _____ **e5143** Tack Surface & Multi-Lite Panel
 - _____ **e5243** Systems Tack Surface & Multi-Lite Panel
 - _____ **e5145** Hard / Tack Surface & Multi-Lite Panel
 - _____ **e5245** Systems Hard / Tack & Multi-Lite Panel

- 2) **Ceiling Height** CH = _____"
Panel Width PW = _____"

- 3) **Sill Height** SH = _____" (floor to centerline of 1" sill)

- 4) **Muntin Height & Location** (6" minimum height)
Total planning dimension height is 2" less than ceiling height due to top rail of panel and ceiling runner
 - Muntin A** = _____" (Centerline to centerline of 1" muntin.)
 - Muntin B** = _____"
 - Muntin C** = _____"
 - Muntin D** = _____"
 - Muntin E** = _____"
 - Muntin F** = _____"

- 3) **Lite Finish** (circle one for each lite)

lite 1 =	GX	GR	GP	GS	GG	GL
lite 2 =	GX	GR	GP	GS	GG	GL
lite 3 =	GX	GR	GP	GS	GG	GL
lite 4 =	GX	GR	GP	GS	GG	GL
lite 5 =	GX	GR	GP	GS	GG	GL

- 4) **Trim Finish** (circle one) **AN BU HF HH HT LT LU MT WB**
 (*Extended Lead Time) **SG SW EH CN *MK**

- 5) **Base Height** (circle one) **0" 4" 6"**

- 6) **Solid Surface Finish**

- 7) **Quantity of panels** =

--	--	--	--	--

Side 1

--	--	--	--	--

Side 2 _____

- 8) **Project or Order Reference # & Name**

NOTE: Customer-provided glass must meet manufacturing requirements. Forward this document to Environamics, Inc. (see page 4) for exact glass dimensions.

For Environamics, Inc. use only


Glass size must be:

Height = _____"


Width = _____"

Thickness = _____"


e2503, e2504, e2510, e2511 Full-Height Frames



e2512, e2513 Transom Frames



e2505, e2506 Modular Frames e2514, e2515 Partial Height Frames



For Environamics, Inc. use only

Hinge Gauge # _____
 Order # _____
 Ship Date _____
 Week Ending _____


Specifiers

This completed sheet must accompany all non-standard location of strike plate or hinges.


- 1) Door Sheet # _____ of _____
- 2) Product Number (check one)
 - _____ e2503 Full Height Modular Door Frame
 - _____ e2504 Full Height Modular Double Door Frame
 - _____ e2505 Modular Door Frame with Glass
 - _____ e2506 Modular Double Door Frame with Glass
 - _____ e2510 Full Height Door Frame
 - _____ e2511 Full Height Double Door Frame
 - _____ e2512 Transom Door Frame
 - _____ e2513 Transom Double Door Frame
 - _____ e2514 Partial Height Door Frame
 - _____ e2515 Partial Height Double Door Frame
- 3) Ceiling Height: CH = _____"
- 4) Frame Width (e2503, e2504, e2505, e2506 only): FW = _____"
- 5) Opening Height (e2514, e2515 only): OH = _____"
- 6) Quantity: LH _____ RH _____
- 7) Strike Plate Location: S = _____"
- 8) Strike Plate Size: (circle one) 4 7/8" 2 3/4" Blank
- 9) Hinge Location:
 - A = _____"
 - B = _____"
 - C = _____"
 - D = _____" (for doors over 8'0" only)
- 10) Mounting Hardware (choose one for each side)
 - Strike side: Tong _____ Flat Plate _____
 - Hinge side: Tong _____ Flat Plate _____
- 12) Project or Order Reference # & Name

- 13) Special Requirements / Comments


e2570 Modular 42" Full Height Door Frame w/ Chase



e2571 Modular 42" Transom Door Frame w/ Chase



- e2572 Modular 39.5" Door Frame Panel, Hard Surface**
- e2573 Modular 48" Door Frame Panel, Glass**
- e2574 Modular 48" Door Frame Panel, Multi-Lite**
- e2575 Modular 48" Door Frame Panel, Sidelight**
- e2576 Modular 48" Door Frame Panel, Glass Transom**



Specifiers

This completed sheet must accompany all non-standard location of strike plate or hinges.

- 1) Jamb Sheet # _____ of _____
- 2) Product Number:
e25 ____
- 3) Ceiling Height: CH = _____"
- 4) Door Height (e5504, e5505, e5506, e5507, e5508, e5515 only):
DH = _____"
- 5) Quantity: LH _____ RH _____
- 6) Strike Plate Location: S = _____"
- 7) Strike Plate Size: (circle one) 4 7/8" 2 3/4" Blank
- 8) Hinge Location:
A = _____"
B = _____"
C = _____"
D = _____" (doors over 8'0" only)

9) Project or Order Reference # & Name

10) Special Requirements / Comments



For Environamics, Inc. use only

Hinge Gauge # _____
Order # _____
Ship Date _____
Week Ending _____

Hinged Door Worksheet

Specifiers


This completed sheet must accompany all doors with height specified as "7X", "8X", "9X" or "10X" and/or non-standard location of strike plate or hinges.



- 1) Door Sheet # _____ of _____
- 2) Product Number (check one)
 - _____ e2520 Wood Door, Swinging
 - _____ e2520 Wood Door, Swinging with View Window
 - _____ e2522 Wood Door, Swinging & Matching Transom
 - _____ e2525 Aluminum & Glass Door, Swinging
- 3) Quantity: LH _____ RH _____
- 4) Door Height: DH = _____"
- 5) Door Width: W = _____"
- 6) Transom Height (e2522 only) = _____"
- 7) Strike Plate Location: S = _____"
- 8) Strike Plate Size: (circle one) 4 7/8" 2 3/4" Blank
- 9) Hinge Location:
 - A = _____" C = _____"
 - B = _____" D = _____" (doors over 7'0" only)
- 10) View Window
 - Circle One: W5 W6 W7 W8 W9
 - Location: WT _____" WS _____"
- 11) Project or Order Reference # & Name

- 11) Special Requirements / Comments _____

Aluminum & Glass Sliding Door: Worksheet for e2535 & e2536



Specifiers

This completed sheet must accompany all e2536 doors

1) Door Height DH = _____' _____" Door Width DW = _____"

2) Optional (to centerline)
Key Height = _____" Strike Height = _____" Cup Pull Height = _____"

3) Frame Dimensions / Slide Direction to Close (select one)
Reference product page for dimensions

_____ 1L	_____ 1R	_____ 2L	_____ 2R
_____ 3L	_____ 3R	_____ 4L	_____ 4R
_____ 5L	_____ 5R	_____ 6L	_____ 6R
_____ 7L	_____ 7R	_____ 8L	_____ 8R
_____ 9L	_____ 9R	_____ 10L	_____ 10R

4) Number of Horizontal Muntins: _____

5) Muntin Height & Location (6" minimum height)

Total planning dimension height is 2" less than ceiling height due to top rail of panel and ceiling runner

Muntin A = _____" (Floor to centerline of 1" muntin. Lite height will be 4 or 6" less than A height due to base trim at floor)

Muntin B = _____"	Muntin G = _____"
Muntin C = _____"	Not Shown: _____"
Muntin D = _____"	Muntin H = _____"
Muntin E = _____"	Muntin I = _____"
Muntin F = _____"	Muntin J = _____"

6) Trim Finish (circle one) AN BU HF HH HT LT LU MT WB
(*Extended Lead Time) SG SW EH CN *MK

7) Machining / Lockset (circle one)

NA M1 M2 M3 M4 M5 M6 M7 MC*

*provide drawing with special cutouts needed

8) Glass Inserts (refer to e2282 page for dimension & finish specifiers):

	Product Number	Ht	Wth	Finish
Lite 01:	e 2 2 8 2 .			
Lite 02:	e 2 2 8 2 .			
Lite 03:	e 2 2 8 2 .			
Lite 04:	e 2 2 8 2 .			
Lite 05:	e 2 2 8 2 .			
Lite 06:	e 2 2 8 2 .			
Lite 07:	e 2 2 8 2 .			
Lite 08:	e 2 2 8 2 .			
Lite 09:	e 2 2 8 2 .			
Lite 10:	e 2 2 8 2 .			

8) Quantity of doors = _____

9) Project or Order Reference # & Name

NOTE: Customer-provided glass must meet manufacturing requirements. Forward this document to Environamics, Inc. (see page 4) for exact glass dimensions.

For Environamics, Inc. use only

Glass size must be:

Height = _____"
Width = _____"
Thickness = _____"

Vinyl, Fabrics, Veneers & Factory Applied Window Film

Adobe Vinyl

54" wide
100% backed vinyl

8301	Off White
8303	Inner Tone Light Light
8304	Inner Tone Light
8306	Sand Light Light
8309	China
8315	White
8316	Soft White
8317	Sandstone
8318	Folkstone Grey

An extensive selection of vinyl wallcoverings are suitable for wall system application. Check with your sales rep for CUS submittals.

Veneers

Many natural and recut veneers are available.

Most veneer finishes are available in architectural grade match.

Custom veneers can be submitted to be matched.

Veneer woodgrain runs vertical unless specified otherwise.

Multiple wood tiles in 'end match' available upon request.

Contact Environamics, Inc. for CUS submittals

"FX" Factory Applied Film Option

Environamics, Inc. is certified to install 3M™ window film

Standard Films Available:

All 3M™ Fasara™ Films
3M™ ScotchCal™ Films

Please contact your sales rep for further information or to request samples.

