NOTICE TO AUTHORIZED USERS OF AWARD #23295 - Furniture, All Types (Except Hospital Room and Patient Handling)

This pricelist/catalog **may** contain items that are not within the Scope of the Contract Award and/or not within this Contractors approved furniture Categories. All Authorized Users are strongly encouraged to review the Scope of the Award and the Contractors Category Matrix prior to selecting items for purchase under the Contract. Per Solicitation Section 4.5 (D) - Procurement Instructions for Authorized Users: When placing orders under this Award, the Authorized User should follow and be familiar with the terms and conditions governing the Contract and are responsible for determining that the product(s) they intend to purchase fit within the scope of the Award.

References to other government contracts that may be included in a Contractor's pricelist/catalog, including any additional terms or conditions, are void under the OGS Award and should be disregarded. Only OGS' Terms and Conditions, including those within a Contractor's posted Contractor Information and Supplemental Information sheet, are valid under the Contract.

Additionally, Authorized Users are reminded that where discrepancies exist between Price List documents, the lowest price shall prevail (see Section 5.3 Price).

All orders must be placed with the Contractor, or the Contractor's OGS approved Authorized Reseller listed on the OGS website under the Award. Orders placed with a reseller not approved by OGS are not considered contract orders and therefore are not subject to the same terms and conditions of the OGS Award.

Authorized Users should contact the OGS Contract Manager listed on the Award with any questions pertaining to this pricelist/ catalog.

NYS Price List Effective 10/30/25

For Information Only

Workrite ergonomics®

PRICING + SPECIFICATION GUIDE

AUGUST 2025



TABLE OF CONTENTS

3 FINISHES
LAMINATED SURFACES....4
METAL SURFACES....5
TEXTILE SURFACES....6

7 WORKSURFACES

11 SIT-STAND DESKS + TABLES
SIERRA HX™....15
FUNDAMENTALS....22
ASCENT4....36

45 RITEBEAM

50 BENCHING
SIERRA HX....54
FUNDAMENTALS EX....55
FUNDAMENTALS LX....56
BENCHING REPLACEMENT PARTS....57

58 STANDING DESK CONVERTERS
SOLACE 2....60
SOLACE ELECTRIC....64
SOLACE DESKTOP....66
SOLACE DESKTOP HD....67

69 KEYBOARD TRAYS
PRECONFIGURED SYSTEMS....74
SOLO TRAYS....82
SOLO ARMS....88
UNIVERSAL ACCESSORIES....92

95 MONITOR ARMS
CONFORM ARTICULATING....101
CONFORM LT....105
CONFORM LT DUAL SLIDER....107
CONFORM ST....108
JIBE SERIES....111
MBRACE....113

115 ACCESSORIES
LIGHTING....116
ERGONOMIC ACCESSORIES....120
PRIVACY & MODESTY....121
CABLE MANAGEMENT....125
POWER....128
STORAGE & ORGANIZATION....130

135 GSA—WORKRITE

138 LINE OF SIGHT
CONFIGURATION....141
ELECTRIC....144
MANUAL....155
BASIC & RECESSED....163
LOS ACCESSORIES....166

171 GSA—CANADA

176 TERMS & CONDITIONS

Prices and products are subject to change without notice.

FINISHES



Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721.

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

STANDARD LAMINATE AND EDGEBAND COLOR SELECTIONS

Applies to: Sit-Stand Desk Worksurfaces, Line of Sight Worksurfaces, Sonoma Table Worksurfaces, Laminated Modesty Panels, Laminated Mobile & Hanging Pedestals

Workrite's standard laminate selections include many popular colors from Pionite and Wilsonart. Starting with our Tier 1 selection for greatest value, through our premium Tier 2 wood grains and patterns, ending with our Tier 3 embossed and special finishes round out our offering. Our tops feature color coordinated matching 3 mm edgeband. For more accurate color selection we recommend reviewing our laminate sample chain when making selections.

LAMINATE PRICE TIER 1



White **SW811SD** | Folkstone Gray **SG241SD** | Slate **SG228SD** | Black **SE101SD** | Hardrock Maple **WM791SD** | Millwork Cherry **WC431SD** | Formal Mahogany **WY031SD** | Walnut Grove **WW050SD**

LAMINATE PRICE TIER 2



Beigewood **0785060** | River Cherry **0793738** | Pinnacle Walnut **0799238** | Monticello Maple **0792538** | Wild Cherry **0705460** | Shadow Zephyr **0485760** | Misted Zephyr **0484360**

LAMINATE PRICE TIER 3



Grey Elm **8201K12** | Fawn Cypress **8208K16** | Veranda Teak **8209K28** | Phantom Cocoa **8213K28** | Studio Teak **7960K18**



Phantom Charcoal **8214K28** | Skyline Walnut **7964K12** | Walnut Heights **7965K12** | Figured Mahogany **7040K78**

Note: *Due to printing limitations, these colors are not guaranteed to be accurately reproduced. To order actual Laminate Material Samples contact your local sales representative.*

SPECIAL ORDER LAMINATES

Workrite has access to many laminate manufacturers. We can quote special order laminates on request from Wilsonart, Pionite, Nevamar, Formica, and Abet Laminati. If you don't see the brand, give us a call.

Please note for special order laminate colors: based on laminate brand, color requested, and specific color matching edgeband requirements, minimum order requirements and special order upcharges may apply.


Wilsonart pionite nevamar FORMICA ABET LAMINATI Unlimited selection

METAL FINISHES

Applies to: Sit-Stand Desk Legs, Brackets, & Feet; Metal Mobile & Hanging Pedestals; Cable Management Troughs; Toolbars & Privacy Panels; Line of Sight Bases

Workrite uses high quality VOC-free electro-static powder coating for all of its Sit-Stand bases.

Metal Finishes



White **W** | Silver **S** | Black **B**

TEXTILE SURFACES

Applies to: Tranquility Screens, Privacy & Modesty Screens, Mobile Pedestal PET Covers, PET Desktop Dividers

Tranquility—Fabric Screens, Privacy & Modesty Screens


Beach Beige
BB


Pebble Gray
PG


Storm Gray
SG


Night Blue
NB

Note: *Due to printing limitations, colors are not guaranteed to be accurately reproduced. Order textile material sample by contacting your local sales representative.*

PET Desktop Dividers & Mobile Pedestal PET Covers

Ivory
IY


Linen
LN


Ecru
EC


Brick
BK


Bark
BR


Smoke
SE


Pebble
PB


Greige
GR


Cadet
CT


Pewter
PW


Fossil
FL


Slate
SL


Tar
TR

Frost
FT


Ochre
OE


Mandarin
MN


Sunshine
SS


Grass
GS



Olive
OL


Malchite
MA


Chambray
CH


Sky
SY


Cobalt
CB


Midnight
MI


WORKSURFACES

WORKSURFACES
OVERVIEW

PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS:
UL.COM/GG
UL 2818

LAMINATED WORKSURFACES

Workrite's laminated worksurfaces feature High Pressure Decorative Laminate (HPL) from popular major manufacturers. Our HPL worksurfaces out perform "Low Pressure" melamine tops often used to achieve low cost.





All worksurfaces feature 3 mm color coordinated matching edgeband. Workrite uses high quality 1.125" thick industrial grade particleboard cores with phenolic backer sheets for true "balanced panel" construction to prevent warpage or sag over time.

Our standard worksurfaces are available in a wide variety of shapes and sizes to compliment any of our height adjustable bases.



Determining the correct size and shape of your worksurface in important. To best fit the office applications Workrite has engineered our tops for pinch point clearances at each side and at the rear edge to avoid pinching or contact with walls or panels while adjusting the height of your table. All Workrite worksurfaces are manufactured to these special sizes to prove safe and usable clearance in the office.

STANDARD WORKSURFACE SHAPES

2-Leg Worksurfaces

Rectangular	Offset Corner	Equal Corner	120 Degree
			
Sentinel Sierra HX Electric Fundamentals Sierra HXL Crank Cascade	Sentinel Sierra HX Electric	Sentinel Sierra HX Electric Fundamentals	Sentinel Sierra HX Electric Fundamentals

3-Leg Worksurfaces

Equal Corner	Offset Corner
	
Sentinel Sierra HX Electric Fundamentals	Sentinel Sierra HX Electric Fundamentals

Special order worksurfaces
Additional laminates may be available through our Special Order Program. Special order laminates and edge treatments are subject to minimum order quantities and require extended lead times.

HOW TO CONFIGURE YOUR WORKSURFACE

Select a worksurface style
Our worksurfaces are available in a wide variety of shapes and sizes and are the perfect finishing touch for any of Workrite's height adjustable Frame Sets or bases.

A guide to the worksurface model #



Standard Worksurface

Standard worksurface part numbers consist of:

Worksurface size *Edge type* *Laminate color*

ST3423–B3–□□□□□□□

The example given is for a 34" wide, 23" deep rectangle that fits a 36" × 24" space, with 3 mm block edge.





Laminate color part numbers can be found on page 5.

Please note: Small orders and residential shipments for tops require special packaging and charges for shipment. ***See terms and conditions for details.***

GSA Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

Please note: Small orders and residential shipments for tops require special packaging and charges for shipment. *See terms and conditions for details*

2-LEG WORKSURFACES




	W	D	Model # - Laminate	Weight	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
						Not on GSA Contract				
Rectangle, 23" Deep										
	34	23	ST3423-B3-□□□□□□□	25	$285	$324	$395	$396	$450	$549
	40	23	ST4023-B3-□□□□□□□	30	$323	$367	$393	$449	$510	$546
	46	23	ST4623-B3-□□□□□□□	34	$325	$373	$400	$451	$518	$556
	52	23	ST5223-B3-□□□□□□□	39	$380	$435	$558	$528	$604	$775
	58	23	ST5823-B3-□□□□□□□	44	$383	$441	$567	$532	$613	$788
	64	23	ST6423-B3-□□□□□□□	48	$440	$502	$586	$611	$697	$814
	70	23	ST7023-B3-□□□□□□□	53	$446	$512	$595	$619	$711	$826
Rectangle, 29" Deep										
	34	29	ST3429-B3-□□□□□□□	32	$315	$357	$407	$438	$496	$565
	40	29	ST4029-B3-□□□□□□□	37	$357	$407	$512	$496	$565	$711
	46	29	ST4629-B3-□□□□□□□	43	$363	$415	$517	$504	$576	$718
	52	29	ST5229-B3-□□□□□□□	49	$423	$485	$558	$588	$674	$775
	58	29	ST5829-B3-□□□□□□□	55	$427	$490	$566	$593	$681	$786
	64	29	ST6429-B3-□□□□□□□	60	$491	$581	$609	$682	$807	$846
	70	29	ST7029-B3-□□□□□□□	66	$496	$589	$617	$689	$818	$857
	76	29	ST7629-B3-□□□□□□□	72	$613	$705	$913	$851	$979	$1,268
	82	29	ST8229-B3-□□□□□□□	78	$619	$712	$917	$860	$989	$1,274
	88	29	ST8829-B3-□□□□□□□	84	$622	$716	$923	$864	$994	$1,282
	W/L	W/R	D							
Equal Corner										
	40	40	23	ST404023-B3-□□□□□□□	45	$703	$792	$1,009	$976	$1,100	$1,401
	46	46	23	ST464623-B3-□□□□□□□	51	$827	$937	$1,097	$1,149	$1,301	$1,524
	46	46	29	ST464629-B3-□□□□□□□	54	$828	$939	$1,099	$1,150	$1,304	$1,526
Offset Corner Left, 2-Leg										
	58	34	23	ST583423-B3-□□□□□□□	53	$624	$703	$757	$867	$976	$1,051
	58	40	23	ST584023-B3-□□□□□□□	58	$626	$707	$759	$869	$982	$1,054
	70	34	23	ST703423-B3-□□□□□□□	63	$725	$805	$1,041	$1,007	$1,118	$1,446
	70	40	23	ST704023-B3-□□□□□□□	67	$729	$828	$1,045	$1,013	$1,150	$1,451
	58	40	29	ST584029-B3-□□□□□□□	69	$724	$819	$1,037	$1,006	$1,138	$1,440
	70	40	29	ST704029-B3-□□□□□□□	80	$733	$832	$1,048	$1,018	$1,156	$1,456
Offset Corner Right, 2-Leg										
	34	58	23	ST345823-B3-□□□□□□□	53	$624	$703	$757	$867	$976	$1,051
	40	58	23	ST405823-B3-□□□□□□□	58	$626	$707	$759	$869	$982	$1,054
	34	70	23	ST347023-B3-□□□□□□□	63	$725	$805	$1,041	$1,007	$1,118	$1,446
	40	70	23	ST407023-B3-□□□□□□□	67	$729	$828	$1,045	$1,013	$1,150	$1,451
	40	58	29	ST405829-B3-□□□□□□□	69	$724	$819	$1,037	$1,006	$1,138	$1,440
	40	70	29	ST407029-B3-□□□□□□□	80	$733	$832	$1,048	$1,018	$1,156	$1,456
120° 2-Leg										
	34	34	23	ST343423T-B3-□□□□□□□	41	$597	$651	$708	$829	$904	$983
	40	40	23	ST404023T-B3-□□□□□□□	50	$710	$777	$998	$986	$1,079	$1,386
	46	46	23	ST464623T-B3-□□□□□□□	59	$846	$930	$1,096	$1,175	$1,292	$1,522
	34	34	29	ST343429T-B3-□□□□□□□	47	$710	$832	$998	$986	$1,156	$1,386
	40	40	29	ST404029T-B3-□□□□□□□	59	$846	$930	$1,096	$1,175	$1,292	$1,522
	46	46	29	ST464629T-B3-□□□□□□□	70	$864	$949	$1,116	$1,200	$1,318	$1,550

WORKSURFACES
SIZE & SHAPE

Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

Please note: Small orders and residential shipments for tops require special packaging and charges for shipment. ***See terms and conditions for details.***

3-LEG WORKSURFACES


		W/L	W/R	D	Model # - Laminate	Weight	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
Equal Corner		58	58	23	**ST585823-B3-□□□□□□□**	69	$712	$818	$1,036	$989	$1,136	$1,439
	*	64	64	23	**ST646423-B3-□□□□□□□**	78	$988	$1,102	$1,272	$1,372	$1,531	$1,767
	*	70	70	23	**ST707023-B3-□□□□□□□**	87	$995	$1,107	$1,280	$1,382	$1,538	$1,778
		58	58	29	**ST585829-B3-□□□□□□□**	83	$738	$836	$1,052	$1,025	$1,161	$1,461
	*	64	64	29	**ST646429-B3-□□□□□□□**	93	$984	$1,102	$1,272	$1,367	$1,531	$1,767
	*	70	70	29	**ST707029-B3-□□□□□□□**	104	$1,137	$1,278	$1,379	$1,579	$1,775	$1,915
	*__Note:__ *corner tops wider than 60" on both rear and width dimensions are two-piece construction*											
Offset Corner, Left		58	46	23	**ST584623-B3-□□□□□□□**	62	$652	$713	$767	$906	$990	$1,065
		70	46	23	**ST704623-B3-□□□□□□□**	71	$759	$829	$1,050	$1,054	$1,151	$1,458
		70	58	23	**ST705823-B3-□□□□□□□**	79	$769	$846	$1,144	$1,068	$1,175	$1,589
		58	46	29	**ST584629-B3-□□□□□□□**	72	$755	$822	$1,041	$1,049	$1,142	$1,446
		70	46	29	**ST704629-B3-□□□□□□□**	83	$856	$945	$1,117	$1,189	$1,313	$1,551
		70	58	29	**ST705829-B3-□□□□□□□**	94	$891	$984	$1,144	$1,238	$1,367	$1,589
Offset Corner, Right		46	58	23	**ST465823-B3-□□□□□□□**	62	$652	$713	$767	$906	$990	$1,065
		46	70	23	**ST467023-B3-□□□□□□□**	71	$759	$829	$1,050	$1,054	$1,151	$1,458
		58	70	23	**ST587023-B3-□□□□□□□**	79	$769	$846	$1,144	$1,068	$1,175	$1,589
		46	58	29	**ST465829-B3-□□□□□□□**	72	$755	$822	$1,041	$1,049	$1,142	$1,446
		46	70	29	**ST467029-B3-□□□□□□□**	83	$856	$945	$1,117	$1,189	$1,313	$1,551
		58	70	29	**ST587029-B3-□□□□□□□**	94	$891	$984	$1,144	$1,238	$1,367	$1,589

4-LEG CONFERENCE TABLE

	W	D	Model # - Laminate	Weight	US $ List	US $ List	US $ List	CAN $ List	CAN $ List	CAN $ List
Rectangle	42	72	**ST4272-B3-□□□□□□□**	125	$808	$901	$1,078	$1,122	$1,251	$1,497
	48	96	**ST4896-B3-□□□□□□□**	174	$1,040	$1,161	$1,272	$1,444	$1,613	$1,767
	60	120	**ST60120-B3-□□□□□□□**	215	$1,564	$1,771	$2,273	$2,172	$2,460	$3,157

WORKSURFACE PARTS & ACCESSORIES

Joining Kits



- Join your worksurfaces together with this kit
- Contains three 17" × 1.5" × .625" splice brackets, eighteen #12 × .75" screws and an instruction sheet
- Use one joining kit to connect two worksurfaces, or two kits to join three worksurfaces

Model #	Weight	US $ List	CAN $ List
AWC-JOINKIT-B	4	$132	$183

SIT-STAND DESKS

SIT-STAND DESKS
OVERVIEW

The following details should be taken into consideration when selecting the right solution for any application:
The ***size and shape*** of the workspace will determine the optimal size and shape of the worksurface you select. For moving or height adjustable products, you should allow at least 1" of clearance at each side and in back of the worksurface to avoid pinch points and scraping. This means that the overall width of the worksurface will be 2" less than the width of the workspace and 1" less than the depth.

Knowing the type of ***equipment to be used*** is crucial when selecting the appropriate sit-stand solution. When selecting a non-electric sit-stand desk such as a crank or counter-balance table the ***weight of the equipment*** to be placed on the worksurface will affect the amount of human force required to adjust the height of the work center. The more force required, the less ergonomic the solution.


All electric sit-stand desks also feature a weight limit rating to ensure that the motor is not overworked and the work center moves efficiently throughout the life of the product. When comparing weight ratings it is important to clarify whether the weight rating includes the total weight of the worksurface plus the equipment to be used, or the payload capacity after the weight of the worksurface is taken into consideration. All Workrite weight limit ratings are for payload capacity.

Understanding the ***work to be performed*** and the types of ***accessories to be used*** are also key considerations. Work centers have many different types of frame supports and structures and may not provide the clearances required for the installation of other key accessories such as adjustable monitor supports and keyboard trays. Workrite frames and supports are designed to accommodate a wide variety of ***accessories*** both above and below the worksurface.

The ***range*** of adjustability required is one of the most important considerations when selecting the right adjustable work center. BIFMA G1-2013 recommends a range of adjustability from 22.5" to 48.7" to ***accommodate the 5th to 95th percentile*** of the workforce. For example, any product with a worksurface that will not go below 24.5" from the floor will not allow 50% of the female workforce (up to 5' 4" tall) to work in proper ergonomic position while seated. Workrite has multiple options available that achieve full BIFMA range of adjustability as well as some that offer a limited range of adjustability.

BIFMA G1-2013 GUIDELINES

Worksurface Heights for 5th to 95th in Seated and Standing Position




STANDING	**3'2" (38.1")**	**3'5" (41.0")**	**3'5" (41.3")**	**3'9" (44.8")**	**3'9" (44.9")**	**4'0" (48.7")**
SEATED	**1'10" (22.6")**	**2'0" (24.3")**	**2'0" (24.5")**	**2'3" (26.8")**	**2'4" (27.0")**	**2'5" (29.2")**

Measured elbow distance from floor

PRODUCT COMPARISON

ELECTRIC ADJUSTABLE HEIGHT BASE SETS


	Sierra HX Electric 3-Stage	Fundamentals EX 3-Stage	Fundamentals LX 2-Stage
HEIGHT RANGE			
ADJUSTABILITY			
Meets ANSI/BIFMA G1-2013 Height Range	•	•	
Standard Height Range	22.5"–48.7"	22.5"–48.7"	27.5"–47.2"
Adjustment Speed	1.6"/sec.	1.6"/sec.	1.6"/sec.
Payload Capacity on 2-Leg Worksurface	225 lb	125 lb	125 lb
Payload Capacity on 3-Leg Worksurface	300 lb	200 lb	200 lb
AVAILABLE SHAPES			
2-Leg Rectangular	•	•	•
2-Leg Equal Corner	•	•	•
2-Leg Offset Corner	•		
2-Leg 120 Degree	•	•	•
3-Leg Rectangular	•	•	•
3-Leg Equal Corner	•	•	•
2-Leg Benching Rectangle	•	•	•
INCLUDED WITH BASE SET			
Foot Kit	Styled or Flat	Flat	Flat
Control	Basic, Programmable, Bluetooth	Basic, Programmable, Bluetooth	Basic, Programmable, Bluetooth
WARRANTY			
Laminate Top	5 Years	5 Years	5 Years
Motor, Crank & Frame	**Lifetime**	10 Years	10 Years
AVAILABLE ON GSA	•		

Important Notes

- All sit-stand desk base sets include an electric control and feet for the selected frame set.
- Sit-stand desk base sets ship unassembled and require simple hand tools to install.
- For all worksurfaces, drill pilot holes for all screws to ensure the most secure attachment.
- All sit-stand desks have adjustable glides providing .5" of adjustment.

PRODUCT COMPARISON


ELECTRIC ADJUSTABLE HEIGHT BASE SETS

	Ascent4 3-Stage	Ascent4 2-Stage
HEIGHT RANGE		
ADJUSTABILITY		
Meets ANSI/BIFMA G1-2013 Height Range	•	•
Standard Height Range	22.52"–48.7"	27.5"–47.2"
Adjustment Speed	1.5"/sec.	1.2"/sec.
Payload Capacity on 2-Leg Worksurface	200 lb	200 lb
Payload Capacity on 3-Leg Worksurface	300 lb	300 lb
AVAILABLE SHAPES		
2-Leg Rectangular	•	•
2-Leg Equal Corner	•	•
2-Leg Offset Corner	•	•
2-Leg 120 Degree	•	•
3-Leg Rectangular	•	•
3-Leg Equal Corner	•	•
2-Leg Benching Rectangle		
INCLUDED WITH BASE SET		
Foot Kit	Flat	Flat
Control	Basic, Programmable	Basic, Programmable
WARRANTY		
Laminate Top	5 Years	5 Years
Motor, Crank & Frame	7 Years	7 Years

Important Notes

- All sit-stand desk base sets include an electric control and feet for the selected frame set.
- Sit-stand desk base sets ship unassembled and require simple hand tools to install.
- For all worksurfaces, drill pilot holes for all screws to ensure the most secure attachment.
- All sit-stand desks have adjustable glides providing .5" of adjustment.
- Sentinel 3-stage and 2-stage data applies to Sentinel 4-leg conference tables.

FOUR STEPS TO CONFIGURE YOUR SIERRA HX ELECTRIC WORK CENTER



1. Select a Worksurface shape, size & laminate.
Use your existing worksurface top or choose from 2-leg or 3-leg shapes (as well as laminates).

2. Select the Frame Set.
Choose the frame set using the Pairing Guide below. Find the Base Sets which include feet and switch in the following pages.

Flat Foot included.

3. Select the Control.
Choose a Standard Control for simple up/down control, Programmable Control for more advanced options, or Bluetooth for controlling your desk via mobile device.

Worksurface/Frame Set Pairing Guide

Pair your Worksurface with the appropriate Base Set using this chart.

2-Leg Shapes

Worksurface	Actual Size	Frame Set
24" Deep Rectangles		
ST3423-B3	34"w × 23"d	SEHX30-48
ST4023-B3	40"w × 23"d	SEHX30-48
ST4623-B3	46"w × 23"d	SEHX30-48
ST5223-B3	52"w × 23"d	SEHX54-72
ST5823-B3	58"w × 23"d	SEHX54-72
ST6423-B3	64"w × 23"d	SEHX54-72
ST7023-B3	70"w × 23"d	SEHX54-72
ST8823-B3	88"w × 23"d	SEHX78-90
30" Deep Rectangles		
ST3429-B3	34"w × 29"d	SEHX30-48
ST4029-B3	40"w × 29"d	SEHX30-48
ST4629-B3	46"w × 29"d	SEHX30-48
ST5229-B3	52"w × 29"d	SEHX54-72
ST5829-B3	58"w × 29"d	SEHX54-72
ST6429-B3	64"w × 29"d	SEHX54-72
ST7029-B3	70"w × 29"d	SEHX54-72
ST8829-B3	88"w × 29"d	SEHX78-90
Small Equal Corner		
ST404023-B3	40"wL × 40"wR × 23"d	SEHX30-48
ST464623-B3	46"wL × 46"wR × 23"d	SEHX30-48
ST464629-B3	46"wL × 46"wR × 29"d	SEHX30-48
Large Offset Corner Left		
ST583623-B3	58"wL × 36"wR × 23"d	SEHX54-72
ST584023-B3	58"wL × 40"wR × 23"d	SEHX54-72
ST703423-B3	70"wL × 34"wR × 23"d	SEHX54-72
ST704023-B3	70"wL × 40"wR × 23"d	SEHX54-72
ST584029-B3	58"wL × 40"wR × 29"d	SEHX54-72
ST704029-B3	70"wL × 40"wR × 29"d	SEHX54-72
Large Offset Corner Right		
ST365823-B3	36"wL × 58"wR × 23"d	SEHX54-72
ST405823-B3	40"wL × 58"wR × 23"d	SEHX54-72
ST347023-B3	34"wL × 70"wR × 23"d	SEHX54-72
ST407023-B3	40"wL × 70"wR × 23"d	SEHX54-72
ST405829-B3	40"wL × 58"wR × 29"d	SEHX54-72
ST407029-B3	40"wL × 70"wR × 29"d	SEHX54-72
120 Degree Corner		
ST343423T-B3	34"wL × 34"wR × 23"d	SEHX30-48
ST404023T-B3	40"wL × 40"wR × 23"d	SEHX30-48
ST464623T-B3	46"wL × 46"wR × 23"d	SEHX30-48
ST343429T-B3	34"wL × 34"wR × 29"d	SEHX30-48
ST404029T-B3	40"wL × 40"wR × 29"d	SEHX30-48
ST464629T-B3	46"wL × 46"wR × 29"d	SEHX30-48

3-Leg Shapes

Worksurface	Actual Size	Frame Set
Large Equal Corners		
ST585823-B3	58"wL × 58"wR × 23"d	SEHX5472-4272EOC
ST646423-B3	64"wL × 64"wR × 23"d	SEHX5472-4272EOC
ST707023-B3	70"wL × 70"wR × 23"d	SEHX5472-4272EOC
ST585829-B3	58"wL × 58"wR × 29"d	SEHX5472-4272EOC
ST646429-B3	64"wL × 64"wR × 29"d	SEHX5472-4272EOC
ST707029-B3	70"wL × 70"wR × 29"d	SEHX5472-4272EOC
Large Offset Corners, Left		
ST584623-B3	58"wL × 46"wR × 23"d	SEHX5472-4272EOC
ST704623-B3	70"wL × 46"wR × 23"d	SEHX5472-4272EOC
ST705823-B3	70"wL × 58"wR × 23"d	SEHX5472-4272EOC
ST584629-B3	58"wL × 46"wR × 29"d	SEHX5472-4272EOC
ST704629-B3	70"wL × 46"wR × 29"d	SEHX5472-4272EOC
ST705829-B3	70"wL × 58"wR × 29"d	SEHX5472-4272EOC
Large Offset Corners, Right		
ST465823-B3	46"wL × 58"wR × 23"d	SEHX5472-4272EOC
ST467023-B3	46"wL × 70"wR × 23"d	SEHX5472-4272EOC
ST587023-B3	58"wL × 70"wR × 23"d	SEHX5472-4272EOC
ST465829-B3	46"wL × 58"wR × 29"d	SEHX5472-4272EOC
ST467029-B3	46"wL × 70"wR × 29"d	SEHX5472-4272EOC
ST587029-B3	58"wL × 70"wR × 29"d	SEHX5472-4272EOC

Foot Kit

Flat
24" Deep
F24
30" Deep
F30
24/30" Deep
F2430

Control

Standard	
SS	or
Programmable	
PS	or
Bluetooth	
BT	

SIT-STAND DESKS
SIERRA HX

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

LIFETIME WARRANTY!


SIERRA HX BASE SETS

The Perennial Standard. The Workrite Sierra series is our most durable, long-lasting product line that now carries a Lifetime Warranty. With exceptional versatility, range, load-capacity and new Bluetooth switch options, Sierra HX offers something for everyone in the commercial office.

Options sold separately


- Order a high quality Workrite laminated worksurface in a wide variety of laminates or reuse your existing top to complete your workstation

Frame Set dimensions




Sierra HX 2-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces Widths range from 30" to 90" wide
- Finish options: silver, black, white
- MEMS Anti-Collision technology
- Height range of 22.5" To 48.7" meets BIFMA G1-2013 requirements
- Payload carry capacity: 225 lb (after top)
- Gross load capacity: 352 lb (not including top and safety factor)
- Adjustment speed: 1.6" per second
- Maximum current draw: 4.25 A at 120 V, 60 Hz
- Standby power: 0.1 W
- 10' power cord
- Meets or exceeds BIFMA x5.5 standards
- GREENGUARD GOLD certified
- UL962 certified



For Chicago electrical code compliant bases add -C9 at the end of the model number of the base you are ordering (not on GSA Contract)

Options included in Base Set:



Standard Switch or **Programmable Switch** or **Bluetooth Switch**

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

GSA

Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

2-Leg Base Set part numbers consist of:

Model & Width Range | Foot Kit | Switch | Color

SEHX54-72-F24-SS-B

The example given is for a Sierra HX frame that is 54" to 72" wide, has a Standard Switch, 24" Foot Kit for a 24" worksurface depth, and the frame set color is Black.

Frame Set colors: **S**=Silver, **B**=Black, **W**=White

SIERRA HX 2-LEG BASE SETS WITH FLAT FOOT KIT

	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)	US $ List Bluetooth Switch (BT)	CAN $ List Standard Switch (SS)	CAN $ List Programmable Switch (PS)	CAN $ List Bluetooth Switch (BT)
					Not on GSA Contract			
Worksurfaces 30" to 48" wide	**SEHX30-48-F24-☐☐-☐**	58	$1,621	$1,664	$1,707	$2,251	$2,311	$2,371
	SEHX30-48-F30-☐☐-☐	61	$1,632	$1,675	$1,718	$2,267	$2,327	$2,387
	SEHX30-48-F2430-☐☐-☐	60	$1,625	$1,668	$1,711	$2,257	$2,317	$2,377
Worksurfaces 54" to 72" wide	**SEHX54-72-F24-☐☐-☐**	64	$1,713	$1,756	$1,799	$2,379	$2,439	$2,499
	SEHX54-72-F30-☐☐-☐	67	$1,723	$1,766	$1,809	$2,393	$2,453	$2,513
	SEHX54-72-F2430-☐☐-☐	66	$1,717	$1,760	$1,803	$2,385	$2,445	$2,505
Worksurfaces 78" to 90" wide	**SEHX78-90-F24-☐☐-☐**	73	$1,938	$1,981	$2,024	$2,692	$2,752	$2,812
	SEHX78-90-F30-☐☐-☐	76	$1,948	$1,991	$2,034	$2,706	$2,766	$2,826
	SEHX78-90-F2430-☐☐-☐	75	$1,944	$1,987	$2,030	$2,700	$2,760	$2,820

SIT-STAND DESKS + TABLES
SIERRA HX


Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818


Sierra HX 3-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces
- Widths range from 42" to 90" wide
- Finish options: silver, black, white
- MEMS Anti-Collision technology
- Height range of 22.5" To 48.7" meets BIFMA G1-2013 requirements
- Payload carry capacity: 300 lb (after top)
- Gross load capacity: 528 lb (not including top and safety factor)
- Adjustment speed: 1.6" per second
- Maximum current draw: 4.25 A at 120 V, 60 Hz
- Standby power: 0.1 W
- 10' power cord
- Meets or exceeds BIFMA x5.5 standards
- GREENGUARD GOLD certified
- UL962 certified




For Chicago electrical code compliant bases add **-C9 at the end of the model number of the base you are ordering (not on GSA Contract)*

Options included in Base Set




Standard Switch

or



Programmable Switch

or



Bluetooth Switch

3-Leg Base Set part numbers consist of:

Model & Width Range | Foot Kit | Switch Color

SEHX5472-4272EOC-S30-PS-S

The example given is for a Sierra HX frame that is 54" to 72" wide on one side and 42" to 72" on the other, has a 30" Styled Foot Kit for a 30" worksurface depth, a Programmable Switch, and the frame set color is Silver.

Frame Set colors: **S**=Silver, **B**=Black, **W**=White

SIERRA HX 3-LEG BASE SETS WITH FLAT FOOT KIT	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)	Not on GSA Contract: US $ List Bluetooth Switch (BT)	CAN $ List Standard Switch (SS)	CAN $ List Programmable Switch (PS)	CAN $ List Bluetooth Switch (BT)
Corner Tops 54–72" wide × 42–72" wide	SEHX5472-4272EOC-F24-☐☐-☐	84	$2,462	$2,505	$2,548	$3,419	$3,479	$3,539
	SEHX5472-4272EOC-F30-☐☐-☐	87	$2,473	$2,516	$2,559	$3,435	$3,495	$3,555
	SEHX5472-4272EOC-F2430-☐☐-☐	86	$2,467	$2,510	$2,553	$3,426	$3,486	$3,546
Corner Tops 70–90" wide × 42–72" wide	SEHX7890-4272OC-F24-☐☐-☐	97	$2,676	$2,719	$2,762	$3,717	$3,777	$3,837
	SEHX7890-4272OC-F30-☐☐-☐	100	$2,686	$2,729	$2,772	$3,731	$3,791	$3,851
	SEHX7890-4272OC-F2430-☐☐-☐	99	$2,681	$2,724	$2,767	$3,724	$3,784	$3,844

GSA Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

SIERRA HX ACCESSORIES

		Model#	Weight	US $ List	CAN $ List
Magnetic Cable Manager	• Vertical cable manager is 47" and comes complete with 3 embedded magnets and worksurface attachment hardware • Designed to discreetly conceal & manage cables down the rear or side profile of height adjustable desk legs • Open tab design allows for cables to easily enter and exit the cable chain • Length is optimized for 3 stage height adjustable desk, links can be removed to accommodate shorter adjustment ranges • Available in silver, black, white	**ACC-WM-MCC-☐**	2	$172	$239
		Colors: **S** :Silver, **B**: Black, **W**: White			
Round Cable Manager	• Vertical cable manager is 54" long and comes complete with weighted foot and worksurface attachment clips • Designed to manage cables from under worksurface to floor • Open tab design allows cables to easily snap in or out of manager • Keeps cables neat and organized while making height adjustments • Accommodates up to 1" diameter of bundled cables • Available in black	**95201**	3	$102	$142
Mesh Cable Trough	• Designed to be mounted under the worksurface behind the stretcher bracket • Constructed of durable mesh, it provides 4" height and 3.5" depth of storage space • Two widths offered to accommodate varying sized worksurfaces ▪ 34" version to be mounted on worksurfaces 46" or less ▪ 48" version to be mounted on worksurfaces 48" or greater • Mounting hook design allows mesh trough to hinge open for easier access • Velcro loops inside the mesh trough provide convenient way to keep cables & power strips bundled internally • Each version features (1) grommet hole in the center to allow cables to enter or exit as required • Textile portion available in gray finish	**34"** **ACC-WM-MT34-G**		$227	$315
		48" **ACC-WM-MT48-G**		$244	$339
Low Profile Casters	• Dual wheel casters designed for use on carpet floors • Low profile 2" wide, 37 mm diameter wheels • Caster raises Sentinel sit-stand desk height by 1" • Four locking casters per set—fits 2-leg bases ONLY • 400 lb gross capacity	**95234**	2	$78	$108
Premium Polyurethane Casters	• Compatible with carpet and hard flooring • Translucent smooth rolling 1"w × 3"h polyurethane wheels • Increases desk height by 3–3.5" when installed • Four locking casters per set—fits 2-leg bases ONLY • 400 lb gross capacity	**ACC-CASTER-4PK3IN-CP**	2	$208	$289

SIT-STAND DESKS
SIERRA HX








Products listed on this page are **not on contract.** GSA

SIERRA HX REPLACEMENT PARTS

			Model#	Weight	US $ List	CAN $ List
Standard Switch	• Intuitive toggle paddle design for manual up/down movement • Compatible with Sierra HX and Fundamentals workstations ONLY		**STDSWITCH**	1	$45	$63
Digital Programmable Switch	• Three memory pre-sets to program sit or stand positions • Manual up/down control buttons • User lock feature • User programmable upper and lower height limits • Compatible with Sierra HX and Fundamentals sit-stand desks ONLY		**PROSWITCH-BLK**	1	$104	$144
Bluetooth Switch	• Bluetooth module connects your desk to your smart device • Set sit and stand use reminders • Track your use history of your sit stand desk • Intuitive toggle paddle design for manual up/down movement • User lock feature • User programmable upper and lower height limits • Compatible with Sierra HX and Fundamentals sit-stand desks ONLY • Compatible with Android and IOS operating systems		**BT-PROSWITCH**	1	$165	$229
Sierra HX 3-Stage Leg	• Three-stage Sierra HX replacement leg • Includes hardware	1	**SEHX-CPLEG-☐** Leg colors: **S**: Silver, **B**: Black, **W**: White	17	$538	$747
Sierra HX Control Boxes	• For use with Sierra HX only • 2-Leg Specific 120 V 60 Hz port • 2 & 3 leg multi voltage 100-240 V, 50/60 Hz • PVC free	2-Leg	**SEHX-CB-2L**	2	$400	$556
		3-Leg	**SEHX-CB-3L**	2	$496	$689
Sierra HX Power Cord	• Fits Sierra HX • 10' length • 2 pole 120 V US standard wall end • IEC C17 female plug to control box • PVC free		**SE-PWRCBL**	2	$36	$50
Motor Cables	• Replacement motor cable in a variety of lengths • 1 meter/39.3" • 2 meters/78.7" • 2.5 meters/98.4"	1 m	**SE-MCBL-1000MM**	1	$28	$39
		2 m	**SE-MCBL-2000MM**	1	$39	$54
		2.5 m	**SE-MCBL-2500MM**	1	$51	$71
		Extension*	**SE-EXTCBL-1M**	1	$31	$43
		** Used to add 1 m (39.3") to existing motor cable*				
Sierra Multi Parallel Cable	• Used to connect Sierra HX control boxes for multi-leg applications • Daisy chain up to 4 control boxes with one cable per added control box • 2 m long CAT6/RJ45 male/male cable	2 m	**SE-MPCBL-2M-B**	1	$63	$58


GSA Products listed on this page are **not on contract.**

SIERRA HX REPLACEMENT PARTS

		Worksurface Depth	Model#	Weight	US $ List	CAN $ List
Sierra Flat Foot Kit 	• Fits Sierra HX and Fundamentals legs only • Low profile design allows most peds to set over foot • Sold in pairs • Silver, black, or white, powder-coated steel construction	24"	**FFK24-☐**	15	$106	$147
		30"	**FFK30-☐**	18	$120	$167
		Dual Depth	**FFK2430-☐**	17	$114	$158
			Frame Set colors: **S**: Silver, **B**: Black, **W**: White			
Corner Foot Glide 			**FF-CFGF-☐**		$29	$40
Sierra Foot Glide 	• For replacement or conversion with Sierra HX, HXL or Fundamentals feet only • Four glides per kit		**GLIDE-01**	1	$18	$25
Stretcher Brackets, Connected 	• For use with 2-leg and 3-leg frame sets • Rectangle or connected side stretcher set • Includes hardware • Silver, black, or white, powder-coated steel construction		**FF-ST-R54-72-☐**	7	$108	$150
			FF-ST-R78-90-☐	9	$126	$175
			Frame Set colors: **S**: Silver, **B**: Black, **W**: White			
Stretcher Brackets, Floating 	• For use with 3-leg frame sets • Corner floating stretcher set • Includes hardware • Silver, black, or white, powder-coated steel construction		**FF-ST-C42-72-☐**	6	$84	$117
			Frame Set colors: **S**: Silver, **B**: Black, **W**: White			
Motor Short Bracket 	• Connects to front of leg • Includes hardware • Silver, black, or white, powder-coated steel construction		**FF-MBKT-SH-☐**	1	$18	$25
			Frame Set colors: **S**: Silver, **B**: Black, **W**: White			
Motor L/R End Brackets 	• Connects to left or right legs • Includes hardware • Silver, black, or white, powder-coated steel construction	Left	**FF-MBKT-L-☐**	2	$28	$39
		Right	**FF-MBKT-R-☐**	2	$28	$39
			Frame Set colors: **S**: Silver, **B**: Black, **W**: White			
Motor Corner End Bracket 	• Connects to corner leg • Includes hardware • Silver, black, or white, powder-coated steel construction	Corner	**CNRBRKT-☐**	2	$28	$39
			Frame Set colors: **S**: Silver, **B**: Black, **W**: White			
Fast Frame Motor Connector Hardware Kit			**FF-HDWR-KIT-☐**	2	$18	$25
Fast Frame Cable Clip Kit 	• 10 clips per kit		**FF-CBLCLP-KIT-☐**	2	$14	$19

SIT-STAND DESKS
FUNDAMENTALS EX

THREE STEPS TO CONFIGURE YOUR FUNDAMENTALS EX ELECTRIC WORK CENTER



1. Select a Worksurface shape, size & laminate.
Use your existing worksurface top or choose from 2-leg or 3-leg shapes (as well as laminates).

2. Select the Frame Set.
Choose the frame set using the Pairing Guide below. Find the Base Sets which include feet and switch in the following pages.

Flat Foot included.

3. Select the Control.
Choose a Standard Control for simple up/down control, Programmable Control for more advanced options, or Bluetooth for controlling your desk via mobile device.

Worksurface/Frame Set Pairing Guide
Pair your Worksurface with the appropriate Base Set using this chart.

2-Leg Shapes

Worksurface	*Actual Size*	*Frame Set*
24" Deep Rectangles		
ST3423-B3	34"w × 23"d	FDEX30-48
ST4023-B3	40"w × 23"d	FDEX30-48
ST4623-B3	46"w × 23"d	FDEX30-48
ST5223-B3	52"w × 23"d	FDEX54-72
ST5823-B3	58"w × 23"d	FDEX54-72
ST6423-B3	64"w × 23"d	FDEX54-72
ST7023-B3	70"w × 23"d	FDEX54-72
30" Deep Rectangles		
ST3429-B3	34"w × 29"d	FDEX30-48
ST4029-B3	40"w × 29"d	FDEX30-48
ST4629-B3	46"w × 29"d	FDEX30-48
ST5229-B3	52"w × 29"d	FDEX54-72
ST5829-B3	58"w × 29"d	FDEX54-72
ST6429-B3	64"w × 29"d	FDEX54-72
ST7029-B3	70"w × 29"d	FDEX54-72
Small Equal Corner		
ST404023-B3	40"wL × 40"wR × 23"d	FDEX30-48
ST464623-B3	46"wL × 46"wR × 23"d	FDEX30-48
ST464629-B3	46"wL × 46"wR × 29"d	FDEX30-48
120 Degree Corner		
ST343423T-B3	34"wL × 34"wR × 23"d	FDEX30-48
ST404023T-B3	40"wL × 40"wR × 23"d	FDEX30-48
ST464623T-B3	46"wL × 46"wR × 23"d	FDEX30-48
ST343429T-B3	34"wL × 34"wR × 29"d	FDEX30-48
ST404029T-B3	40"wL × 40"wR × 29"d	FDEX30-48
ST464629T-B3	46"wL × 46"wR × 29"d	FDEX30-48

3-Leg Shapes

Worksurface	*Actual Size*	*Frame Set*
Large Equal Corners		
ST585823-B3	58"wL × 58"wR × 23"d	FDEX5472-4272EOC
ST646423-B3	64"wL × 64"wR × 23"d	FDEX5472-4272EOC
ST707023-B3	70"wL × 70"wR × 23"d	FDEX5472-4272EOC
ST585829-B3	58"wL × 58"wR × 29"d	FDEX5472-4272EOC
ST646429-B3	64"wL × 64"wR × 29"d	FDEX5472-4272EOC
ST707029-B3	70"wL × 70"wR × 29"d	FDEX5472-4272EOC

Foot Kit

Flat
24" Deep
F24
30" Deep
F30
24/30" Deep
F2430

Control

Standard	
SS	or
Programmable	
PS	or
Bluetooth	
BT	

PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS:
UL.COM/GG
UL 2818

10 YEAR WARRANTY!


FUNDAMENTALS EX 3-STAGE ELECTRIC DESK BASE SETS

The Price Fighters. European engineering and exceptional pricing make the Fundamentals series the right choice for anyone looking for limited budget sit-stand reliability. Two stage (LX) and three stage (EX) options provide additional pricing flexibility depending on your height range requirements.

Options sold separately


- Order a high quality Workrite laminated worksurface in a wide variety of laminates or reuse your existing top to complete your workstation

Frame Set dimensions




Fundamentals EX 2-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces
- Widths range from 30" to 72" wide
- Finish options: silver, black, white
- Optional MEMS Anti-Collision technology
- Height range of 22.5" to 48.7" meets BIFMA G1-2013 requirements
- Payload carry capacity: 125 lb (after top)
- Gross load capacity: 220 lb (not including top and safety factor)
- Adjustment speed: 1.6" per second
- Maximum current draw: 2.5 A at 120 V, 60 Hz
- Standby power: 0.1 W
- Meets Chicago code requirements
- Meets or exceeds BIFMA X5.5 Standards
- GREENGUARD GOLD certified
- UL962 listed



Options included in Base Set



Standard Switch or **Programmable Switch** or **Bluetooth Switch**

SIT-STAND DESKS
FUNDAMENTALS EX

Products listed on this page are **not on contract.** GSA

2-Leg Base Set part numbers consist of:
Model & Width Range | Foot Kit | Switch | Color

FDEX54-72-F24-SS-B

The example given is for a Fundamentals EX frame that is 54" to 72" wide, has a 24" Flat Foot Kit for a 24" worksurface depth, a Standard Switch, and the frame set color is Black.


Frame Set colors: **S**=Silver, **B**=Black, **W**=White

FUNDAMENTALS EX 2-LEG BASE SETS

	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)	US $ List Bluetooth Switch (BT)	CAN $ List Standard Switch (SS)	CAN $ List Programmable Switch (PS)	CAN $ List Bluetooth Switch (BT)
Worksurfaces 30" to 48" wide	**FDEX30-48-F24-☐☐-☐**	58	$1,396	$1,439	$1,482	$1,939	$1,999	$2,059
	FDEX30-48-F30-☐☐-☐	61	$1,405	$1,448	$1,491	$1,951	$2,011	$2,071
	FDEX30-48-F2430-☐☐-☐	60	$1,401	$1,444	$1,487	$1,946	$2,006	$2,066
Worksurfaces 54" to 72" wide	**FDEX54-72-F24-☐☐-☐**	64	$1,487	$1,530	$1,573	$2,065	$2,125	$2,186
	FDEX54-72-F30-☐☐-☐	67	$1,498	$1,541	$1,584	$2,081	$2,141	$2,201
	FDEX54-72-F2430-☐☐-☐	66	$1,491	$1,534	$1,577	$2,071	$2,131	$2,191

			Weight	US $ List	CAN $ List
MEMS Anti Collision Upgrade	• Micro Electro-mechanical Sensor Anti-Collision System • Adds 2 electronic sensor systems for advanced technology anti-collision performance • Includes Y-cable adapter & MEMS module • Simple plug & play installation	**MEMS-FD2**	1	$67	$93

GSA Products listed on this page are **not on contract.**




Fundamentals EX 3-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces
- Widths range from 42" to 72" wide
- Finish options: silver, black, white
- Optional MEMS Anti-Collision technology
- Height range of 22.5" to 48.7" meets BIFMA G1-2013 requirements
- Payload carry capacity: 200 lb (after top)
- Gross load capacity: 330 lb (not including top and safety factor)
- Adjustment speed: 1.6" per second
- Maximum current draw: 4 A at 120 V, 60 Hz
- Standby power: 0.1 W
- 10' power cord
- Meets or exceeds BIFMA X5.5 Standards
- GREENGUARD GOLD certified
- UL962 listed


To order Chicago electrical code compliant bases please add the code -C9 at the end of the model number of the base you are ordering

Options included in Base Set




Standard Switch

or



Programmable Switch

or



Bluetooth Switch

3-Leg Base Set part numbers consist of:

Model & Width Range | Foot Kit | Switch | Color

FDEX5472-4272EOC-F30-PS-W

The example given is for a Fundamentals EX frame that is 54" to 72" wide on one side and 42" to 48" on the other, has a 30" Flat Foot Kit for a 30" worksurface depth, a Programmable Switch, and the frame set color is White.

Frame Set colors: **S**=Silver, **B**=Black, **W**=White

FUNDAMENTALS EX 3-LEG BASE SETS	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)	US $ List Bluetooth Switch (BT)	CAN $ List Standard Switch (SS)	CAN $ List Programmable Switch (PS)	CAN $ List Bluetooth Switch (BT)
Corner Tops 54–72" wide × 42–72" wide	**FDEX5472-4272EOC-F24-☐☐-☐**	58	$2,262	$2,305	$2,348	$3,142	$3,202	$3,262
	FDEX5472-4272EOC-F30-☐☐-☐	61	$2,271	$2,314	$2,357	$3,154	$3,214	$3,274
	FDEX5472-4272EOC-F2430-☐☐-☐	60	$2,266	$2,309	$2,352	$3,147	$3,207	$3,267

			Weight	US $ List	CAN $ List
MEMS Anti Collision Upgrade	• Micro Electro-mechanical Sensor Anti-Collision System • Adds 2 electronic sensor systems for advanced technology anti-collision performance • Simple plug & play installation	**MEMS-FD3**	1	$67	$93







Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

GSA

FUNDAMENTALS EX ACCESSORIES










		Model#		Weight	US $ List	CAN $ List
Magnetic Cable Manager	• Vertical cable manager is 47" and comes complete with 3 embedded magnets and worksurface attachment hardware • Designed to discreetly conceal & manage cables down the rear or side profile of height adjustable desk legs • Open tab design allows for cables to easily enter and exit the cable chain • Length is optimized for 3 stage height adjustable desk, links can be removed to accommodate shorter adjustment ranges • Available in silver, black, white	**ACC-WM-MCC-☐**		2	$172	$239
		Colors: **S** :Silver, **B**: Black, **W**: White				
Round Cable Manager	• Vertical cable manager is 54" long and comes complete with weighted foot and worksurface attachment clips • Designed to manage cables from under worksurface to floor • Open tab design allows cables to easily snap in or out of manager • Keeps cables neat and organized while making height adjustments • Accommodates up to 1" diameter of bundled cables • Available in black	**95201**		3	$102	$142
Mesh Cable Trough	• Designed to be mounted under the worksurface behind the stretcher bracket • Constructed of durable mesh, it provides 4" height and 3.5" depth of storage space • Two widths offered to accommodate varying sized worksurfaces ▪ 34" version to be mounted on worksurfaces 46" or less ▪ 48" version to be mounted on worksurfaces 48" or greater • Mounting hook design allows mesh trough to hinge open for easier access • Velcro loops inside the mesh trough provide convenient way to keep cables & power strips bundled internally • Each version features (1) grommet hole in the center to allow cables to enter or exit as required • Textile portion available in gray finish	**34"**	**ACC-WM-MT34-G**		$227	$315
		48"	**ACC-WM-MT48-G**		$244	$339
Low Profile Casters	• Dual wheel casters designed for use on carpet floors • Low profile 2" wide, 37 mm diameter wheels • Caster raises Sentinel sit-stand desk height by 1" • Four locking casters per set—fits 2-leg bases ONLY • 400 lb gross capacity	**95234**		2	$78	$108
Premium Polyurethane Casters	• Compatible with carpet and hard flooring • Translucent smooth rolling 1"w × 3"h polyurethane wheels • Increases desk height by 3–3.5" when installed • Four locking casters per set—fits 2-leg bases ONLY • 400 lb gross capacity	**ACC-CASTER-4PK3IN-CP**		2	$208	$289

FUNDAMENTALS EX REPLACEMENT PARTS


		Model#	Weight	US $ List	CAN $ List
Standard Switch 	• Intuitive toggle paddle design for manual up/down movement • Compatible with Sierra HX and Fundamentals workstations ONLY	**STDSWITCH**	1	$45	$63
Digital Programmable Switch 	• Three memory pre-sets to program sit or stand positions • Manual up/down control buttons • User lock feature • User programmable upper and lower height limits • Compatible with Sierra HX and Fundamentals sit-stand desks ONLY	**PROSWITCH-BLK**	1	$104	$144
Bluetooth Switch 	• Bluetooth module connects your desk to your smart device • Set sit and stand use reminders • Track your use history of your sit stand desk • Intuitive toggle paddle design for manual up/down movement • User lock feature • User programmable upper and lower height limits • Compatible with Sierra HX and Fundamentals sit-stand desks ONLY • Compatible with Android and IOS operating systems	**BT-PROSWITCH**	1	$165	$229
2-Leg 3 Stage System Master Leg 	• "Leg one" for 2-leg bases only • Fit FDEX 22.5" to 48.7" height range only • Includes mounting hardware	**FDEX-MSTRLEG-❑**	17	$675	$938
		Leg colors: **S**: Silver, **B**: Black, **W**: White			
3-Leg System/ 2-Leg 3 Stage Companion Leg 	• "Leg two" for 2-leg bases • "All three" leg for 3-leg Fundamentals bases • Fit FDEX 22.5" to 48.7" height range only • Includes mounting hardware	**FDEX-COMPLEG-❑**	17	$468	$650
		Leg colors: **S**: Silver, **B**: Black, **W**: White			
Fundamentals 2-Leg Power Cable 	• Fits Fundamentals power supply ONLY • 10' length • PVC free	**FD-TRNSCBL-3500MM**	2	$36	$50
Fundamentals 3-Leg Power Cord 	• Fits 3-leg Fundamentals and Sierra HX Only • 10' length • 2 pole 120 V US standard wall end • IEC C17 female plug to control box • PVC free	**SE-PWRCBL**	2	$36	$50

Products listed on this page are **not on contract.** GSA

FUNDAMENTALS EX REPLACEMENT PARTS

		Frame Set	Model#	Weight	US $ List	CAN $ List
Fundamentals 2-Leg Power Supply 	• Fits Fundamentals 2-leg bases ONLY • 120 V 60 Hz • Requires **FD-TRNSCBL-3500MM** • PVC free	2-leg	**FD-PWRSUPPLY**	2	$105	$146
Fundamentals EX 3-Leg Control Box 	• Fit Fundamentals 3-leg bases ONLY • 120 V 60 Hz 200 W • Uses **SE-PWR-CBL** Power Cord • PVC free	3-leg	**FD-3S3L-CB**	2	$468	$650
		Length				
Motor Cables 	• Fits Fundamentals and Sierra HX only • Replacement motor cables in two lengths • PVC free	1 m	**SE-MCBL-1000MM**	1	$28	$39
		2 m	**SE-MCBL-2000MM**	1	$39	$54
		Worksurface Depth				
Sierra Flat Foot Kit 	• Fits Fundamentals and Sierra HX legs only • Low profile design allows most peds to set over foot • Powder-coated steel construction • Sold in pairs	24"	**FFK24-☐**	15	$106	$147
		30"	**FFK30-☐**	18	$120	$167
		Dual Depth	**FFK2430-☐**	17	$114	$158
		Foot colors: **S**: Silver, **B**: Black, **W**: White				
Corner Foot Glide 			**FF-CFGF-☐**		$29	$40
Stretcher Brackets, Connected 	• For use with 2-leg and 3-leg frame sets • Rectangle or connected side stretcher set • Includes hardware • Silver, black, or white, powder-coated steel construction		**FF-ST-R54-72-☐**	7	$108	$150
			FF-ST-R78-90-☐	9	$126	$175
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Stretcher Brackets, Floating 	• For use with 3-leg frame sets • Corner floating stretcher set • Includes hardware • Silver, black, or white, powder-coated steel construction		**FF-ST-C42-72-☐**	6	$84	$117
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Motor Short Bracket 	• Connects to front of leg • Includes hardware • Silver, black, or white, powder-coated steel construction		**FF-MBKT-SH-☐**	1	$18	$25
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Motor L/R End Brackets 	• Connects to left or right legs • Includes hardware • Silver, black, or white, powder-coated steel construction	Left	**FF-MBKT-L-☐**	2	$28	$39
		Right	**FF-MBKT-R-☐**	2	$28	$39
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Motor Corner End Bracket 	• Connects to corner leg • Includes hardware • Silver, black, or white, powder-coated steel construction	Corner	**CNRBRKT-☐**	2	$28	$39
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Fast Frame Motor Connector Hardware Kit			**FF-HDWR-KIT-☐**	2	$18	$25
Fast Frame Cable Clip Kit 	• 10 clips per kit		**FF-CBLCLP-KIT-☐**	2	$14	$19

THREE STEPS TO CONFIGURE YOUR FUNDAMENTALS LX ELECTRIC WORK CENTER



1. Select a Worksurface shape, size & laminate.
Use your existing worksurface top or choose from 2-leg or 3-leg shapes (as well as laminates).

2. Select the Frame Set.
Choose the frame set using the Pairing Guide below. Find the Base Sets which include feet and switch in the following pages.

Flat Foot included.

3. Select the Control.
Choose a Standard Control for simple up/down control, Programmable Control for more advanced options, or Bluetooth for controlling your desk via mobile device.

Worksurface/Frame Set Pairing Guide

Pair your Worksurface with the appropriate Base Set using this chart.

2-Leg Shapes		
Worksurface	*Actual Size*	*Frame Set*
24" Deep Rectangles		
ST3423-B3	34"w×23"d	FDLX30-48
ST4023-B3	40"w×23"d	FDLX30-48
ST4623-B3	46"w×23"d	FDLX30-48
ST5223-B3	52"w×23"d	FDLX54-72
ST5823-B3	58"w×23"d	FDLX54-72
ST6423-B3	64"w×23"d	FDLX54-72
ST7023-B3	70"w×23"d	FDLX54-72
30" Deep Rectangles		
ST3429-B3	34"w×29"d	FDLX30-48
ST4029-B3	40"w×29"d	FDLX30-48
ST4629-B3	46"w×29"d	FDLX30-48
ST5229-B3	52"w×29"d	FDLX54-72
ST5829-B3	58"w×29"d	FDLX54-72
ST6429-B3	64"w×29"d	FDLX54-72
ST7029-B3	70"w×29"d	FDLX54-72
Small Equal Corner		
ST404023-B3	40"wL×40"wR×23"d	FDLX30-48
ST464623-B3	46"wL×46"wR×23"d	FDLX30-48
ST464629-B3	46"wL×46"wR×29"d	FDLX30-48
120 Degree Corner		
ST343423T-B3	34"wL×34"wR×23"d	FDLX30-48
ST404023T-B3	40"wL×40"wR×23"d	FDLX30-48
ST464623T-B3	46"wL×46"wR×23"d	FDLX30-48
ST343429T-B3	34"wL×34"wR×29"d	FDLX30-48
ST404029T-B3	40"wL×40"wR×29"d	FDLX30-48
ST464629T-B3	46"wL×46"wR×29"d	FDLX30-48

3-Leg Shapes		
Worksurface	*Actual Size*	*Frame Set*
Large Equal Corners		
ST585823-B3	58"wL×58"wR×23"d	FDLX5472-4272EOC
ST646423-B3	64"wL×64"wR×23"d	FDLX5472-4272EOC
ST707023-B3	70"wL×70"wR×23"d	FDLX5472-4272EOC
ST585829-B3	58"wL×58"wR×29"d	FDLX5472-4272EOC
ST646429-B3	64"wL×64"wR×29"d	FDLX5472-4272EOC
ST707029-B3	70"wL×70"wR×29"d	FDLX5472-4272EOC

Foot Kit
Flat
24" Deep
F24
30" Deep
F30
24/30" Deep
F2430

Control	
Standard	
SS	or
Programmable	
PS	or
Bluetooth	
BT	

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

10 YEAR WARRANTY!


FUNDAMENTALS LX 2-STAGE BASE SETS

The Price Fighters. European engineering and exceptional pricing make the Fundamentals series the right choice for anyone looking for limited budget sit-stand reliability. Two stage (LX) and three stage (EX) options provide additional pricing flexibility depending on your height range requirements.

Options sold separately


- Order a high quality Workrite laminated worksurface in a wide variety of laminates or reuse your existing top to complete your workstation

Frame Set dimensions




Fundamentals LX 2-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces
- Widths range from 30" to 72" wide
- Finish options: silver, black, white
- Optional MEMS Anti-Collision technology
- Height range of 27.5" to 47"
- Payload carry capacity: 125 lb (after top)
- Gross load capacity: 220 lb (not including top and safety factor)
- Adjustment speed: 1.6" per second
- Maximum current draw: 2.5 A at 120 V, 60 Hz
- Standby power: 0.1 W
- Meets Chicago code requirements
- Meets or exceeds BIFMA X5.5 Standards
- GREENGUARD GOLD certified
- UL962 listed




Options included in Base Set




Standard Switch

or



Programmable Switch

or



Bluetooth Switch

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

GSA Products listed on this page are **not on contract.**

2-Leg Base Set part numbers consist of:

Model & Width Range | Foot Kit | Switch | Color

FDLX54-72-F24-SS-B

The example given is for a Fundamentals LX frame that is 54" to 72" wide, has a 24" Flat Foot Kit for a 24" worksurface depth, a Standard Switch, and the frame set color is Black.

Frame Set colors: **S**=Silver, **B**=Black, **W**=White

FUNDAMENTALS LX 2-LEG BASE SETS

	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)	US $ List Bluetooth Switch (BT)	CAN $ List Standard Switch (SS)	CAN $ List Programmable Switch (PS)	CAN $ List Bluetooth Switch (BT)
Worksurfaces 30" to 48" wide	FDLX30-48-F24-☐☐-☐	53	$1,236	$1,279	$1,322	$1,717	$1,777	$1,837
	FDLX30-48-F30-☐☐-☐	56	$1,244	$1,287	$1,330	$1,728	$1,788	$1,848
	FDLX30-48-F2430-☐☐-☐	55	$1,240	$1,283	$1,326	$1,722	$1,782	$1,842
Worksurfaces 54" to 72" wide	FDLX54-72-F24-☐☐-☐	59	$1,326	$1,369	$1,412	$1,842	$1,902	$1,962
	FDLX54-72-F30-☐☐-☐	62	$1,336	$1,379	$1,422	$1,856	$1,916	$1,976
	FDLX54-72-F2430-☐☐-☐	61	$1,332	$1,375	$1,418	$1,850	$1,910	$1,970

			US $ List	CAN $ List
MEMS Anti Collision Upgrade	• Micro Electro-mechanical Sensor Anti-Collision System • Adds 2 electronic sensor systems for advanced technology anti-collision performance • Includes Y-cable adapter & MEMS module • Simple plug & play installation	**MEMS-FD2**	$67	$93

SIT-STAND DESKS
FUNDAMENTALS LX


Products listed on this page are **not on contract.**

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818


Fundamentals LX 3-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces
- Widths range from 42" to 72" wide
- Finish options: silver, black, white
- Optional MEMS Anti-Collision technology
- Height range of 27.5" to 47"
- Payload carry capacity: 200 lb (after top)
- Gross load capacity: 330 lb (not including top and safety factor)
- Adjustment speed: 1.6" per second
- Maximum current draw: 4 A at 120 V, 60 Hz
- Standby power: 0.1 W
- 10' power cord
- Meets or exceeds BIFMA X5.5 Standards
- GREENGUARD GOLD certified
- UL962 listed

**To order Chicago electrical code compliant bases please add the code -C9 at the end of the model number of the base you are ordering*




Options included in Base Set




Standard Switch

or



Programmable Switch

or



Bluetooth Switch

3-Leg Base Set part numbers consist of:

Model & Width Range | Foot Kit | Switch | Color

FDLX5472-4272EOC-F30-PS-W

The example given is for a Fundamentals LX frame that is 54" to 72" wide on one side and 42" to 48" on the other, has a 30" Flat Foot Kit for a 30" worksurface depth, a Programmable Switch, and the frame set color is White.

Frame Set colors: **S**=Silver, **B**=Black, **W**=White

FUNDAMENTALS LX 3-LEG BASE SETS	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)	US $ List Bluetooth Switch (BT)	CAN $ List Standard Switch (SS)	CAN $ List Programmable Switch (PS)	CAN $ List Bluetooth Switch (BT)
Corner Tops 54–72" wide × 42–72" wide	FDLX5472-4272EOC-F24-☐☐-☐	79	$2,026	$2,069	$2,112	$2,814	$2,874	$2,934
	FDLX5472-4272EOC-F30-☐☐-☐	82	$2,036	$2,079	$2,122	$2,828	$2,888	$2,948
	FDLX5472-4272EOC-F2430-☐☐-☐	81	$2,031	$2,074	$2,117	$2,821	$2,881	$2,941

			US $ List	CAN $ List
MEMS Anti Collision Upgrade	• Micro Electro-mechanical Sensor Anti-Collision System • Adds 2 electronic sensor systems for advanced technology anti-collision performance • Simple plug & play installation	**MEMS-FD3**	$67	$93







FUNDAMENTALS LX ACCESSORIES

		Model#	Weight	US $ List (Not on GSA Contract)	CAN $ List
Magnetic Cable Manager	• Vertical cable manager is 47" and comes complete with 3 embedded magnets and worksurface attachment hardware • Designed to discreetly conceal & manage cables down the rear or side profile of height adjustable desk legs • Open tab design allows for cables to easily enter and exit the cable chain • Length is optimized for 3 stage height adjustable desk, links can be removed to accommodate shorter adjustment ranges • Available in silver, black, white	**ACC-WM-MCC-☐** Colors: **S** :Silver, **B**: Black, **W**: White	2	$172	$239
Round Cable Manager	• Vertical cable manager is 54" long and comes complete with weighted foot and worksurface attachment clips • Designed to manage cables from under worksurface to floor • Open tab design allows cables to easily snap in or out of manager • Keeps cables neat and organized while making height adjustments • Accommodates up to 1" diameter of bundled cables • Available in black	**95201**	3	$102	$142
Mesh Cable Trough	• Designed to be mounted under the worksurface behind the stretcher bracket • Constructed of durable mesh, it provides 4" height and 3.5" depth of storage space • Two widths offered to accommodate varying sized worksurfaces ▪ 34" version to be mounted on worksurfaces 46" or less ▪ 48" version to be mounted on worksurfaces 48" or greater • Mounting hook design allows mesh trough to hinge open for easier access • Velcro loops inside the mesh trough provide convenient way to keep cables & power strips bundled internally • Each version features (1) grommet hole in the center to allow cables to enter or exit as required • Textile portion available in gray finish	**34"** **ACC-WM-MT34-G** **48"** **ACC-WM-MT48-G**		$227 $244	$315 $339
Low Profile Casters	• Dual wheel casters designed for use on carpet floors • Low profile 2" wide, 37 mm diameter wheels • Caster raises Sentinel sit-stand desk height by 1" • Four locking casters per set—fits 2-leg bases ONLY • 400 lb gross capacity	**95234**	2	$78	$108
Premium Polyurethane Casters	• Compatible with carpet and hard flooring • Translucent smooth rolling 1"w × 3"h polyurethane wheels • Increases desk height by 3–3.5" when installed • Four locking casters per set—fits 2-leg bases ONLY • 400 lb gross capacity	**ACC-CASTER-4PK3IN-CP**	2	$208	$289









SIT-STAND DESKS
FUNDAMENTALS LX

Products listed on this page are **not on contract.** GSA

FUNDAMENTALS LX REPLACEMENT PARTS

		Model#	Weight	US $ List	CAN $ List
Standard Switch 	• Intuitive toggle paddle design for manual up/down movement • Compatible with Sierra HX and Fundamentals workstations ONLY	**STDSWITCH**	1	$45	$63
Digital Programmable Switch 	• Three memory pre-sets to program sit or stand positions • Manual up/down control buttons • User lock feature • User programmable upper and lower height limits • Compatible with Sierra HX and Fundamentals sit-stand desks ONLY	**PROSWITCH-BLK**	1	$104	$144
Bluetooth Switch 	• Bluetooth module connects your desk to your smart device • Set sit and stand use reminders • Track your use history of your sit stand desk • Intuitive toggle paddle design for manual up/down movement • User lock feature • User programmable upper and lower height limits • Compatible with Sierra HX and Fundamentals sit-stand desks ONLY • Compatible with Android and IOS operating systems	**BT-PROSWITCH**	1	$165	$229
2-Leg 2 Stage System Master Leg 	• "Leg one" for 2-leg bases only • Fit FDLX 27.5" to 47" height range only • Includes mounting hardware	**FDLX-MSTRLEG-☐** Leg colors: **S**: Silver, **B**: Black, **W**: White	17	$564	$783
3-Leg System/ 2-Leg 2 Stage Companion Leg 	• "Leg two" for 2-leg bases • "All three" leg for 3-leg Fundamentals bases • Fit FDLX 27.5" to 47.2" height range only • Includes mounting hardwarew	**FDLX-COMPLEG-☐** Leg colors: **S**: Silver, **B**: Black, **W**: White	17	$400	$556
Fundamentals 2-Leg Power Cable 	• Fits Fundamentals power supply ONLY • 10' length • PVC free	**FD-TRNSCBL-3500MM**	2	$36	$50
Fundamentals 3-Leg Power Cord 	• Fits 3-leg Fundamentals and Sierra HX Only • 10' length • 2 pole 120 V US standard wall end • IEC C17 female plug to control box • PVC free	**SE-PWRCBL**	2	$36	$50
Fundamentals 2-Leg Power Supply 	• Fits Fundamentals 2-leg bases ONLY • 120 V 60 Hz • Requires **FD-TRNSCBL-3500MM** • PVC free	2-leg **FD-PWRSUPPLY**	2	$105	$146

FUNDAMENTALS LX REPLACEMENT PARTS


		Frame Set	Model#	Weight	US $ List	CAN $ List
Fundamentals LX 3-Leg Control Box 	• Fit Fundamentals 3-leg bases ONLY • 120 V 60 Hz 200W • PVC free	3-leg	**FD-2S3L-CB**	2	$468	$650
		Length				
Motor Cables 	• Fits Fundamentals and Sierra HX only • Replacement motor cables in two lengths • PVC free	1 m	**SE-MCBL-1000MM**	1	$28	$39
		2 m	**SE-MCBL-2000MM**	1	$39	$54
		Worksurface Depth				
Sierra Flat Foot Kit 	• Fits Fundamentals and Sierra HX legs only • Low profile design allows most peds to set over foot • Powder-coated steel construction • Sold in pairs	24"	**FFK24-☐**	15	$106	$147
		30"	**FFK30-☐**	18	$120	$167
		Dual Depth	**FFK2430-☐**	17	$114	$158
		Foot colors: **S**: Silver, **B**: Black, **W**: White				
Corner Foot Glide 			**FF-CFGF-☐**		$29	$40
Stretcher Brackets, Connected 	• For use with 2-leg and 3-leg frame sets • Rectangle or connected side stretcher set • Includes hardware • Silver, black, or white, powder-coated steel construction		**FF-ST-R54-72-☐**	7	$108	$150
			FF-ST-R78-90-☐	9	$126	$175
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Stretcher Brackets, Floating 	• For use with 3-leg frame sets • Corner floating stretcher set • Includes hardware • Silver, black, or white, powder-coated steel construction		**FF-ST-C42-72-☐**	6	$84	$117
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Motor Short Bracket 	• Connects to front of leg • Includes hardware • Silver, black, or white, powder-coated steel construction		**FF-MBKT-SH-☐**	1	$18	$25
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Motor L/R End Brackets 	• Connects to left or right legs • Includes hardware • Silver, black, or white, powder-coated steel construction	Left	**FF-MBKT-L-☐**	2	$28	$39
		Right	**FF-MBKT-R-☐**	2	$28	$39
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Motor Corner End Bracket 	• Connects to corner leg • Includes hardware • Silver, black, or white, powder-coated steel construction	Corner	**CNRBRKT-☐**	2	$28	$39
		Frame Set colors: **S**: Silver, **B**: Black, **W**: White				
Fast Frame Motor Connector Hardware Kit			**FF-HDWR-KIT-☐**	2	$18	$25
Fast Frame Cable Clip Kit 	• 10 clips per kit		**FF-CBLCLP-KIT-☐**	2	$14	$19

SIT-STAND DESKS
ASCENT4 EX

Products listed on this page are **not on contract.** GSA

(AVAILABLE IN US ONLY)

THREE STEPS TO CONFIGURE YOUR ASCENT4 EX ELECTRIC WORK CENTER



1. Select a Worksurface shape, size & laminate.
Use your existing worksurface top or choose from 2-leg or 3-leg shapes (as well as laminates).

2. Select the Frame Set.
Choose the frame set using the Pairing Guide below. Find the Base Sets which include feet and switch in the following pages.

Flat Foot included.

3. Select the Control.
Choose a Standard Control for simple up/down control or a Programmable Control for more advanced options.

Worksurface/Frame Set Pairing Guide
Pair your Worksurface with the appropriate Base Set using this chart.

2-Leg Shapes

Worksurface	*Actual Size*	*Frame Set*
24" Deep Rectangles		
ST3423-B3	34"w × 23"d	AS4EX30-48
ST4023-B3	40"w × 23"d	AS4EX30-48
ST4623-B3	46"w × 23"d	AS4EX30-48
ST5223-B3	52"w × 23"d	AS4EX54-72
ST5823-B3	58"w × 23"d	AS4EX54-72
ST6423-B3	64"w × 23"d	AS4EX54-72
ST7023-B3	70"w × 23"d	AS4EX54-72
30" Deep Rectangles		
ST3429-B3	34"w × 29"d	AS4EX30-48
ST4029-B3	40"w × 29"d	AS4EX30-48
ST4629-B3	46"w × 29"d	AS4EX30-48
ST5229-B3	52"w × 29"d	AS4EX54-72
ST5829-B3	58"w × 29"d	AS4EX54-72
ST6429-B3	64"w × 29"d	AS4EX54-72
ST7029-B3	70"w × 29"d	AS4EX54-72
Small Equal Corner		
ST404023-B3	40"wL × 40"wR × 23"d	AS4EX30-48
ST464623-B3	46"wL × 46"wR × 23"d	AS4EX30-48
ST464629-B3	46"wL × 46"wR × 29"d	AS4EX30-48
120 Degree Corner		
ST343423T-B3	34"wL × 34"wR × 23"d	AS4EX30-48
ST404023T-B3	40"wL × 40"wR × 23"d	AS4EX30-48
ST464623T-B3	46"wL × 46"wR × 23"d	AS4EX30-48
ST343429T-B3	34"wL × 34"wR × 29"d	AS4EX30-48
ST404029T-B3	40"wL × 40"wR × 29"d	AS4EX30-48
ST464629T-B3	46"wL × 46"wR × 29"d	AS4EX30-48

3-Leg Shapes

Worksurface	*Actual Size*	*Frame Set*
Large Equal Corners		
ST585823-B3	58"wL × 58"wR × 23"d	AS4EX5472-4272EOC
ST646423-B3	64"wL × 64"wR × 23"d	AS4EX5472-4272EOC
ST707023-B3	70"wL × 70"wR × 23"d	AS4EX5472-4272EOC
ST585829-B3	58"wL × 58"wR × 29"d	AS4EX5472-4272EOC
ST646429-B3	64"wL × 64"wR × 29"d	AS4EX5472-4272EOC
ST707029-B3	70"wL × 70"wR × 29"d	AS4EX5472-4272EOC

Foot Kit
Flat
24" Deep F24
30" Deep F30
24/30" Deep F2430

Control	
Standard	
SS	or
Programmable	
PS	

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

GSA Products listed on this page are **not on contract.**

(AVAILABLE IN US ONLY)

7 YEAR WARRANTY!


ASCENT4 EX 3-STAGE BASE SETS

Elevate your workspace with the Ascent4 Sit-Stand Desk. The EX model features the industry-standard BIFMA G1-2013 Ergonomic Height Range, ensuring top-tier comfort and adjustability for all users.

Options sold separately


- Order a high quality Workrite laminated worksurface in a wide variety of laminates or reuse your existing top to complete your workstation

Frame Set dimensions




Ascent4 EX 2-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces
- Rectangle sizes from 30" to 72" wide
- Powder coated steel finish in Silver, Black, or White
- Gyro-Sensor Anti-Collision
- Optional Digital Memory Switch & Standard Switch
- BIFMA G-1 2013 height range: 22.52" to 48.7"
- 2-leg payload carry capacity: 200 pounds (after top)
- 2-leg gross load capacity: 308 pounds (not including top and safety factor)
- Adjustment speed: 1.5" per second
- Maximum power draw: 4.0 A at 120 V, 60 Hz
- Standby power draw: 0.3 W
- 9-foot power cord meets Chicago Code requirements
- Meets or exceeds BIFMA X5.5 Standards
- GREENGUARD GOLD Certified
- UL962 Listed



Options included in Base Set



Standard Switch or **Programmable Switch**

SIT-STAND DESKS
ASCENT4 EX

Products listed on this page are **not on contract.** GSA

(AVAILABLE IN US ONLY)

2-Leg Base Set part numbers consist of:

Model & Width Range | Foot Kit | Switch | Color

AS4EX54-72-F24-SS-B

The example given is for a Ascent4 EX frame that is 54" to 72" wide, has a 24" Flat Foot Kit for a 24" worksurface depth, a Standard Switch, and the frame set color is Black.

Frame Set colors: **S**=Silver, **B**=Black, **W**=White

ASCENT4 EX 2-LEG BASE SETS	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)
Worksurfaces 30" to 48" wide	**AS4EX-30-48-F24-☐☐-☐**	53	$1,135	$1,151
	AS4EX-30-48-F30-☐☐-☐	56	$1,150	$1,166
	AS4EX-30-48-F2430-☐☐-☐	55	$1,143	$1,159
Worksurfaces 54" to 72" wide	**AS4EX-54-72-F24-☐☐-☐**	59	$1,196	$1,212
	AS4EX-54-72-F30-☐☐-☐	62	$1,211	$1,227
	AS4EX-54-72-F2430-☐☐-☐	61	$1,203	$1,219

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818


GSA Products listed on this page are **not on contract.**

(AVAILABLE IN US ONLY)


7 YEAR WARRANTY!

Ascent4 EX 3-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces
- Corner sizes 54–72" wide by 42–72" wide
- Powder coated steel finish in Silver, Black, or White
- Gyro-Sensor Anti-Collision
- Optional Digital Memory Switch & Standard Switch
- BIFMA G-1 2013 height range: 22.52" to 48.7"
- 3-leg payload carry capacity: 300 pounds (after top)
- 3-leg gross load capacity: 428 pounds (not including top and safety factor)
- Adjustment speed: 1.5" per second
- Maximum power draw: 5.0 A at 120 V, 60 Hz
- Standby power draw: 0.3 W
- 9-foot power cord meets Chicago Code requirements
- Meets or exceeds BIFMA X5.5 Standards
- GREENGUARD GOLD Certified
- UL962 Listed




Options included in Base Set



Standard Switch

or



Programmable Switch

3-Leg Base Set part numbers consist of:

Model & Width Range | Foot Kit | Switch | Color

AS4EX-5472-4272EOC-F30-PS-W

The example given is for a Ascent4 EX frame that is 54" to 72" wide on one side and 42" to 48" on the other, has a 30" Flat Foot Kit for a 30" worksurface depth, a Programmable Switch, and the frame set color is White.

Frame Set colors: **S**=Silver, **B**=Black, **W**=White

ASCENT4 EX 3-LEG BASE SETS	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)
Corner Tops 54–72" wide × 42–72" wide	AS4EX-5472-4272EOC-F24-☐☐-☐	58	$1,713	$1,729
	AS4EX-5472-4272EOC-F30-☐☐-☐	61	$1,728	$1,744
	AS4EX-5472-4272EOC-F2430-☐☐-☐	60	$1,720	$1,736


SIT-STAND DESKS
ASCENT4 LX

Products listed on this page are **not on contract.** GSA

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

THREE STEPS TO CONFIGURE YOUR ASCENT4 LX ELECTRIC WORK CENTER



1. Select a Worksurface shape, size & laminate.
Use your existing worksurface top or choose from 2-leg or 3-leg shapes (as well as laminates).

2. Select the Frame Set.
Choose the frame set using the Pairing Guide below. Find the Base Sets which include feet and switch in the following pages.

Flat Foot included.

3. Select the Control.
Choose a Standard Control for simple up/down control or a Programmable Control for more advanced options.

Worksurface/Frame Set Pairing Guide

Pair your Worksurface with the appropriate Base Set using this chart.

2-Leg Shapes		
Worksurface	*Actual Size*	*Frame Set*
24" Deep Rectangles		
ST3423-B3	34"w × 23"d	AS4LX30-48
ST4023-B3	40"w × 23"d	AS4LX30-48
ST4623-B3	46"w × 23"d	AS4LX30-48
ST5223-B3	52"w × 23"d	AS4LX54-72
ST5823-B3	58"w × 23"d	AS4LX54-72
ST6423-B3	64"w × 23"d	AS4LX54-72
ST7023-B3	70"w × 23"d	AS4LX54-72
30" Deep Rectangles		
ST3429-B3	34"w × 29"d	AS4LX30-48
ST4029-B3	40"w × 29"d	AS4LX30-48
ST4629-B3	46"w × 29"d	AS4LX30-48
ST5229-B3	52"w × 29"d	AS4LX54-72
ST5829-B3	58"w × 29"d	AS4LX54-72
ST6429-B3	64"w × 29"d	AS4LX54-72
ST7029-B3	70"w × 29"d	AS4LX54-72
Small Equal Corner		
ST404023-B3	40"wL × 40"wR × 23"d	AS4LX30-48
ST464623-B3	46"wL × 46"wR × 23"d	AS4LX30-48
ST464629-B3	46"wL × 46"wR × 29"d	AS4LX30-48
120 Degree Corner		
ST343423T-B3	34"wL × 34"wR × 23"d	AS4LX30-48
ST404023T-B3	40"wL × 40"wR × 23"d	AS4LX30-48
ST464623T-B3	46"wL × 46"wR × 23"d	AS4LX30-48
ST343429T-B3	34"wL × 34"wR × 29"d	AS4LX30-48
ST404029T-B3	40"wL × 40"wR × 29"d	AS4LX30-48
ST464629T-B3	46"wL × 46"wR × 29"d	AS4LX30-48

3-Leg Shapes		
Worksurface	*Actual Size*	*Frame Set*
Large Equal Corners		
ST585823-B3	58"wL × 58"wR × 23"d	AS4LX5472-4272EOC
ST646423-B3	64"wL × 64"wR × 23"d	AS4LX5472-4272EOC
ST707023-B3	70"wL × 70"wR × 23"d	AS4LX5472-4272EOC
ST585829-B3	58"wL × 58"wR × 29"d	AS4LX5472-4272EOC
ST646429-B3	64"wL × 64"wR × 29"d	AS4LX5472-4272EOC
ST707029-B3	70"wL × 70"wR × 29"d	AS4LX5472-4272EOC

Foot Kit
Flat
24" Deep
F24
30" Deep
F30
24/30" Deep
F2430

Control	
Standard	
SS	or
Programmable	
PS	


ASCENT4 LX 2-STAGE BASE SETS

The Ascent 4 Sit-Stand Desk brings Workrite's renowned performance into a value-packed design. The LX model features an adjustable height range of 27.5 to 47.2 inches, making it affordable and versatile.

Options sold separately


- Order a high quality Workrite laminated worksurface in a wide variety of laminates or reuse your existing top to complete your workstation

Frame Set dimensions




Ascent4 LX 2-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces
- Rectangle sizes from 30" to 72" wide
- Powder coated steel finish in Silver, Black, or White
- Gyro-Sensor Anti-Collision
- Optional Digital Memory Switch & Standard Switch
- Height range of 27.5" to 47.2"
- 2-leg payload carry capacity: 200 pounds (after top)
- 2-leg gross load capacity: 308 pounds (not including top and safety factor)
- Adjustment speed: 1.2" per second
- Maximum power draw: 4.0 A at 120 V, 60 Hz
- Standby power draw: 0.3 W
- 9-foot power cord meets Chicago Code requirements
- Meets or exceeds BIFMA X5.5 Standards
- GREENGUARD GOLD Certified
- UL962 Listed



Options included in Base Set



Standard Switch or **Programmable Switch**

SIT-STAND DESKS
ASCENT4 LX

Products listed on this page are **not on contract.** GSA

(AVAILABLE IN US ONLY)

2-Leg Base Set part numbers consist of:

Model & Width Range | Foot Kit | Switch | Color

AS4LX54-72-F24-SS-B

The example given is for a Ascent4 LX frame that is 54" to 72" wide, has a 24" Flat Foot Kit for a 24" worksurface depth, a Standard Switch, and the frame set color is Black.

Frame Set colors: **S**=Silver, **B**=Black, **W**=White

ASCENT4 LX 2-LEG BASE SETS

	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)
Worksurfaces 30" to 48" wide	**AS4LX-30-48-F24-☐☐-☐**	53	$964	$980
	AS4LX-30-48-F30-☐☐-☐	56	$980	$996
	AS4LX-30-48-F2430-☐☐-☐	55	$972	$988
Worksurfaces 54" to 72" wide	**AS4LX-54-72-F24-☐☐-☐**	59	$1,025	$1,041
	AS4LX-54-72-F30-☐☐-☐	62	$1,040	$1,056
	AS4X-54-72-F2430-☐☐-☐	61	$1,032	$1,048

GREENGUARD GOLD


PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

GSA Products listed on this page are **not on contract.**


(AVAILABLE IN US ONLY)

Ascent4 LX 3-Leg Frame Set specifications

- Available for 24" and 30" deep worksurfaces
- Corner sizes 54–72" wide by 42–72" wide
- Powder coated steel finish in Silver, Black, or White
- Gyro-Sensor Anti-Collision
- Optional Digital Memory Switch & Standard Switch
- BIFMA G-1 2013 height range: 27.5" to 47.2"
- 3-leg payload carry capacity: 300 pounds (after top)
- 3-leg gross load capacity: 428 pounds (not including top and safety factor)
- Adjustment speed: 1.5" per second
- Maximum power draw: 5.0 A at 120 V, 60 Hz
- Standby power draw: 0.3 W
- 9-foot power cord meets Chicago Code requirements
- Meets or exceeds BIFMA X5.5 Standards
- GREENGUARD GOLD Certified
- UL962 Listed




Options included in Base Set



Standard Switch

or



Programmable Switch

3-Leg Base Set part numbers consist of:

Model & Width Range | Foot Kit | Switch | Color

AS4LX-5472-4272EOC-F30-PS-W

The example given is for a Ascent4 LX frame that is 54" to 72" wide on one side and 42" to 48" on the other, has a 30" Flat Foot Kit for a 30" worksurface depth, a Programmable Switch, and the frame set color is White.

Frame Set colors: **S**=Silver, **B**=Black, **W**=White

ASCENT4 LX 3-LEG BASE SETS	Model #	Weight	US $ List Standard Switch (SS)	US $ List Programmable Switch (PS)
Corner Tops 54–72" wide × 42–72" wide	AS4LX-5472-4272EOC-F24-☐☐-☐	58	$1,491	$1,507
	AS4LX-5472-4272EOC-F30-☐☐-☐	61	$1,507	$1,523
	AS4LX-5472-4272EOC-F2430-☐☐-☐	60	$1,499	$1,515



RIFFBEAM
8:10
Monday, June 24

Products listed on this page are **not on contract.** GSA

RITEBEAM POWER & DATA DISTRIBUTION BEAM


It's ideal for benching or free standing height adjustable workstations in various layout options. The riteBEAM allows user to easily manage power and data in place of complex and expensive changes to building infrastructure. The modular and configurable 8 wire design featuring from 1 to 4 circuits can also be set up to comply with California Title 24 power requirements.

Specifications:




- Up to four 120 V A/C receptacles per seat
- Up to two Cat6/RJ45 intranet outlet provisions per seat (receptacles not included)
- Industry standard 8 wire/2+2 electrical system design
- Isolated ground configurable for circuits C & D
- Title 24 energy efficiency controlled circuit configurable
- Available in silver, black, or white
- Powder-coated steel construction
- UL Listed
- "Liquid Tight" power entry option for California and other special power entry requirements
- Power Pole/Power Entry leg option for ceiling power feed
- **US National Electrical Code** allows up to 16 each A/C simplex receptacles per dedicated 20 A, 120 V A/C circuit
  - 1, 2, or 4 circuit 20 A 120 V A/C configuration options
    - Up to 4 seats per power entry with 1 dedicated 20 A, 120 V A/C circuit (not Title 24 compliant)
    - Up to 8 seats per power entry with 2 dedicated 20 A, 120 V A/C circuits (can be Title 24 compliant)
    - Up to 16 seats per power entry with 4 dedicated 20 A, 120 V A/C circuits (can be Title 24 compliant)
- **Canadian Electrical Code** allows up to 12 each A/C simplex receptacles per dedicated 15 A, 120 V A/C circuit
  - 1, 2, or 4 circuit 20 A 120 V A/C configuration options
    - Up to 3 seats per power entry with 1 dedicated 15 A, 120 V A/C circuit (not Title 24 compliant)
    - Up to 6 seats per power entry with 2 dedicated 15 A, 120 V A/C circuits (can be Title 24 compliant)
    - Up to 12 seats per power entry with 4 dedicated 15 A, 120 V A/C circuits (can be Title 24 compliant)

Dimensions



GSA Products listed on this page are **not on contract.**


POWER BEAMS

		Model #	US $ List	CAN $ List
Power Beam Assembly	48" Wide Power Beam Assembly	**PB-48BEAM-☐**	$459	$638
	60" Wide Power Beam Assembly	**PB-60BEAM-☐**	$545	$757
	72" Wide Power Beam Assembly	**PB-72BEAM-☐**	$632	$878
		Colors: **S**: Silver, **B**: Black, **W**: White		

POWER BEAM LEGS & POWER POLE




		Model #	US $ List	CAN $ List
Power Beam 90° Square Leg	• Up to 4 way, 90° connection applications, order foot separately	**PB-LEG-4W-☐**	$153	$213
		Colors: **S**: Silver, **B**: Black, **W**: White		
Power Beam 120° Triangular Leg	• Up to 3 way, 120° connection applications, includes foot	**PB-LEG-120-☐**	$165	$229
		Colors: **S**: Silver, **B**: Black, **W**: White		

POWER POLE




		Model #	US $ List	CAN $ List
Power Beam 90° Square Power Pole	• Installs on beam in place of standard leg. • 4 way connection design allows pole to be placed into riteBEAM in virtually any position of a layout. • Creates ceiling feed with up to 4 way 90° connection applications, order foot separately • 12' tall 2-piece 90° Square Power Pole Assembly Kit (1 Each)	**PB-PPOLE-4W-☐**	$420	$583
		Colors: **S**: Silver, **B**: Black, **W**: White		
Power Beam Foot	• Universal T-Foot for Standard leg and Power Pole applications • T-Foot Assembly Kit (1 Each)	**PB-TFOOTKIT-☐**	$68	$94
		Colors: **S**: Silver, **B**: Black, **W**: White		

Products listed on this page are **not on contract.** GSA

RITEBEAM POWER RECEPTACLES

		Model #	US $ List	CAN $ List
Power Beam Standard Power Receptacles	Standard Duplex Receptacle Circuit A	**PB-STD-DUPLEX-A-☐**	$33	$46
	Standard Duplex Receptacle Circuit B	**PB-STD-DUPLEX-B-☐**	$33	$46
		Colors: **S**: Silver, **B**: Black, **W**: White		
Power Beam Isolated Power Receptacles	Isolated Ground Duplex Receptacle Circuit C	**PB-ISO-DUPLEX-C-☐**	$33	$46
	Isolated Ground Duplex Receptacle Circuit D	**PB-ISO-DUPLEX-D-☐**	$33	$46
		Colors: **S**: Silver, **B**: Black, **W**: White		
Power Beam Isolated Title 24 Power Receptacles	Title 24 Isolated Ground Duplex Receptacle Circuit C	**PB-ISO-T24-DUPLEX-C-☐**	$40	$56
	Title 24 Isolated Ground Duplex Receptacle Circuit D	**PB-ISO-T24-DUPLEX-D-☐**	$40	$56
		Colors: **S**: Silver, **B**: Black, **W**: White		
Power Beam Jumper/Connector Cable	• Connects power between beams after power entry	**PB-JUMPER-21**	$80	$111
				


RITEBEAM POWER RECEPTACLES

		Model #	US $ List	CAN $ List
Standard Flex Conduit Hardwire Power Entry	• 72" Standard Metal Flex Conduit length with extra wire length beyond conduit for easy electrical connection	**PB-PWRIN-72-☐**	$417	$579
		Colors: **S**: Silver, **B**: Black, **W**: White		
Liquid Tight Conduit Hardwire Power Entry	• 72" Liquid Tight Flex Conduit length with extra wire length beyond conduit for easy electrical connection	**PB-PWRIN-LT72-☐**	$499	$693
				
Power Pole Flex Conduit Hardwire Power Entry	• 144" Standard Metal Flex Conduit length with extra wire length beyond conduit for easy electrical connection	**PB-PWRIN-144**	$475	$660
				

GSA Products listed on this page are **not on contract.**

POWER BEAM PET DIVIDER PANELS & MOUNT KITS

16" Tall PET riteBEAM Dividers




- PET Divider Panels mount to the top of the riteBEAM using the Divider Mount Kits
- Create privacy and divider to the rear of workstations
- Reduce sound transfer as well as provide a tackable surface.
- 42" height from floor

Size	Model #	US $ List	CAN $ List
46"w × 16"h	**PB-PET-4616-☐☐**	$413	$574
58"w × 16"h	**PB-PET-5816-☐☐**	$815	$1,132
70"w × 16"h	**PB-PET-7016-☐☐**	$826	$1,147

24 PET Colors—see page 6

22" Tall PET riteBEAM Dividers




- Fabric Divider Panels mount to the top of the riteBEAM using the Divider Mount Kits
- Create privacy and divider to the rear of workstations
- Reduce sound transfer as well as provide a tackable surface.
- 48" height from floor

Size	Model #	US $ List	CAN $ List
46"w × 22"h	**PB-PET-4622-☐☐**	$646	$897
58"w × 22"h	**PB-PET-5822-☐☐**	$1,106	$1,536
70"w × 22"h	**PB-PET-7022-☐☐**	$1,121	$1,557

24 PET Colors—see page 6

Divider Mount Kit




- PET divider mount kit

Model #	US $ List	CAN $ List
PB-PET-DIVMNT-☐	$38	$53

Colors: **S**: Silver, **B**: Black, **W**: White

POWER BEAM END PANELS & MOUNT KITS


Power Beam Laminated Double End Panel



- Designed to finish the end of riteBEAM row using a finished color laminated panel that matches the worksurface of the sit-stand desks chosen

Size	Model #	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
58"w × 29"h	**PB-EP-5829-B3-☐☐☐☐☐☐☐**	$442	$542	$719	$614	$753	$999

Power Beam Double End Panel Mount Kit



Model #	US $ List	CAN $ List
PB-EP-MNTKIT-☐	$244	$339

Colors: **S**: Silver, **B**: Black, **W**: White


BENCHING

BENCHING

The need to create collaborative work environments that optimize every square foot of space has changed the landscape of today's office. Unfortunately, these needs are often met at the expense of worker productivity and with products that restrict future flexibility. Recognizing these challenges, we set out to develop a solution that would address these issues while enabling the creation of collaborative, open space environments. The answer was simple.

Based on our most popular foot design, we created a patented pending dual platform foot and connector system that can easily convert individual workstations to a benching system. No more bulky frames, work centers so large they are impossible to move.


PRE-CONFIGURED BENCHING SYSTEMS

All Pre-Configured Benching Systems include Frame Sets (legs, brackets, connectors, motor(s) and cables) as well as a Programmable Control and patent-pending Benching Feet.


Your only requirement is to choose a Worksurface with Laminate color that best suits your needs.

Options can include riteBEAM Power Distribution, Wire & Cable Management, Divider Systems, Modesty Panels, Tool Rails and any of the thoughtfully integrated ergonomic accessories that suit your work style.


2 Station
Pre-configured System




4 Station
Pre-configured System




6 Station
Pre-configured System



8 Station
Pre-configured System



10 Station
Pre-configured System



HOW TO ORDER PRE-CONFIGURED BENCHING SYSTEMS

The following quick reference chart shows supplied components for pre-configured SierraHX and Fundamentals 2, 4, 6, 8 and 10 Station Benching Systems. These kits are designed to make ordering simple, providing all components to optimize ordering, shipping and reduce the amount of waste.

Each system makes a pair of connected work centers and include Frame Sets (legs, brackets, connectors, motor(s) and cables) as well as Programmable Controls and patent-pending Benching Feet and connectors. Once the Benching System is ordered, you simply need to select a Worksurface.

Order One Benching System			**Quantity to Order**				
Sierra HX	**Fundamentals EX**	**Fundamentals LX**	**S**	**4 Station**	**6 Station**	**8 Station**	**10 Station**
SEHX30-48W-PS-B☐☐-NP-☐ **SEHX54-72W-PS-B☐☐-NP-☐**	**FDEX30-48W-PS-B☐☐-NP-☐** **FDEX54-72W-PS-B☐☐-NP-☐**	**FDLX30-48W-PS-B☐☐-NP-☐** **FDLX54-72W-PS-B☐☐-NP-☐**	Order **1 Each** B02☐	Order **1 Each** B04☐	Order **1 Each** B06☐	Order **1 Each** B08☐	Order **1 Each** B10☐

Boxes above represent number of station ☐☐ and color choice ☐

Included with the Systems Above:			**2 Station**	**4 Station**	**6 Station**	**8 Station**	**10 Station**
Flat Foot Kit, Dual Stations **SE-BFK48-☐**	**SE-BFK48-☐**	**SE-BFK48-☐**	Included 1 Kit	Included 2 Kits	Included 3 Kits	Included 4 Kits	Included 5 Kits
Bench Foot Connector Kit, Dual Stations **SE-BF-CONKIT-☐**	**SE-BF-CONKIT-☐**	**SE-BF-CONKIT-☐**	N/A	Included 1 Kit	Included 2 Kits	Included 3 Kits	Included 4 Kits
Programmable Switch **PROSWITCH-BLK**	**PROSWITCH-BLK**	**PROSWITCH-BLK**	Included 2 Each	Included 4 Each	Included 6 Each	Included 8 Each	Included 10 Each

Boxes above represent color choice ☐

Required Worksurfaces, ordered separately	**2 Station**	**4 Station**	**6 Station**	**8 Station**	**10 Station**
Worksurface 23" or 29" Deep **ST4629-B3-☐☐☐☐☐☐☐** **ST5829-B3-☐☐☐☐☐☐☐** **ST7029-B3-☐☐☐☐☐☐☐** (Options include laminate colors)	**Order separately 2 Each**	**Order separately 4 Each**	**Order separately 6 Each**	**Order separately 8 Each**	**Order separately 10 Each**

Benching System part numbers consist of:

Model Number *# Stations* *Switch* *Color*

SEHX54-72-B06-PS-S

The example above is for an SierraHX Frame set that is 60" wide, is a 6 Station Benching System with Programmable Switch and the Frame set & Feet are silver.

HOW TO CONFIGURE YOUR BENCHING SYSTEM


Select pre-configured number of stations with corresponding frame width (example shown is 6 station system) from the following:

Sierra HX
Fundamentals EX
Fundamentals LX


Select Benching Worksurface width.

Select optional Accessories:
riteBEAM (pages 45–49)
Dividers (pages 127–130)
Cable Management (pages 131–133)

Number of stations




Worksurface
23″ or 29″ width



riteBEAM




Dividers




Cable Mgr. Chain



Cable Mgr. Trough





Complete 6 Station System with Options

GSA Products listed on this page are **not on contract.**

SIERRA HX ELECTRIC BENCHING SYSTEM

Sierra HX Benching Systems are Frame Sets [legs, brackets, connectors, motor(s) and cables] that create benching pairs when connected with our patent-pending Benching Feet. Everything is put in motion with the Sierra Programmable Control.

Specifications:


- Consult the Sierra HX Electric work center section for frame set specifications

Required sold separately:

- Worksurfaces

Optional sold separately:

- Cable management
- Work center accessories



6 Station shown

SIERRA HX BENCHING SYSTEMS	Model #	Weight	US $ List	CAN $ List
2 Stations	**SEHX30-48W-PS-B02-NP-☐**	160	$3,416	$4,744
	SEHX54-72W-PS-B02-NP-☐	178	$3,599	$4,999
4 Stations	**SEHX30-48W-PS-B04-NP-☐**	324	$6,902	$9,586
	SEHX54-72W-PS-B04-NP-☐	360	$7,268	$10,094
6 Stations	**SEHX30-48W-PS-B06-NP-☐**	489	$10,390	$14,431
	SEHX54-72W-PS-B06-NP-☐	542	$10,938	$15,192
8 Stations	**SEHX30-48W-PS-B08-NP-☐**	653	$13,877	$19,274
	SEHX54-72W-PS-B08-NP-☐	724	$14,608	$20,289
10 Stations	**SEHX30-48W-PS-B10-NP-☐**	818	$17,363	$24,115
	SEHX54-72W-PS-B10-NP-☐	906	$18,278	$25,386

Frame Set colors: **S**: Silver, **B**: Black, **W**: White

Products listed on this page are **not on contract.** GSA


FUNDAMENTALS EX ELECTRIC BENCHING SYSTEM

All Fundamentals EX Benching Systems include Frame Sets [legs, brackets, connectors, motor(s) and cables] to create benching pairs as well as the Sierra Programmable Control and patent-pending Benching Feet.

Specifications:
- Consult the Fundamentals EX work center section for frame set specifications

Required sold separately:
- Worksurfaces

Optional sold separately:
- Cable management
- Work center accessories



6 Station shown

FUNDAMENTALS EX BENCHING SYSTEMS	Model #	Weight	US $ List	CAN $ List
2 Stations	**FDEX30-48W-PS-B02-NP-☐**	160	$2,966	$4,119
	FDEX54-72W-PS-B02-NP-☐	178	$3,148	$4,372
4 Stations	**FDEX30-48W-PS-B04-NP-☐**	324	$6,002	$8,336
	FDEX54-72W-PS-B04-NP-☐	360	$6,367	$8,843
6 Stations	**FDEX30-48W-PS-B06-NP-☐**	489	$9,036	$12,550
	FDEX54-72W-PS-B06-NP-☐	542	$9,585	$13,313
8 Stations	**FDEX30-48W-PS-B08-NP-☐**	653	$12,072	$16,767
	FDEX54-72W-PS-B08-NP-☐	724	$12,804	$17,783
10 Stations	**FDEX30-48W-PS-B10-NP-☐**	818	$15,108	$20,983
	FDEX54-72W-PS-B10-NP-☐	906	$16,023	$22,254

Frame Set colors: **S**: Silver, **B**: Black, **W**: White

GSA Products listed on this page are **not on contract.**


FUNDAMENTALS LX ELECTRIC BENCHING SYSTEM

All Fundamentals LX Benching Systems include benching pair Frame Sets [legs, brackets, connectors, motor(s) and cables] as well as the Sierra Programmable Control and patent-pending Benching Feet.

Specifications:
Consult the Fundamentals LX work center section for frame set specifications

Required sold separately:
- Worksurfaces

Optional sold separately:
- Cable management
- Work center accessories






6 Station shown

FUNDAMENTALS LX BENCHING SYSTEMS	Model #	Weight	US $ List	CAN $ List
2 Stations	**FDLX30-48W-PS-B02-NP-☐**	160	$2,643	$3,671
	FDLX54-72W-PS-B02-NP-☐	178	$2,825	$3,924
4 Stations	**FDLX30-48W-PS-B04-NP-☐**	324	$5,358	$7,442
	FDLX54-72W-PS-B04-NP-☐	360	$5,723	$7,949
6 Stations	**FDLX30-48W-PS-B06-NP-☐**	489	$8,071	$11,210
	FDLX54-72W-PS-B06-NP-☐	542	$8,619	$11,971
8 Stations	**FDLX30-48W-PS-B08-NP-☐**	653	$10,785	$14,979
	FDLX54-72W-PS-B08-NP-☐	724	$11,517	$15,996
10 Stations	**FDLX30-48W-PS-B10-NP-☐**	818	$13,499	$18,749
	FDLX54-72W-PS-B10-NP-☐	906	$14,413	$20,018

Frame Set colors: **S**: Silver, **B**: Black, **W**: White

Products listed on this page are **not on contract.** GSA

BENCHING REPLACEMENT PARTS

		Weight	US $ List	CAN $ List
Bench Foot Kit				
	• Perfectly align 2 workstations back-to-back • Reinforced steel construction for added stability • For use with Sierra HX and Fundamentals only • Sold as a pair for 2 workstations			
SE-BFK48-☐		48	$302	$419
Colors: **S** :Silver, **B**: Black, **W**: White				
Bench Foot Connector Kit				
	• Creates a uniform 4" gap between Side to Side workstations • Easily connect work centers while assembled • Magnetic decorative cover • Sold as a pair for 4 Back-to-Back workstations or 3 Side-to-Side workstations			
SE-BF-CONKIT-☐		6	$131	$182
Colors: **S** :Silver, **B**: Black, **W**: White				
Bench Foot Connector Kit - Adapter				
	• Create single row, Side-to-Side benching style workstations • Use with Sierra Flat Foot Kit and Sierra Bench Foot Connector Kit • For use with Sierra HX and Fundamentals only • Sold as a set (for three Side-to-Side workstations)			
SE-SF-CKADPT-☐		1	$133	$185
Colors: **S** :Silver, **B**: Black, **W**: White				



STANDING DESK CONVERTERS


STANDING DESK CONVERTERS
OVERVIEW

Standing desk converters provide a quick and efficient way to transform any ordinary fixed height desk into a more ergonomic sit-stand workspace. Workrite's all-in-one ergonomic solutions offer a wide range of adjustability for lift, rotation and tilt.

The Solace family of products, which includes our Solace HD, Solace Corner and Solace Electric, has evolved to include a range of solutions designed to address all your retrofit sit-stand needs. The Solace series now includes options that offer the greatest level of adjustability, maximize desk space availability, and provide ergonomic solutions for virtually any budget.

The Solace series has the flexibility to accommodate a wide variety of users and deliver stable, customizable workspaces to increase comfort and productivity.

PRODUCT COMPARISON
SOLACE SYSTEMS, CLAMP ON ARMS

	Solace 2
HEIGHT RANGE	
ADJUSTABILITY	
Payload Capacity	6.5–24.5 lb
Height Range	22"
Arm Pivot at Base/Monitor	360°/180°
Keyboard Platform Range	3.75"
Keyboard Platform Tilt	+4°/-15°
Monitor Height Range	6.3"
Monitor Tilt Range/Swivel	+4°/-40°, 90°
Monitor Load Range	4.5–18 lb
Stowed Depth/Height	16" d
FEATURES	
Colors	Silver
Integrated Monitor Mount	•
Keyboard Platform	•
Secondary Worksurface	•
Integrated Cable Management	•
ACCESSORIES Dual Monitor Adapter	•
Dual Monitor Load Range	2–9 lb (each)
Monitor Quick Release Adapter	•
MOUNTING OPTIONS	
C-Clamp	•
Grommet	•
WARRANTY	5 years
AVAILABLE ON GSA	•

GSA Products listed on this page are **not on contract.**

SOLACE 2

Solace 2 promotes health and wellness by providing the core ergonomic benefits associated with height adjustable desks, monitor arms, and keyboard platforms. The all-in-one ergonomic workstation offers a quick & economical method to enhance user comfort as well as overall productivity. With its proficient ranges of lift, rotation and tilt, Solace 2 has the flexibility to accommodate a wide variety of users and applications.

Solace's pneumatic strut allows the arm to effortlessly lift the keyboard and monitor(s) between the seated and standing positions. The industry leading keyboard platform height range makes Solace 2 an ideal solution for multi-user environments. To create a uniquely personalized configuration, Solace 2 incorporates the ability to make independent adjustments to both monitor and keyboard platform positioning. The counter balance technology creates a simple to use, knob free experience so the user can adjust monitor height with minimal effort.

Arm Specifications
- 24.5 lb total load rating
- Designed to support 100th percentile standing women and 95th percentile standing men (ANSI/BIFMA & HFES standard)
- Keyboard platform, secondary surface & monitor mount travel in unison allowing transition between seated and standing height in seconds


Base Specifications
- C-Clamp and Grommet Mount provide installation flexibility

Monitor Mount Specifications
- Supports monitors from 4.5–18 lb
- 6.3" of independent height adjustment
- 180° independent monitor swivel
- Standard VESA (75 mm & 100 mm)
- Quick Release Adapter Included for streamlined monitor installation


Keyboard Platform Specifications
- Standard features UB182-25 Platform
- Premium features Revo UB2100FT25 Platform
- 3.75" of independent adjustment
- Folds up 90° for optimal storage

Secondary Surface
- Convenient worksurface for placing items when in standing position


Optional Dual Monitor Adapter
- Supports two monitors 1.25–10.25 lb ea and up to 22" wide



Standard Configuration



Premium Configuration




Optional Dual Monitor Support

STANDING DESK CONVERTERS
SOLACE 2


Products listed on this page are **not on contract.** GSA

Solace 2 Dimensions


Base reach & range (side)




Pivot (top)




Stowed depth



Base mounting clearance




C-Clamp




Grommet


Monitor mount tilt, rotate & swivel




Dual Monitor Adapter option




Keyboard platform tilt & range




Standard Keyboard option



Premium Keyboard option




Secondary Surface




SOLACE 2

		Model #	Weight	US $ List	CAN $ List
Standard	*Arm Features* • 24.5 lb total load capacity • 22" lift range • 360° rotation at base, 180° with included pivot limiter • Monitor tower and keyboard platform rotate independently • Available in silver • Warranty: 5 years *Monitor Mount Features* • Supports one 6.5–24.5 lb monitor • 6.3" independent monitor height adjustment *Standard Keyboard Platform Features* • Features our Standard UB-182-25 Keyboard Platform • In-Line mousing for right and left handed users • 3.75" independent keyboard platform adjustment	**SOL2-DUAL-STD-CCG-S**	49	$1,572	$2,183
Premium	*All the same Arm and Monitor Mount features as the Standard, plus:* • Features our Revo UB-2100FT-25 Keyboard Platform • Mouse tray tilts independently from keyboard platform • Mouse tray can be positioned in-line, mouse-forward and mouse-over in both right handed or left handed position • 3.75" independent keyboard platform adjustment	**SOL2-DUAL-REVO-CCG-S**	49	$1,650	$2,292





UB182-25 Keyboard Platform




UB2100FT25 Keyboard Platform

SOLACE 2 ACCESSORIES & PARTS

Dual Monitor Adapter 	• Converts from single monitor to dual monitor use • Supports two monitors up to 22" actual width ▪ Reduces maximum weight capacity of arm by 4 lb • Includes additional Quick Release Adapter	**SOL-ADPT-TWIN-S**	3	$136	$189
Clamp Bracket Kit 		**SOL-HDWR1-CCG-B**	5	$179	$249
Clamp Bolt Kit 		**SOL-HDWR2-BS-B**	1	$72	$100

PRODUCT COMPARISON

SOLACE SYSTEMS, DESKTOP


	Solace Electric	Solace Desktop	Solace HD
HEIGHT RANGE			
ADJUSTABILITY			
Payload Capacity	110 lb	35 lb	45 lb
Worksurface Height Range	17.1" (23.2" above desktop)	13.8" (20" above desktop)	13.8" (20" above desktop)
Keyboard Platform Height Range	18.4" (with worksurface)	14.6" (with worksurface)	14.6" (with worksurface)
Keyboard Platform Tilt	none	+10°/-10°	+10°/-10°
Platform Stowed Depth/Height	5.9" H	6.2" H	6.2" H
Monitor Height Range	18.3" (with worksurface)	n/a	n/a
FEATURES			
Lifting Mechanism	Electric	Counter Balance	Counter Balance
Colors	Black	Black	Black
Integrated Monitor Mount	•		
Keyboard Platform	•	•	•
Integrated Cable Management		•	•
ACCESSORIES			
Dual Monitor Adapter	•		
Triple Monitor Adapter	•		
Keyboard Platform			
WARRANTY	2 years	2 years	2 years
AVAILABLE ON GSA		•	

SOLACE ELECTRIC

The Solace Electric is the perfect retrofit solution if you are looking for electric adjustability but wish to keep your current desk. The Programmable Control does more than just raise and lower the system since it also includes three preprogrammed heights. No more hunting around for the right position. Add monitor brackets for either dual or triple monitor configurations and watch your productivity soar! The lifting mechanism will raise both your keyboard platform as well as a spacious secondary worksurface with up to 110 pounds of equipment. Solace Electric comes mostly assembled, requiring one easy step to attach your removable keyboard tray and another to add your monitors.

Specifications:

- Programmable Control with three memory presets
- Dual worksurface includes independent keyboard surface
- 110 lb lifting capacity for worksurface, 11 lb for keyboard platform
- 17.1" lifting range, 23.2" above desktop
- Max power draw: 120 V, 60 Hz, 4 A
- Primary Worksurface:
  - 25.6"w × 15"d
- Keyboard surface (removable):
  - 26.4"w × 7.1"d
- Base dimensions:
  - 19.75"w × 15.75"d × 2.25"h



Monitor Mount Specifications:


- Supports one monitor up to 22 lb
- Standard VESA (75 mm & 100 mm)

Optional Monitor Bracket:


- Optional dual or triple monitor brackets support monitors up to 18 lb each
- Monitor mount bracket can be installed in two locations for better height fit

Dimensions


Height & width



Depth & range




Stowed Depth



STANDING DESK CONVERTERS
SOLACE ELECTRIC

Products listed on this page are **not on contract.** GSA

SOLACE ELECTRIC




- Programmable Control with three presets
- 110 lb capacity
- 17.1" lift range, 23.2" above desktop
- Max power draw: 120 V, 60 Hz, 4 A
- Removable keyboard platform
- Available in black
- Warranty: 2 years

Model #	Weight	US $ List	CAN $ List
SOL-E-DT-B	58	$1,399	$1,943

SOLACE ELECTRIC ACCESSORIES & PARTS

Monitor Bracket



- Increase productivity with dual or triple monitor configurations
- Supports two or three 18 lb monitors
- Dual—maximum monitor width: 27"
- Triple—maximum monitor width: 18.5"


Configuration	Model #	Weight	US $ List	CAN $ List
Dual/ Triple	**SOL-E-ADPT-TRIPLE-B**	6	$280	$389

SOLACE DESKTOP

Quickly and economically converts an existing desk to a smooth and effortless sit-stand workstation. Solace Desktop ships fully assembled, no tools are required making this an ideal retrofit candidate. The compact footprint of the Solace Desktop, easily fits onto a 24" deep desk with room for personal equipment. The large primary worksurface includes a grommet for cable management and is expansive enough to accommodate an added Workrite Monitor Arm or two 24" monitors. Solace Desktop is smooth and quiet with gas assisted height adjustment to provide a wide 13.8" lifting range. The independent keyboard surface ensures users can easily set Solace Desktop to their ideal ergonomic position. Solace Desktop is strong enough to support most technology requirements, yet light enough for simple installation and moving from desk-to-desk.


Specifications:

- Dual worksurface includes independent keyboard surface
- 35 lb lifting capacity
- 13.8" lifting range, 20" above desktop
- Primary Worksurface:
  - 35.4"w × 15.7"d
  - Includes grommet for cable management
- Keyboard surface:
  - 26.4"w × 13"d
  - Independent surface with 20° (+10/-10) of tilt




Dimensions


Height & width




Depth & range



Stowed Depth



SOLACE DESKTOP



- 35 lb capacity
- 13.8" lift range, 20" above desktop
- Separate keyboard surface with 20° of tilt (+10°/-10°)
- Available in black
- Warranty: 2 years

Model #	Weight	US $ List	CAN $ List
SOL-DT-B	40	$809	$1,124


Products listed on this page are **not on contract.** GSA

SOLACE DESKTOP HD

The Solace Desktop HD quickly and economically converts an existing desk to a smooth and effortless sit-stand workstation featuring a 14.6" lifting range. Solace Desktop HD features a 42" wide primary worksurface and a robust 45 pound load capacity that can easily accommodate 2 × 27" wide monitors and still have extra space for other personal equipment. The large primary worksurface includes 3 grommets for cable management. The Solace Desktop ships fully assembled with no tools required for assembly, making this your ideal retrofit solution.


Specifications:

- 45 lb lifting capacity
- Dual worksurface includes independent keyboard surface
- 13.8" lifting range, 20" above desktop
- Primary Worksurface:
  - 42"w × 15.7"d
  - Includes three grommets for cable management
- Keyboard surface:
  - 26.4"w × 13"d
  - Independent surface with 20° (+10/-10) of tilt




Dimensions


Height & width




Depth & range



Stowed Depth



SOLACE DESKTOP HD



- 45 lb capacity
- 13.8" lift range, 20" above desktop
- Separate keyboard surface with 20° of tilt (+10°/-10°)
- Available in black
- Warranty: 2 years

Model #	Weight	US $ List	CAN $ List
SOL-HD-DT-B	43	$928	$1,289




KEYBOARD TRAYS

ADJUSTABLE KEYBOARD TRAYS

Add comfort to increase productivity:
Adjustable keyboard trays are a great way to provide maximum ergonomic benefits and greater levels of comfort for any workforce. When used in conjunction with fixed height worksurfaces, or with height adjustable worksurfaces featuring limited ranges of adjustability, an adjustable keyboard tray can improve the overall usability and ergonomic functionality of the entire work center.

Workrite offers a broad selection of preconfigured keyboard tray systems as well as individual trays and arms that can be purchased separately, providing multiple solutions for virtually any application.

The right products for the work space:
Knowing where the user will work is the key to ensuring proper fit and installation. Workrite offers adjustable keyboard solutions for every typical work space configuration. The symbols below identify the most common configurations found in today's modern workplaces. Look for them throughout this section of the specification guide to ensure that you are selecting the right product for each specific application.




Straightaway **Diagonal Corner** **Curved Corner** **90° Converted to Diagonal**

Mouse in comfort:
All Workrite palm supports and wrist rests feature our memory foam core, providing the comfort of gel and the durability of foam. Our memory foam core will soften in reaction to body heat and will mold itself to the user, resulting in maximum keyboarding comfort through the elimination of pressure points and fatigue.

Mouse position is also an important element in providing maximum comfort and increasing productivity. For the most versatile solution, select a tray with an integrated ambidextrous mousing surface such as those featured in our Revo and patented Banana-Board keyboard systems.


The following positions are recommended based on the type of work being performed; however, the users' personal preferences as well as their physical attributes and abilities will also need to be taken into consideration.



Mouse-Forward™ **Mouse-Over** **In-line Mousing**

Handed mousing surfaces:
For the most versatile solution, select a tray with an integrated ambidextrous mousing surface. Two popular choices include the Banana-Board, with its sliding mouse surface or Revo, with its highly adjustable mouse tray.

Our reversible trays are designed to be installed for right or left hand users and can be reversed using simple tools as needed in the future. This tray type is also ideal for those who prefer a continuous tray with no moving parts and extreme rigidity for both mouse and keyboard support.






Integral left/right mousing surface
A mouse tray that converts from right to left handed mousing with no tools required

Manual left/right mousing surface
A mouse tray that converts from right to left handed mousing with the use of tools

PRODUCT COMPARISON






KEYBOARD TRAYS, PREMIUM SYSTEMS

	METRO6	Banana-Board	Revo
			
MODELS			
Mousing Surface(s)	1	1	1
Keyboard Tray Material	Ultra-Thin Phenolic	Molded Plastic	Ultra-Thin Phenolic
Mouse Positions	In-Line Mouse, Right & Left Handed	Mouse-Forward, Right & Left Handed	Mouse-Forward, Mouse-Over, Right & Left Handed
Arm Options	Pinnacle: EX / S2S	Pinnacle 2	Pinnacle 2
ADJUSTABILITY			
Minimum Height Range	+2.8" to -6.5" / +16" to -6"	0" to -6"	0" to -6"
Minimum Tilt Range	-20°/+10°	-15°/+10°	-15°/+10°
Swivel	360° / none	360°	360°
Convertible Left/Right Handed	Built in	Built in	Built in
OPTIONS			
Colors	Black, White	Black	Black
Track Lengths	17", 22"	17", 22"	17", 22"
Keyboard Palm Support Material	Memory Foam	Memory Foam	Memory Foam
Optional Mouse Palm Support		Memory Foam	Memory Foam
Integrated Cable Management		•	•
Integrated Document Holder		•	•
Mouse Trap™	•	•	•
Positive Tilt Lock Out Option	•	•	•
WARRANTY (1)	Lifetime	Lifetime	Lifetime
ENVIRONMENTAL			
Keyboard Phenolic GREENGUARD® Certified	•		•
AVAILABLE ON GSA		•	•

(1) Peel & place mousing surfaces are warrantied for 1 year

PRODUCT COMPARISON

KEYBOARD TRAYS, STANDARD SYSTEMS


	Advantage Dual	Advantage Single	Compact Tray	Standard	Fundamentals AKP01
					
MODELS					
Mousing Surface(s)	2	1	1	1	1
Keyboard Tray Material	Ultra-Thin Phenolic	Ultra-Thin Phenolic	Ultra-Thin Phenolic	Classic Melamine	Classic Melamine
Mouse Positions	Mouse-Forward, Right & Left Handed	Mouse-Forward, Right or Left Handed	In-Line Mouse, Right or Left Handed	In-Line Mouse, Right or Left Handed	In-Line Mouse, Right or Left Handed
Arm Options	Pinnacle 2-Value	Pinnacle 2-Value	Pinnacle 2-Value	Pinnacle 2-Value	Fundamental AKP Arm
ADJUSTABILITY					
Minimum Height Range	0" to -6"	0" to -6"	0" to -6"	0" to -6"	0" to -6"
Minimum Tilt Range	-15°/+10°	-15°/+10°	-15°/+10°	-15°/+10°	-15°/+10°
Swivel	360°	360°	360°	360°	360°
Convertible Left/Right Handed	Built in	With tools	Built in	Built in	Built in
OPTIONS					
Colors	Black	Black	Black	Black	Black
Track Lengths	17", 22"	17", 22"	17", 22"	17", 22"	17", 22"
Keyboard Palm Support Material	Memory Foam	Memory Foam	Memory Foam	Memory Foam	Memory Foam
Optional Mouse Palm Support	Memory Foam	Memory Foam	n/a	Memory Foam	n/a
Integrated Cable Management	•	•			
Integrated Document Holder	•	•			
Mouse Trap™	•	•	•	•	
Positive Tilt Lock Out Option	•	•	•	•	
WARRANTY [1]	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime
ENVIRONMENTAL					
Keyboard Phenolic GREENGUARD® Certified	•	•	•		
AVAILABLE ON GSA					


(1) Peel & place mousing surfaces are warrantied for 1 year


ADJUSTABLE KEYBOARD TRAY FIT CHART

Adding Keyboard Trays to Existing Worksurfaces

It is necessary to determine if your keyboard tray will fit on existing worksurfaces, especially in corner situations. As expected, any of the Workrite preconfigured systems will fit on Workrite height adjustable work centers. When adding to existing work centers, consult the following chart to find which tray will fit in these specific conditions. Note that in many 90° corner situations, a Corner Diagonal accessory may be required. With some "benching" situations, a Drop Down Kit or Spacers may be needed.

Corner Only (radius or diagonal of 12" or more)		Model #	Converts 90° to Diagonal	Available as a System	Mouse-Forward	Handedness	
						Integral Right & Left	Right or Left Reversible
	Corner Tray	188	179CCD				•
	Split-Pad Corner	488	179CCD				•

Straightaway and Small Corners (radius or diagonal of 12" or more)							
	Banana-Board®	2180S	179ACD	•	•	•	
	Microsoft® Natural®, Banana-Board®	2181SN	179ACD		•	•	
	Revo™	2100FT	179CCD	•	•	•	
	17" Reversible Corner	317RL	179ACD		•		•

Straightaway and Wide Corners (at least 18" radius or 17" diagonal)							
	Advantage-Dual	2110D	179CCD	•	•	•	
	Advantage-Single	2110RL	179CCD	•	•		• (requires tools)
	Mouse-Under™, Microsoft® Natural®	2110RLN	179CCD		•		• (requires tools)

Straightaway Only							
	27" Reversible	385RL			•		•
	25" Split-Pad Standard	482				•	•
	27" Split-Pad Standard	485		•		•	•
	25" Compact Tray	172		•		•	
	25" Standard	182				•	
	27" Standard	185		•		•	
	Standard with Slide	180S				•	

Products listed on this page are **not on contract.** GSA

METRO6 SYSTEM

Designed by Mark Müller, celebrated product designer, the METRO6 System is a single surface keyboard and mouse tray. It includes the Pinnacle EX or Pinnacle S2S arm, Metro Tray, and a 17" or 22" track. The system also features a molded wrist rest and an integrated aluminum backstop that prevents keyboard and mouse slippage.

Keyboard & mouse tray


- System includes Metro 26.75" keyboard tray
- Ultra-Thin 0.25" phenolic with a sweeping radius edge
- Integrated aluminum stopper keeps keyboard and mouse in position
- Black or white tray finish with a black accent edge
- Molded color-coordinated palm support
- In-line mouse design

Keyboard arm

- Lift-n-Lock height adjustment
- 17" or 22" nylon glide track
- 30° tilt range: -20° +10

Pinnacle EX

- Adjusts from 2.38" above to 6.5" below worksurface
- Height & tilt readout panel
- 360° arm swivel at track
- Black or white powder coat finish



Pinnacle EX Arm


Desk compatibility




Straightaway


Dimensions

Tray



Pinnacle EX Arm





	Arm	Track Length	Arm & Tray Color	Wrist Rest Color	Model#	Weight	US $ List	CAN $ List
METRO6/S2S System	Pinnacle EX	17"	Black	Black	**METRO6-S-BK**	18	$594	$825
	Pinnacle EX	22"	Black	Black	**METRO6-BK**	20	$594	$825
	Pinnacle EX	17"	White	Ash	**METRO6-S-WH**	18	$594	$825
	Pinnacle EX	22"	White	Ash	**METRO6-WH**	20	$594	$825
			Accessories:					
			Positive Tilt Lockout Kit		**LEADER-PTLO**	1	$10	$14
			Replacement Wrist Rest:					
				Black	**AKP-KPS-MET-BK**	1	$69	$96
				Ash	**AKP-KPS-MET-AS**	1	$69	$96

GSA Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.


BANANA-BOARD® SYSTEM

Our most popular patented keyboard system. The unique design can be used with both straight and corner worksurfaces. The patented mousing platform slides easily from side to side to accommodate right or left mouse use. Includes our Pinnacle 2 adjustable keyboard arm with ball bearing track. The Banana-Board System comes with a lifetime warranty and is a great option for companies seeking no hassle flexibility and years of dependable quality and performance.


Keyboard tray
- Non-skid keyboard pads
- Built In document holder
- Integrated cable management
- Removable palm support
- Available in black

Mouse surface
- Sliding reversible mouse surface
- Integrated Mouse-Trap
- Mouse palm support sold separately


Keyboard arm
- System includes 3170 Pinnacle 2 keyboard arm
- Adjusts from flush to 6" below worksurface
- No knob/no lever Lift-n-Lock height adjustment
- 25° tilt range: -15° +10°
- ThinGlide™ maintenance-free ball bearing track
- 360° arm swivel at track
- Meets ANSI/BIFMA X5.5 standards
- Fully stores on 22" track
- Exceeds front of track 5" on 17" track
- Positive Tilt Lockout Kit sold separately





Desk compatibility




Dimensions







Banana-Board System



	Track Length	Model #	Weight	US $ List	CAN $ List
	17"	**2128-17**	16	$672	$933
	22"	**2128-22**	18	$692	$961
Accessories:					
Mouse Palm Support		**2120-25**	1	$52	$72
Positive Tilt Lockout Kit		**3170-P2NPT**	1	$10	$14
Corner Diagonal for 90°		**179ACD-B**	4	$100	$139
Replacement Parts:					
Keyboard Palm Support		**AKP-KPS-18.4-25**	1	$69	$96
Mouse Surface		**AKP-MS-BB**	1	$26	$36
Hardware Kit		**AKP-HDWR-BB**	1	$11	$15

Not on GSA Contract

Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.


REVO™ SYSTEM

The Revo System features a versatile Mouse-Over platform designed for use in mouse intensive or limited reach applications and is a good solution for straight or corner workspace applications. The Revo System includes our Pinnacle 2 keyboard arm with maintenance-free 17" or 22" ball bearing track. The tray is constructed from durable ultra-thin phenolic and features a built-in document holder and cable manager. The Revo System comes with a lifetime warranty and will provide years of reliable, maintenance-free performance and reliability.


Keyboard tray
- Includes Optimizer document holder & cable management
- UltraThin™ .25" solid phenolic construction
- Removable palm support
- Available in black

Mouse surface
- Mouse-Over™ & Mouse-Level positioning
- Independent mouse tilt
- No tools required right/left reversible
- Mouse pad palm support sold separately

Keyboard arm
- System includes 3170 Pinnacle 2 keyboard arm
- Adjusts from flush to 6" below worksurface
- No knob/no lever Lift-n-Lock height adjustment
- 25° tilt range: -15° +10°
- ThinGlide™ maintenance-free ball bearing track
- 360° arm swivel at track
- Meets ANSI/BIFMA X5.5 standards
- Fully stores on 22" track
- Exceeds front of track 3" on 17" track





Desk compatibility




Straightaway | *17" or greater Diagonal Corner* | *18" or greater Curved Corner* | *Convert 90° with 179CCD*

Dimensions








Not on GSA Contract

Revo System




	Track Length	Model #	Weight	US $ List	CAN $ List
	17"	**2227-17**	18	$634	$881
	22"	**2227-22**	20	$656	$911
Accessories:					
Mouse Palm Support		**2120-25**	1	$52	$72
Additional Mouse tray		**UB2520**	3	$94	$131
Positive Tilt Lockout Kit		**3170-P2NPT**	1	$10	$14
Corner Diagonal for 90°		**179CCD-1 1/2B**	4	$121	$168
Replacement Parts:					
Keyboard Palm Support		**AKP-KPS-18.4-25**	1	$69	$96
Mouse Surface		**AKP-MS-STD**	1	$26	$36
Hardware Kit		**AKP-HDWR-ULT**	1	$13	$18

GSA Products listed on this page are **not on contract.**

ADVANTAGE-DUAL SYSTEM

This versatile Mouse-Under system features a durable ultra-thin tray with the Optimizer document holder and cable management. The dual mouse surface design allows instant change from right to left handed mouse use. Advantage-Dual System is available with our Pinnacle 2 Value keyboard arm with nylon glide track in 17" or 22" lengths and comes with a lifetime warranty for years of reliable, maintenance-free performance and reliability.



Keyboard tray

- Optimizer document holder & cable management
- UltraThin™ .25" solid phenolic construction
- Removable palm support
- Available in black


Mouse surface

- Dual Mouse-Under design swivels out for use and in for storage
- Simple hand tools required right/left reversible
- Mouse pad palm support sold separately


Keyboard arm


- System includes 3175 Pinnacle 2 Value keyboard arm:
- Adjusts from flush to 6" below worksurface
- No knob/no lever Lift-n-Lock height adjustment
- 25° tilt range: -15° +10°
- Smooth nylon glide track
- 360° arm swivel at track
- Meets ANSI/BIFMA X5.5 standards
- Fully stores on 22" track
- Exceeds front of track 3" on 17" track


Desk compatibility




Dimensions







	Track Length	Model #	Weight	US $ List	CAN $ List
Advantage–Dual System					
	17"	**2112-17**	16	$523	$726
	22"	**2112-22**	18	$540	$750
Accessories:					
Mouse Palm Support		**2120-25**	1	$52	$72
Positive Tilt Lockout Kit		**3170-P2NPT**	1	$10	$14
Corner Diagonal for 90°		**179CCD-1 1/2B**	4	$121	$168
Replacement Parts:					
Keyboard Palm Support		**AKP-KPS-18.4-25**	1	$69	$96
Mouse tray		**UB2115**	2	$63	$88
Mouse Surface		**AKP-MS-STD**	1	$26	$36
Hardware Kit		**AKP-HDWR-ULT**	1	$13	$18


ADVANTAGE-SINGLE SYSTEM

The versatile Advantage-Single System can be used in both straight and corner work center applications. The tray is constructed from durable ultra-thin phenolic and features a built-in document holder and cable management. Advantage-Single is available with our Pinnacle 2 value keyboard arm with nylon glide track in 17" or 22" lengths and comes with a lifetime warranty and can be relied upon to provide years of reliable, maintenance-free performance and reliability.


Keyboard tray
- Optimizer document holder & cable management
- UltraThin™ .25" solid phenolic construction
- Removable palm support
- Available in black

Mouse surface
- Single Mouse-Under design swivels out for use and in for storage
- Simple hand tools required right/left reversible
- Mouse pad palm support sold separately


Keyboard arm
- System includes 3175 Pinnacle 2 Value keyboard arm:
- Adjusts from flush to 6" below worksurface
- No knob/no lever Lift-n-Lock height adjustment
- 25° tilt range: -15° +10°
- Smooth nylon glide track
- 360° arm swivel at track
- Meets ANSI/BIFMA X5.5 standards
- Fully stores on 22" track
- Exceeds front of track 3" on 17" track




Desk compatibility



Dimensions





	Track Length	Model #	Weight	US $ List	CAN $ List
Advantage-Single System	17"	**2144-17**	15	$486	$675
	22"	**2144-22**	17	$507	$704
Accessories:					
Mouse Palm Support		**2120-25**	1	$52	$72
Additional Mouse tray		**UB2115**	2	$63	$88
Positive Tilt Lockout Kit		**3170-P2NPT**	1	$10	$14
Corner Diagonal for 90°		**179CCD-11/2B**	4	$121	$168
Replacement Parts:					
Keyboard Palm Support		**AKP-KPS-18.4-25**	1	$69	$96
Mouse Surface		**AKP-MS-STD**	1	$26	$36
Hardware Kit		**AKP-HDWR-ULT**	1	$13	$18


GSA Products listed on this page are **not on contract.**

COMPACT TRAY SYSTEM

Designed for limited depth, straight worksurfaces and shallow keyboards that are less than 6" deep. The compact design makes full storage possible on 17" tracks in installations such as benching situations or shallow tops. The removable palm support adjusts easily from side to side to accommodate both right or left mouse use. Includes our Pinnacle 2 Value adjustable keyboard arm with nylon glide track. Ultra-thin phenolic material backed by our lifetime warranty provides years of dependable quality and performance.

Keyboard & mouse tray

- Sized for compact keyboards less than 6" deep
- UltraThin™ .25" solid phenolic construction
- Includes palm support
- Right/Left reversible
- Available in black



Keyboard arm


- System includes 3175 Pinnacle 2 Value keyboard arm
- Adjusts from flush to 6" below worksurface
- No knob/no lever Lift-n-Lock height adjustment
- 25° tilt range: -15° +10°
- Smooth nylon glide track
- 360° arm swivel at track
- Meets ANSI/BIFMA X5.5 standards
- Fully stores on 22" track
- Exceeds front of track 1.5" on 17" track


Desk compatibility




Straightaway


Dimensions







	Track Length	Model #	Weight	US $ List	CAN $ List
Compact Tray System	17"	**2172-17**	18	$462	$642
	22"	**2172-22**	20	$482	$669
Accessories:					
Mouse Palm Support		**2120-25**	1	$52	$72
Positive Tilt Lockout Kit		**3170-P2NPT**	1	$10	$14
Replacement Parts:					
Keyboard Palm Support		**AKP-KPS-17-25**	1	$69	$96
Mouse Surface		**AKP-MS-STD**	1	$26	$36
Hardware Kit		**AKP-HDWR-ULT**	1	$13	$18



KEYBOARD TRAYS
PRECONFIGURED


Products listed on this page are **not on contract.** GSA

STANDARD TRAY SYSTEM

The Standard Tray System features a simple in-line mouse design that is intended for use in straightaway work center applications. The in-line design makes it possible to easily switch the keyboard and mouse configuration to accommodate left or right handed users. The tray is constructed from durable .625" melamine and features a built-in document holder and cable manager. The system includes our Pinnacle 2 Value keyboard arm with smooth operating nylon glides and 17" or 22" tracks. It also comes with a lifetime warranty that will provide years of reliable, maintenance-free performance.

Keyboard & mouse tray

- T-molded .625" Melamine construction
- Mouse-Trap mouse retainer
- Removable palm support
- Right/left reversible
- Available in black



Keyboard arm


- System includes 3175 Pinnacle 2 Value keyboard arm
- Adjusts from flush to 6" below worksurface
- No knob/no lever Lift-n-Lock height adjustment
- 25° tilt range: -15° +10°
- Smooth nylon glide track
- 360° arm swivel at track
- Meets ANSI/BIFMA X5.5 standards
- Fully stores on 22" track
- Exceeds front of track 3" on 17" track

Desk compatibility




Straightaway


Dimensions




Continuous palm support




Split-pad palm support





Standard Tray System



		Track Length	Model #	Weight	US $ List	CAN $ List
Continuous Palm Support		17"	**2151-17**	18	$445	$618
		22"	**2151-22**	20	$465	$646
Split-pad Palm Support		17"	**2191-17**	18	$478	$664
		22"	**2191-22**	20	$499	$693
Accessories:						
Positive Tilt Lockout Kit			**3170-P2NPT**	1	$10	$14
Replacement Parts:						
Continuous Palm Support			**AKP-KPS-26.2-25**	1	$82	$114
Split-pad Palm Support	Keyboard		**AKP-KPS-18-25**	1	$69	$96
	Mouse		**AKP-MPS-8.2-25**	1	$42	$58
Mouse Surface			**AKP-MS-STD**	1	$26	$36
Hardware Kit			**AKP-HDWR-CINS**	1	$13	$18

GSA Products listed on this page are **not on contract.**

FUNDAMENTALS AKP01 TRAY SYSTEM


The Fundamentals AKP01 System was designed with versatility and value in mind and is a great option for use in straight work center applications. The tray is constructed from durable .625 melamine, features a memory foam palm support and is left and right hand reversible. The system also features our Fundamentals keyboard arm with smooth performing nylon glide track in 17" and 22" lengths. The Fundamentals keyboard system comes with a lifetime warranty, ensuring years of reliable, worry free performance.

Keyboard & mouse tray

- T-molded .625" melamine construction
- Includes palm support
- Right/Left reversible

Keyboard arm

- System includes 173 Fundamentals keyboard arm
- Adjusts from flush to 6" below worksurface
- Single knob height and tilt adjustment
- 25° tilt range: -15° +10°
- Smooth nylon glide track
- 360° arm swivel at track
- Meets ANSI/BIFMA X5.5 standards
- Fully stores on 22" track
- Exceeds front of track 1" on 17" track





Desk compatibility




Straightaway


Dimensions







Fundamentals AKP01 System




	Track Length	Model #	Weight	US $ List	CAN $ List
	17"	**FD-AKP01-17**	18	$329	$457
	22"	**FD-AKP01-22**	20	$342	$475
Accessories:					
Positive Tilt Lockout Kit		**3170-P2NPT**	1	$10	$14
Replacement Parts:					
Keyboard Palm Support		**AKP-KPS-24.2-25**	1	$80	$111
Mouse Surface		**AKP-MS-STD**	1	$24	$33
Hardware Kit		**AKP-HDWR-FD01**	1	$14	$19

Products listed on this page are **not on contract.** GSA

SOLO TRAYS

All of Workrite's most popular trays are available as solo trays in addition to preconfigured systems. Our keyboard trays come with a limited lifetime warranty and can be counted on to provide years of dependable quality and performance.





Straightaway *Diagonal Corner* *Curved Corner* *90° with Corner Diagonal listed*


The following trays are designed for use in both straightaway and corner applications making them the most versatile collection of keyboard trays we offer.

CORNER & STRAIGHTAWAY TRAYS

		Type	Model #	Weight	Not on GSA Contract US $ List	CAN $ List
Banana-Board Tray #2180S	• Injection molded plastic, ultra-thin tray • Optimizer document holder & cable management • Adjustable mouse tray slides easily from side to side for both left or right handed users • Removable palm support • Fits radius or diagonal of 12" or more • Mouse Palm Support sold separately	Ultra-Thin	**UB2180S25**	6	$343	$476
		Accessories:				
		Mouse Palm Support	**2120-25**	1	$52	$72
		Corner Diagonal for 90°	**179ACD-B**	4	$100	$139
		Replacement Parts:				
		Keyboard Palm Support	**AKP-KPS-18.4-25**	1	$69	$96
		Mouse Surface	**AKP-MS-BB**	1	$26	$36
		Hardware Kit	**AKP-HDWR-BB**	1	$11	$15
Microsoft® Natural® Banana-Board #2181SN	• Ultra-thin tray is contoured to match the Microsoft Natural keyboard • Optimizer document holder & cable management • Mouse tray slides easily from side to side for both left or right handed users • Fits radius or diagonal of 12" or more • Mouse tray palm support sold separately	Ultra-Thin	**UB2181SN**	6	$308	$428
		Accessories:				
		Mouse Palm Support	**2120-25**	1	$52	$72
		Corner Diagonal for 90°	**179ACD-B**	3	$100	$139
		Replacement Parts:				
		Mouse Surface	**AKP-MS-BB**	1	$26	$36
		Hardware Kit	**AKP-HDWR-BB**	1	$11	$15
Revo #2100FT	• Ultra-thin tray • Optimizer document holder & cable management • No-slip keyboard mat • Removable palm support • Mouse tray tilts independently from keyboard tray • Mouse tray swivels 360° for location over 10 key pad or at keyboard level in mouse forward position • Mouse tray easily switches right to left handed without tools • Fits radius or diagonal of 17" or more • Mouse tray palm support sold separately	Ultra-Thin	**UB2100FT25**	6	$337	$468
		Accessories:				
		Mouse Palm Support	**2120-25**	1	$52	$72
		Corner Diagonal for 90°	**179CCD-1 1/2B**	4	$121	$168
		Replacement Parts:				
		Keyboard Palm Support	**AKP-KPS-18.4-25**	1	$69	$96
		Mouse Surface	**AKP-MS-STD**	1	$26	$36
		Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18








CORNER & STRAIGHTAWAY TRAYS


Advantage – Single #2110RL



- Ultra-thin tray
- Optimizer document holder & cable management
- Removable palm support
- Swivel out mouse tray provides mouse-forward positioning
- Mouse tray stores under keyboard tray when not in use
- Mouse tray converts easily for left or right handed use
- Fits 18" radius or 17" diagonal or more
- Mouse tray palm support sold separately

Type	Model #	Weight	US $ List	CAN $ List
Ultra-Thin	**UB2110RL25**	5	$257	$357
Accessories:				
Mouse tray	**UB2115**	2	$69	$96
Mouse Palm Support	**2120-25**	1	$52	$72
Corner Diagonal for 90°	**179CCD-1 1/2B**	4	$121	$168
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-18.4-25**	1	$69	$96
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18


Advantage – Dual #2110D



- Ultra-thin tray
- Optimizer document holder & cable management
- Removable palm support
- Two swivel out mouse trays provide mouse-forward positioning
- Mouse tray stores under keyboard tray when not in use
- Dual mouse trays enable ambidextrous use
- Fits 18" radius or 17" diagonal or more
- Mouse tray palm support sold separately

Ultra-Thin	**UB2110D25**	6	$294	$408
Accessories:				
Mouse Palm Support	**2120-25**	1	$52	$72
Corner Diagonal for 90°	**179CCD-1 1/2B**	4	$121	$168
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-18.4-25**	1	$69	$96
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18

Microsoft Natural Mouse-Under #2110RLN



- Ultra-thin tray is contoured to match the Microsoft Natural keyboard
- Optimizer document holder & cable management
- Swivel out mouse tray provides mouse-forward positioning
- Mouse tray stores under keyboard tray when not in use
- Fits 18" radius or 17" diagonal or more
- Mouse tray palm support sold separately

Ultra-Thin	**UB2110RLN**	5	$205	$285
Accessories:				
Mouse tray	**UB2115**	2	$69	$96
Mouse Palm Support	**2120-25**	1	$52	$72
Corner Diagonal for 90°	**179CCD-1 1/2B**	4	$121	$168
Replacement Parts:				
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18

Products listed on this page are **not on contract.** GSA


STRAIGHTAWAY ONLY TRAYS

This collection of keyboard trays includes products designed to work in straightaway applications and provide simple solutions for ambidextrous mousing.


Straightaway

STRAIGHTAWAY ONLY


Compact Tray
#172



- Compact design ideal for compact keyboards
- Ultrathin tray
- Single surface tray easily accommodates left or right handed users
- Removable palm support

Type	Model #	Weight	US $ List	CAN $ List
Ultra-Thin	**UB172-25**	9	$228	$317
Accessories:				
Mouse Palm Support	**2120-25**	1	$52	$72
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-17-25**	1	$69	$96
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18


Standard Tray With Slide
#180S



- UltraThin™ phenolic or .625" thick classic melamine
- Ultrathin tray
- Optimizer document holder & cable management
- Sliding mouse tray that adjusts from side to side to accommodate left or right handed users
- Removable palm support
- Mouse tray palm support sold separately

Type	Model #	Weight	US $ List	CAN $ List
Ultra-Thin	**UB180S25**	9	$356	$494
Accessories:				
Mouse Palm Support	**2120-25**	1	$52	$72
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-18.4-25**	1	$69	$96
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Hardware Kit	**AKP-HDWR-BB**	1	$11	$15


25" Standard Tray
#182



- UltraThin™ phenolic or .625" thick classic melamine
- Ultrathin tray
- Optimizer document holder & cable management
- Single surface tray easily accommodates left or right handed users
- Removable palm support

Type	Model #	Weight	US $ List	CAN $ List
Classic	**CB182-25**	6	$211	$293
Ultra-Thin	**UB182-25**	6	$271	$376
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-24.2-25**	1	$80	$111
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Classic Hardware Kit	**AKP-HDWR-CINS**	1	$14	$19
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18

25" Split-Pad Standard Tray
#482




- UltraThin™ phenolic or .625" thick classic melamine
- Ultrathin tray
- Optimizer document holder & cable management
- Single surface tray easily accommodates left or right handed users
- Removable palm supports

Type	Model #	Weight	US $ List	CAN $ List
Classic	**CB482-25**	6	$248	$344
Ultra-Thin	**UB482-25**	6	$310	$431
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-18-25**	1	$69	$96
Mouse Palm Support	**AKP-MPS-6.2-25**	1	$42	$58
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Classic Hardware Kit	**AKP-HDWR-CINS**	1	$14	$19
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18

STRAIGHTAWAY ONLY


27" Standard Tray #185



- UltraThin™ phenolic or .625" thick classic melamine
- Ultrathin tray
- Optimizer document holder & cable management
- Single surface tray easily accommodates left or right handed users
- Removable palm support

Type	Model #	Weight	US $ List	CAN $ List
Classic	**CB185-25**	7	$211	$293
Ultra-Thin	**UB185-25**	7	$271	$376
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-26.2-25**	1	$82	$114
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Classic Hardware Kit	**AKP-HDWR-CINS**	1	$14	$19
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18


27" Split-Pad Standard Tray #485



- UltraThin™ phenolic or .625" thick classic melamine
- Ultrathin tray
- Optimizer document holder & cable management
- Single surface tray easily accommodates left or right handed users
- Removable palm supports

Classic	**CB485-25**	7	$248	$344
Ultra-Thin	**UB485-25**	7	$308	$428
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-18-25**	1	$69	$96
Mouse Palm Support	**AKP-MPS-8.2-25**	1	$42	$58
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Classic Hardware Kit	**AKP-HDWR-CINS**	1	$14	$19
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18


27" Reversible Tray #385RL



- UltraThin™ phenolic or .625" thick classic melamine
- Ultrathin tray
- Optimizer document holder & cable management
- Single surface tray is reversible and can easily accommodates left or right handed users by simply turning it over
- Removable palm supports

Classic	**CB385RL25**	7	$256	$356
Ultra-Thin	**UB385RL25**	7	$316	$439
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-18.4-25**	1	$69	$96
Mouse Palm Support	**AKP-MPS-8.2-25**	1	$42	$58
Mouse Surface	**AKP-MS-STD**	1	$26	$36
Classic Hardware Kit	**AKP-HDWR-CREV**	1	$14	$19
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18

Metro 6 Tray




- UltraThin™ 0.25" phenolic with a sweeping radius edge
- Integrated aluminum stopper keeps keyboard and mouse in position
- Black or white tray finish with a black accent edge
- Molded color-coordinated keyboard palm support in black (BK) or ash (AS)
- In-Line Mouse design

Ultra-Thin—White	**UWMET6**	7	$272	$378
Ultra-Thin—Black	**UBMET6**	7	$272	$378
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-MET-BK**	1	$69	$96
Keyboard Palm Support	**AKP-KPS-MET-AS**	1	$69	$96
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18

Products listed on this page are **not on contract.** GSA

CORNER ONLY TRAYS


This collection of keyboard trays includes products designed to work in corner applications with radius or diagonal of 12" or more.



Diagonal Corner *Curved Corner* *90° with Corner Maker listed*

CORNER ONLY


Corner Tray #188



- UltraThin™ phenolic or .625" thick classic melamine
- Includes Optimizer document holder & cable management
- Easily accommodates left or right handed users
- Removable palm support
- Fits radius or diagonal of 17" or more

Type	Model #	Weight	US $ List	CAN $ List
Classic	**CB188-25**	7	$214	$297
Ultra-Thin	**UB188-25**	7	$276	$383
Accessories:				
Corner Diagonal for 90°	**179CCD-1 1/2B**	4	$121	$168
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-27.2-25**	1	$69	$96
Mouse Surface	**AKP-MS-BB**	1	$26	$36
Classic Hardware Kit	**AKP-HDWR-CINS**	1	$14	$19
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18


Split-Pad Corner Tray #488



- UltraThin™ phenolic or .625" thick classic melamine
- Includes Optimizer document holder & cable management
- Easily accommodates left or right handed users
- Removable 2 piece palm support
- Fits radius or diagonal of 17" or more

Classic	**CB488-25**	7	$255	$354
Ultra-Thin	**UB488-25**	7	$316	$439
Accessories:				
Corner Diagonal for 90°	**179CCD-1 1/2B**	4	$121	$168
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-18-25**	1	$69	$96
Mouse Palm Support	**AKP-MPS-9.2-25**	1	$43	$60
Mouse Surface	**AKP-MS-BB**	1	$26	$36
Classic Hardware Kit	**AKP-HDWR-CINS**	1	$14	$19
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18

17" Reversible Corner Tray #317RL



- UltraThin™ phenolic or .625" thick classic melamine
- Includes Optimizer document holder & cable management
- Single surface tray is reversible and can easily accommodates left or right handed users by simply turning it over
- Removable 2 piece palm support
- Fits radius or diagonal of 12" or more

Classic	**CB317RL25**	7	$255	$354
Ultra-Thin	**UB317RL25**	7	$316	$439
Accessories:				
Corner Diagonal for 90°	**179ACD-B**	4	$100	$139
Replacement Parts:				
Keyboard Palm Support	**AKP-KPS-18.4-25**	1	$69	$96
Mouse Palm Support	**AKP-MPS-8.2-25**	1	$42	$58
Mouse Surface	**AKP-MS-BB**	1	$26	$36
Classic Hardware Kit	**AKP-HDWR-CREV**	1	$14	$19
Ultra-Thin Hardware Kit	**AKP-HDWR-ULT**	1	$13	$18

SOLO ARMS—STANDARD RANGE


Our collection of standard range arms are designed for use with virtually any Workrite keyboard tray. The adjustable arms allow keyboard trays to be stored under the worksurface when not in use and feature single knob or our one touch Lift-N-Lock height adjustment technology.

All standard range arms feature


- Tilt range: -15° to +10° as required by BIFMA
- Independent height and angle controls
- Height range from flush to 6" below worksurface
- 360° swivel for easy positioning and storage
- Non-intrusive low profile track provides maximum knee clearance

Specifications for Pinnacle 2 & Pinnacle 2-Value Arms


Dimensions



Tilt range



Height adjustment




1) Pinnacle 2-Value only


2) Not available on Pinnacle 2-Value

Specifications for Fundamentals 173 Arm


Dimensions



Tilt range



Height adjustment



SOLO ARMS—EXTENDED RANGE


Our extended range arms offer the same high quality features and performance as our standard range arms with the added benefit of extended reach. Their extended range allows for a broader range of ergonomic placement and greater levels of adjustability making them a great option for almost any application.

Pinnacle 2-Extended


Pinnacle 2-Extended provides 2" additional reach and over Pinnacle 2 and extends 8.5" below worksurface. Available in 17", 22", and 28" versions.

Specifications for Pinnacle 2-Extended


Dimensions



Tilt range



Height adjustment




SOLO ARMS—EXTENDED RANGE


Pinnacle AD
Pinnacle AD is designed for users requiring above-desk keyboard surface support and adjusts from 7.25" above the worksurface to 7" below the worksurface.

Specifications for Pinnacle AD


Dimensions



Tilt range




Height adjustment




Pinnacle EX
Pinnacle EX offers extended reach as well as 2.38" above and 6.5" below worksurface range. Available in 17" and 22" versions.

Specifications for Pinnacle EX


Dimensions



Tilt range




Height adjustment




Gemini Arms
Gemini's dual adjustable arms lift larger keyboard surfaces with strength and stability. They are available in two height ranges and in 5 widths from 20"-39". The Gemini Arm height is easily adjusted with T-pull handle and the keyboard surface tilts -15° to +15°.

Specifications for Gemini Arms


Model #2420 dimensions




Model #2420 tilt range



Model #2440 dimensions




Model #2440 tilt range



GSA Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

STANDARD RANGE ARMS


Pinnacle 2



- Adjusts from flush to 6" below the worksurface
- Tilt range from -15° to +10°
- 360° swivel for easy positioning and storage
- Independent height and angle controls
- Low profile ball bearing track is 5.75" wide and is available in 17", 22" or 28" lengths
- Available in black
- 17" track has 8.25" of tray storage
- 22" track has 13.25" of tray storage
- 28" track has 19.25" of tray storage

Tray	Track Length	Model #	Weight	Not on GSA Contract US $ List	CAN $ List
Banana-Board	17"	**3170-17TGB**	10	$332	$461
	22"	**3170-22TGB**	11	$354	$492
	28"	**3170-28TGB**	16	$375	$521
All Others	17"	**3170-17TG**	10	$332	$461
	22"	**3170-22TG**	11	$354	$492
	28"	**3170-28TG**	16	$375	$521
Accessories:					
Positive Tilt Lockout Kit		**3170-P2NPT**	1	$10	$14


Pinnacle 2–Value



- Adjusts from flush to 6" below the worksurface
- Tilt range from -15° to +10°
- 360° swivel for easy positioning and storage
- Independent height and angle controls
- Low profile nylon track is 5.75" wide and available in 17", 20" or 22" lengths
- Available in black
- 17" track has 8.25" of tray storage
- 20" track has 11.25" of tray storage
- 22" track has 13.25" of tray storage

Tray	Track Length	Model #	Weight	Not on GSA Contract US $ List	CAN $ List
Banana-Board	15"	**3175-15NB**	9	$257	$357
	17"	**3175-17NB**	9	$257	$357
	20"	**3175-20NB**	10	$270	$375
	22"	**3175-22NB**	10	$280	$389
All Others	15"	**3175-15N**	9	$257	$357
	17"	**3175-17N**	9	$257	$357
	20"	**3175-20N**	10	$270	$375
	22"	**3175-22N**	10	$280	$389
Accessories:					
Positive Tilt Lockout Kit		**3170-P2NPT**	1	$10	$14


Pinnacle 2–Fixed Mount



- Adjusts from flush to 6" below the worksurface
- Tilt range from -15° to +10°
- 360° swivel for easy positioning and storage
- Independent height and angle controls
- Available in black

Tray	Track Length	Model #	Weight	Not on GSA Contract US $ List	CAN $ List
Banana-Board	n/a	**3175B-FM**	7	$230	$319
All Others	n/a	**3175-FM**	7	$230	$319
Accessories:					
Positive Tilt Lockout Kit		**3170-P2NPT**	1	$10	$14

Fundamentals 173 Arm



- Adjusts from flush to 6" below worksurface
- Tilt range from -15° to +10°
- 360° Swivel for easy positioning and storage
- Single knob for height and tilt adjustment
- Low profile nylon track is 5.75" wide and available in 17" or 22" lengths
- Available in black
- 22" track has 14.5" of tray storage
- 17" track has 9.5" of tray storage


Tray	Track Length	Model #	Weight	Not on GSA Contract US $ List	CAN $ List
All	17"	**173-17N**	9	$131	$182
	22"	**173-22N**	10	$152	$211

KEYBOARD TRAYS
SOLO ARMS

Products listed on this page are **not on contract.** GSA

EXTENDED RANGE ARMS


	Tray	Track Length	Model #	Weight	US $ List	CAN $ List
Pinnacle 2–Extended	All	17"	**3172-17TG**	14	$378	$525
		22"	**3172-22TG**	16	$399	$554
		28"	**3172-28TG**	17	$420	$583
Accessories:						
Positive Tilt Lockout Kit			**3170-P2NPT**	1	$10	$14



- Extends reach of our standard Pinnacle 2 arm by 2.5"
- Adjusts from flush to 8" below the worksurface
- Tilt range from -15° to +10°
- 360° swivel for easy positioning and storage
- Independent height and angle controls
- Low profile ball bearing track is 5.75" wide and available in 17", 22" or 28" lengths
- When 17" track is completely retracted an 11.5" tray will exceed front edge of worksurface by up to 5"
- Available in black
- 17" track has 8.25" of tray storage
- 22" track has 13.25" of tray storage
- 28" track has 19.25" of tray storage

Pinnacle AD


	Tray	Track Length	Model #	Weight	US $ List	CAN $ List
	All	17"	**3176-17TG**	16	$453	$629
		22"	**3176-22TG**	18	$474	$658
		28"	**3176-28TG**	20	$495	$688



- Adjusts from 7.25" above to 7" below the worksurface
- Tilt range from -15° to +10°
- 360° swivel for easy positioning and storage
- Independent height and angle controls
- Low profile ball bearing track is 5.75" wide and available in 17", 22" or 28" lengths
- Available in black
- 17" track has 6" of tray storage
- 22" track has 11" of tray storage
- 28" track has 17" of tray storage

Pinnacle AD–Value


	Tray	Track Length	Model #	Weight	US $ List	CAN $ List
	All	17"	**3177-17N**	16	$378	$525
		22"	**3177-22N**	18	$399	$554



- Adjusts from 7.25" above to 7" below the worksurface
- Tilt range from -15° to +10°
- 360° swivel for easy positioning and storage
- Independent height and angle controls
- Low profile nylon track is 5.75" wide and available in 17" or 22" lengths
- Available in black
- 17" track has 6" of tray storage
- 22" track has 11" of tray storage

Pinnacle EX Arm


	Tray	Track Length	Model #	Weight	US $ List	CAN $ List
	All	17"	**3180-17N-BK**	14	$332	$461
		22"	**3180-22N-BK**	16	$354	$492



- Adjusts from 2.38" above to 6.5" below worksurface
- Tilt range from -20° to +10°
- 360° swivel for easy positioning and storage
- Single knob for height and tilt adjustment
- Low profile nylon track is 5.75" wide and available in 17" or 22" lengths
- Available in black
- 17" track has 9" of tray storage
- 22" track has 12" of tray storage

KEYBOARD TRAY TRACKS


Ball Bearing



- Used to replace track, upgrade from nylon track or change track length
- Low profile ball bearing track is 5.75" wide and available in 17", 22" or 28" lengths
- Includes hardware

Track Length	Model #	Weight	US $ List	CAN $ List
17"	**AKP-TRACK-17TG**	5	$104	$144
22"	**AKP-TRACK-22TG**	6	$123	$171
28"	**AKP-TRACK-28TG**	7	$144	$200

Nylon Glide (Value)




- Used to replace track or change track length
- Smooth performing nylon glides
- Low profile track is 5.75" wide and available in 17", 20" or 22" lengths
- Includes hardware

Track Length	Model #	Weight	US $ List	CAN $ List
15"	**AKP-TRACK-15N**	5	$84	$117
17"	**AKP-TRACK-17N**	5	$84	$117
20"	**AKP-TRACK-20N**	6	$92	$128
22"	**AKP-TRACK-22N**	7	$98	$136

EXTENDED RANGE, DUAL ARMS


Gemini Arms



- Two models available provide 12.5" (+6"to -6.5") or 18.5" (+12.5" to -6") height adjustment range
- Available in 5 widths including 20", 27", 31" and 39"
- Tilt range from -15° to +15°
- 150 pound load rating exceeds ANSI/BIFMA standards
- Simple T-Pull height adjustment with positive rod locking brake and adjustable spring to provide counter balance
- Available in black

Height Range	Width	Model #	Weight	US $ List	CAN $ List
12½"	20"	**2420-20**	16	$700	$972
	27"	**2420-27**	18	$719	$999
	31"	**2420-31**	20	$729	$1,013
	39"	**2420-39**	21	$740	$1,028
18½"	20"	**2440-20**	17	$747	$1,038
	27"	**2440-27**	19	$764	$1,061
	31"	**2440-31**	21	$777	$1,079
	39"	**2440-39**	22	$787	$1,093


Gemini Arm Tray Adapters



- Allows Workrite Keyboard Trays to be mounted to Gemini Arms
- Use with 20" Gemini Arms only to mount Keyboard Tray
  - 2100FT
- Use with 20", 23" or 27" Gemini Arms to mount Keyboard Trays
  - 182, 185, 188, 317RL, 385RL, 482, 485, 488

Length	Model #	Weight	US $ List	CAN $ List
20"	**UB-04933**	2	$42	$58
27"	**UB-04986**	2	$51	$71

Gemini Arm Track Kit



- Allows Gemini Arm worksurface to slide under primary worksurface
- Low profile ball bearing track
- 22" version recommended for 30" deep worksurfaces
- 17" version recommended for 24" deep worksurfaces
- Requires 3" of available width on each side of the Gemini Arm for proper fit
- Shown with Gemini Arm sold separately





Length	Model #	Weight	US $ List	CAN $ List
17"	**2421-17TG**	12	$332	$461
22"	**2421-22TG**	14	$353	$490

KEYBOARD TRAYS
UNIVERSAL ACCESSORIES

Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.


GSA

KEYBOARD ARM & TRAY ACCESSORIES

		Color	Model #	Weight	Not on GSA Contract US $ List	CAN $ List
Adjustable Corner Diagonal 	• Converts 90° & curved corners (up to 9") to usable work areas • Allows use of adjustable arm and keyboard tray when the natural corner of the worksurface does not permit it • Adjusts to fit 1.125" to 2.25" thick worksurfaces • Clamping design eliminates spacers, saving installation time • Works with the Pinnacle 2 and Pinnacle AD arms • Works with the following Workrite trays: 2180S, 2181SN, 2100FT, 317RL, 2110D, 2110RL, 180 • Dimensions: 12"W × 1.75"H	Black	**179ACD-B**	4	$100	$139
Compact Corner Diagonal 	• Converts 90° corners and diagonal corners less than 17" to usable work areas • Moves operator closer to worksurface • Designed specifically to fit model #321RL with Pinnacle 2 Arm • Works with the Pinnacle 2 and Pinnacle AD arms • Works with the following Workrite trays: 188, 488, 2180S, 2181SN, 2100FT, 317RL, 2110D, 2110RL, 2110RLN, 321RL, 180, 187, 487 • Dimensions: 17.5"W × 8.75"D × 1.5"H	Black	**179CCD-1 1/2B**	4	$121	$168
		Gray	**179CCD-1 1/2G**	4	$121	$168
Corner Rectangle 	• Converts 90° corners and corners with keyboard cutouts to usable diagonal corners • Works with all Workrite keyboard arms • Works with the following Workrite trays: 188, 488, 2180S, 2181SN, 2100FT, 317RL, 2110D, 2110RL, 2110RLN, 321RL, 180, 187, 487, 385RL, 386RL, 482, 483, 485, 486, 182, 183, 185, 186 • Dimensions: 26"W × 15"D × 1.5"H	Black	**179CR-B**	11	$183	$254
		Gray	**179CR-G**	11	$183	$254
Swivel Plate 	• Mounts between adjustable arm and tray • Provides an additional 45° pivot point for extra adjustability and special storage or mounting requirements • Works on all Workrite arms and AKP115		**2179-SP**	2	$100	$139
Positive Tilt Lockout Kit 	• Pinnacle 2 only, not available for Pinnacle AD • For “no positive tilt” ergonomics applications • No tools required to install • Restricts arm tilt to a range of 0° to –15°		**3170-P2NPT**	1	$10	$14
Mouse Tray Palm Support 	• LeatheRite™ memory foam palm support • Clip attachment requires no tools and is easy to add or remove as needed	Black	**2120-25**	1	$52	$72

KEYBOARD ARM & TRAY ACCESSORIES


Mounting Spacers



- For mounting adjustable arms when edge is thicker than the rest of the worksurface
- Works with all Workrite arms
- Select 16" or 21" length and desired thickness

Length	Model #	Weight	US $ List	CAN $ List
16"	**177-16-1/4**	2	$27	$38
	177-16-1/2	3	$27	$38
	177-16-3/4	4	$27	$38
	177-16-1	5	$27	$38
21"	**177-21-1/4**	3	$27	$38
	177-21-1/2	4	$27	$38
	177-21-3/4	5	$27	$38
	177-21-1	6	$27	$38

Bench Mount Kit



Designed for mounting keyboard arms and tracks to benching systems or adjustable height work centers where support beams limit the availability of flat mounting surfaces. Attaches between the underside of the worksurface and the keyboard arm track with installation hardware provided.

- Attaches between underside of worksurface and keyboard arm
- Fits all Workrite keyboard arms
- Powder-coated steel construction

Workrite adjustable height work centers

Once you have selected the appropriate keyboard arm and track for the depth of your worksurface, simply measure the clearance required to drop the keyboard track below the supports of the work center.

- BMK-1-B should be used for all installations of tracks greater than 17" on Workrite's Essentia, Sierra HX and Sierra HXL Electric Frame Sets
- BMK-1-B should also be used for all Sierra HXL crank installations, regardless of track length
- BMK-2-B used with Cascade Frame Sets


Benching Systems

Once you have selected the appropriate keyboard arm and track for the depth of your worksurface, simply measure the clearance required to drop the keyboard track below the supports of the benching system.


- BMK-1-B can be used for all 1.12" to 1.5" clearance requirements
- BMK-2-B can be used for all 1.88" to 2.25" clearance requirements

Height	Model #	Weight	US $ List	CAN $ List
1.12"–1.5"	**BMK-1-B**	4	$112	$156
1.88"–2.25"	**BMK-2-B**	4	$112	$156

BMK-01



BMK-02





MONITOR ARMS

MONITOR ARMS
OVERVIEW

Monitor arms can be used with either fixed height or adjustable height work centers and are an excellent way to achieve the optimal level of adjustability recommended by ergonomists. When used appropriately, they can help workers avoid the development of musculoskeletal disorders (MSD), aid in the management of existing MSD, and help alleviate eye strain associated with long hours of computer use in the office.

Adjustable monitor arms enable users to maintain neutral position of their shoulders, neck and back by allowing them to position their computer screen in the perfect location and angle for their height and the type of task they are performing. This adjustability is especially beneficial to users who wear corrective multi-focal lenses.

Space saving benefits:
Using a properly designed monitor arm provides valuable space saving benefits that can increase the productivity of users, especially those individuals in smaller workspaces.

Collapsible movement is one key benefit of a properly designed monitor arm, allowing the user to easily move the monitor out of the way for storage when not in use.

Suspension space created by mounting the monitor arm to the back edge of a worksurface is another key benefit of an adjustable monitor arm, providing the user with substantially more usable worksurface than a typical desk base monitor stand.

Collaboration benefits:
A typical monitor arm will provide 180° of horizontal rotation enabling users to share their computer screen during collaboration sessions or when conducting customer meetings.

Performance benefits:
Research indicates that proper ergonomics in the office can increase worker productivity by 10-15% depending on the type of work being performed. Monitor arms are a key component to providing real ergonomic solutions that contribute to a more comfortable and productive environment.

APPLICATION CONSIDERATIONS

Number of monitors:
Today's workers often use multiple monitors to facilitate easy access of information and increase efficiency. Understanding how many monitors are to be used is the first step to selecting the right monitor mount for any application.

Monitor mount interface:
Most monitors feature a standard VESA mount with 75 mm by 75 mm and/or 100 mm by 100 mm screw hole patterns. Some manufacturers have introduced monitors that require custom brackets or adapters and, in some cases, feature stand only mounting locations. Verification of VESA mount compatibility is required prior to selecting a monitor mount.

Monitor weight and dimensions:
It is extremely important to select a monitor mount that best matches the weight and measurement of your monitor(s). Selecting a mount that is not capable of handling the weight of heavier monitors can result in the arm failing and damaging the monitor. Most modern monitors are lightweight and selecting a mount that is too strong for their weight will make adjustment difficult and typically allow the monitor to drift during use.

Installation requirements:
The most common monitor arm installation is a C-clamp attached to the back of the worksurface; however, some unique applications may require a unique mounting solution. Grommet mounts for corner installations, wall mounts and tool bar/slatwall mounts are just a few of the other installation types that may be required by these types of applications.


Range of motion requirements:
Space constraints are a fact of life in today's office environment. The flexibility to position a monitor arm close to the back of shallow worksurfaces, or to extend its reach in spaces with deeper worksurfaces is more important than ever. It is important to pay close attention to the specifications for stowage and reach when selecting the right monitor arm for a specific application.


Frequency of use:
Not all monitor arms are created equal. For applications where the monitor is to be used in high traffic or 24/7 environments, be sure to specify a monitor arm that was designed and tested to withstand the level of use required.

Ergonomic tips:
Setting the proper viewing height and distance requires the user to position the screen at least 15.7", or approximately arms-length away, with the top of the monitor screen at or below eye level. Multi-focal lens wearers may find it necessary to position the monitor lower than other users to maintain neutral neck position.


Center the primary monitor screen so that when the user is seated or standing at their workstation, the center of the screen is directly in front of their eyes.

Adjust the monitor's tilt position as required to compensate for glare, changes in vision as eyes tire, or to provide better focus based on the content size of the work being performed. In most cases, a tilt range of 30–40° will allow users to maintain neutral posture and work comfortably throughout the day.












PRODUCT COMPARISON





CONFORM SERIES SINGLE & DUAL MONITOR ARMS

	Single	Single HD	Single LT	Single Static	Dual	Dual LT	Dual Static
							
MODELS							
Number of Monitors	1	1	1	1	2	2	2
ADJUSTABILITY							
Reach [1]	22.5"	22.5"	22.5"	24.5"	15.375"	21.5"	4.5"
Articulation Range	13"	13.5"	13"		13"	13"	
Monitor Tilt Range	+90°/-45°	+90°/-45°	+45°/-90°	+90°/-45°	+90°/-45°	+45°/-90°	+90°/-45°
Monitor Rotation	+90°/-90°	+90°/-90°	+90°/-90°	+90°/-90°	+90°/-90°	+90°/-90°	+90°/-90°
Stowed Depth	5.25"	5.25"	4.25"	6.5"	5.5"	4.25"	4.5"
Monitor Weight Range (lb)	5–17	17–40	1–14	0–16	5–17 ea.	1–14 ea.	0–16 ea.
FEATURES							
Colors	Silver	Silver	Silver	Silver	Silver	Silver	Silver
Integral Cable Management	•	•	•	•	•	•	•
ACCESSORIES							
Slider					•		•
Quick Release Adapter	•	•	•	•	•	•	•
MOUNTING OPTIONS							
C-clamp	•	•	•	•	•	•	•
Grommet	•	•	•	•	•	•	•
Tool Bar & Privacy Panel	•	•		•	•		•
Wall Mount	•	•		•	•		•
Slatwall	•	•		•	•		•
WARRANTY	10 years	10 years	10 years	10 years	10 years	10 years	10 years
AVAILABLE ON GSA							

(1) Reach decreases as monitor width increases on dual arm configurations. Values shown are maximum reach for smallest monitor width.

PRODUCT COMPARISON

CONFORM SERIES MULTIPLE MONITOR ARMS

	Multiple Static			
				
MODELS Number of Monitors	3	4	5	6
ADJUSTABILITY Reach[1]	6.5"	4.5"	4.5"/6.5"	6.5"
Monitor Tilt Range	+90°/-45°	+90°/-45°	+90°/-45°	+90°/-45°
Monitor Rotation	+90°/-90°	+90°/-90°	+90°/-90°	+90°/-90°
Stowed Depth	6.5"	4.5"	6.5"	6.5"
Monitor Weight Range (lb)	0–16 ea.	0–16 ea.	0–16 ea.	0–16 ea.
FEATURES Colors	Silver	Silver	Silver	Silver
Integral Cable Management	•	•	•	•
ACCESSORIES				
Slider	•	•	•	•
Quick Release Adapter	•	•	•	•
BASE OPTIONS C-Clamp	•	•	•	•
Grommet	•	•	•	•
WARRANTY	10 years	10 years	10 years	10 years
AVAILABLE ON GSA				

(1) Reach decreases as monitor width increases on dual arm configurations. Values shown are maximum reach for smallest monitor width.

Products listed on this page are **not on contract.** GSA

GREENGUARD GOLD


PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

CONFORM ARTICULATING ARM

The Conform Articulating Arm adapts to your changing needs through an easy to use pin connection system. Mount the arm to a variety of bases, add additional arms or reconfigure as hardware and office personnel needs change. The exceptionally smooth lifting gas spring, coupled with precision bushings, provides years of maintenance-free maneuverability. The Conform Articulating Arm has been engineered to support over 12,000 cycles and exceeds ANSI/BIFMA X5.5 requirements.


Features

- Enhance performance through ergonomic comfort
- Includes one plastic quick release adapter for the ease of installation
- Pneumatic gas spring (supports 5–17 lb monitor)
- Integrated wire managers
- Designed for fast, easy installation




Dimensions


Reach & articulation range



Pivot, tilt & rotate



Stowed depth




To learn more about monitor size and compatibility ranges, please contact your local Workrite sales representative or Workrite customer service.

PRECONFIGURED CONFORM

Model #	US $ List	CAN $ List
CONF-1SDA-BSE-CCG-S	$380	$528

Articulating Arm with C-Clamp/Grommet Base



Arm


- Supports one 5–17 lb monitor
- Maximum monitor height: 16" (full range of motion)
- Articulation range: 13"
- Forward reach: 22.5"
- Stowed depth: 5.25"
- Monitor :
  - Tilt: +90°/-45°
  - Pivot: +/-90°
  - Rotation: +/-90°
- Standard VESA (75 mm & 100 mm)
- Warranty: 10 year
- Color: silver

Base

- Convenient top adjusting C-clamp design
- Includes both C-clamp & grommet mounting hardware
- 180° pivot limiter on lower arm for space constrained environments
- Supports up to 48 lb

CONF-1SDA-BSE-TPCCG-S	$396	$550

Articulating Arm with 2 Piece C-Clamp/ Grommet Base



Base

- Detachable two piece C-clamp design for panel mounted desks
- Includes both C-clamp & grommet mounting options
- 180° pivot limiter on lower arm for space constrained environments
- Supports up to 48 lb

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818


GSA Products listed on this page are **not on contract.**

CONFORM DUAL ARTICULATING ARMS

The Conform Dual Articulating Arm aligns two monitors side-by-side on a single base while maintaining independent movement and articulation. Utilizing the same pin connection system as the rest of the series, the Conform Dual can be uncoupled to use independently should your needs change. Mount the arm to a variety of bases, add additional arms or reconfigure as hardware and office personnel needs change. The exceptionally smooth lifting gas spring, coupled with precision bushings, provides years of maintenance-free maneuverability. The Conform Articulating Arm has been engineered to support over 12,000 cycles and exceeds ANSI/BIFMA X5.5 requirements.


Features

- Enhance performance through ergonomic comfort
- Includes one plastic quick release adapter for the ease of installation
- Pneumatic gas spring (supports two 5–17 lb monitors)
- Integrated wire managers
- Designed for fast, easy installation




Dimensions


Reach & articulation range



Pivot, tilt & rotate, width & depth



Stowed depth




(1) Adjustment decreases as monitor width increases on dual arm configurations. Values shown are maximums.

Shown desk mounted against wall. Achieve additional depth with Grommet Base further in on worksurface.

To learn more about monitor size and compatibility ranges, please contact your local Workrite sales representative or Workrite customer service.

PRECONFIGURED CONFORM DUAL

	Model #	US $ List	CAN $ List
Dual Articulating Arm with C-Clamp/Grommet Base	**CONF-2SDA-BSE-CCG-S**	$766	$1,064




Arm

- Supports two monitors 5–17 lb each
- Maximum monitor height: 19.5" (full range of motion)
- Articulation range: 13"
- Forward reach: 15.375"
- Stowed depth: 5.5"
- Monitor :
  - Tilt: +90°/-45°
  - Pivot: +/-90°
  - Rotation: +/-90°
- Standard VESA (75 mm & 100 mm)
- Warranty: 10 year
- Color: silver

Base

- Convenient top adjusting C-clamp design
- Includes both C-clamp & grommet mounting hardware
- 180° pivot limiter on lower arm for space constrained environments
- Supports up to 48 lb

Dual Articulating Arm with 2 Piece C-Clamp/ Grommet Base	**CONF-2SDA-BSE-TPCCG-S**	$784	$1,089



Base

- Detachable two piece C-clamp design for panel mounted desks
- Includes both C-clamp & grommet mounting options
- 180° pivot limiter on lower arm for space constrained environments
- Supports up to 48 lb

MONITOR ARMS
CONFORM ARTICULATING

Products listed on this page are **not on contract.**

GREENGUARD GOLD


PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

CONFORM HEAVY DUTY ARTICULATING ARM

Engineered to support heavier all-in-one computer monitors and VESA mounted CPU/monitor combinations, the Conform Heavy Duty will lift up to 40 pounds with ease. Utilizing the same pin connection system as the rest of the series, the Conform Heavy Duty can be used with any Conform base or configured to work with any other Conform Monitor Arm. The exceptionally smooth lifting heavy duty gas spring, coupled with precision bushings, provides years of maintenance-free maneuverability. The Conform Heavy Duty Articulating Arm has been engineered to support over 12,000 cycles and exceeds ANSI/BIFMA X5.5 requirements.


Features

- Enhance performance through ergonomic comfort
- Pneumatic gas spring (supports 17–40 lb monitor)
- Integrated wire managers
- Designed for fast, easy installation




Dimensions

Reach & articulation range



Pivot, tilt & rotate




Stowed depth



To learn more about monitor size and compatibility ranges, please contact your local Workrite sales representative or Workrite customer service.

PRECONFIGURED CONFORM HD

Articulating HD Arm with C-Clamp/Grommet Base



Arm


- Supports monitor 17–40 lb
- Maximum monitor height: 14" (full range of motion)
- Articulation range: 13.5"
- Forward reach: 22.5"
- Stowed depth: 5.25"
- Monitor :
  - Tilt: +90°/-45°
  - Pivot: +/-90°
  - Rotation: +/-90°
- Standard VESA (75 mm & 100 mm)
- Warranty: 10 year
- Color: silver

Model #	US $ List	CAN $ List
CONF-1HDA-BSE-CCG-S	$470	$653

Base

- Convenient top adjusting C-clamp design
- Includes both C-clamp & grommet mounting hardware
- 180° pivot limiter on lower arm for space constrained environments
- Supports up to 48 lb

Articulating HD Arm with 2 Piece C-Clamp/ Grommet Base




CONF-1HDA-BSE-TPCCG-S		$501	$696

Base

- Detachable two piece C-clamp design for panel mounted desks
- Includes both C-clamp & grommet mounting options
- 180° pivot limiter on lower arm for space constrained environments
- Supports up to 48 lb

HD Metal Quick Release Adapter







- Made of black metal
- Adapter attaches to monitor VESA mount for quick release
- Order one adapter for each monitor
- Dimensions: 4.5"w × 4.5"h × .5"d
- Compatible with HD Conform arms only




MON-ADPT-QR-B	2	$79	$110

GSA Products listed on this page are **not on contract.**

STAND ALONE CONFORM BASES

		Dimensions	Model#	Weight	US $ List	CAN $ List
C-Clamp & Grommet Base 	• For use with Articulating Monitor Arms • Convenient top adjusting C-clamp design • Includes both C-clamp & grommet mounting options • 180 ° pivot limiter on lower arm for space constrained environments • Supports up to 48 lb • Color: silver		CONF-BSE-CCG-S	3	$78	$108
2 Piece C-Clamp & Grommet Base 	• For use with Articulating Monitor Arms • Detachable two piece C-clamp design for panel mounted desks • Includes both C-clamp & grommet mounting options • 180° pivot limiter on lower arm for space constrained environments • Supports up to 48 lb • Color: silver		CONF-BSE-TPCCG-S	4	$113	$157
Tool Bar & Slatwall Base 	• For use with articulating or Static Monitor Arms • Easily mount to Tool Bars, Privacy Panels & Slatwall Panels • Clamping design supports slat rails up to 1.25" wide • Supports up to 48 lb • Color: silver		CONF-BSE-TSB-S	2	$106	$147
Wall Plate Base 	• For use with Articulating or Static Monitor Arms • Wall mount to concrete, steel or drywall ▪ Mounting hardware not included • Supports up to 48 lb • Color: silver		CONF-BSE-WP-S	2	$98	$136

CONFORM ACCESSORIES & PARTS

			Model#	Weight	US $ List	CAN $ List
Dual Arm Adapter 	• For use with Articulating or Static Monitor Arms • Converts single arm base options into dual arm base • Supports up to 48 lb • Color: silver		CONF-ADPT-DA-S	2	$64	$89
Plastic Quick Release Adapter 	• Replacement plastic quick release adapter, it is included with every Conform preconfigured monitor arm (except Conform Heavy Duty) • Made of black plastic • Adapter attaches to monitor VESA mount for quick release • Fits standard VESA 75 mm and 100 mm mount patterns • Order one adapter for each monitor • Dimensions 5.25"w × 6"h ×.5"d • Compatible with non HD Conform arms only		MON-ADPTVQR-W-B	1	$24	$33
Ballast plate 	• Use when device weight does not meet minimum weight requirements • Adds 2 pounds • Available in black		MON-ACCBLST-2LB-B	2	$73	$101

MONITOR ARMS
CONFORM ACCESSORIES


Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

GSA

Not on GSA Contract

CONFORM ACCESSORIES & PARTS


Slider



- Adds 6.5" horizontal adjustability in Conform multi-monitor configurations to allow monitors of varying sizes to fit together seamlessly using one base
- VESA 100 mm interface
- Slider weight must be added to monitor weight to determine monitor arm capacity
- Color: silver
- Not compatible with Conform Static or Conform LT

Model#	Weight	US $ List	CAN $ List
CONF-ACC-SLIDER-S	3	$149	$207


Dual Monitor Adapter



- Converts single monitor station to dual monitor station
- Fits 42", 48", 54", and 60" wide single units
- VESA Quick Release included
- Mounting hardware included
- Black powder-coated steel construction

27"	ACC-DUALMONBRKT-WIDE-B		$276	$383

Thin Client CPU Holder



- Supports Thin Client CPUs up to 11 pounds
- Modular Design with adjustment to support CPU's any width from .67"–2.75" wide
- Multiple mounting options include:
  - Under desk: minimum 1" thick
  - Pole mount: 1.25"–1.5" diameter
  - VESA standard: 75 mm & 100 mm
- Includes nylon strap for increased stability and non-skid pads for additional CPU protection
- Steel construction for maximum strength and longevity
- Color: black

ACC-CPU-TCFM-B	2	$121	$168


GSA Products listed on this page are **not on contract.**

CONFORM LT

The Conform LT monitor mount features a streamlined design ideal for supporting lightweight monitors weighing 1–14 pounds. A high performance spring combined with the parallel linkage design keeps monitors perfectly balanced while providing easy vertical adjustment. Conform LT is available with a C-clamp or Grommet mount. The Conform LT comes with a 10 year warranty and will provide years of dependable performance.

Features:


- Streamlined design for simple specification
- Includes Quick Release Adapter
- Ideal for lightweight monitors (supports one 1–14 lb monitor)
- Smooth lifting through a high performance spring
- Designed for fast, easy installation
- Warranty: 10 years




To learn more about monitor size and compatibility ranges, please contact your local Workrite sales representative or Workrite customer service.

Dimensions


Reach & articulation range




Pivot, tilt & rotate



Stowed depth




Mounting clearance



PRECONFIGURED CONFORM LT

Model #	Weight	US $ List	CAN $ List
CONF-LT-1SA-TPCG-S	10	$374	$519

Monitor Arm



- Supports one 1–14 lb monitor
- Maximum monitor height: 13.5" (full range of motion)
- Articulation range: 13"
- Forward reach: 22.5"
- Stowed depth: 4.25"
- Monitor:
  - Tilt: +45°/-90°
  - Pivot: +/-90°
  - Rotation: +/-90°
- Standard VESA (75 mm & 100 mm)
- Mounts included with arm:
  - C-clamp or Grommet
- Warranty: 10 years
- Color: silver


Products listed on this page are **not on contract.** GSA

CONFORM LT DUAL

The Conform LT Dual is designed to support two lightweight monitors weighing from 1–14 pounds. The single mount design features two arms that move independently to enable users to share one screen while keeping the second private. Conform LT Dual's streamlined design features a high performance spring and parallel link that keep monitors perfectly balanced while providing easy vertical adjustment. Conform LT Dual is available with a C-clamp and Grommet mount and comes with a 10 year warranty ensuring years of reliable performance and adjustability.


Specifications:

- Streamlined design for simple specification
- Includes Quick Release Adapters
- Ideal for lightweight monitors (supports two 1–14 lb monitors)
- Smooth lifting through a high performance spring
- Designed for fast, easy installation
- Warranty: 10 years





Dimensions

Reach & articulation range




Pivot, tilt & rotate







Stowed depth



Mounting clearance






(1) Adjustment decreases as monitor width increases on dual arm configurations. Values shown are maximums.

PRECONFIGURED CONFORM LT DUAL

Monitor Arm



- Supports: Two 1–14 lb monitors
- Maximum monitor height: 13.5" (full range of motion)
- Maximum monitor width: 32" (w/ loss of reach)(1)
- Articulation range: 13"
- Forward reach: 21.5" (1)
- Stowed depth: 4.25"
- Monitor:
  - Tilt: +45°/-90°
  - Pivot: +/-90°
  - Rotation: +/-90°
- Standard VESA (75 mm & 100 mm)
- Mounts included with arm:
  - C-clamp or Grommet
- Warranty: 10 years
- Color: silver

Model #	Weight	US $ List	CAN $ List
CONF-LT-2SA-TPCG-S	16	$715	$993


To learn more about monitor size and compatibility ranges, please contact your local Workrite sales representative or Workrite customer service.

CONFORM LT DUAL SLIDER

The Conform LT Dual Slider Arm features our Integrated Monitor Sliders giving the ultimate in flexibility and ideal functionality for shallower workstations and dual monitors. The Dual Slider design neatly hugs the rear wall to allow shallow workstations to function efficiently with a full range or ergonomic adjustment at your fingertips. Includes 2 Piece C-Clamp and Grommet Mount as standard. Our 10 year warranty provides years of dependable performance.


Specifications:

- Streamlined design for simple specification
- Includes Quick Release Adapters
- Ideal for lightweight monitors (supports two 1–14 lb monitors)
- Designed for fast, easy installation
- Warranty: 10 years





Dimensions

Reach & articulation range




Pivot, tilt & rotate






Stowed depth




Mounting clearance




PRECONFIGURED CONFORM LT DUAL SLIDER

Model #	Weight	US $ List	CAN $ List
CONF-LT-D1A-SL-12PB-TPCG-S		$939	$1,304

Monitor Arm



- Supports: Two 1–14 lb monitors
- Spring assisted counterbalance supports two monitors up to 14 pounds
- 12" Pole adds 8" of manual vertical height adjustment
- Articulation range: 13"
- Forward reach: up to 10"
- Stowed depth: 6.1"
- Monitor:
  - Tilt: +45°/-90°
  - Pivot: +/-90°
  - Rotation: portrait to landscape 100°
- Standard VESA (75 mm & 100 mm)
- Mounts included with arm:
  - C-clamp or Grommet
- Warranty: 10 years
- Color: silver




Products listed on this page are **not on contract.** GSA

CONFORM ST

The Conform Static series monitor arms are designed to mount multiple monitors in many configurations. Designed for control centers, security stations, trader desks, gaming or any multiple monitor static positioning use requirement. Mount from 1 to 6 monitors up to 3 wide, single row or over under stacked configurations to meet special multiple monitor mounting needs.


CONFORM ST



- Supports one to six monitors up to 16 pounds each
- 2 Piece C-Clamp and Grommet Mount included
- Quick Release Adapter for quick and easy monitor mounting included
- Sturdy cast aluminum alloy and steel construction
- Maximum Monitor Actual Height: 15"
- Maximum Monitor Actual Width: 26"
- 2 and 3 wide versions allow parabolic arc configuration for easy viewing
- Monitor:
  - Tilt: +45°/-90°
  - Pivot: +/-180°
  - Rotation: +/-180 °
- Standard VESA mount (75 mm & 100 mm)
- Monitor Rotation: 360 degrees
- Environmentally friendly powder-coat finish
- Color: Silver
- Warranty: 10 years


Number of Monitors	Orientation	Model #	US $ List	CAN $ List
1	Single	**CONF-ST101-12PB-TPCG-S**	$233	$324
2	1 over 1	**CONF-ST211-30PB-TPCG-S**	$392	$544
	Side by Side	**CONF-ST202-12PB-TPCG-S**	$606	$842
3	1 over 2	**CONF-ST312-30PB-TPCG-S**	$690	$958
	Side by Side	**CONF-ST303-12PB-TPCG-S**	$847	$1,176
4	1 over 3	**CONF-ST413-30PB-TPCG-S**	$998	$1,386
	2 over 2	**CONF-ST422-30PB-TPCG-S**	$1,151	$1,599
5	2 over 3	**CONF-ST523-30PB-TPCG-S**	$1,392	$1,933
6	3 over 3	**CONF-ST633-30PB-TPCG-S**	$1,632	$2,267

Configurations




Dimensions


Single Mount




Dual Mount




Triple Mount




Single








Double






CONFORM LT & ST ACCESSORIES & PARTS

		Model#	US $ List	CAN $ List
Conform LT Pole Mount	• Supports one 1–14 lb monitor • Maximum monitor height: 21.75" (12" pole) to 25.75" (16" pole) (full range of motion) • Articulation range: 12.25" • Pole adds: ▪ 12" pole: 8.75" ▪ 16" pole: 12.75" • Forward reach: 22.5" • Stowed depth: 4.25" • Monitor: ▪ Tilt: +45°/-90° ▪ Pivot: +/-90° ▪ Rotation: +/-90° • Standard VESA (75 mm & 100 mm) • Single or dual arm versions available • Fits Conform Static pole bases • Dry electrostatic powder coat finish • Color: silver	**CONF-LT-SA-PM-WOB-S**	$395	$549
		**CONF-LT-DA-PM-WOB-S**	$690	$958
Conform LT/ST Pole Bases	• Fits Conform Static and LT Pole Mount only	**CONF-ST-12PB-S**	$141	$196
		**CONF-ST-16PB-S**	$183	$254
		CONF-ST-30PB-S	$193	$268
Single ST Monitor Mount	• Single monitor mount with mounting hardware	**CONF-ST-SMPM-S**	$111	$154
				
2 & 3 ST Monitor Mounts	• Dual monitors (1 by 1) • Three monitors (1 by 1 by 1)	**CONF-ST-2MPM-S**	$475	$660
		**CONF-ST-3MPM-S**	$716	$994
LT/ST Support Ring/ Cable Manager		**CONF-ST-PASR-S**	$13	$18
				
Conform LT/ST Slider	• Adds 6.5" horizontal adjustability in Conform multi-monitor configurations to allow monitors of varying sizes to fit together seamlessly using one base • VESA 100 mm interface • Slider weight must be added to monitor weight to determine monitor arm capacity • Color: silver	**CONF-ST-SLDR-S**	$165	$229
				

PRODUCT COMPARISON

JIBE SERIES SINGLE & DUAL MONITOR ARMS

	Single	Dual
		
MODELS		
Number of Monitors	1	2
ADJUSTABILITY		
Reach	23.5"	23.5"
Articulation Range	12.6"	12.6"
Monitor Tilt Range	+40°/-40°	+40°/-40°
Monitor Rotation	+90°/-90°	+90°/-90°
Stowed Depth	3.9"	3.9"
Monitor Weight Range (lb)	5–15	5–15 ea
FEATURES		
Colors	Silver, Black, White	Silver, Black, White
Integral Cable Management	•	•
Quick Release Adapter(1)	•	•
ACCESSORIES		
Powered USB Kit	•	•
Slider	•	•
Quick Release Adapter(1)		
Extension Arm		
MOUNTING OPTIONS		
C-Clamp	•	•
Grommet	•	•
Tool Bar & Privacy Panel		
Wall Mount		
Slatwall		
WARRANTY	10 years	10 years
AVAILABLE ON GSA		

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS:
UL.COM/GG
UL 2818


GSA Products listed on this page are **not on contract.**


JIBE ARTICULATING ARM

JIBE's unique arm design allows arms to be fully pushed back in while keeping monitors seamlessly positioned side by side. A detachable VESA plate allows for quick and simple monitor installation and removal. Use an Allen wrench to fine tune the spring tension of JIBE monitor arm to perfectly counterbalance any monitor weighing between 5–15 lb. The 180 degree pivot limiter locks out the rotation of the arm preventing collisions with walls and panels. Bring power to your JIBE monitor arm base by integrating two USB 3.0 cables

Benefits


- Space saving overlap arm design
- Detachable VESA plate
- Adjustable spring gauge
- 180° pivot limiter
- Optional powered USB base






To learn more about monitor size and compatibility ranges, please contact your local Workrite sales representative or Workrite customer service.

Dimensions






MONITOR ARMS
JIBE

Products listed on this page are **not on contract.** GSA

JIBE SINGLE ARTICULATING ARM

Model #	US $ List	CAN $ List
JIBE-1SDA-CCG-☐	$297	$413

Monitor Arm




- Supports one monitor: 5–15 lb
- Maximum monitor height: 20.28"
- Articulation range: 12.60"
- Forward reach: 22.67"
- Stowed depth: 3.55"
- Monitor:
  - Tilt: +/- 40 degrees
  - Pivot: +/- 90 degrees
  - Rotation: +/- 90 degrees
- Standard VESA (75 & 100 mm)
- Includes c-clamp & grommet mount options
- Optional USB kit
- Warranty: 10 years
- Colors: S: silver, B: black, W: white

JIBE DUAL ARTICULATING ARMS WITH SLIDER

Model #	US $ List	CAN $ List
JIBE-DA-DS-CCG-☐	$691	$960

Monitor Arms



- Supports two monitors: 5–15 lb (ea)
- Maximum monitor height: 20.28"
- Articulation range: 12.60"
- Forward reach: 22.4"
- Stowed depth: 3.55"
- Monitor:
  - Tilt: +/- 40 degrees
  - Pivot: +/- 90 degrees
  - Rotation: +/- 90 degrees
- Standard VESA (75 & 100 mm)
- Includes c-clamp & grommet mount options
- Optional USB kit
- Warranty: 10 years
- Colors: S: silver, B: black, W: white

JIBE ACCESSORIES & REPLACEMENT PARTS

Model #	US $ List	CAN $ List
JIBE-USB-B	$40	$56

Jibe USB Kit

- Two USB 3.0 cables per kit

MBRACE™ WALL MOUNT WORKSTATION


With over 22" of height-adjustment range, the industry leading Mbrace™ meets BIFMA and HFES requirements to accommodate infinite seated or standing positions from the 5th percentile seated female to the 95th percentile standing male. Using counter balance technology there is a 9.5" range of independent monitor 'knob free' height adjustment; the monitor can be easily positioned in the best ergonomic position. The monitor float tower and keyboard tray can rotate independently of each other allowing for seamless information sharing or full screen privacy mandated by HIPAA.

Features

Pre-assembled to help minimize installation time/costs and downtime in critical care areas


An integral Pivot Limiter restricts the rotation of the Mbrace™ preventing obstruction or impact to surrounding objects

Integrated wire management




Dimensions


Reach & articulation range



Pivot, tilt & keyboard range




Stowed depth



MBRACE WALL MOUNT


	Model #	US $ List	CAN $ List
Mbrace Wall Mount	**MED-MON-AKP-34WM-W**	$1,784	$2,478



- Supplied pre-assembled
- Weight capacity: 5–20 lb
- VESA 75mm/100mm interface
- Color: White Satin
- Warranty: 5 years

MBRACE WALL MOUNT ACCESSORIES

	Model #	US $ List	CAN $ List
Mbrace CPU Holder	**MED-CPU-34WM-W**	$451	$626



- Supplied pre-assembled
- Steel composition supports stability and long term dependability
- Maintains high infection control standards with durable anti-microbial agents incorporated into painted surfaces
- Width adjustment: 1.25–4"
- Color: White Satin


ACCESSORIES

TASK LIGHTING

How is task lighting ergonomic?
Notice the position you are standing or sitting in as you read this. Did you move to get better lighting? Did you position your body in a way to help improve the visual contrast of the text, reduce glare or avoid a shadow? That very movement is the essence of ergonomics.

How can task lighting reduce operating costs?
According to the US Department of Energy, 51% of the energy used in commercial buildings is consumed by lighting systems. However, many existing systems have much higher than recommended illumination levels from overhead lighting.

In instances where too much illumination is provided through overhead lighting, companies can reduce their power usage and associated costs by simply reducing overhead light levels and applying proper lighting for specific tasks.

How does proper task lighting increase performance?
According to The American Optometric Association, excessive overhead or ambient lighting levels reduce the apparent visual contrast on computer screens due to glare.

"Contrast (which is reduced by glare) plays an important element in visibility. Low contrast objects are difficult to see, regardless of their size. Increasing task contrast is an important means of increasing overall performance."

The Bottom Line: Proper illumination levels through the use of task lighting will help improve user ergonomics, reduce operating cost and increase worker performance.

Achieving proper light levels:
Light levels are most commonly expressed in "Foot Candles" (fc). The Illuminating Engineering Society (IES) Lighting Handbook provides detailed light level recommendations for thousands of specific applications. However, general rules of thumb are:

Visual Tasks of medium contrast or small size require 50–100 fc*
Visual Tasks of low contrast or very small size require 100–200 fc*
Users over the age of 65 should be provided with 2 times the recommended lux or foot candle light levels.*
* IES Lighting Handbook 10th Edition

What to look for in the light produced from a task light:
Supports IES foot candle recommendation for the task
Understanding the user and the task at hand will dictate how much light is required. Photometric maps illustrate the footcandle power over a specific distance and area.

High lumens per watt
The higher the lm/W the more efficient the light.

White light color
"White" light is typically perceived between 3200–4100 K. Light less than 3200 K begins to appear orange or red, while light above 4100 K begins to appear blue.

Color Rendering Index (CRI) above 80
CRI determines how "true" colors appear. CRI below 80 will begin to make objects appear noticeable different from natural sunlight.

DESKTOP TASK LIGHTING

Desktop task lights add more than just a design element to an office. Using proper illumination for tasks can prevent glare, eliminate shadows and help improve performance with work that involves great levels of detail and contrast.

What to look for when shopping for a Desktop Task Light Fixture:

Arm reach and joints: Ensure that the fixture can reach the desired task location without moving the base/mount. Fixture joints should set and hold their position without sagging or creeping back to a higher position.

Lamp head or luminaire: Should rotate to wash the task surface with light, whether in a vertical or horizontal orientation.

Dimming: Enables users to adjust light intensity and helps reduce glare caused by surrounding ambient light. Dimmable lights may also reduce the amount of energy consumed from the peak rating when used at less than 100% output. Dimming can be continuous or involve step controls.

Occupancy sensors: Detect the presence or absence of a user to turn the light on or off accordingly. Be sure to note the detection range and field of view when selecting models with this feature to ensure they are reaching the desired sensing field.

Stability: Ensure the light does not tip or lean when stretched to its maximum range of motion or “reach”.

Ergonomic desktop lighting tips:

- Position your desk lamp so that its light “washes” across your task area.
- Place the lamp on the opposite side from your writing hand to minimize shadows on the worksurface.
- Minimize any direct glare by angling the light shade away from users eyes.


Note: All Workrite fixtures are ETL or UL/ cUL listed and meet the requirements of the U.S. electric and building codes. Local building codes may vary and permits may be required for certain applications. Check with your local building or electrical inspector, or consult us if you have any questions regarding a specific application.

ASTRA 3 DOUBLE ARM DESK LIGHT

Big reach, big performance. The Astra 3 Double Arm was designed to provide outstanding reach in a small footprint. With nearly 3 feet of extension from the base and a 270° rotating head, the Astra 3 Double Arm puts illumination exactly where it is needed. Clustered, high-output, high CRI LEDs provide a crisp white light with no shadowing effect in a smaller footprint. The Astra 3 features programmable touch button controls, allowing the user to return to the same dimming level as last used, double touch to maximum brightness and programming for auto shut-off after 5 or 10 hours of use. Astra 3 also includes an energy saving Occupancy Sensor that turns on the Astra 3 with movement and turns off after 15 minutes of inactivity.

Specifications:


- 34.9" Reach from base/mount
- Multiple base options
- Bright white light output: 3100 K, 93 CRI
- Included occupancy sensor
- Continuous dimming from 100%–5%
- Touch button on/off & dimming controls
- UL Certified, Energy Star Compliant Luminaires V1.2
- 50,000+ hour life LED's (L70 rating)
- 5 year fixture warranty
- Available in silver
- 12 W transformer included:
  - 24 V, 0.5 A, Class 2 transformer: 3" × 1.125" × 1.75"
  - Two prong plug on 6' cord, connects to 3' cord attached to fixture




Base options sold separately

Dimensions

Horizontal and vertical reach




Fixture pivot & rotation






GSA Products listed on this page are **not on contract.**



ASTRA 3 DOUBLE ARM DESK LIGHT

		Model #	Weight	US $ List	CAN $ List
Double Arm Luminaire 	• Foot candle power (@ 15"): **157 fc** • Light output (lumens): **384 lm** • Power consumption (wattage): **5.7 W** • Lumens per watt: **67 lm/W** • Light color temperature (CCT): **3100 K** • Color Rendering Index (CRI): **93 CRI** • Includes energy saving Occupancy Sensor	**AST3-DA-WOB-S**	2	$417	$579

BASE OPTIONS

		Model #	Weight	US $ List	CAN $ List
Table Base 	• Sturdy yet movable, this 4 lb table base lets you put your light exactly where you want it • Provides 90° of rotation at the base • Dimensions: 7"w × 7.5"d × .3"h	**LTG-TB-TD-S**	3	$89	$124
Two Piece C-Clamp Mount 	• The sturdiest and most compact mounting solution • Two piece design provides easy installation in space constrained environments • Provides 360° of rotation at the base • Attaches to surfaces .25"–2.5" thick • Dimensions: 2"w × 1.75"d × 4.5"h	**LTG-CCB-TP-S**	1	$48	$67
Tool Bar, & Slatwall Mount 	• Add some height to your light and conserve desk space by mounting to a Workrite Tool Bar • Adjustable clamp design is also compatible with any 90° edge .5"–1.75" Slatwall system. • Provides 360° of rotation at the base • Dimensions: 2.5"w × 2"d × 2.8"h	**LTG-TSB-ADJ-S**	1	$68	$94

PARTS

		Model #	Weight	US $ List	CAN $ List
Replacement Occupancy Sensor 	• Maximize energy savings with a passive infrared Occupancy Sensor • Automatically turns your light off after 15 minutes of inactivity and back on once motion is detected • 360° swivel design allows you to direct the sensor in the optimal sensing area • Dimensions: .75"w × .5"d × 2"h	**LTG-OCC-PVT-S**	1	$68	$94
Replacement Astra Transformer 	• 12 W transformer ▪ 24 V, 0.5 A, Class 2 transformer: 3" × 1.125" × 1.75" ▪ Type A, two prong plug on 6' cord	**TR-12240500-A-SF3.5**	1	$40	$56

ACCESSORIES
ERGONOMIC



Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.


Accessorizing your work center has never been easier

Workrite's work center accessory program provides complete solutions for outfitting the modern work center. Select from a wide variety of options for use below the worksurface including modesty panels, foot rests, CPU holders, wire management tools and mobile pedestals, just to name a few.

Workrite's accessory products are not only compatible with our adjustable height work centers, they can also be used can be used with many of the most popular furniture systems and other adjustable height workstations in the market today.


ERGONOMIC ACCESSORIES

		Width	Model #	Weight	Not on GSA Contract US $ List	CAN $ List
Rite-In-Line™ Document Holder 	• Solid construction and design supports multiple documents, binders, catalogs or manuals • Slotted angle style adjusts from 42° to 82° • 5.375" height adjustability keeps documents from blocking the view of the monitor • Fasteners included, ships fully assembled	11"	**2550B**	6	$324	$450
		17"	**2560B**	8	$405	$563
Height & Angle FootRester™ 	• Height and angle adjustable for maximum comfort • Phenolic platform measures 23"w × 11"d, can be adjusted from 6–15" above the floor in .75" increments • Available in black		**215-WIDE**	17	$431	$599
Anti-Fatigue Mat 	• Composed of 100% polyurethane foam with puncture resistant surface • Patent pending foot hold allows convenient repositioning on all surfaces • Features 18° beveled edges allowing office chair to roll onto the mat • 29.5"w × 18"d × ¾"h—appropriately sized for any office environment • Environmentally safe product that meets RoHS Directive (EU) 2015/863 • Available in black		**ACC-AFM-295X18-B**	5	$131	$182

		Quantity	Model #	Weight	US $ List	CAN $ List
Low Profile Casters 	• Compatible with carpet flooring • Low profile 2"w × 1.5"h, locking, black casters • Casters raise work centers by 1" • Use with all Styled Foot and Flat Foot Kits (not available on Cascade work centers) • Four casters for 2-leg work centers	4	**95234**	2	$78	$108
Premium Polyurethane Casters 	• Compatible with carpet and hard flooring • Locking casters with smooth rolling 1"w × 3"h translucent polyurethane wheels • Increases desk height by 3–3.5" when installed • Use with all Styled Foot and Flat Foot Kits (not available on Cascade Work centers) • Four casters for 2-leg work centers, 400 lb gross load capacity	4	**ACC-CASTER-4PK3IN-CP**	2	$208	$289

TRANQUILITY ACOUSTIC SCREEN SYSTEMS

Tranquility Fabric Screens



- For use with Single Screen Mount Kits
- Screens feature threaded inserts which allow Screens to easily be mounted to rear or sides of worksurface
- Reduces visual distractions and increases user privacy
- Tackable surface accepts thumb tacks and push pins
- Screens mount at fixed height and provide privacy 18" above and 8" below worksurface
- 24" Side Screen can also be used on 30" depth work surface
- Available in 4 colors


Worksurface Size	Model # Color	Weight	US $ List	CAN $ List
Side Screens				
24" deep	**TRQ-FAB-23X26-☐☐**	10	$274	$381
Rear Screens				
46" wide	**TRQ-FAB-46X26-☐☐**	19	$417	$579
58" wide	**TRQ-FAB-58X26-☐☐**	23	$482	$669
70" wide	**TRQ-FAB-70X26-☐☐**	28	$607	$843

Fabric colors:


BB: Beach Beige
PG: Pebble Gray
SG: Storm Gray
NB: Night Blue

Dimensions


Total width & distance between threaded inserts on back of screens




TRQ-FAB-23X26-☐☐



TRQ-FAB-46X26-☐☐




TRQ-FAB-58X26-☐☐



TRQ-FAB-70X26-☐☐

DESK MOUNTING KITS FOR TRANQUILITY FABRIC SCREENS


Tranquility Single Screen Desk Mount Kit



- Only compatible with Tranquility Fabric Rear & Side Screens
- Attach one Fabric Screen to your worksurface
- All hardware included to attach one Fabric Screen to worksurface
- Black finish

Kit will mount	Model #	Weight	US $ List	CAN $ List
1 Screen to desk	**TRQ-MNT-DESK1PNL-B**	1	$66	$92

Tranquility Single Screen Trough Mount Kit




- Only compatible with Tranquility Fabric Rear & Side Screens
- Attach one Fabric Screen to your Workrite Cable Management Trough
- All hardware included to attach one Fabric Screen to Trough
- Brushed aluminum finish

1 Screen to Trough	**TRQ-MNT-TROUGH1PNL-BA**	1	$77	$107

ACCESSORIES
PRIVACY & MODESTY

Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

Modesty Panel & Cable Management




- Designed for use with any Workrite height adjustable work center
- 10" modesty panel provides privacy for users while working in the seated position
- Features a Velcro pouch that opens to hold cables, shielding them from view
- Nylon mesh fabric with steel wire frame
- Designed to install quickly and easily with simple clip and screw mounts provided
- Available in black

Model #	Weight	US $ List	CAN $ List
964-30	4	$166	$231
964-42	5	$185	$257
964-54	6	$214	$297

Fit Chart

	Worksurface Width		
Fits Work Centers (width)	36"–42"	48"–54"	60"–72"
Modesty Panel Model #	**964-30**	**964-42**	**964-54**
Actual Size	30"	42"	54"

Laminate Modesty Panel




- Match your worksurface laminate
- 11.75" below worksurface modesty panel
- 1.25"h cable management cutout
- Lightweight, 0.75" thick panel with 3 mm edge band
- Mount Kits available in 3 colors to match frame set
- The Laminate Modesty Panel has achieved GREENGUARD GOLD Certification

Worksurface Width	Model #	Color*	Weight	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
46"	**ACC-MODPNL-41-B3-□□□□□□□**		10	$229	$251	$270	$318	$349	$375
58"	**ACC-MODPNL-53-B3-□□□□□□□**		11	$310	$361	$399	$431	$501	$554
70"	**ACC-MODPNL-65-B3-□□□□□□□**		12	$320	$371	$412	$444	$515	$572

Not on GSA Contract

Laminated Modesty Panel Mount Kit



Silver	Black	White		US $ List	CAN $ List
ACC-MODMNTKIT-S	**ACC-MODMNTKIT-B**	**ACC-MODMNTKIT-W**	2	$53	$74


* Laminate Modesty Panels are available in all the Standard Laminates and Edge Bands listed in **Finishes** to perfectly match your Workrite Worksurface. Additional Wilsonart laminates may be available through our Special Order Program. Special order laminates and edge treatments are subject to minimum order quantities and require extended lead times.

Note: *Due to printing limitations, these colors are not guaranteed to be accurately reproduced. To order actual Laminate Material Samples contact your local sales representative.*

GSA Products listed on this page are **not on contract.**

PET DESKTOP DIVIDERS


End Dividers



- Rigid and durable 12 mm PET
- 24 Standard Colors (see page 6 for options)
- 3 heights 12", 16" and 20" above best top surface
- Mounts above desk top
- Mounting brackets fit worksurfaces from 0.75" to 1.5" thick
- Over desk or offset Rear panel options to allow cables to pass and clamp on accessories such as monitor arms and above desk power
- Made from 100% Recycled PET
- NRC 80 Rated
- Tackable

Actual Size		Model # Color	US $ List	CAN $ List
Height	Depth			
11.75"	22"	**PFE-1223-☐☐**	$102	$142
15.75"	22"	**PFE-1623-☐☐**	$131	$182
19.75"	22"	**PFE-2023-☐☐**	$159	$221
11.75"	28"	**PFE-1229-☐☐**	$131	$182
15.75"	28"	**PFE-1629-☐☐**	$183	$254
19.75"	28"	**PFE-2029-☐☐**	$198	$275

Rear Dividers Flush or Offset Rectangles & Flush Only Corner Rear Panels




- Rigid and durable 12 mm PET
- 24 Standard Colors (see page 6 for options)
- 3 heights 12", 16" and 20" above best top surface
- Mounts above desk top
- Mounting brackets fit worksurfaces from 0.75" to 1.5" thick
- Over desk or offset Rear panel options to allow cables to pass and clamp on accessories such as monitor arms and above desk power
- Made from 100% Recycled PET
- NRC 80 Rated
- Tackable

Actual Size		Model # Color	US $ List	CAN $ List
Height	Width			
11.75"	32"	**PFORFC-1234-☐☐**	$140	$194
15.75"	32"	**PFORFC-1634-☐☐**	$203	$282
19.75"	32"	**PFORFC-2034-☐☐**	$264	$367
11.75"	38"	**PFORFC-1240-☐☐**	$183	$254
15.75"	38"	**PFORFC-1640-☐☐**	$229	$318
19.75"	38"	**PFORFC-2040-☐☐**	$316	$439
11.75"	44"	**PFORFC-1246-☐☐**	$203	$282
15.75"	44"	**PFORFC-1646-☐☐**	$261	$363
19.75"	44"	**PFORFC-2046-☐☐**	$316	$439
11.75"	50"	**PFORFC-1252-☐☐**	$229	$318
15.75"	50"	**PFORFC-1652-☐☐**	$305	$424
19.75"	50"	**PFORFC-2052-☐☐**	$396	$550
11.75"	56"	**PFORFC-1258-☐☐**	$372	$517
15.75"	56"	**PFORFC-1658-☐☐**	$495	$688
19.75"	56"	**PFORFC-2058-☐☐**	$743	$1,032
11.75"	62"	**PFORFC-1264-☐☐**	$462	$642
15.75"	62"	**PFORFC-1664-☐☐**	$571	$793
19.75"	62"	**PFORFC-2064-☐☐**	$797	$1,107
11.75"	68"	**PFORFC-1270-☐☐**	$468	$650
15.75"	68"	**PFORFC-1670-☐☐**	$577	$801
19.75"	68"	**PFORFC-2070-☐☐**	$802	$1,114

Special Order Shapes & Sizes
If you do not see the size or shape you are looking for please contact us with a special order quote request. We have broad top manufacturing capabilities to meet your special order work surface needs.

Products listed on this page are **not on contract.** GSA

Rear Dividers
Offset Corner Only Rear Panels



- Rigid and durable 12 mm PET
- 24 Standard Colors (see page 6 for options)
- 3 heights 12", 16" and 20" above best top surface
- Mounts above desk top
- Mounting brackets fit worksurfaces from 0.75" to 1.5" thick
- Over desk or offset Rear panel options to allow cables to pass and clamp on accessories such as monitor arms and above desk power
- Made from 100% Recycled PET
- NRC 80 Rated
- Tackable

Actual Size Height	Actual Size Width	Model # Color	US $ List	CAN $ List
11.75"	33.5"	**POC-1234-☐☐**	$152	$211
15.75"	33.5"	**POC-1634-☐☐**	$203	$282
19.75"	33.5"	**POC-2034-☐☐**	$264	$367
11.75"	39.5"	**POC-1240-☐☐**	$183	$254
15.75"	39.5"	**POC-1640-☐☐**	$261	$363
19.75"	39.5"	**POC-2040-☐☐**	$316	$439
11.75"	45.5"	**POC-1246-☐☐**	$203	$282
15.75"	45.5"	**POC-1646-☐☐**	$261	$363
19.75"	45.5"	**POC-2046-☐☐**	$316	$439
11.75"	57.5"	**POC-1258-☐☐**	$372	$517
15.75"	57.5"	**POC-1658-☐☐**	$495	$688
19.75"	57.5"	**POC-2058-☐☐**	$743	$1,032
11.75"	63.5"	**POC-1264-☐☐**	$462	$642
15.75"	63.5"	**POC-1664-☐☐**	$571	$793
19.75"	63.5"	**POC-2064-☐☐**	$797	$1,107
11.75"	69.5"	**POC-1270-☐☐**	$468	$650
15.75"	69.5"	**POC-1670-☐☐**	$577	$801
19.75"	69.5"	**POC-2070-☐☐**	$802	$1,114

PET MOUNTING BRACKET SETS

		Model #	US $ List	CAN $ List
2 Flush Surface Bracket Kit 	2 Bracket Set—Flush Over Desk Mount	**PMB-2BRKT-FS-☐**	$167	$232
		Colors: **S** :Silver, **B**: Black, **W**: White		
2 Offset Surface Bracket Kit 	2 Bracket Set—Offset 1" Off Back, Over Desk Mount	**PMB-2BRKT-OS-☐**	$216	$300
		Colors: **S** :Silver, **B**: Black, **W**: White		
3 Flush Surface Bracket Kit 	3 Bracket Set—Flush Over Desk Mount	**PMB-3BRKT-FS-☐**	$245	$340
		Colors: **S** :Silver, **B**: Black, **W**: White		
3 Offset Surface Bracket Kit 	3 Bracket Set—Offset 1" Off Back, Over Desk Mount	**PMB-3BRKT-OS-☐**	$318	$442
		Colors: **S** :Silver, **B**: Black, **W**: White		
Corner Joining Kit 	• Required whenever a side divider and rear divider are installed on the same desk • Fastens the side and rear dividers improving stability	Clear **PMB-BRKT-CJK-C**	$91	$126

GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

VERTICAL CABLE MANAGERS


		Model #	Weight	Not on GSA Contract US $ List	CAN $ List
Magnetic Cable Manager	• Vertical cable manager is 47" and comes complete with 3 embedded magnets and worksurface attachment hardware • Designed to discreetly conceal & manage cables down the rear or side profile of height adjustable desk legs • Open tab design allows for cables to easily enter and exit the cable chain • Length is optimized for 3 stage height adjustable desk, links can be removed to accommodate shorter adjustment ranges • Available in silver, black, white	**ACC-WM-MCC-☐**	2	$172	$239
		Colors: **S** :Silver, **B**: Black, **W**: White			
Round Cable Manager	• Vertical cable manager is 54" long and comes complete with weighted foot and worksurface attachment clips • Designed to manage cables from under worksurface to floor • Open tab design allows cables to easily snap in or out of manager • Keeps cables neat and organized while making height adjustments • Accommodates up to 1" diameter of bundled cables • Available in black	**95201**	3	$102	$142

		Length	Model #	US $ List	CAN $ List
Rectangle Cable Manager	• Flexible interlocking blocks • Four channels to manage cables • Top bracket attaches to worksurface • Weighted metal base, 7" diameter • Assembled lengths from 26" to 50" • Available in black	26"	**SA-VW-26**	$149	$207
		32"	**SA-VW-32**	$185	$257
		44"	**SA-VW-44**	$244	$339
		50"	**SA-VW-50**	$285	$396
		Single link	**SA-VW-LINK**	$12	$17
Mesh Cable Sleeve	• Flexible braided nylon mesh sleeve • Sleeve expands from 1" diameter to 2⅛" diameter • Available in gray	5'	**ACC5-WR-G**	$53	$74

Products listed on this page are **not on contract.** GSA

CABLE TROUGH MANAGERS


Mesh Cable Trough



- Designed to be mounted under the worksurface behind the stretcher bracket
- Constructed of durable mesh, it provides 4" height and 3.5" depth of storage space
- Two widths offered to accommodate varying sized worksurfaces
  - 34" version to be mounted on worksurfaces 46" or less
  - 48" version to be mounted on worksurfaces 48" or greater
- Mounting hook design allows mesh trough to hinge open for easier access
- Velcro loops inside the mesh trough provide convenient way to keep cables & power strips bundled internally
- Each version features (1) grommet hole in the center to allow cables to enter or exit as required
- Textile portion available in gray finish

Length	Model #	Weight	US $ List	CAN $ List
34"	**ACC-WM-MT34-G**		$227	$315
48"	**ACC-WM-MT48-G**		$244	$339


Wire Way



- Provides 1.75" × 1.25" channel under worksurface to securely store wires and cables out of sight
- Plastic material comes in 4 length options and can be cut down in the field for an ideal fit in any application
- Wood screws provided to securely fasten the 3.5" flange and J channel under worksurface
- Available in black

2'	**95222**	2	$58	$81
3'	**95223**	2	$77	$107
4'	**95224**	3	$95	$132
5'	**95225**	3	$131	$182

High Capacity Cable Trough



- Conceal cables and transformers in the 5.25" high by 5.5" deep cable trough
- Top cut-out allows C-Clamps to be mounted to the back of the desk
- Three bottom cable pass through ports designed to use with Cable Management Chain
- Accommodates optional Laminate Modesty Panel
- Constructed using heavy duty 16 gage steel and scratch resistant powder-coated paint
- 25 lb payload capacity
- Recommended for 30" deep worksurfaces
- Minor Assembly Required
- Available in 3 colors to match frame set

Actual Width	Model #	Weight	US $List	CAN $ List
41.25"	**ACC-CBLTRKIT-41-☐**	12	$172	$239
53.25"	**ACC-CBLTRKIT-53-☐**	15	$238	$331
65.25"	**ACC-CBLTRKIT-65-☐**	17	$268	$372

Colors: **S**: Silver, **B**: Black, **W**: White

GSA Products listed on this page are **not on contract.**


CABLE CHAIN MANAGEMENT

		Model #	Weight	US $List	CAN $ List
Cable Manager Chain	• Manage & conceal cables, up to 2" bundle (max .75" indiv. cables) • Single axis flex design neatly manages cables as workstations move • Expand 7 contract lengths using quick ball and socket connections • 32 links included for use in worksurface-to-floor or station-to-station applications • Cable Manager Chain is approx. 50" long if all 32 links are assembled • Links can be excluded individually to reduce the overall length • Available in 3 colors to coordinate with frame set	**ACC-PWR-CBLCHAIN-☐**	2	$192	$267
		Colors: **S**: Silver, **B**: Black, **W**: White			
Cable Chain Trough Mount Kit	• Easily attach Cable Management Chain to Cable Management Trough	**ACC-PWR-CHTRMT-☐**	1	$75	$104
		Colors: **S**: Silver, **B**: Black, **W**: White			
Cable Chain Desk/ Floor Mount Kit	• Weighted floor plate with non-skid feet • Desk Mounting Kit for Non-Cable Management Trough installation applications • Uses quick ball & socket connections for easy assembly	**ACC-PWR-CHFLRMT-☐**	1	$52	$72
		Colors: **S**: Silver, **B**: Black, **W**: White			

Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.

ABOVE/BELOW DESK POWER SUPPLIES

	Color	Model #	Weight	US $ List	CAN $ List
Powered USB Data Supply	Silver	**95304-S**	5	$500	$694




- Configured with two powered USB ports, one voice/data opening and two power outlets
- Clamps on back edge, above worksurface
- Ideal for use with any Workrite laminated worksurface
- Aluminum construction, in silver with black power/data receptacles
- 10', 15 A cord; UL listed
- Voice/Data Adapters provided for the following:

- Allen Tel Versa Tap Series
- Hubbell Xcelerator Keystone Series
- Krone 6000 Series
- L-Com Keystone Modular
- Leviton Quick Port® Series
- Uniprise
- Microphone jack/3-pin XLR, solder type only
- Nordx Keystone Style
- Ortronics TracJack Series
- Panduit Mini-Com Series
- Seimon Keystone Style
- Systimax
- Tyco SL and 110 Connect Series Modular Jacks
- Tyco SL Coupler Series
- Video Monitor jack/DB-15, panel mount solder type

Note: Data port installation is responsibility of end user


				Not on GSA Contract	
Powered USB-C Data Supply		**PWR-ADP-HPUC-☐**	3	$238	$331




- High Power 65 W USB-C
  - Charges and runs most laptops, supports fast charging in single port use
- UL listed
- Input Voltage 12 V AC 60 Hz (12 A Max)
- Integrated circuit breaker protection
- 9' City of Chicago compliant power cord with NEMA5-15P 45 degree flat wall plug
- Desk Clamp Range: .75" to 1.75" thick
- Available in black and white finishes
- Two Tamper Resistant NEMA 5-15120 V A/C Power Receptacles
- One USB-A & One USB-C Outlet
  - *Single USB Port In Use:*
    USB-A: 12 V/1.5 A, 9 V/2 A, 5 V/3 A (18 W Max)
    USB-C: 20 V/3.25 A, 15 V/3 A, 9 V/3 A, 5 V/3 A (65 W Max)
  - *Both USB Ports in Use:*
    USB-A: 5 V/2.4 A (15 W Max)
    USB-C: 20 V/2.25 A, 15 V/3 A, 12 V/3 A, 9 V/3 A, 5 V/3 A (45 W Max)

GSA Products listed on this page are **not on contract.**

Power Strip Above/Below Desk Power w/USB-A & C





- High Power 65 W USB-C
  - Charges and runs most laptops, supports fast charging in single port use
- UL listed
- Input Voltage 12 V AC 60 Hz (15 A Max)
- Available in black and white finishes

Desk Top Module:

- 36" Power Cable
- Desk Clamp Range: from .75" to 1.75" thick
- Two Tamper Resistant NEMA 5-15 120 V A/C Power Receptacles
- One USB-A & One USB-C Outlet
  - *Single USB Port In Use:*
    USB-A: 12 V/1.5 A, 9 V/2 A, 5 V/3 A (18 W Max)
    USB-C: 20 V/3.25 A, 15 V/3 A, 9 V/3 A, 5 V/3 A (65 W Max)
  - *Both USB Ports in Use:*
    USB-A: 5 V/2.4 A (15 W Max)
    USB-C: 20 V/2.25 A, 15 V/3 A, 12 V/3 A, 9 V/3 A, 5 V/3 A (45 W Max)


Under Desk Power Strip:

- 4 120V NEMA 5-15 Power Receptacles
- Integrated circuit breaker protection
- Modular Port Connection for Desk Top Power Charger Module
- 9' City of Chicago compliant power cord w/NEMA 5-15P wall plug
- Mounting Hardware Included


PWR-ADP-HPUC-PS-☐	3	$471	$654

POWER STRIPS

Power Strip



6 Receptacles



8 Receptacles

- Built-in surge protection
- 6 or 8 receptacles
- UL/cUL

Receptacles	Model #	US $ List	CAN $ List
6	**SA-PB-6-4**	$85	$118
8	**SA-PB-8-6**	$114	$158

Specifications


	SA-PB-6-4	SA-PB-8-6
Number Of Receptacles	6	8 3 for transformer blocks
Cord length	4'	6' (360° plug)
Clamping voltage	330 V AC	330 V AC
Energy dissipation	270 joules	1020 joules
Circuit breaker	15 A	15 A
EMI-RFI filter	40 dB	58 dB
On/off switch	Yes	Yes
Surge indicator	Lighted	Lighted/audible
Fax/modem protection	n/a	Yes
Dimensions	11" × 2" × 1.25"	9.5" × 4" × 1.5"

Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721 except where noted.


GSA

CPU HOLDERS


		Mounting	Model#	Weight	US $ List	CAN $ List
Fixed Mount 920 CPU Holder	• Modular design accommodates modern CPU sizes from 9.75" to 18.5"h, 1.25" to 8.75"w, 8" to 19.25"d • Height range adjusts in .75" increments • Non-Locking versions have no depth limitations • Multiple mounting options include fixed wall mount, fixed under desk mount and track mount • Supports CPUs up to 75 lb • Security lock kit retrofit option available • Available in silver	Fixed Mount	**920-F**	6	$179	$249
		Locking Fixed Mount	**920-FL**	7	$249	$346
		Lock Kit	**920-LK**	1	$83	$115
		Option:				
		Track	**CPU-TRACK-16**	3	$71	$99
Track Mount 920 CPU Holder	• Modular design accommodates modern CPU sizes from 9.75"–18.5"h, 1.25" to 8.75"w, 8" to 19.25"d • Height range adjusts in .75" increments • Locking version includes adjustable bottom bracket, keyed locks and tamper resistant screws for track mount • 16" track allows 10" travel & 360° swivel for easy access to rear of CPU and under-desk storage • Multiple mounting options include fixed wall mount, fixed under desk mount and track mount • Supports CPUs up to 75 lb • Available in silver	Track Mount	**920-T**	8	$214	$297
		Locking Track Mount	**920-TL**	9	$274	$381
		Lock Kit	**920-LK**	1	$83	$115
		Replacement Parts:				
		Track	**CPU-TRACK-16**	3	$71	$99
Vertical CPU Holder	• Locking lever device allows 360° rotation of the CPU and safely keeps it off the floor • Locking version includes security lock system • Adjusts without tools for PC towers 15"–24"h × 3"–9"w • Standard 17" nylon glide track installs under workstation • Supports CPUs up to 50 lb • Available in black	Track Mount	**900**	13	$255	$354
		Locking Track Mount	**902**	14	$381	$529
Vertical or Horizontal Fixed Mount CPU Holder	• CPU can be mounted in either a vertical or horizontal position • Fixed mount under worksurface • Horizontal position - accommodates widths of 13" to 25" and heights of 7.5" to 12" • Vertical position - accommodates widths of 5.5" to 10" and heights of 13.5" to 19.5"85 lb capacity • Steel construction with black powder-coat finish • Ships fully assembled		**VE-CPUHV**		$238	$331
Thin Client CPU Holder	• Modular Design and steel construction with adjustment to support Thin Client & Micro CPU's ranging from .67"–2.75" wide • Multiple mounting options include: ▪ Under desk: 1" thick worksurface minimum ▪ Pole mount: 1.25"–1.5" diameter ▪ VESA standard: 75 mm & 100 mm • Includes nylon strap for increased stability and non-skid pads for additional CPU protection • Supports Thin Client & Micro CPU's up to 11 lb • Available in black		**ACC-CPU-TCFM-B**	2	$121	$168
Mobile CPU Holder	• Adjustable width fits CPUs from 3.625"–7.875" wide • Friction pads on sides & bottom hold CPU in place • Four dual wheel casters for easy mobility • Two locking casters keep CPU from moving • Supports CPUs up to 100 lb • Available in black		**950-B**	5	$95	$132




SIN 711-3




SIN 711-3



SIN 711-3






SIN 711-3

GSA Products listed on this page are **not on contract.**

STORAGE & ORGANIZATION ACCESSORIES


		Model #	Weight	US $ List	CAN $ List
Center Drawer Solution	• Installs under worksurface providing 25 lb capacity in a convenient sliding drawer with access to popular work tools • Steel ball bearing track guarantees a smooth operation • Injection molded plastic with radius front edge • Overall dimensions: 16"d × 21.5"w × 2"h, storage space: 18.5"w × 10"d • Fixed height position keyhole mounting bracket • Available in black	**KD-75**	6	$83	$115




		Model #	US $ List	CAN $ List
Stowaway Drawer	• Lockable for added security • Ventilation holes for laptop charging • Features 18" slide travel • Storage Space • ⅛" and ¼" hanging slot cutouts for power, USB and HDMI cables • 17"w × 17.2"d	**ACC-TD-20X22-☐**	$387	$538
		Colors: **S**: Silver, **B**: Black, **W**: White		



		Model #	US $ List	CAN $ List
Stowaway Tray	• Features 12" KV Nylon Glide Track • Inside height 2.75" • Ventilation holes for laptop charging • ⅛" and ¼" hanging slot cutouts for power, USB and HDMI cables • Tray space 15"w × 11.5"	**ACC-TT-16X12-☐**	$191	$265
		Colors: **S**: Silver, **B**: Black, **W**: White		




		Model #	Weight	US $ List	CAN $ List
Metal Mobile Pedestal	• High quality metal construction • Lockable box/file accommodates letter or legal sized files • Top drawer features ¾ extension with adjustable organization tray • All drawer slides include steel ball bearing suspension • Outside dimensions: 19"h × 11.81"w × 20.47"d • Meets BIFMA X5.9 standards for performance and durability • Available in silver, black and white to match Workrite frame set colors	**ACC-MPED-SBF-☐**	33	$417	$579
		Colors: **S**: Silver, **B**: Black, **W**: White			



Please note: Small orders and residential shipments for pedestals require special packaging and charges for shipment. *See terms and conditions for details*

Products listed on this page are **not on contract.** GSA

Laminated Mobile Pedestal




- Front doors and top available in any of the Wilsonart woodgrain laminates to match worksurface found on page 7
- Lockable box/file accommodates letter or legal sized files
- Top drawer features ¾ extension with adjustable organization tray
- All drawer slides include steel ball bearing suspension with soft-close feature
- Outside dimensions: 19"h 11.81"w × 20.47"d
- Meets BIFMA X5.9 standards for performance and durability
- Available in silver, black and white to match Workrite frame set colors

Model #	Laminate	Weight	US $ List	CAN $ List
ACC-MPED-SBF-□-□□□□□□□□		35	$604	$839
Colors: **S** :Silver, **B**: Black, **W**: White				

Please note: Small orders and residential shipments for pedestals require special packaging and charges for shipment. *See terms and conditions for details*


Mobile Pedestal PET Cover



- Cover provides a cushioned seating surface for the top of either the Metal or Laminated Mobile Pedestal
- Dimensions: 0.47"h × 11.94"w × 20.88"d
- 100% recycled PET
- Available in 24 unique colors

Model #	Material Color	Weight	US $ List	CAN $ List
ACC-PAD-P-□□		3	$143	$199

Metal Hanging Pedestal




- High quality metal construction
- Adjustable mounting bracket allows hanging pedestal to attach to underside of nearly any worksurface
- Lockable drawer includes organizational tray and accommodates legal or letter sized files
- All drawer slides feature steel ball bearing suspension with soft-close feature
- Cutout inside drawer allows for accessory power supply integration
- If mounting to a height adjustable worksurface, recommended payload capacity is 225 lb
- Maximum weight capacity 30 lb
- Outside dimensions: 14.5"h × 12.75"w × 22"d
- Available in silver, black and white to match Workrite frame set colors

Model #	Weight	US $ List	CAN $ List
ACC-HPED-□	32	$446	$619
Colors: **S**: Silver, **B**: Black, **W**: White			

Please note: Small orders and residential shipments for pedestals require special packaging and charges for shipment. *See terms and conditions for details*

Laminated Hanging Pedestal




- High quality metal frame with laminated drawer face, available in any of Workrite standard woodgrain laminate colors
- Adjustable mounting bracket allows hanging pedestal to attach to underside of nearly any worksurface
- Lockable drawer includes organizational tray and accommodates legal or letter sized files
- All drawer slides feature steel ball bearing suspension with soft-close feature
- Cutout inside drawer allows for accessory power supply integration
- If mounting to a height adjustable worksurface, recommended payload capacity is 225 lb
- Maximum weight capacity 30 lb
- Outside dimensions: 14.5"h × 12.75"w × 22"d
- Available in silver, black and white to match Workrite frame set colors

Model #	Laminate	Weight	US $ List	CAN $ List
ACC-HPED-□-□□□□□□□□		32	$558	$775
Colors: **S**: Silver, **B**: Black, **W**: White				

Please note: Small orders and residential shipments for pedestals require special packaging and charges for shipment. *See terms and conditions for details*

GSA Products listed on this page are **not on contract.**

Steel Door Lock Box



- Designed to fit under worksurface at 18"w × 24"h × 19.5"d
- Steel front door
- Four adjustable, heavy gauge steel shelves to hold up to five CPUs
- Perforated sides for ventilation
- Small opening in back for power cable pass-through
- Locking tab for added security
  - Lock not included
- Casters or glides
  - Casters add 2.5"h; Glides add 1.5"h
- Standard finish is black

	Model #	Weight	US $ List	CAN $ List
			Not on GSA Contract	
Casters	**LBOT5-S-C**		$1,285	$1,785
Glides	**LBOT5-S-G**		$1,285	$1,785

GSA—WORKRITE



GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE

AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!®, a menu-driven database system. The INTERNET address of GSA Advantage!® is: GSAAdvantage.gov.

GSA MAS Multiple Award Schedule: Office Furniture
FSC 7110; NAICS 337214
GS-28F-0030S

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov

Contract Period: June 28, 2006 – June 27, 2026

Workrite
ergonomics®

Workrite Ergonomics, LLC
2277 Pine View Way, Suite 100
Petaluma, CA 94954-5827
Phone: 800.959.9675
Fax: 800.930.8989
www.workriteergo.com

Products listed on this page are available through GSA Contract 28F-0030S SIN 33721.

GSA

On-line access to contract ordering information, terms and conditions, up-to-date pricing and the option to create an electronic delivery order is available through **GSA *Advantage!***, a menu-driven database system.

The INTERNET address for **GSA *Advantage!*** is: http://www.GSAAdvantage.gov.

Worldwide Federal Supply Schedule Contract For Schedule 71 Office Furniture

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at http://www.fss.gsa.gov.
General Services Administration Management Services Center Acquisition Division Price list.

1a. SIN — DESCRIPTION
33721: Office Furniture—includes all furniture placed in an office, such as chairs, desks, etc.
OLM: Order Level Materials

1b.

SIN	MODEL	DESCRIPTION	PRICE
33721:	AKP-HDWR-BB	Hardware Kit	$2.80

1c. Not Applicable

2. Maximum Order Limitation:
33721: $250,000.00

3. Minimum Order Size: $25.00 Net ($71.43 List)

4. Geographic Coverage: CONUS/POE

5. Point(s) of Production: Petaluma, Sonoma County, CA

6. Discount from List Prices:

Ergonomic and Work Center Accessories
$51–$50,813 (list) 65.00%
Workstation Furniture (Zone Transportation)
$51–$50,813 (list) 65.00%

7. Quantity Discounts:

Order Total at List	Discount
$50,814–$214,132 (list)	65.50%
$214,133–$572,082 (list)	66.40%
$572,083–$1,204,819 (list)	66.70%

8. Prompt Payment Terms: Net 30

9a. Government purchase cards are accepted at or below the micro-purchase threshold.

9b. Government purchase cards are accepted above the micro-purchase threshold.

10. Foreign Items: All contract items are US made or designated country made products.

11a. Time of delivery: 30 Days ARO (shipment)

11b. Expedited Delivery: Available, contact Customer Service (800) 959-9675

11c. Overnight and 2 day delivery: Available, contact Customer Service (800) 959-9675

11d. Urgent Requirements: Please note that this contract contains an "Urgent Requirements" clause (I-FSS-140-B). Agencies may contact the Contractor's representative to effect a faster delivery.

12. FOB: Destination, CONUS/POE

13a. Ordering Address:

WORKRITE ERGONOMICS, LLC
2277 Pine View Way, Suite 100
Petaluma, CA 94954
Telephone: (800) 959-9675 or (707) 780-6400
Fax: (800) 930-8989
orders@workriteergo.com

13b. Ordering procedures:
For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule home page. fss.gsa.gov/schedules. Activities are asked to reference "Participating Representatives" in the body of the order.

14. Payment Address:
Workrite Ergonomics
PO Box 741346
Los Angeles, CA 90074-1346
Telephone: (800) 959-9675 or (707) 780-6400
Fax: (800) 930-8989
http://www.workriteergo.com

15. Warranty Provision: Standard written commercial warranty

16. Export Packaging: None offered

17. Terms and Conditions of Government Purchase Card Acceptance: None; No additional discounts

18. Terms and Conditions of Rental, Maintenance and Repair: Not applicable

19. Terms and Conditions of Installation: For installation orders under $150,000.00, services shall be NTE greater of 12% of product net or a per/unit charge with up to a $240 minimum charge (not more than comparable commercial rate). Others negotiated project by project basis.

20. Terms and Conditions of Repair Parts: Available as commercial practice

20a. Terms and conditions for any other services: Not applicable

21. List of Service and Distribution Points: Refer to participating dealers

22. List of Participating Dealers: Contact Contractor or see website

23. Preventive Maintenance: Contact Contractor

24a. Special Attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants): A variety of products and offerings contain high post-consumer recycled content. Contact Contractor for more details.

24b. Section 508: Not applicable

25a. Statement regarding Section 508 compliance information availability on Electronic and Information Technology (EIT) supplies and services: Not applicable

25b. UEI: **D2VGSZ4XMLK6** CAGE code: **09NT7**
Tax ID Number: **86-0940724**

26. Workrite Ergonomics is registered in the Central Contractor Registration (CCR) database.


27. Cancellation: Cancellation shall be at no charge prior to production. Once in production the contractor shall be entitled to collect cost incurred if products are not sold within 120 days.

28. Restocking: Return Authorization shall be obtained in writing prior to return of items. Restocking charges of 20% shall apply. The government shall pay and bear responsibility for transportation. Return credit is subject to inspection and product being in saleable condition.

LINE OF SIGHT


LINE OF SIGHT
OVERVIEW

Line of Sight Generation 3 Education, Training and Technology Work Centers
Our Line of Sight® 3.0 work centers feature a highly styled design and create a unique way to optimize valuable space and integrate technology products in multi-use environments. Line of Sight Electric features our ultra smooth and quiet actuator system that can be controlled at the work center or from the front of the room to raise and lower monitors and other peripheral devices. This innovative feature enables fully functional training spaces and computer labs to be converted to standard desks with a clean worksurface almost instantaneously.




Applications and Space Planning
There are several factors that need to be considered when planning a Line of Sight system:
- Room Layout/Space Requirements
- Technology to be integrated
- Key product features required

Room Layout/Space Requirements
Personal user space is a key consideration when planning any layout. The general guideline to allow each user to work comfortably is to provide a minimum of 30" of uninterrupted seated width and 36" of space between rows of work centers. These are the guidelines that will be used when making recommendations for layout of Line of Sight products and providing quotes. Please consult with your facilities management team or project architect for any specific codes, guidelines or requirements that may apply in your area.



Technology Integration
The technology products to be used are a key factor in determining which Line of Sight product(s) should be used for your specific application. It is extremely important to know what size monitors and CPUs will be used in the facility prior to planning the product and room layouts for the project.

Monitors will need to have either a 75 mm or 100 mm VESA mounting pattern to attach to the actuator. Monitor dimensions should be measured as actual height, width and depth (not diagonal screen dimensions) and will require 1" clearance on each side to safely lower or raise the monitor through the worksurface. Please see the monitor size guidelines with each model to ensure that you are selecting the right size worksurface for your technology items.



Traditional CPU towers can be large and require additional space when planning overall work center widths and floor plan layouts. Thin Client and Micro CPU units can be easily integrated inside of the Line of Sight unit and do not typically affect the overall size of the work center or floor plan layout.

All-in-One computers and iMacs can be used in Line of Sight units as long as sizes are within the limits of each specific Line of Sight model. With iMacs they must be VESA mount compatible. Older iMacs can be converted using an open market available VESA mount bracket. Newer iMacs must be purchased with VESA mount capability. Contact Apple directly for VESA mount availability and compatibility.

Technology Worksheet
Copy and use the form on the following page to determine the Line of Sight products required to support your technology tools.

LINE OF SIGHT
TECHNOLOGY WORKSHEET

DATE SUBMITTED: | WORKRITE REPRESENTATIVE: | DEALER NAME:

DEALER CONTACT NAME: | CONTACT PHONE OR EMAIL: | CUSTOMER/END USER: | PROJECT/ROOM NO.

To ensure a quick turnaround and accurate quote for your project, please complete all requested information.

SECTION 1 – ROOM LAYOUT

PROVIDE ROOM LAYOUT:

- ☐ CAD drawing or sketch complete with workstation layout; ***or***
- ☐ CAD drawing with dimensions, doors, windows & power outlets or sketch of approximate room layout with estimated dimensions, location of wall mounted monitors, instructor location, any columns or obstruction, etc.



HOW MANY STUDENT WORKSTATIONS?

WHERE WILL AISLE(S) BE LOCATED?

- ☐ Single aisle in the center of the room
- ☐ Double aisles to the left & right of center
- ☐ Other

IF OTHER, SPECIFY

SECTION 2 – TECHNOLOGY TO BE SUPPORTED

Dimension (in inches)	"A"	"B"	"C"	Weight
Monitor 				
CPU*  ☐ Micro ☐ Tower				

*Use of Micro or Thin Client CPUs offer optimal storage and cable management

CPU:

Check if All-in-One Computer ☐

☐ **iMac** Serial #

☐ **Other** Brand

Model #

PLEASE NOTE:

Monitors and All-in-One computers (including iMacs) must be VESA mountable.

Microsoft Natural Keyboards may not sit correctly in the keyboard storage within LOS. Use of Micro or Thin Client CPUs offer the best storage and cable management.

SECTION 3 – PRODUCT SPECIFICATIONS

FORMAT

- ☐ Electric
- ☐ Manual
- ☐ Basic
- ☐ Recessed
- ☐ ADA Height Adjustable
- ☐ ADA Quantity

Also include:

- ☐ Instructor Desk
- ☐ Lectern

STANDARD GROMMET HOLES

Single user/Single or Dual Monitor—standard worksurface includes both left and right grommet holes

Dual user/Single Monitor—standard worksurface includes left, center and right grommet holes

BASE COLOR

- ☐ White
- ☐ Silver
- ☐ Black

LAMINATE TYPE

- ☐ Standard Program — Laminate color
- ☐ Custom Laminate — If custom laminate, provide brand & number

WORK CENTER POWER TYPE


- ☐ Plug in power
- ☐ Hard wire power

DESKTOP POWER/DATA


- ☐ 2 Power/2 USB

LINE OF SIGHT
CONFIGURATION


STEP 1: CHOOSE WORK CENTER TYPE




Electric Store-Away Desk



Manual Store-Away Desk




Basic Computer Desk




Recessed Computer Desk


STEP 2: CHOOSE BASE CONFIGURATION



Single User/Single Monitor



Single User/Dual Monitor



Dual User/Single Monitor

STEP 3: CHOOSE BASE COLOR

- All metal finishes are VOC free powder coating

Powder coat Paint Colors



White **W** Silver **S** Black **B**

Note: *Due to printing limitations, colors are not guaranteed to be accurately reproduced.*


STEP 4: CONNECTING LOS3—SIDE TO SIDE GANGING & BACK TO BACK OPTIONS

Filler Panels & Filler Plates (see below for detail)


When side by side ganging is desired we recommend using our End to End Ganging Kit LOS3-STGANGBRKT-B to connect each station to hold rows together for clean alignment.

In addition to side by side ganging, when installing Line of Sight units back-to-back we offer optional Back-to-Back Filler Panels and Back-to-Back Filler Plates. The Back-to-Back Filler Panels close the gap between two back-to-back units with a smooth painted to match steel cover plate. Used in conjunction with our color matched Back-to-Back Filler Plate you can fully close and cover the spaces between the units.


Freestanding Back-to-Back



Freestanding Back-to-Back Row




Wall End Back-to-Back




STEP 5: CHOOSE WORKSURFACE


Laminate colors are found on page 8.



Single User/Single Monitor




Single User/Dual Monitor




Dual User/Single Monitor

STEP 6: CHOOSE GROMMET COVERS, POWER USB CHARGE GROMMETS, AND/OR ZENS WIRELESS CHARGERS


All tops include grommet locations for user convenience (2 grommets per single user unit and 3 per dual user unit). Choose your grommet cover color based on the laminate you've selected. Black is usually the color choice for wood grain laminates. You can also choose our Power USB Charge grommet (extra charge) if A/C power or USB charging is required at the user worksurface level to charge phones or power up other devices.




Single User



Dual User




Cutouts for Desktop Power




Grommet Cover

or



Power USB Charge Grommet


or



Zens Wireless Charger


STEP 7: CHOOSE CPU HOLDER

CPU Holders are required when using CPU's other than all-in-one PC's.




STEP 8: CHOOSE POWER SYSTEM OPTIONS

Power systems enhance the utility and flexibility of the Line of Sight system.



Wall Plug Corded Power



Hard Wire Power

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

ELECTRIC, SINGLE USER/SINGLE & DUAL MONITOR

The Line of Sight Electric, Single User work center is designed to accommodate a single individual with either one or two displays. The Dual Monitor work center can easily store two monitors with a maximum width of 22" and maximum height of 15.5" as well as all of the peripheral equipment required. To customize the product to meet your needs, simply choose the base and top required to support your technology and meet your space requirements. Single User/Single & Dual Monitor Electric models include: internal holder for keyboard and mouse, removable front and rear access covers, cable management troughs, two cable grommets in front panel, two cable grommets in the rear panel, and one cable grommet in each side panel.

LINE OF SIGHT 3 BASE & BASE OPTIONS


- 29" high worksurface
- Certified UL962 and UL1296
- Bright polished aluminum feet
- Ultra quiet actuator system (100–240 VAC, 50–60 Hz, 1.6 A max)
- VESA Quick Release monitor mount included
- Monitor lift collision detection
- Monitor lift capacity: 40 lb
- Dual monitor option for 42", 48", 54", and 60" wide sizes sold separately
- Battery back up system to close units in power outage
- Full side panels, locking removable front and back panels included
- Integrated cable management
- Color matched cable grommets in front, side, and rear locations
- Internal keyboard & mouse holder included
- 26" & 30" deep worksurface options
- Silver, black, & white base finish options
- Powder-coated steel construction
- Meets ADA fixed height requirements with 30"d worksurface

Station Configuration Options


- Remote control
- Ganging brackets
- Back to back panels & filler plates
- Worksurface
- Grommet covers
- Desktop power
- CPU holders
- Power distribution systems

STANDARD LOCKING REMOVABLE FRONT & REAR PANELS

Maximum Single Monitor Size	Maximum Dual Monitor Size	Model #	US $ List	CAN $ List
31"w × 15.5"h × 3"d	N/A	**LOS3-B-E11-36-☐**	$2,305	$3,201
37"w × 15.5"h × 3"d	18.5"w × 15.5"h × 2"d	**LOS3-B-E11-42-☐**	$2,431	$3,376
43"w × 15.5"h × 3"d	21.5"w × 15.5"h × 2"d	**LOS3-B-E11-48-☐**	$2,506	$3,481
49"w × 15.5"h × 3"d	24.5"w × 15.5"h × 2"d	**LOS3-B-E11-54-☐**	$2,642	$3,669
54"w × 15.5"h × 3"d	27"w × 15.5"h × 2"d	**LOS3-B-E11-60-☐**	$2,998	$4,164




Shown with worksurface & monitor




Shown with worksurface & dual monitor (using Dual Display Adapter)

ACCESSORIES & PARTS

		Maximum Monitor Width	Model #	Not on GSA Contract US $ List	CAN $ List
Dual Monitor Adapter	• Converts single monitor station to dual monitor station • Fits 42", 48", 54", and 60" wide single units • VESA Quick Release included • Mounting hardware included • Black powder-coated steel construction	27"	**ACC-DUALMONBRKT-WIDE-B**	$276	$383



Remote Control	• Recommend 1 remote handset per room • Allow instructor/trainer to raise and lower monitors simultaneously • Lock feature allows instructor/trainer to lock monitors in the up or down position • Integrated flashlight • Easy channel set and changeability for multiple room requirements		**LOS3-REMOTE**	$96	$133



LINE OF SIGHT
ELECTRIC, SINGLE USER

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

WORKSURFACES

Single Lid Worksurface

- Worksurfaces feature Wilsonart High Pressure Laminates—see page 5 for color options
- Durable 3 mm edgeband edge finish
- Large lid sizes accommodate large format monitors including ultra-wide displays
- Pre-drilled for all mounting and option locations
- Balanced panel construction using high pressure laminate and phenolic backer sheets
- Right and left grommet locations included
- Grommet covers in 3 colors—**sold separately**
- Custom laminate colors available—contact your Line of Sight sales representative for quotation

Top Width	Top Depth	Monitor Opening	Model #	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
36"	26"	33"	**L3T-3626-ESFL-□□□□□□□**	$543	$573	$652	$754	$796	$906
42"	26"	39"	**L3T-4226-ESFL-□□□□□□□**	$550	$580	$662	$764	$806	$919
48"	26"	45"	**L3T-4826-ESFL-□□□□□□□**	$583	$617	$755	$810	$857	$1,049
54"	26"	51"	**L3T-5426-ESFL-□□□□□□□**	$630	$676	$793	$875	$939	$1,101
60"	26"	57"	**L3T-6026-ESFL-□□□□□□□**	$637	$684	$799	$885	$950	$1,110
36"	30"	33"	**L3T-3630-ESFL-□□□□□□□**	$543	$573	$652	$754	$796	$906
42"	30"	39"	**L3T-4230-ESFL-□□□□□□□**	$550	$580	$662	$764	$806	$919
48"	30"	45"	**L3T-4830-ESFL-□□□□□□□**	$583	$617	$755	$810	$857	$1,049
54"	30"	51"	**L3T-5430-ESFL-□□□□□□□**	$630	$676	$793	$875	$939	$1,101
60"	30"	57"	**L3T-6030-ESFL-□□□□□□□**	$637	$684	$799	$885	$950	$1,110


L3T-3626-ESFL-□□□□□□□

1 – Worksurface

2 – Laminate/Edge Band Color (see Color Guide)

WORKSURFACE GROMMET COVERS

80 mm Cable Grommets




- 80 mm diameter 3 piece molded covers
- Removable cover allows large cords to pass through
- Cover door rotates to adjust opening to cord sizes
- Outer liner fills cutout to cover top core material
- Available in gray, black, & white to accent laminate colors
- 2–3 required per top (unless using LOS3-DTP-2P2USB-BK)

Color	Cable Grommet Size		US $ List	CAN $ List
Gray	80 mm	**LOS3-GROMMET-80-G**	$12	$17
Black	80 mm	**LOS3-GROMMET-80-B**	$12	$17
White	80 mm	**LOS3-GROMMET-80-W**	$12	$17

DESKTOP POWER


Power USB Charger Grommet



- Fit standard 80 mm cut out in all LOS3 work center tops
- Two 120 V, 60 Hz, 15 A max grounded power outlets
- Built-in circuit breaker
- Two 2 A USB charging ports
- 9' cord
- ETL listed

Power	Data		Not on GSA Contract US $ List	CAN $ List
Two 120 V	Two USB	**LOS3-DTP-2P2USBC-BK**	$133	$185

Zens Wireless Chargers




- Available in 5 W & 15 W
- Qi standard wireless charging technology
- Fits standard 80 mm cut out in all LOS3 work center tops
- Available in black
- 5 W: (100–240 VAC, 50–60 Hz, 0.4 A max) version works on Qi charge compatible smart phones and smart watches
- 15 W: (100–240 VAC, 50–60 Hz, 1.2 A max) version works on Qi charge compatible smart phones, tablets, and smart watches
- Professional grade charger

Power			CAN $ List
5 W	**ACC-ZEN1-5W-B**	$237	$329
15 W	**ACC-ZEN3-15W-B**	$302	$419

GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

END TO END GANG BRACKET SET


		Model #	US $ List	CAN $ List
Gang Bracket Kit	• Connect LOS3 work centers side by side • Keeps rows of LOS3 work centers aligned properly • Easy installation • Powder-coated steel construction • Required when using daisy chain power options in multiple units	**LOS3-STGANGBRKT-B**	$48	$67



FILLER PANELS & FILLER PLATES FOR BACK-TO-BACK INSTALLATIONS


		Fits Widths	Model #	US $ List	CAN $ List
Back-to-Back Filler Panels	• Covers the vertical space between two LOS3 work centers when placed back-to-back • Non-handed design installs left or right as needed • Simple magnetic attachment to side for easy installation • Use one Filler Panel per visible outside end of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Plates • Color matched powder-coated steel construction		**LOS3-FPB2B-☐**	$132	$183
Back-to-Back Filler Plates	• Covers the horizontal space between two LOS3 work centers when placed back-to-back • Keep objects from falling into space behind back-to-back LOS3 units • Use one Filler Plate per set of back-to-back LOS3 work centers • Installs with pre-drilled locations under the lids of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Panels • Color matched powder-coated steel construction	36"	**LOS3-FC-36-☐**	$53	$74
		42"	**LOS3-FC-42-☐**	$68	$94
		48"	**LOS3-FC-48-☐**	$81	$113
		54"	**LOS3-FC-54-☐**	$87	$121
		60"	**LOS3-FC-60-☐**	$94	$131






CPU HOLDERS

		Fits CPU	Model #	US $ List	CAN $ List
On-Board Thin Client/ Micro CPU Holder	• Installs inside LOS electric and manual work centers • Attaches to rear of keyboard holder • Simplifies connections and cabling inside of LOS units • Installs right or left as required • Black powder-coated steel construction	1–1.75"w × 7–9"h × 7–9"d	**LOS-CPU-MTC-B**	$133	$185
Small/Mini Tower CPU Holder	• Installs under worksurface • Includes 9.5" nylon glide track • 360° swivel at track • Black powder-coated steel construction	1.75–4"w × 7.75–14"h × 7–17"d	**VE-CPU-SMALL**	$194	$269
Large CPU Holder	• Installs under worksurface • Use for larger tower CPU's • Dual adjustable 5' long straps fit most CPU's • Includes 17" nylon glide track • 360° swivel at track • Black powder-coated steel construction	Most tower CPU's	**VE-CPUST**	$160	$222



		CPU Quantity				
Hang-On CPU Holder	• Hangs on front panel of Line of Sight base • Adjustable height and width • Use for larger tower CPU's • Select model based on CPU size • Color matched powder-coated steel construction	1	4–7"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-A-☐**	$270	$375
		1 or 2	7–9"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-B-☐**	$270	$375




LINE OF SIGHT
ELECTRIC, SINGLE USER

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

WALL CORDED POWER


	Receptacle Quantity	Cord Length	Model #	Not on GSA Contract US $ List	CAN $ List
Power Bar	8	24'	**LOS3-MM024-4-24**	$264	$367



- UL/CSA Certified
- Lighted rocker switch for on/off control
- 125 VAC, 60 Hz
- Includes 15 A circuit breaker
- Fits all widths of Line of Sight work centers
- Includes mounting brackets and hardware
- Maximum power load 15 A
- Total equipment power draw calculations required on site to prevent overload

SOFT WIRE DAISY CHAIN POWER

Power Pack




- Daisy chain up to 8 Power Packs/32 receptacles
- 4 outlets per Power Pack
- Starter Power Pack includes NEMA 15 A soft cord power connection
- Rocker Switch Control Local Receptacle on each power pack
- Starter Power Pack includes 15 A master system circuit breaker
- Maximum "Adder" Units must not exceed 7 per daisy chain
- 8 Power Packs provides up to 32 120 V, 60 hz, 15 A ground receptacles
- Use 1 Power Pack per Single User LOS units and 2 power packs for Dual User LOS units
- **UL Listed for US ONLY** **NOT UL LISTED IN CANADA**

	Model #	US $ List	CAN $ List
Starter Unit	**LOS-DCP-SW-STR-4**	$203	$282
Adder Unit	**LOS-DCP-SW-ADD-4**	$180	$250


HARD WIRE POWER

Power Track

4 Outlet



8 Outlet



- ETL/CSA Certified
- Available in 4 or 8 outlets per Power Track (8 outlets recommended for dual display units)
- Available in 1, 2, or 4 circuit options
- US Specs: up to 16 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 16 A max load per circuit
- Canadian Specs: up to 12 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 12 A max load per circuit
- 4 circuit option meets industry standard 8 wire requirements
- Integrated flex conduit and snap connectors allow easy assembly and daisy chain configuration
- Requires 1 dedicated 120 V, 60 Hz, 20 A power source per circuit
- Includes mounting & installation hardware

Fits width	Daisy Chain Limits	Model #	US $ List	CAN $ List
Single User/4 Outlet				
36"	Circuit 1—up to 4	**LOS3-PT3202-36-C1000**	$373	$518
36"	Circuit 1, 2—up to 8	**LOS3-PT3202-36-C1200**	$373	$518
36"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-36-C1234**	$373	$518
42"	Circuit 1—up to 4	**LOS3-PT3202-42-C1000**	$378	$525
42"	Circuit 1, 2—up to 8	**LOS3-PT3202-42-C1200**	$378	$525
42"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-42-C1234**	$378	$525
48"	Circuit 1—up to 4	**LOS3-PT3202-48-C1000**	$383	$532
48"	Circuit 1, 2—up to 8	**LOS3-PT3202-48-C1200**	$383	$532
48"	Circuit 1, 2, 3, 4 —up to 16	**LOS3-PT3202-48-C1234**	$383	$532
54"	Circuit 1—up to 4	**LOS3-PT3202-54-C1000**	$389	$540
54"	Circuit 1, 2—up to 8	**LOS3-PT3202-54-C1200**	$389	$540
54"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-54-C1234**	$389	$540
60"	Circuit 1—up to 4	**LOS3-PT3202-60-C1000**	$394	$547
60"	Circuit 1, 2—up to 8	**LOS3-PT3202-60-C1200**	$394	$547
60"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-60-C1234**	$394	$547
Single User/Dual Monitor/8 Outlet				
48"	Circuit 1—up to 2	**LOS3-PT3204-48-C1000**	$454	$631
48"	Circuit 1, 2—up to 4	**LOS3-PT3204-48-C1200**	$454	$631
48"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-48-C1234**	$454	$631
54"	Circuit 1—up to 2	**LOS3-PT3204-54-C1000**	$459	$638
54"	Circuit 1, 2—up to 4	**LOS3-PT3204-54-C1200**	$459	$638
54"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-54-C1234**	$459	$638
60"	Circuit 1—up to 2	**LOS3-PT3204-60-C1000**	$464	$644
60"	Circuit 1, 2—up to 4	**LOS3-PT3204-60-C1200**	$464	$644
60"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-60-C1234**	$464	$644


Power Entry Cable



- 8 wire flex conduit Power Entry Cable
- Connect up to 4 dedicated 120 V, 20 A circuits and 80 individual 120 V receptacles
- Hard-wire connection via J-Box or power pole to building power source
- Snap locks into Power Track for easy connection
- Use one entry per run based on circuits chosen and maximum connection recommendations

LOS-PWRIN-LT72	$195	$271

Pass Through/ Extension Cable



- 24" Length extends Power Track cables
- Male/female plug ends
- Extra cable required for back to back hard wire power transfer connection
- Maximum circuit and receptacle limits apply

SA-TDPT24	$106	$147

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

ELECTRIC, ADA SINGLE USER/SINGLE MONITOR

Line of Sight Electric ADA Height Adjustable, Single User/Single Monitor Training & Technology work centers are designed to easily accommodate special seating needs in virtually any learning environment. The work center can neatly and efficiently hold a single monitor with equipment and delivers a sit-stand height range from 29" to 45". Two switches independently control the electric lift systems, enabling the user to adjust the height of the worksurface or raise and lower the monitor as needed. Be sure to consult local building codes to ensure that your floor plan incorporates adequate aisle space and the appropriate number of ADA work centers. The ADA Height Adjustable Single User/Single Monitor Electric models include: internal holder for keyboard and mouse, removable front and rear access panels, cable management troughs, two cable grommets in the front and rear panels and one grommet in both the right and left side panels.

LINE OF SIGHT 3 BASE & BASE OPTIONS


- Electric height adjustable
- 29" to 45" ADA and sit-stand height range
- Ultra quiet actuator system
- 110 VAC, 60 Hz, 11.6 A max
- Monitor lift collision detection
- Monitor lift capacity: 40 lb
- VESA Quick Release monitor mount included
- Battery back up system to close units on power outage
- Full side panels and locking removable front and rear panels included
- Integrated cable management
- Color matched cable grommets in front, side, and rear locations
- Internal keyboard & mouse holder included
- 30" deep worksurface only
- Silver, black, & white base finish options
- Powder-coated steel construction
- Meets ADA adjustable height and limited sit-stand requirements
- Ships fully assembled

Station Configuration Options

- Remote control
- Worksurface
- Grommet covers
- Desktop power
- CPU holders
- Power distribution systems

STANDARD LOCKING REMOVABLE FRONT & REAR PANELS


Maximum Single Monitor Size	Maximum Dual Monitor Size	Model #	US $ List	CAN $ List
23"w × 15.5"h × 3"d	N/A	**L3B-AH11-42-☐**	$3,910	$5,431
29"w × 15.5"h × 3"d	N/A	**L3B-AH11-48-☐**	$3,950	$5,486
38"w × 15.5"h × 3"d	19"w × 15.5"h × 2"d	**L3B-AH11-54-☐**	$4,092	$5,683
44"w × 15.5"h × 3"d	22"w × 15.5"h × 2"d	**L3B-AH11-60-☐**	$4,361	$6,057




Shown with worksurface

ACCESSORIES & PARTS

		Maximum Monitor Width	Model #	US $ List	CAN $ List
Dual Monitor Adapter	• Converts single monitor station to dual monitor station • Fits 42", 48", 54", and 60" wide single units • VESA Quick Release included • Mounting hardware included • Black powder-coated steel construction	27"	**ACC-DUALMONBRKT-WIDE-B**	$276	$383
				Not on GSA Contract	
Remote Control	• Recommend 1 remote handset per room • Allow instructor/trainer to raise and lower monitors simultaneously • Lock feature allows instructor/trainer to lock monitors in the up or down position • Integrated flashlight • Easy channel set and changeability for multiple room requirements		**LOS3-REMOTE**	$96	$133





LINE OF SIGHT
ELECTRIC, ADA HEIGHT ADJUSTABLE

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

WORKSURFACES

Single Lid Worksurface

- Worksurfaces feature Wilsonart High Pressure Laminates—see page 5 for color options
- Durable 3 mm edge band finish
- Large lid sizes accommodate large format monitors including ultra-wide displays
- Pre-drilled for all mounting and option locations
- Balanced panel construction using high pressure laminate and phenolic backer sheets
- Right and left grommet locations included
- Grommet covers in 3 colors—**sold separately**
- Custom laminate colors available—contact your Line of Sight sales representative for quotation

Top Width	Top Depth	Monitor Opening	Model #	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
42"	30"	28"w	**L3T-4230-AHSL-□□□□□□□**	$550	$580	$662	$764	$806	$919
48"	30"	34"w	**L3T-4830-AHSL-□□□□□□□**	$583	$617	$755	$810	$857	$1,049
54"	30"	40"w	**L3T-5430-AHSL-□□□□□□□**	$630	$676	$793	$875	$939	$1,101
60"	30"	46"w	**L3T-6030-AHSL-□□□□□□□**	$637	$684	$799	$885	$950	$1,110


L3T-3626-AHSL-□□□□□□□

1 – Worksurface

2 – Laminate/Edge Band Color (see Color Guide)

WORKSURFACE GROMMET COVERS

80 mm Cable Grommets




- 80 mm diameter 3 piece molded covers
- Removable cover allows large cords to pass through
- Cover door rotates to adjust opening to cord sizes
- Outer liner fills cutout to cover top core material
- Available in gray, black, & white to accent laminate colors
- 2–3 required per top (unless using LOS3-DTP-2P2USB-BK)

Color	Cable Grommet Size		US $ List	CAN $ List
Gray	80 mm	**LOS3-GROMMET-80-G**	$12	$17
Black	80 mm	**LOS3-GROMMET-80-B**	$12	$17
White	80 mm	**LOS3-GROMMET-80-W**	$12	$17

DESKTOP POWER


Power USB Charger Grommet



- Fit standard 80 mm cut out in all LOS3 work center tops
- Two 120 V, 60 Hz, 15 A max grounded power outlets
- Built-in circuit breaker
- Two 2 A USB charging ports
- 9' cord
- ETL listed

Power	Data		Not on GSA Contract US $ List	CAN $ List
Two 120 V	Two USB	**LOS3-DTP-2P2USBC-BK**	$133	$185

Zens Wireless Chargers







- Available in 5 W & 15 W
- Qi standard wireless charging technology
- Fits standard 80 mm cut out in all LOS3 work center tops
- Available in black
- 5 W: (100–240 VAC, 50–60 Hz, 0.4 A max) version works on Qi charge compatible smart phones and smart watches
- 15 W: (100–240 VAC, 50–60 Hz, 1.2 A max) version works on Qi charge compatible smart phones, tablets, and smart watches
- Professional grade charger

Power		Not on GSA Contract US $ List	CAN $ List
5 W	**ACC-ZEN1-5W-B**	$237	$329
15 W	**ACC-ZEN3-15W-B**	$302	$419


GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721.

CPU HOLDERS

		Fits CPU	Model #	US $ List	CAN $ List
On-Board Thin Client/ Micro CPU Holder 	• Installs inside LOS electric and manual work centers • Attaches to rear of keyboard holder • Simplifies connections and cabling inside of LOS units • Installs right or left as required • Black powder-coated steel construction	1–1.75"w × 7–9"h × 7–9"d	**LOS-CPU-MTC-B**	$133	$185
Small/Mini Tower CPU Holder 	• Installs under worksurface • Includes 9.5" nylon glide track • 360° swivel at track • Black powder-coated steel construction	1.75–4"w × 7.75–14"h × 7–17"d	**VE-CPU-SMALL**	$194	$269
Large CPU Holder 	• Installs under worksurface • Use for larger tower CPU's • Dual adjustable 5' long straps fit most CPU's • Includes 17" nylon glide track • 360° swivel at track • Black powder-coated steel construction	Most tower CPU's	**VE-CPUST**	$160	$222

		CPU Quantity				
Hang-On CPU Holder 	• Hangs on front panel of Line of Sight base • Adjustable height and width • Use for larger tower CPU's • Select model based on CPU size • Color matched powder-coated steel construction	1	4–7"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-A-☐**	$270	$375
		1 or 2	7–9"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-B-☐**	$270	$375

WALL CORDED POWER

		Receptacle Quantity	Cord Length	Model #	US $ List	CAN $ List
Power Bar 	• UL/CSA Certified • Lighted rocker switch for on/off control • 125 VAC, 60 Hz • Includes 15 A circuit breaker • Fits all widths of Line of Sight work centers • Includes mounting brackets and hardware • Maximum power load 15 A • Total equipment power draw calculations required on site to prevent overload	8	24'	**LOS3-MM024-4-24**	$264	$367

LINE OF SIGHT
ELECTRIC, DUAL USER

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

ELECTRIC, DUAL USER/SINGLE MONITOR

The Line of Sight Electric, Dual User/Single Monitor work center is our most popular Training & Technology work center. It can easily accommodate two individual displays and all of the peripheral equipment required for two students in virtually any learning environment. To customize the product to meet your needs, simply choose the base and top required to support your technology and meet your space requirements. Dual User/Single Monitor Electric models include: internal holder for keyboard and mouse, removable front and rear access panels, cable management troughs, three cable grommets in front panel, two cable grommets in the rear panel, and one cable grommet in each side panel.

LINE OF SIGHT 3 BASE & BASE OPTIONS


- 29" high worksurface
- Certified UL962 and UL1296
- Bright polished aluminum feet
- Ultra quiet actuator system (100–240 VAC, 50–60 Hz, 1.6 A max)
- Monitor lift collision detection
- Monitor lift capacity 40 lb
- VESA Quick Release monitor mount included
- Battery back up system to close units on power outage
- Full side panels, locking removable front and back panels included
- Integrated cable management
- Color matched cable grommets in front, side, and rear locations
- Internal keyboard & mouse holder included
- 26" & 30" deep worksurface options
- Silver, black, & white base finish options
- Powder-coated steel construction
- Meets ADA fixed height requirements with 30"d worksurface

Station Configuration Options

- Remote control
- Ganging brackets
- Back to back panels & filler plates
- Worksurface
- Grommet covers
- Desktop power
- CPU holders
- Power distribution systems

STANDARD LOCKING REMOVABLE FRONT & REAR PANELS

Maximum Monitor Size	Model #	US $ List	CAN $ List
25"w × 15.5"h × 3"d	**LOS3-B-E21-60-☐**	$3,826	$5,314
28"w × 15.5"h × 3"d	**LOS3-B-E21-66-☐**	$3,876	$5,383
31"w × 15.5"h × 3"d	**LOS3-B-E21-72-☐**	$3,930	$5,458



Shown with worksurface & monitors

Remote Control



- Recommend 1 remote handset per room
- Allow instructor/trainer to raise and lower monitors simultaneously
- Lock feature allows instructor/trainer to lock monitors in the up or down position
- Integrated flashlight
- Easy channel set and changeability for multiple room requirements

	Not on GSA Contract	
LOS3-REMOTE	$96	$133

GREENGUARD GOLD

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

WORKSURFACES

Dual Lid Worksurface

- Worksurfaces feature Wilsonart High Pressure Laminates—see page 5 for color options
- Durable 3 mm edgeband edge finish
- Large lid sizes accommodate large format monitors including ultra-wide displays
- Pre-drilled for all mounting and option locations
- Balanced panel construction using high pressure laminate and phenolic backer sheets
- Right, center, and left grommet locations included
- Grommet covers in 3 colors—**sold separately**
- Custom laminate colors available—contact your Line of Sight sales representative for quotation

Top Width	Top Depth	Monitor Opening	Model #	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
60"	26"	27"	**L3T-6026-EDFL-□□□□□□□**	$637	$684	$799	$885	$950	$1,110
66"	26"	30"	**L3T-6626-EDFL-□□□□□□□**	$723	$758	$977	$1,004	$1,053	$1,357
72"	26"	33"	**L3T-7226-EDFL-□□□□□□□**	$728	$765	$987	$1,011	$1,063	$1,371
60"	30"	27"	**L3T-6030-EDFL-□□□□□□□**	$637	$684	$799	$885	$950	$1,110
66"	30"	30"	**L3T-6630-EDFL-□□□□□□□**	$723	$758	$977	$1,004	$1,053	$1,357
72"	30"	33"	**L3T-7230-EDFL-□□□□□□□**	$728	$765	$987	$1,011	$1,063	$1,371


L3T-6026-EDFL-□□□□□□□

1 – Worksurface

2 – Laminate/Edge Band Color (see Color Guide)

WORKSURFACE GROMMET COVERS

80 mm Cable Grommets




- 80 mm diameter 3 piece molded covers
- Removable cover allows large cords to pass through
- Cover door rotates to adjust opening to cord sizes
- Outer liner fills cutout to cover top core material
- Available in gray, black, & white to accent laminate colors
- 2–3 required per top (unless using LOS3-DTP-2P2USB-BK)

Color	Cable Grommet Size		US $ List	CAN $ List
Gray	80 mm	**LOS3-GROMMET-80-G**	$12	$17
Black	80 mm	**LOS3-GROMMET-80-B**	$12	$17
White	80 mm	**LOS3-GROMMET-80-W**	$12	$17

DESKTOP POWER


Power USB Charger Grommet



- Fit standard 80 mm cut out in all LOS3 work center tops
- Two 120 V, 60 Hz, 15 A max grounded power outlets
- Built-in circuit breaker
- Two 2 A USB charging ports
- 9' cord
- ETL listed

Power	Data		Not on GSA Contract US $ List	CAN $ List
Two 120 V	Two USB	**LOS3-DTP-2P2USBC-BK**	$133	$185

Zens Wireless Chargers



- Available in 5 W & 15 W
- Qi standard wireless charging technology
- Fits standard 80 mm cut out in all LOS3 work center tops
- Available in black
- 5 W: (100–240 VAC, 50–60 Hz, 0.4 A max) version works on Qi charge compatible smart phones and smart watches
- 15 W: (100–240 VAC, 50–60 Hz, 1.2 A max) version works on Qi charge compatible smart phones, tablets, and smart watches
- Professional grade charger


Power		US $ List	CAN $ List
5 W	**ACC-ZEN1-5W-B**	$237	$329
15 W	**ACC-ZEN3-15W-B**	$302	$419

LINE OF SIGHT
ELECTRIC, DUAL USER

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721. GSA

END TO END GANG BRACKET SET

		Model #	US $ List	CAN $ List
Gang Bracket Kit	• Connect LOS3 work centers side by side • Keeps rows of LOS3 work centers aligned properly • Easy installation • Powder-coated steel construction • Required when using daisy chain power options in multiple units	**LOS3-STGANGBRKT-B**	$48	$67




FILLER PANELS & FILLER PLATES FOR BACK-TO-BACK INSTALLATIONS

		Model #	US $ List	CAN $ List
Back-to-Back Filler Panels	• Covers the vertical space between two LOS3 work centers when placed back-to-back • Non-handed design installs left or right as needed • Simple magnetic attachment to side for easy installation • Use one Filler Panel per visible outside end of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Plates • Color matched powder-coated steel construction	**LOS3-FPB2B-☐**	$132	$183




		Fits Widths	Model #	US $ List	CAN $ List
Back-to-Back Filler Plates	• Covers the horizontal space between two LOS3 work centers when placed back-to-back • Keep objects from falling into space behind back-to-back LOS3 units • Use one Filler Plate per set of back-to-back LOS3 work centers • Installs with pre-drilled locations under the lids of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Panels • Color matched powder-coated steel construction	60"	**LOS3-FC-60-☐**	$94	$131
		66"	**LOS3-FC-66-☐**	$102	$142
		72"	**LOS3-FC-72-☐**	$108	$150




CPU HOLDERS


		Fits CPU	Model #	US $ List	CAN $ List
On-Board Thin Client/ Micro CPU Holder	• Installs inside LOS electric and manual work centers • Attaches to rear of keyboard holder • Simplifies connections and cabling inside of LOS units • Installs right or left as required • Black powder-coated steel construction	1–1.75"w × 7–9"h × 7–9"d	**LOS-CPU-MTC-B**	$133	$185




Small/Mini Tower CPU Holder	• Installs under worksurface • Includes 9.5" nylon glide track • 360° swivel at track • Black powder-coated steel construction	1.75–4"w × 7.75–14"h × 7–17"d	**VE-CPU-SMALL**	$194	$269



Large CPU Holder	• Installs under worksurface • Use for larger tower CPU's • Dual adjustable 5' long straps fit most CPU's • Includes 17" nylon glide track • 360° swivel at track • Black powder-coated steel construction	Most tower CPU's	**VE-CPUST**	$160	$222




		CPU Quantity		Model #	US $ List	CAN $ List
Hang-On CPU Holder	• Hangs on front panel of Line of Sight base • Adjustable height and width • Use for larger tower CPU's • Select model based on CPU size • Color matched powder-coated steel construction	1	4–7"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-A-☐**	$270	$375
		1 or 2	7–9"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-B-☐**	$270	$375
		1 or 2	9–12"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-C-☐**	$270	$375
		1 or 2	12–14"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-D-☐**	$270	$375



GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

WALL CORDED POWER


	Receptacle Quantity	Cord Length	Model #	US $ List	CAN $ List
Power Bar	8	24'	**LOS3-MM024-4-24**	$264	$367



- UL/CSA Certified
- Lighted rocker switch for on/off control
- 125 VAC, 60 Hz
- Includes 15 A circuit breaker
- Fits all widths of Line of Sight work centers
- Includes mounting brackets and hardware
- Maximum power load 15 A
- Total equipment power draw calculations required on site to prevent overload

SOFT WIRE DAISY CHAIN POWER

Power Pack




- Daisy chain up to 8 Power Packs/32 receptacles
- 4 outlets per Power Pack
- Starter Power Pack includes NEMA 15 A soft cord power connection
- Rocker Switch Control Local Receptacle on each power pack
- Starter Power Pack includes 15 A master system circuit breaker
- Maximum "Adder" Units must not exceed 7 per daisy chain
- 8 Power Packs provides up to 32 120 V, 60 hz, 15 A ground receptacles
- Use 1 Power Pack per Single User LOS units and 2 power packs for Dual User LOS units
- **UL Listed for US ONLY** **NOT UL LISTED IN CANADA**

	Model #	US $ List	CAN $ List
Starter Unit	**LOS-DCP-SW-STR-4**	$203	$282
Adder Unit	**LOS-DCP-SW-ADD-4**	$180	$250

HARD WIRE POWER

Power Track


8 Outlet



- ETL/CSA Certified
- Available in 4 or 8 outlets per Power Track (8 outlets recommended for dual display units)
- Available in 1, 2, or 4 circuit options
- US Specs: up to 16 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 16 A max load per circuit
- Canadian Specs: up to 12 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 12 A max load per circuit
- 4 circuit option meets industry standard 8 wire requirements
- Integrated flex conduit and snap connectors allow easy assembly and daisy chain configuration
- Requires 1 dedicated 120 V, 60 Hz, 20 A power source per circuit
- Includes mounting & installation hardware

Fits width	Daisy Chain Limits	Model #	US $ List	CAN $ List
Dual User/Dual Monitor/8 Outlet				
60"	Circuit 1—up to 2	**LOS3-PT3204-60-C1000**	$464	$644
60"	Circuit 1, 2—up to 4	**LOS3-PT3204-60-C1200**	$464	$644
60"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-60-C1234**	$464	$644
66"	Circuit 1—up to 2	**LOS3-PT3204-66-C1000**	$471	$654
66"	Circuit 1, 2—up to 4	**LOS3-PT3204-66-C1200**	$471	$654
66"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-66-C1234**	$471	$654
72"	Circuit 1—up to 2	**LOS3-PT3204-72-C1000**	$476	$661
72"	Circuit 1, 2—up to 4	**LOS3-PT3204-72-C1200**	$476	$661
72"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-72-C1234**	$476	$661


Power Entry Cable



- 8 wire flex conduit Power Entry Cable
- Connect up to 4 dedicated 120 V, 20 A circuits and 80 individual 120 V receptacles
- Hard-wire connection via J-Box or power pole to building power source
- Snap locks into Power Track for easy connection
- Use one entry per run based on circuits chosen and maximum connection recommendations

LOS-PWRIN-LT72 $195 $271

Pass Through/ Extension Cable



- 24" Length extends Power Track cables
- Male/female plug ends
- Extra cable required for back to back hard wire power transfer connection
- Maximum circuit and receptacle limits apply

SA-TDPT24 $106 $147

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721. GSA

MANUAL, SINGLE USER/SINGLE MONITOR

Line of Sight Manual Single User/Single Monitor work centers feature a counter balance monitor lift system that enables the user to raise and lower the monitor with minimal manual exertion. Manual Single User/Single Monitor models include: internal holder for keyboard and mouse, removable front and rear access panels, cable management troughs, two cable grommets in the front and rear panels and one cable grommet in each side panel.

LINE OF SIGHT 3 BASE & BASE OPTIONS


- 29" high worksurface
- Bright polished aluminum feet
- Counter balance manual monitor lift
- Monitor lift capacity: 14 lb
- Full side panels, locking removable front and back panels included
- Integrated cable management
- Color matched cable grommets in front, side, and rear locations
- Internal keyboard & mouse holder included
- 26" & 30" deep worksurface options
- Silver, black, & white base finish options
- Powder-coated steel construction
- Meets ADA fixed height requirements with 30"d worksurface

Station Configuration Options

- Ganging brackets
- Back to back panels & filler plates
- Worksurface
- Grommet covers
- Desktop power
- CPU holders
- Power distribution systems

STANDARD LOCKING REMOVABLE FRONT & REAR PANELS

Maximum Monitor Size	Model #	US $ List	CAN $ List
31"W × 15.5"H × 3"D	**LOS3-B-M11-36-☐**	$2,152	$2,989
43"W × 15.5"H × 3"D	**LOS3-B-M11-48-☐**	$2,355	$3,271



Shown with worksurface & monitor

GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

WORKSURFACES

Single Lid Worksurface

- Worksurfaces feature Wilsonart High Pressure Laminates—see page 5 for color options
- Durable 3 mm edgeband edge finish
- Large lid sizes accommodate large format monitors including ultra-wide displays
- Pre-drilled for all mounting and option locations
- Balanced panel construction using high pressure laminate and phenolic backer sheets
- Right and left grommet locations included
- Grommet covers in 3 colors—**sold separately**
- Custom laminate colors available—contact your Line of Sight sales representative for quotation

Top Width	Top Depth	Monitor Opening	Model #	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
36"	26"	33"w	**L3T-3626-MSFL-□□□□□□□**	$612	$643	$723	$850	$893	$1,004
48"	26"	45"w	**L3T-4826-MSFL-□□□□□□□**	$651	$687	$823	$904	$954	$1,143
36"	30"	33"w	**L3T-3630-MSFL-□□□□□□□**	$612	$643	$723	$850	$893	$1,004
48"	30"	45"w	**L3T-4830-MSFL-□□□□□□□**	$651	$687	$823	$904	$954	$1,143


L3T-3626-MSFL-□□□□□□□

1 – Worksurface

2 – Laminate/Edge Band Color (see Color Guide)

WORKSURFACE GROMMET COVERS

80 mm Cable Grommets




- 80 mm diameter 3 piece molded covers
- Removable cover allows large cords to pass through
- Cover door rotates to adjust opening to cord sizes
- Outer liner fills cutout to cover top core material
- Available in gray, black, & white to accent laminate colors
- 2–3 required per top (unless using LOS3-DTP-2P2USB-BK)

Color	Cable Grommet Size		US $ List	CAN $ List
Gray	80 mm	**LOS3-GROMMET-80-G**	$12	$17
Black	80 mm	**LOS3-GROMMET-80-B**	$12	$17
White	80 mm	**LOS3-GROMMET-80-W**	$12	$17

DESKTOP POWER


Power USB Charger Grommet



- Fit standard 80 mm cut out in all LOS3 work center tops
- Two 120 V, 60 Hz, 15 A max grounded power outlets
- Built-in circuit breaker
- Two 2 A USB charging ports
- 9' cord
- ETL listed

Power	Data		Not on GSA Contract	CAN $ List
Two 120 V	Two USB	**LOS3-DTP-2P2USBC-BK**	$133	$185

Zens Wireless Chargers




- Available in 5 W & 15 W
- Qi standard wireless charging technology
- Fits standard 80 mm cut out in all LOS3 work center tops
- Available in black
- 5 W: (100–240 VAC, 50–60 Hz, 0.4 A max) version works on Qi charge compatible smart phones and smart watches
- 15 W: (100–240 VAC, 50–60 Hz, 1.2 A max) version works on Qi charge compatible smart phones, tablets, and smart watches
- Professional grade charger

Power		Not on GSA Contract	CAN $ List
5 W	**ACC-ZEN1-5W-B**	$237	$329
15 W	**ACC-ZEN3-15W-B**	$302	$419

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721.

END TO END GANG BRACKET SET


		Model #	US $ List	CAN $ List
Gang Bracket Kit	• Connect LOS3 work centers side by side • Keeps rows of LOS3 work centers aligned properly • Easy installation • Powder-coated steel construction • Required when using daisy chain power options in multiple units	**LOS3-STGANGBRKT-B**	$48	$67



FILLER PANELS & FILLER PLATES FOR BACK-TO-BACK INSTALLATIONS


		Fits Widths	Model #	US $ List	CAN $ List
Back-to-Back Filler Panels	• Covers the vertical space between two LOS3 work centers when placed back-to-back • Non-handed design installs left or right as needed • Simple magnetic attachment to side for easy installation • Use one Filler Panel per visible outside end of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Plates • Color matched powder-coated steel construction		**LOS3-FPB2B-☐**	$132	$183
Back-to-Back Filler Plates	• Covers the horizontal space between two LOS3 work centers when placed back-to-back • Keep objects from falling into space behind back-to-back LOS3 units • Use one Filler Plate per set of back-to-back LOS3 work centers • Installs with pre-drilled locations under the lids of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Panels • Color matched powder-coated steel construction	36"	**LOS3-FC-36-☐**	$53	$74
		48"	**LOS3-FC-48-☐**	$81	$113






CPU HOLDERS


		Fits CPU	Model #	US $ List	CAN $ List
On-Board Thin Client/ Micro CPU Holder	• Installs inside LOS electric and manual work centers • Attaches to rear of keyboard holder • Simplifies connections and cabling inside of LOS units • Installs right or left as required • Black powder-coated steel construction	1–1.75"w × 7–9"h × 7–9"d	**LOS-CPU-MTC-B**	$133	$185




		Fits CPU	Model #	US $ List	CAN $ List
Small/Mini Tower CPU Holder	• Installs under worksurface • Includes 9.5" nylon glide track • 360° swivel at track • Black powder-coated steel construction	1.75–4"w × 7.75–14"h × 7–17"d	**VE-CPU-SMALL**	$194	$269



		Fits CPU	Model #	US $ List	CAN $ List
Large CPU Holder	• Installs under worksurface • Use for larger tower CPU's • Dual adjustable 5' long straps fit most CPU's • Includes 17" nylon glide track • 360° swivel at track • Black powder-coated steel construction	Most tower CPU's	**VE-CPUST**	$160	$222




		CPU Quantity	Fits CPU	Model #	US $ List	CAN $ List
Hang-On CPU Holder	• Hangs on front panel of Line of Sight base • Adjustable height and width • Use for larger tower CPU's • Select model based on CPU size • Color matched powder-coated steel construction	1	4–7"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-A-☐**	$270	$375
		1 or 2	7–9"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-B-☐**	$270	$375



WALL CORDED POWER


	Receptacle Quantity	Cord Length	Model #	US $ List	CAN $ List
Power Bar	8	24'	**LOS3-MM024-4-24**	$264	$367



- UL/CSA Certified
- Lighted rocker switch for on/off control
- 125 VAC, 60 Hz
- Includes 15 A circuit breaker
- Fits all widths of Line of Sight work centers
- Includes mounting brackets and hardware
- Maximum power load 15 A
- Total equipment power draw calculations required on site to prevent overload

SOFT WIRE DAISY CHAIN POWER

Power Pack




- Daisy chain up to 8 Power Packs/32 receptacles
- 4 outlets per Power Pack
- Starter Power Pack includes NEMA 15 A soft cord power connection
- Rocker Switch Control Local Receptacle on each power pack
- Starter Power Pack includes 15 A master system circuit breaker
- Maximum "Adder" Units must not exceed 7 per daisy chain
- 8 Power Packs provides up to 32 120 V, 60 hz, 15 A ground receptacles
- Use 1 Power Pack per Single User LOS units and 2 power packs for Dual User LOS units
- **UL Listed for US ONLY** **NOT UL LISTED IN CANADA**

	Model #	US $ List (Not on GSA Contract)	CAN $ List
Starter Unit	**LOS-DCP-SW-STR-4**	$203	$282
Adder Unit	**LOS-DCP-SW-ADD-4**	$180	$250

HARD WIRE POWER

Power Track

4 Outlet



- ETL/CSA Certified
- Available in 4 or 8 outlets per Power Track (8 outlets recommended for dual display units)
- Available in 1, 2, or 4 circuit options
- US Specs: up to 16 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 16 A max load per circuit
- Canadian Specs: up to 12 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 12 A max load per circuit
- 4 circuit option meets industry standard 8 wire requirements
- Integrated flex conduit and snap connectors allow easy assembly and daisy chain configuration
- Requires 1 dedicated 120 V, 60 Hz, 20 A power source per circuit
- Includes mounting & installation hardware

Fits width	Daisy Chain Limits	Model #	US $ List	CAN $ List
Single User/4 Outlet				
36"	Circuit 1—up to 4	**LOS3-PT3202-36-C1000**	$373	$518
36"	Circuit 1, 2—up to 8	**LOS3-PT3202-36-C1200**	$373	$518
36"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-36-C1234**	$373	$518
42"	Circuit 1—up to 4	**LOS3-PT3202-42-C1000**	$378	$525
42"	Circuit 1, 2—up to 8	**LOS3-PT3202-42-C1200**	$378	$525
42"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-42-C1234**	$378	$525
48"	Circuit 1—up to 4	**LOS3-PT3202-48-C1000**	$383	$532
48"	Circuit 1, 2—up to 8	**LOS3-PT3202-48-C1200**	$383	$532
48"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-48-C1234**	$383	$532


Power Entry Cable



- 8 wire flex conduit Power Entry Cable
- Connect up to 4 dedicated 120 V, 20 A circuits and 80 individual 120 V receptacles
- Hard-wire connection via J-Box or power pole to building power source
- Snap locks into Power Track for easy connection
- Use one entry per run based on circuits chosen and maximum connection recommendations

LOS-PWRIN-LT72 $195 $271

Pass Through/ Extension Cable



- 24" Length extends Power Track cables
- Male/female plug ends
- Extra cable required for back to back hard wire power transfer connection
- Maximum circuit and receptacle limits apply

SA-TDPT24 $106 $147

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721.

PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

MANUAL, DUAL USER/SINGLE MONITOR

Line of Sight Manual Dual User/Single Monitor Training & Technology work centers are designed to accommodate two individual displays and the equipment needed for two students. The counter balance monitor lift system allows users to raise and lower the monitors individually and with minimal effort. Dual User/Single Monitor Manual models include: internal holder for keyboard and mouse, removable front and rear access panels, three cable grommets in front panel, two cable grommets in the rear panel, and one cable grommet in each side panel.

LINE OF SIGHT 3 BASE & BASE OPTIONS


- 29" high worksurface
- Bright polished aluminum feet
- Counter balance manual monitor lift
- Monitor lift capacity: 14 lb
- Full side panels, locking removable front and back panels included
- Integrated cable management
- Color matched cable grommets in front, side, and rear locations
- Internal keyboard & mouse holder included
- 26" & 30" deep worksurface options
- Silver, black, & white base finish options
- Powder-coated steel construction
- Meets ADA fixed height requirements with 30"d worksurface

Station Configuration Options

- Ganging brackets
- Back-to-Back Panels & Filler Plates
- Worksurface
- Grommet covers
- Desktop power
- CPU holders
- Power distribution systems

STANDARD LOCKING REMOVABLE FRONT & REAR PANELS

Maximum Monitor Size	Model #	US $ List	CAN $ List
25"w x 15.5"h x 3"d	**LOS3-B-M21-60-☐**	$3,526	$4,897
28"w x 15.5"h x 3"d	**LOS3-B-M21-66-☐**	$3,581	$4,974
31"w x 15.5"h x 3"d	**LOS3-B-M21-72-☐**	$3,629	$5,040



Shown with worksurface & monitor

GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

WORKSURFACES

Dual Lid Worksurface

- Worksurfaces feature Wilsonart High Pressure Laminates—see page 5 for color options
- Durable 3 mm edgeband edge finish
- Large lid sizes accommodate large format monitors including ultra-wide displays
- Pre-drilled for all mounting and option locations
- Balanced panel construction using high pressure laminate and phenolic backer sheets
- Right, center, and left grommet locations included
- Grommet covers in 3 colors—**sold separately**
- Custom laminate colors available—contact your Line of Sight sales representative for quotation

Top Width	Top Depth	Monitor Opening	Model #	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
60"	26"	27"w	**L3T-6026-MDFL-□□□□□□□**	$740	$786	$903	$1,028	$1,092	$1,254
66"	26"	30"w	**L3T-6626-MDFL-□□□□□□□**	$824	$862	$1,082	$1,144	$1,197	$1,503
72"	26"	33"w	**L3T-7226-MDFL-□□□□□□□**	$832	$868	$1,090	$1,156	$1,206	$1,514
60"	30"	27"w	**L3T-6030-MDFL-□□□□□□□**	$740	$786	$903	$1,028	$1,092	$1,254
66"	30"	30"w	**L3T-6630-MDFL-□□□□□□□**	$824	$862	$1,082	$1,144	$1,197	$1,503
72"	30"	33"w	**L3T-7230-MDFL-□□□□□□□**	$832	$868	$1,090	$1,156	$1,206	$1,514


L3T-3626-MDFL-□□□□□□□

1 – Worksurface

2 – Laminate/Edge Band Color (see Color Guide)

WORKSURFACE GROMMET COVERS

80 mm Cable Grommets




- 80 mm diameter 3 piece molded covers
- Removable cover allows large cords to pass through
- Cover door rotates to adjust opening to cord sizes
- Outer liner fills cutout to cover top core material
- Available in gray, black, & white to accent laminate colors
- 2–3 required per top (unless using LOS3-DTP-2P2USB-BK)

Color	Cable Grommet Size		US $ List	CAN $ List
Gray	80 mm	**LOS3-GROMMET-80-G**	$12	$17
Black	80 mm	**LOS3-GROMMET-80-B**	$12	$17
White	80 mm	**LOS3-GROMMET-80-W**	$12	$17

DESKTOP POWER


Power USB Charger Grommet



- Fit standard 80 mm cut out in all LOS3 work center tops
- Two 120 V, 60 Hz, 15 A max grounded power outlets
- Built-in circuit breaker
- Two 2 A USB charging ports
- 9' cord
- ETL listed

Power	Data		Not on GSA Contract US $ List	CAN $ List
Two 120 V	Two USB	**LOS3-DTP-2P2USBC-BK**	$133	$185

Zens Wireless Chargers



- Available in 5 W & 15 W
- Qi standard wireless charging technology
- Fits standard 80 mm cut out in all LOS3 work center tops
- Available in black
- 5 W: (100–240 VAC, 50–60 Hz, 0.4 A max) version works on Qi charge compatible smart phones and smart watches
- 15 W: (100–240 VAC, 50–60 Hz, 1.2 A max) version works on Qi charge compatible smart phones, tablets, and smart watches
- Professional grade charger


Power			
5 W	**ACC-ZEN1-5W-B**	$237	$329
15 W	**ACC-ZEN3-15W-B**	$302	$419

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721.

GSA


END TO END GANG BRACKET SET


		Model #	US $ List	CAN $ List
Gang Bracket Kit	• Connect LOS3 work centers side by side • Keeps rows of LOS3 work centers aligned properly • Easy installation • Powder-coated steel construction • Required when using daisy chain power options in multiple units	**LOS3-STGANGBRKT-B**	$48	$67



FILLER PANELS & FILLER PLATES FOR BACK-TO-BACK INSTALLATIONS


		Fits Widths	Model #	US $ List	CAN $ List
Back-to-Back Filler Panels	• Covers the vertical space between two LOS3 work centers when placed back-to-back • Non-handed design installs left or right as needed • Simple magnetic attachment to side for easy installation • Use one Filler Panel per visible outside end of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Plates • Color matched powder-coated steel construction		**LOS3-FPB2B-☐**	$132	$183
Back-to-Back Filler Plates	• Covers the horizontal space between two LOS3 work centers when placed back-to-back • Keep objects from falling into space behind back-to-back LOS3 units • Use one Filler Plate per set of back-to-back LOS3 work centers • Installs with pre-drilled locations under the lids of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Panels • Color matched powder-coated steel construction	60"	**LOS3-FC-60-☐**	$94	$131
		66"	**LOS3-FC-66-☐**	$102	$142
		72"	**LOS3-FC-72-☐**	$108	$150






CPU HOLDERS


		Fits CPU	Model #	US $ List	CAN $ List
On-Board Thin Client/ Micro CPU Holder	• Installs inside LOS electric and manual work centers • Attaches to rear of keyboard holder • Simplifies connections and cabling inside of LOS units • Installs right or left as required • Black powder-coated steel construction	1–1.75"w × 7–9"h × 7–9"d	**LOS-CPU-MTC-B**	$133	$185
Small/Mini Tower CPU Holder	• Installs under worksurface • Includes 9.5" nylon glide track • 360° swivel at track • Black powder-coated steel construction	1.75–4"w × 7.75–14"h × 7–17"d	**VE-CPU-SMALL**	$194	$269
Large CPU Holder	• Installs under worksurface • Use for larger tower CPU's • Dual adjustable 5' long straps fit most CPU's • Includes 17" nylon glide track • 360° swivel at track • Black powder-coated steel construction	Most tower CPU's	**VE-CPUST**	$160	$222








		CPU Quantity		Model #	US $ List	CAN $ List
Hang-On CPU Holder	• Hangs on front panel of Line of Sight base • Adjustable height and width • Use for larger tower CPU's • Select model based on CPU size • Color matched powder-coated steel construction	1	4–7"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-A-☐**	$270	$375
		1 or 2	7–9"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-B-☐**	$270	$375
		1 or 2	9–12"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-C-☐**	$270	$375
		1 or 2	12–14"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-D-☐**	$270	$375



GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

WALL CORDED POWER

	Receptacle Quantity	Cord Length	Model #	US $ List	CAN $ List
Power Bar	8	24'	LOS3-MM024-4-24	$264	$367




- UL/CSA Certified
- Lighted rocker switch for on/off control
- 125 VAC, 60 Hz
- Includes 15 A circuit breaker
- Fits all widths of Line of Sight work centers
- Includes mounting brackets and hardware
- Maximum power load 15 A
- Total equipment power draw calculations required on site to prevent overload

Not on GSA Contract

SOFT WIRE DAISY CHAIN POWER

Power Pack




- Daisy chain up to 8 Power Packs/32 receptacles
- 4 outlets per Power Pack
- Starter Power Pack includes NEMA 15 A soft cord power connection
- Rocker Switch Control Local Receptacle on each power pack
- Starter Power Pack includes 15 A master system circuit breaker
- Maximum "Adder" Units must not exceed 7 per daisy chain
- 8 Power Packs provides up to 32 120 V, 60 hz, 15 A ground receptacles
- Use 1 Power Pack per Single User LOS units and 2 power packs for Dual User LOS units
- **UL Listed for US ONLY** **NOT UL LISTED IN CANADA**

	Model #	US $ List	CAN $ List
Starter Unit	LOS-DCP-SW-STR-4	$203	$282
Adder Unit	LOS-DCP-SW-ADD-4	$180	$250

HARD WIRE POWER

Power Track

8 Outlet



- ETL/CSA Certified
- Available in 4 or 8 outlets per Power Track (8 outlets recommended for dual display units)
- Available in 1, 2, or 4 circuit options
- US Specs: up to 16 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 16 A max load per circuit
- Canadian Specs: up to 12 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 12 A max load per circuit
- 4 circuit option meets industry standard 8 wire requirements
- Integrated flex conduit and snap connectors allow easy assembly and daisy chain configuration
- Requires 1 dedicated 120 V, 60 Hz, 20 A power source per circuit
- Includes mounting & installation hardware

Fits width	Daisy Chain Limits	Model #	US $ List	CAN $ List
Dual User/Dual Monitor/8 Outlet				
60"	Circuit 1—up to 2	LOS3-PT3204-60-C1000	$464	$644
60"	Circuit 1, 2—up to 4	LOS3-PT3204-60-C1200	$464	$644
60"	Circuit 1, 2, 3, 4—up to 8	LOS3-PT3204-60-C1234	$464	$644
66"	Circuit 1—up to 2	LOS3-PT3204-66-C1000	$471	$654
66"	Circuit 1, 2—up to 4	LOS3-PT3204-66-C1200	$471	$654
66"	Circuit 1, 2, 3, 4—up to 8	LOS3-PT3204-66-C1234	$471	$654
72"	Circuit 1—up to 2	LOS3-PT3204-72-C1000	$476	$661
72"	Circuit 1, 2—up to 4	LOS3-PT3204-72-C1200	$476	$661
72"	Circuit 1, 2, 3, 4—up to 8	LOS3-PT3204-72-C1234	$476	$661


Power Entry Cable



- 8 wire flex conduit Power Entry Cable
- Connect up to 4 dedicated 120 V, 20 A circuits and 80 individual 120 V receptacles
- Hard-wire connection via J-Box or power pole to building power source
- Snap locks into Power Track for easy connection
- Use one entry per run based on circuits chosen and maximum connection recommendations

LOS-PWRIN-LT72 — $195 — $271

Pass Through/ Extension Cable



- 24" Length extends Power Track cables
- Male/female plug ends
- Extra cable required for back to back hard wire power transfer connection
- Maximum circuit and receptacle limits apply

SA-TDPT24 — $106 — $147

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721. GSA

BASIC DESK

The Line of Sight Basic work center features a flat worksurface that provides a solid support structure for technology equipment. For slightly more adjustability, consider the Line of Sight Recessed work center which allows the student to adjust equipment from 5–8" below the worksurface in 1" increments, providing the student with a clear line of sight to the instructor. Both products are perfect for environments where security is not an issue and multi-use training spaces are not required. Basic and Recessed Line of Sight models include one cable grommet in each side panel and a cable management trough in rear panel.

LINE OF SIGHT 3 BASE & BASE OPTIONS


Manual Single & Dual User / Single Display

- 29" high worksurface
- Rear modesty panel included
- Integrated cable management
- Color matched side cable grommets
- 26" & 30" deep worksurface options
- Silver, black, & white base finish options
- Powder-coated steel construction
- Meets ADA fixed height requirements with 26" & 30"d worksurface


Station Configuration Options

- Side panels
- Worksurface
- Grommet covers
- Desktop power
- CPU holders
- Power distribution systems-

Recessed Shelf	Model #	US $ List	CAN $ List
28"	**LOS3-B-NS1-36-☐**	$675	$938
40"	**LOS3-B-NS1-48-☐**	$791	$1,099
52"	**LOS3-B-NS2-60-☐**	$867	$1,204
64"	**LOS3-B-NS2-72-☐**	$976	$1,356



Manual Single & Dual User / Single Display Side Panel



- Used to enclose sides of Basic & Recessed Desk
- Fits right or left
- Includes color coordinated cable grommet
- Includes mounting hardware
- Powder-coated steel construction
- Silver, black, & white finish options

LOS3-BDSPWG-☐	$112	$156

Colors: **S**: Silver, **B**: Black, **W**: White

GSA Products listed on this page are available through GSA Contract GS-28F-0030S SIN 33721.

WORKSURFACES

Basic Rectangle Worksurface

- Worksurfaces feature Wilsonart High Pressure Laminates—see page 5 for color options
- Durable 3 mm edgeband edge finish
- Recessed desk worksurfaces include the adjustable monitor shelf
- Pre-drilled for all mounting and option locations
- Balanced panel construction using high pressure laminate and phenolic backer sheets
- Right and left grommet locations included on 36" & 48" widths
- Right, center and left grommet locations included on 60" & 72" widths
- Order grommet covers in three colors—**sold separately**
- Custom laminate colors available—contact your Line of Sight sales representative for quotation

Width	Depth	Model #	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
36"	26"	LOS3-T-3626-BS-□□□□□□□-00	$405	$437	$513	$563	$607	$713
48"	26"	LOS3-T-4826-BS-□□□□□□□-00	$446	$478	$617	$619	$664	$857
60"	26"	LOS3-T-6026-BS-□□□□□□□-00	$499	$546	$663	$693	$758	$921
72"	26"	LOS3-T-7226-BS-□□□□□□□-00	$592	$627	$850	$822	$871	$1,181
36"	30"	LOS3-T-3630-BS-□□□□□□□-00	$405	$437	$513	$563	$607	$713
48"	30"	LOS3-T-4830-BS-□□□□□□□-00	$446	$478	$617	$619	$664	$857
60"	30"	LOS3-T-6030-BS-□□□□□□□-00	$499	$546	$663	$693	$758	$921
72"	30"	LOS3-T-7230-BS-□□□□□□□-00	$592	$627	$850	$822	$871	$1,181

LOS3-T-3626-BS -□□□□□□□-00

1 – **Worksurface**

2 – **Laminate/Edge Band Color** (see Color Guide)


3 – **Matching Edge Band**: **00**

Recessed Shelf Worksurface

Width	Depth	Recessed Shelf Size	Model #	US $ List Tier 1	US $ List Tier 2	US $ List Tier 3	CAN $ List Tier 1	CAN $ List Tier 2	CAN $ List Tier 3
36"	26"	28"w × 10"d	LOS3-T-3626-RS-□□□□□□□-00	$543	$573	$650	$754	$796	$903
48"	26"	40"w × 10"d	LOS3-T-4826-RS-□□□□□□□-00	$583	$617	$755	$810	$857	$1,049
60"	26"	52"w × 10"d	LOS3-T-6026-RS-□□□□□□□-00	$637	$684	$799	$885	$950	$1,110
72"	26"	64"w × 10"d	LOS3-T-7226-RS-□□□□□□□-00	$728	$765	$987	$1,011	$1,063	$1,371
36"	30"	28"w × 10"d	LOS3-T-3630-RS-□□□□□□□-00	$543	$573	$650	$754	$796	$903
48"	30"	40"w × 10"d	LOS3-T-4830-RS-□□□□□□□-00	$583	$617	$755	$810	$857	$1,049
60"	30"	52"w × 10"d	LOS3-T-6030-RS-□□□□□□□-00	$637	$684	$799	$885	$950	$1,110
72"	30"	64"w × 10"d	LOS3-T-7230-RS-□□□□□□□-00	$728	$765	$987	$1,011	$1,063	$1,371

WORKSURFACE GROMMET COVERS

80 mm Cable Grommets



- 80 mm diameter 3 piece molded covers
- Removable cover allows large cords to pass through
- Cover door rotates to adjust opening to cord sizes
- Outer liner fills cutout to cover top core material
- Available in gray, black, & white to accent laminate colors
- 2–3 required per top (unless using LOS3-DTP-2P2USB-BK)


Color	Cable Grommet Size		US $ List	CAN $ List
Gray	80 mm	LOS3-GROMMET-80-G	$12	$17
Black	80 mm	LOS3-GROMMET-80-B	$12	$17
White	80 mm	LOS3-GROMMET-80-W	$12	$17

LINE OF SIGHT
BASIC & RECESSED


Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

DESKTOP POWER

		Power	Data		Not on GSA Contract US $ List	CAN $ List
Power USB Charger Grommet	• Fit standard 80 mm cut out in all LOS3 work center tops • Two 120 V, 60 Hz, 15 A max grounded power outlets • Built-in circuit breaker • Two 2 A USB charging ports • 9' cord • ETL listed	Two 120 V	Two USB	**LOS3-DTP-2P2USBC-BK**	$133	$185




		Power			
Zens Wireless Chargers	• Available in 5 W & 15 W • Qi standard wireless charging technology • Fits standard 80 mm cut out in all LOS3 work center tops • Available in black • 5 W: (100–240 VAC, 50–60 Hz, 0.4 A max) version works on Qi charge compatible smart phones and smart watches • 15 W: (100–240 VAC, 50–60 Hz, 1.2 A max) version works on Qi charge compatible smart phones, tablets, and smart watches • Professional grade charger	5 W	**ACC-ZEN1-5W-B**	$237	$329
		15 W	**ACC-ZEN3-15W-B**	$302	$419




CPU HOLDERS

		Fits CPU	Model #	US $ List	CAN $ List
Small/Mini Tower CPU Holder	• Installs under worksurface • Includes 9.5" nylon glide track • 360° swivel at track • Black powder-coated steel construction	1.75–4"w × 7.75–14"h × 7–17"d	**VE-CPU-SMALL**	$194	$269




Large CPU Holder	• Installs under worksurface • Use for larger tower CPU's • Dual adjustable 5' long straps fit most CPU's • Includes 17" nylon glide track • 360° swivel at track • Black powder-coated steel construction	Most tower CPU's	**VE-CPUST**	$160	$222




WALL CORDED POWER

		Receptacle Quantity	Cord Length	Model #	US $ List	CAN $ List
Power Bar	• UL/CSA Certified • Lighted rocker switch for on/off control • 125 VAC, 60 Hz • Includes 15 A circuit breaker • Fits all widths of Line of Sight work centers • Includes mounting brackets and hardware • Maximum power load 15 A • Total equipment power draw calculations required on site to prevent overload	8	24'	**LOS3-MM024-4-24**	$264	$367





SOFT WIRE DAISY CHAIN POWER


			Model #	Not on GSA Contract US $ List	CAN $ List
Power Pack	• Daisy chain up to 8 Power Packs/32 receptacles • 4 outlets per Power Pack • Starter Power Pack includes NEMA 15 A soft cord power connection • Rocker Switch Control Local Receptacle on each power pack • Starter Power Pack includes 15 A master system circuit breaker • Maximum "Adder" Units must not exceed 7 per daisy chain • 8 Power Packs provides up to 32 120 V, 60 hz, 15 A ground receptacles • Use 1 Power Pack per Single User LOS units and 2 power packs for Dual User LOS units • **UL Listed for US ONLY** **NOT UL LISTED IN CANADA**	Starter Unit	**LOS-DCP-SW-STR-4**	$203	$282
		Adder Unit	**LOS-DCP-SW-ADD-4**	$180	$250




GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.


ACCESSORIES & PARTS

		Maximum Monitor Width		Not on GSA Contract US $ List	CAN $ List
Dual Monitor Adapter 	• Converts single monitor station to dual monitor station • Adjustable width mounts fit monitors up to 27" actual width • VESA Quick Release included • Mounting hardware included • Black powder-coated steel construction	27"	**ACC-DUALMONBRKT-WIDE-B**	$276	$383
Remote Control 	• Recommend 1 remote handset per room • Allow instructor/trainer to raise and lower monitors simultaneously • Lock feature allows instructor/trainer to lock monitors in the up or down position • Integrated flashlight • Easy channel set and changeability for multiple room requirements		**LOS3-REMOTE**	$96	$133

		Color	Cable Grommet Size			
Worksurface Grommet Cover 	• 80 mm diameter 3 piece molded covers • Removable cover allows large cords to pass through • Cover door rotates to adjust opening to cord sizes • Outer liner fills cutout to cover top core material • Available in gray, black, & white to accent laminate colors • 2–3 required per top (unless using LOS3-DTP-2P2USB-BK)	Gray	80 mm	**LOS3-GROMMET-80-G**	$12	$17
		Black	80 mm	**LOS3-GROMMET-80-B**	$12	$17
		White	80 mm	**LOS3-GROMMET-80-W**	$12	$17


DESKTOP POWER

		Power	Data			
Power USB Charger Grommet 	• Fit standard 80 mm cut out in all LOS3 work center tops • Two 120 V, 60 Hz, 15 A max grounded power outlets • Built-in circuit breaker • Two 2 A USB charging ports • 9' cord • ETL listed	Two 120 V	Two USB	**LOS3-DTP-2P2USBC-BK**	$133	$185


		Power			
Zens Wireless Chargers 	• Available in 5 W & 15 W • Qi standard wireless charging technology • Fits standard 80 mm cut out in all LOS3 work center tops • Available in black • 5 W: (100–240 VAC, 50–60 Hz, 0.4 A max) version works on Qi charge compatible smart phones and smart watches • 15 W: (100–240 VAC, 50–60 Hz, 1.2 A max) version works on Qi charge compatible smart phones, tablets, and smart watches • Professional grade charger	5 W	**ACC-ZEN1-5W-B**	$264	$367
		15 W	**ACC-ZEN3-15W-B**	$303	$421




Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.

END TO END GANG BRACKET SET

		Model #	US $ List	CAN $ List
Gang Bracket Kit 	• Connect LOS3 work centers side by side • Keeps rows of LOS3 work centers aligned properly • Easy installation • Powder-coated steel construction • Required when using daisy chain power options in multiple units	LOS3-STGANGBRKT-B	$48	$67




FILLER PANELS & FILLER PLATES FOR BACK-TO-BACK INSTALLATIONS


Back-to-Back Filler Panels 	• Covers the vertical space between two LOS3 work centers when placed back-to-back • Non-handed design installs left or right as needed • Simple magnetic attachment to side for easy installation • Use one Filler Panel per visible outside end of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Plates • Color matched powder-coated steel construction		LOS3-FPB2B-☐	$132	$183
Back-to-Back Filler Plates 	• Covers the horizontal space between two LOS3 work centers when placed back-to-back • Keep objects from falling into space behind back-to-back LOS3 units • Use one Filler Plate per set of back-to-back LOS3 work centers • Installs with pre-drilled locations under the lids of back-to-back LOS3 work centers • Use in conjunction with Back-to-Back Filler Panels • Color matched powder-coated steel construction	Fits Widths 36" 42" 48" 54" 60" 66" 72"	LOS3-FC-36-☐ LOS3-FC-42-☐ LOS3-FC-48-☐ LOS3-FC-54-☐ LOS3-FC-60-☐ LOS3-FC-66-☐ LOS3-FC-72-☐	$53 $68 $80 $87 $94 $102 $108	$74 $94 $111 $121 $131 $142 $150

			Not on GSA Contract	
Casters 	• Allows mobility to individual Line of Sight work centers • Includes lock to allow stations to be secure when movement is not required • Dual wheel, low profile design adds only ¾" to work center height • Sold individually—4 required per work center • Casters cannot be used with hard wire power options	SA-CAL-1.5-LOS	$16	$22
19" Keyboard Drawer With Tray 	• 19" keyboard drawer with 8" right/left sliding mouse surface & palm support • Sliding left to right mouse tray • 16" long ball bearing slides (11" actual extension) • Fixed height 2.5" below underside of worksurface • Black ¼" phenolic construction • Fits only 30" deep worksurfaces	LOS-KB-DRAWER-19S	$339	$471
25" Keyboard Drawer 	• 25" keyboard drawer & palm support • 16" long ball bearing slides (11" actual extension) • Fixed height 2.5" below underside of worksurface • Black ¼" phenolic construction • Fits only 30" deep worksurfaces	LOS-KB-DRAWER-25	$257	$357

GSA Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721 except where noted.


CPU HOLDERS

		Fits CPU	Model #	US $ List	CAN $ List
On-Board Thin Client/ Micro CPU Holder 	• Installs inside LOS electric and manual work centers • Attaches to rear of keyboard holder • Simplifies connections and cabling inside of LOS units • Installs right or left as required • Black powder-coated steel construction	1–1.75"w × 7–9"h × 7–9"d	**LOS-CPU-MTC-B**	$133	$185
Small/Mini Tower CPU Holder 	• Installs under worksurface • Includes 9.5" nylon glide track • 360° swivel at track • Black powder-coated steel construction	1.75–4"w × 7.75–14"h × 7–17"d	**VE-CPU-SMALL**	$194	$269
Large CPU Holder 	• Installs under worksurface • Use for larger tower CPU's • Dual adjustable 5' long straps fit most CPU's • Includes 17" nylon glide track • 360° swivel at track • Black powder-coated steel construction	Most tower CPU's	**VE-CPUST**	$160	$222

		CPU Quantity				
Hang-On CPU Holder 	• Hangs on front panel of Line of Sight base • Adjustable height and width • Use for larger tower CPU's • Select model based on CPU size • Color matched powder-coated steel construction	1	4–7"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-A-☐**	$270	$375
		1 or 2	7–9"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-B-☐**	$270	$375
		1 or 2	9–12"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-C-☐**	$270	$375
		1 or 2	12–14"w × 17–26.7"h × up to 17"d	**LOS3-CPUT-M-D-☐**	$270	$375

WALL CORDED POWER

Not on GSA Contract


		Receptacle Quantity	Cord Length	Model #	US $ List	CAN $ List
Power Strip  **6 Receptacles**  **8 Receptacles**	• Intended for single station applications • UL/CSA Certified • Lighted rocker switch for on/off control • Includes grounded power cord • 120 VAC, 50–60 Hz, 1.2 A max • Includes 15 A circuit breaker • Fits all widths of Line of Sight work centers	6	4'	**SA-PB-6-4**	$85	$118
		8	6'	**SA-PB-8-6**	$114	$158

Surge Indicator & Protection


SA-PB-6-4 includes lighted surge indicator
- 330 VAC Clamping / 270 joules

SA-PB-8-6 includes lighted and audible surge indicator
- 330 VAC Clamping / 1020 joules

EMI-RFI Filters: **SA-PB-6-4** /40 dB, **SA-PB-8-6** /58 dB

Power Bar 	• UL/CSA Certified • Lighted rocker switch for on/off control • 125 VAC, 60 Hz • Includes 15 A circuit breaker • Fits all widths of Line of Sight work centers • Fits all widths of Line of Sight work centers • Includes mounting brackets and hardware • Maximum power load 15 A • Total equipment power draw calculations required on site to prevent overload	8	24'	**LOS3-MM024-4-24**	$264	$367

SOFT WIRE DAISY CHAIN POWER


		Model #	US $ List	CAN $ List
Power Pack 	• Daisy chain up to 8 Power Packs/32 receptacles • 4 outlets per Power Pack • Starter Power Pack includes NEMA 15 A soft cord power connection • Rocker Switch Control Local Receptacle on each power pack • Starter Power Pack includes 15 A master system circuit breaker • Maximum "Adder" Units must not exceed 7 per daisy chain • 8 Power Packs provides up to 32 120 V, 60 hz, 15 A ground receptacles • Use 1 Power Pack per Single User LOS units and 2 power packs for Dual User LOS units • **UL Listed for US ONLY** **NOT UL LISTED IN CANADA**	Starter Unit **LOS-DCP-SW-STR-4**	$203	$282
		Adder Unit **LOS-DCP-SW-ADD-4**	$180	$250

Products listed on this page are available through GSA Contract GS-03F-061DA SIN 33721. GSA


HARD WIRE POWER

Power Track

4 Outlet




8 Outlet



- ETL/CSA Certified
- Available in 4 or 8 outlets per Power Track (8 outlets recommended for dual display units)
- Available in 1, 2, or 4 circuit options
- US Specs: up to 16 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 16 A max load per circuit
- Canadian Specs: up to 12 receptacles per circuits 1, 2, 3, and 4 respectively; daisy chain 12 A max load per circuit
- 4 circuit option meets industry standard 8 wire requirements
- Integrated flex conduit and snap connectors allow easy assembly and daisy chain configuration
- Requires 1 dedicated 120 V, 60 Hz, 20 A power source per circuit
- Includes mounting & installation hardware

Fits width	Daisy Chain Limits	Model #	US $ List	CAN $ List
Single User/4 Outlet				
36"	Circuit 1—up to 4	**LOS3-PT3202-36-C1000**	$373	$518
36"	Circuit 1, 2—up to 8	**LOS3-PT3202-36-C1200**	$373	$518
36"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-36-C1234**	$373	$518
42"	Circuit 1—up to 4	**LOS3-PT3202-42-C1000**	$378	$525
42"	Circuit 1, 2—up to 8	**LOS3-PT3202-42-C1200**	$378	$525
42"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-42-C1234**	$378	$525
48"	Circuit 1—up to 4	**LOS3-PT3202-48-C1000**	$383	$532
48"	Circuit 1, 2—up to 8	**LOS3-PT3202-48-C1200**	$383	$532
48"	Circuit 1, 2, 3, 4 —up to 16	**LOS3-PT3202-48-C1234**	$383	$532
54"	Circuit 1—up to 4	**LOS3-PT3202-54-C1000**	$389	$540
54"	Circuit 1, 2—up to 8	**LOS3-PT3202-54-C1200**	$389	$540
54"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-54-C1234**	$389	$540
60"	Circuit 1—up to 4	**LOS3-PT3202-60-C1000**	$394	$547
60"	Circuit 1, 2—up to 8	**LOS3-PT3202-60-C1200**	$394	$547
60"	Circuit 1, 2, 3, 4—up to 16	**LOS3-PT3202-60-C1234**	$394	$547
Single User/Dual Monitor/8 Outlet				
48"	Circuit 1—up to 2	**LOS3-PT3204-48-C1000**	$454	$631
48"	Circuit 1, 2—up to 4	**LOS3-PT3204-48-C1200**	$454	$631
48"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-48-C1234**	$454	$631
54"	Circuit 1—up to 2	**LOS3-PT3204-54-C1000**	$459	$638
54"	Circuit 1, 2—up to 4	**LOS3-PT3204-54-C1200**	$459	$638
54"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-54-C1234**	$459	$638
60"	Circuit 1—up to 2	**LOS3-PT3204-60-C1000**	$464	$644
60"	Circuit 1, 2—up to 4	**LOS3-PT3204-60-C1200**	$464	$644
60"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-60-C1234**	$464	$644
66"	Circuit 1—up to 2	**LOS3-PT3204-66-C1000**	$471	$654
66"	Circuit 1, 2—up to 4	**LOS3-PT3204-66-C1200**	$471	$654
66"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-66-C1234**	$471	$654
72"	Circuit 1—up to 2	**LOS3-PT3204-72-C1000**	$476	$661
72"	Circuit 1, 2—up to 4	**LOS3-PT3204-72-C1200**	$476	$661
72"	Circuit 1, 2, 3, 4—up to 8	**LOS3-PT3204-72-C1234**	$476	$661


Power Entry Cable



- 8 wire flex conduit Power Entry Cable
- Connect up to 4 dedicated 120 V, 20 A circuits and 80 individual 120 V receptacles
- Hard-wire connection via J-Box or power pole to building power source
- Snap locks into Power Track for easy connection
- Use one entry per run based on circuits chosen and maximum connection recommendations

LOS-PWRIN-LT72	$195	$271

Pass Through/ Extension Cable



- 24" Length extends Power Track cables
- Male/female plug ends
- Extra cable required for back to back hard wire power transfer connection
- Maximum circuit and receptacle limits apply

SA-TDPT24	$106	$147

GSA–WORKRITE CANADA

GENERAL SERVICES ADMINISTRATION
FEDERAL SUPPLY SERVICE

AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST

GSA—Contract # GS-03F-061DA
TIN#98-1318097 Cage Code #OZST9

GSA MAS Multiple Award Schedule: Office Furniture
Contract Period: February 17, 2021–February 16, 2026
Business Size: Other

Discount to be deducted off list
Discount: 54.66% $1-$14,999 (list)
59.70% $15,000-$49,999 (list)
60.70% >$50,000 (list)
Inclusive of IFF Fee

Workrite
ergonomics Canada®

Workrite Ergonomics Canada, Inc.
950 Warden Avenue
Toronto, ON M1L 4E3
Canada
Phone: 800.463.7731
Fax: 800.461.3182
www.workriteergo.com

General Services Administration
Federal Supply Service Authorized Federal Supply Schedule Price List

GSA—Contract # GS-03F-061DA
TIN#98-1318097 Cage Code #OZST9
GSA MAS Multiple Award Schedule: Office Furniture
Contract Period: February 17, 2021–February 16, 2026
Business Size: Other

1a. Special Item Numbers Awarded
33721: Office Furniture—includes all furniture placed in an office, such as chairs, desks, etc.
OLM: Order-Level Materials

1b. Lowest Priced Item
33721: LOS3-GROMMET-80-X, $4.14

1c. Hourly Rates:
Installation Normal Business Hours—not to exceed $60.45/hour including IFF.

Job entails delivery, unpacking and assembly of office furniture and related accessories during normal business hours in a non-union building. High School education or certification and 2 years experience required.

Overtime (holidays/weekends) Business Hours—not to exceed $90.68/hour including IFF.

Job entails delivery, unpacking and assembly of office furniture and related accessories outside normal business hours in a non-union building. High School education or certification and 2 years experience required.

Union—not to exceed $120.90/hour including IFF.

Job entails delivery, unpacking and assembly of office furniture and related accessories during normal business hours in a union building. High School education or certification and 2 years experience required.

2. Maximum Order:
33721= $250,000.00

3. Minimum Order:
$20.00

4. Geographic Coverage:
The 50 States, the District of Columbia and US Territories.

5. Point of Production:
Toronto, Ontario, Canada.

6. Discount from List (inclusive of IFF Fee):
54.66% $1–$14,999 (list)
59.70% $15,000–$49,999 (list)
60.70% >$50,000 (list)

7. Quantity Discounts:
Not Applicable.

8. Prompt Payment Terms:
Net 30 Days Information for Ordering Offices: Prompt payment terms cannot be negotiated out of the contractual agreement for other concessions.

9a. Notification whether government purchase cards are accepted or not accepted at or below the micro-purchase threshold:
Yes—Credit cards accepted—Visa and MasterCard.

9b. Notification whether government purchase cards are accepted or not accepted above the micro-purchase threshold:
Yes—Credit cards accepted—Visa and MasterCard.

10. Foreign Items:
Canada, Sweden, Lithuania, Taiwan.

11a. Time of delivery:
45 days after receipt of PO

11b. Expedited delivery:
Items available for expedited delivery are noted in the Workrite Pricing and Specification Guide.

11c. Overnight and 2-day delivery:
Available on all products.

11d. Urgent requirements:
As per clause I-FSS-100A, to affect a faster delivery,please contact your local Workrite Ergonomics Canada dealer.

12. FOB points:
Destination.

13a. Ordering address:
Workrite Ergonomics Canada
950 Warden Avenue
Toronto Ontario Canada M1L4E3
Tel: (800)463-7731 Fax: (800)461-3182
Authorized dealer must be noted on the order.

13b. Ordering Procedures:
For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPAs) are found in Federal Acquisition Regulations (FAR) 8.405-3.

14. Payment Address:
Workrite Ergonomics Canada
PO Box 741346
Los Angeles, CA 90074-1346
Direct electronic payments to Workrite Ergonomics Canada's bank accepted.
Contact Accounts Receivable (800) 463-7731 x289

15. Warranty provisions:
Workrite's Standard Commercial Warranty.

16. Export packing charges:
Quoted on request.

17. Terms and Conditions of government purchase card acceptance:
None.

18. Terms and conditions of rental,maintenance, and repair:
Not Applicable.

19. Terms and conditions of Installation:
Installation is offered. Please see 1c for applicable hourly rates.

20. Terms and conditions of repair parts indicating date of parts price lists and any discount from list priced:
Not Applicable.

20a. Terms and conditions for any other services:
Not Applicable.

21. Servicing Dealers:
Names and addresses of local servicing dealers furnished on request.

22. List of participating dealers:
Available at:
http://www.workriteergo.com/contracts

Price Lists:
The effective Commercial Price Lists for Workrite Ergonomics Canada are available at:
http://www.workriteergo.com/contracts

Tel 800.463.7731 • Fax 800.461.3182 • customerservice@workriteergo.com • www.workriteergo.com

GSA WORKRITE CANADA

General Services Administration
Federal Supply Service Authorized Federal Supply Schedule Price List

GSA—Contract # GS-03F-061DA
TIN#98-1318097 Cage Code #OZST9
GSA MAS Multiple Award Schedule: Office Furniture
Contract Period: February 17, 2021–February 16, 2026
Business Size: Other

23. Preventive Maintenance
Not Applicable

24a. Special attributes such as environmental attributes:
Recycled Content and Energy Efficiency data available on request

24b. Not Applicable

25. Unique Entity ID (UEI):
K55SC3BA6XR1

26. System for Award Management:
Workrite Ergonomics Canada is registered with the System for Award Management (SAM) database–Cage Code No. OZST9

27. Additional Cost for Inside Delivery: (applicable to customer orders that are products only and not installation services):
Lift Gate Fee and Appointment Fee: No More Than $175 per Delivery Per Pallet/Per Skid: No More Than $150 per Skid/Pallet
Skid or Pallet Size is 48 × 48; there is No Maximum Weight Limit per Skid/Pallet and can be stacked high with products.

28. Restocking Fee:
Up to 20%. The restocking fee applies when a customer would like to return products that have already been delivered. The fee will depend on the product, some are made to order and some are from stock. Customer shall be responsible for the Return Freight. Restocking Fees do not apply to products that are being returned under a warranty.

Additional technical information may be obtained upon request from Workrite Ergonomics Canada or from your local servicing dealer.

Price Lists:
The effective Commercial Price Lists for Workrite Ergonomics Canada are available at:
http://www.workriteergo.com/contracts

Tel 800.463.7731 • Fax 800.461.3182 • customerservice@workriteergo.com • www.workriteergo.com

GOVERNMENT OF CANADA SUPPLY ARRANGEMENT
FURNITURE FOR WORK SPACES

A Supply Arrangement is a method of contracting used by Public Services and Procurement Canada (PSPC) to procure goods and services. Supply Arrangements include a set of predetermined conditions that will apply to bid solicitations and resulting contracts. They allow client departments (any government department, agency, or Crown corporation listed in Schedule I, Schedule II, Schedule III of the Financial Administration Act) to solicit bids from a pool of prequalified suppliers for specific requirements. Supply Arrangements save tie and money by prequalifying suppliers and establishing the basic terms and conditions that will apply to a specified range of goods and/or services. They also give client departments the flexibility to either solicit bids competitively or negotiate for their specific requirements to obtain the best possible value.

Workrite Ergonomics Canada is one of a select group of prequalified suppliers for Furniture for Work Spaces.

Workrite Ergonomics Canada Supply Arrangement number: **E60PQ-140003/055/PQ**

Contract contact:

Donna Bobalek
National Government Contract Specialist
Phone: 800-959-9675
Cell: 571.565.5077
dbobalek@workriteergo.com

Sales contact:

Sarah Donaldson
Sales Support Specialist
Cell: 647-236-0180
sdonaldson@workriteergo.ca

Please contact Donna Bobalek for a list of authorized Dealers.

TERMS + CONDITIONS

TERMS + CONDITIONS

The following Terms and Conditions apply to all brands associated with Workrite Ergonomics, LLC and/or Workrite Ergonomics Canada, Inc.

LEAD TIMES

We make every effort to deliver our products within the standard lead times outlined below. Due to worldwide supply chain issues, including freight delays and heavier than normal order activity, lead times may be extended. Lead times will begin once a discrepancy free order has been received.

	BUSINESS DAYS				
QUANTITIES	1-25	26-100	101-200	201-300	Above 301
MONITOR ARMS	3	7	10	15	Contact CS
KEYBOARD TRAYS/SYSTEMS	3	7	10	15	Contact CS
SOLACE	3	7	10	15	Contact CS
LIGHTING	3	7	10	15	Contact CS
CPU HOLDERS	3	7	10	15	Contact CS
ERGO ACCESSORIES	3	7	10	15	Contact CS
WIRE MANAGEMENT	3	7	10	15	Contact CS
POWER DISTRIBUTION	3	7	Contact CS	Contact CS	Contact CS
STORAGE & ORGANIZATION	3	7	Contact CS	Contact CS	Contact CS
ANTI-FATIGUE MATS	3	7	Contact CS	Contact CS	Contact CS
ALL DESK BASES (ELECTRIC, FIXED, PIN)	5	10	15	Contact CS	Contact CS

- Standard laminated worksurfaces and edge band colors, control switches, and all replacement parts, Privacy/ Modesty Panels, and Tool Bars: 10 business days for quantity of 10 or less. Lead times for other colors and quantities based on inventory availability.
- Special order Worksurface shapes, sizes and laminates: 20 business days from receipt of order for quantity of 10 worksurfaces or less. All other special order laminates are subject to availability. Minimum order quantities and extended lead times may apply.
- Special order frame or base colors: Minimum order quantity of 72 legs/36 2-leg frames or bases required per order. Minimum 16 week lead time from date order is received with complete and accurate information.

Line of Sight

- Not Assembled: 4–6 weeks from receipt of "clean" order including LOS check list for all products featured in the catalog. Custom/special order products, including any change of size, shape or features to catalog products are subject to minimum order quantities and extended lead times.
- Assembled (Less than 100 units): 5–7 weeks from receipt of "clean" order including LOS check list for all products featured in the catalog. Custom/special order products, including any change of size, shape or features to catalog products are subject to minimum order quantities and extended lead times.

Assembled (100+ units shipping at the same time): 6–8 weeks from receipt of "clean" order including LOS check list for all products featured in the catalog. Custom/special order products, including any change of size, shape or features to catalog products are subject to minimum order quantities and extended lead times.

Small Orders/Residential Shipment Orders– Tops & Pedestals—Individual Packaging Charge

Small orders and or Residential Shipment orders ship via parcel post, UPS, or FedEx. Due to these carriers transportation requirements Tops and Pedestals require special "Individual Packing" to ship and arrive to their destination damage free. In these cases, a "Small Orders/Residential Shipment Order Individual Packaging Charge" shall apply. These charges apply per each item ordered and are net price charges and not subject to discount. Individual Packaging Charges are in addition to, and do not replace, or eliminate, any other special charges incurred on the customer order based on our standard terms and conditions. These charges are added to the total of special charges on customer invoice as noted in the standard terms and conditions at time of billing.

- **Workstation Rectangle Tops**
  Small Orders (3 or less, Rectangle Tops) & Residential Shipment Packaging Charge USD$45.00/CAD$60.00 Net Each
- **Workstation Corner Tops**
  Small Orders (2 or less, Corner Tops) & Residential Shipment Order Packaging Charge USD$70.00/ CAD$90.00 Net Each
- **Mobile and Hanging Pedestals**
  Small Orders (4 or less, Pedestals) & Residential Shipment Order Packaging Charge USD$25.00/CAD$33.00 Net Each

FREIGHT TERMS

Shipments within the Contiguous US and Canada

Shipments from Workrite unless otherwise noted may originate from our Toronto, Canada or Petaluma California facilities. Shipment within the contiguous USA will be F.O.B. Buffalo, NY or F.O.B. Petaluma, CA. Shipments to or with Canada will be F.O.B. Toronto, Ontario, Canada or F.O.B. Petaluma CA. Shipment to Canada from our Petaluma California facility will be Carrier Paid to Destination and subject to GST.

Standard Shipping rates are based on shipping to a "Commercial Address", via ground, "Dock to Dock". In the event a shipment is requested to ship to a "residential address" or has "Special Shipping Instructions or Arrangements" additional shipping surcharges shall apply.

Shipping Charges Based on Total List Price

Shipping charges by zone and product shall apply based on total list price value of customer order shipping to a single address/ single destination.

Residential Shipment Charge

Orders are requested to ship to residential address will incur a "Residential Shipment Surcharge" of $25 per item shipped will be applied. The "Residential Shipment Surcharge" is cumulative and will be added to the combined total of standard freight charges including "Zone" sipping charges and "Special Order Shipping Charge" when applicable based on "Total Order List Price".

Special Shipping Instructions & Arrangements
All costs of "Special Shipping Instructions or Arrangements" are not included in the standard shipping charges and terms and conditions. In addition, Workrite cannot guarantee the services requested are available at the shipment destination. Requirements such as "Expedited Delivery" "Lift Gate Required", "Inside Delivery", "Specific Delivery Date and or Time", "Delivery Date Guarantee", "Call in Advance" when requested and available, will be charged to the customer order. "Special Shipping Instructions and Arrangements must be made in advance of order shipment upon submission of purchase order. Actual charges for these special services will be applied as "Pre-Paid and Added" at the actual cost to customer order invoice. All "Special Shipping Arrangements" may be quoted prior to customer order placement on request.

Shipments Outside the Contiguous US and Northern Canada
Shipments outside of the contiguous US and Canada such as Hawaii, Alaska, Puerto Rico, North West Territories, Nunavut, Yukon, Mexico, and foreign countries outside of North America will be shipped as "Prepaid and Add" actual shipping cost to the commercial order invoice. Any and all special handling fees, tariffs, taxes, or duties as a result of such shipment are the sole responsibility of the customer. All orders in this category must be pre-arranged and quoted prior to order. A freight quote may be requested prior to order placement by contacting customer service.

Will-Call Pick Up Service
For the convenience of local customers, we offer will-call local order pick up at either our Petaluma California or Toronto, Ontario, Canada facilities. Not all products are available for will-call based on source of supply and manufacturing. Please confirm with customer service product availability of your order and specific products for will-call local pick up. When will-call is specified freight charges will be waived accordingly. With the exception of holidays, our shipping docks are open for will-call pick up as follows:

Petaluma, California: Monday through Friday 7:00 a.m.– 2:30 p.m.
Toronto, Ontario, Canada: Monday through Friday 8:30 a.m.–4:00 p.m.

Will-call must be specified at time of order placement. Will call cannot be used for 3rd party carrier pick up. Will call orders will be held for 5 days beyond the confirmed, scheduled pick up date, after which time they will be returned to stock and restocking fees will be applied and billed to the customer.

3rd Party Freight & Carrier of Choice
If a customer specifies a "Carrier of Choice" the freight terms must be converted to "3rd Party Freight and Billing". Use of 3rd Party Freight is at the buying customer's expense. Customers will be responsible for all payments of "3rd Party Freight" services including special fees etc. directly to the freight carriers contracted to ship the order.

Workrite will make all arrangements to ship 3rd Party on behalf of the customer, In order to do so, Workrite will require the following:

- Carriers Name, Contact information & Phone Number, and Account Number
- 3rd Party billing information and detail including address, contract name, and phone number
- Destination Address, Contact Name, and Phone Number
- Method of shipment/special shipping instructions
  - Ground, Overnight, Lift Gate, Guaranteed Delivery, etc.

Re-Delivery & Re-Consignment
If a scheduled delivery must be re-delivered or re-consigned due to a missed appointment or change after the order has left Workrite's factory/dock, the customer will be charged for any and all fees as a result.

Shipment Damage Claims
All shipments must be carefully inspected by customer before acceptance, and the customer must record any damage or shortage noted at time of delivery, and provide this information to Workrite immediately along with photos of any damage. Workrite will arrange inspection by the carrier. If customer believes it has uncovered further damage after delivery they must take photos of the damage and immediately request inspection by the delivering carrier. Damaged freight must be kept at point of delivery in original packaging for inspection by carrier for a minimum of 15 days. Customer is responsible for seeking appropriate recourse against the carrier, which shall be customer's sole recourse for goods damaged in transit

Concealed Damage
Concealed damage and concealed shortage must be notified within 10 calendar days from delivery date at the specified location to identify concealed damage not visible at time of delivery. Customer must notify carrier and Workrite within such 10-day period, and must retain the original packaging and product. If requested by either carrier or Workrite, customer must ship product back at Workrite's expense. If Workrite determines that damage was due to Workrite's error, Workrite's sole obligation is to replace product in timely fashion and ship to customer at Workrite's expense. If Workrite determines carrier is at fault, customer must seek recourse against carrier, which shall be customer's sole recourse. Customer waives right to place claim against Workrite if filed after 10 calendar days of receipt of shipment.

Shortage Claims
Customer has 15 calendar days after delivery and receipt of order at the specified location to file a claim against Workrite for product shortages or Workrite errors not obvious at the time of delivery. If Workrite determines a shortage or error was made by Workrite, Workrite's sole obligation is to fill the shortage or correct error and ship at Workrite's expense. Customer waives right to place claim against Workrite if filed after 15 calendar days of receipt of shipment.

Pricing/Order Entry Errors
Claims for pricing or order entry errors must be made no later than 20 days from receipt of invoice.

TERMS + CONDITIONS


The following "Zone" shipping rates will apply for shipments in the Continental US and Canada:

All Sit-Stand Bases, Tops, Flip Top Tables and Tops, Keyboard Arms and Platforms, Monitor Arms, & Accessories

Total Order List Price	Zone 1	Zone 2	Zone 3
$1–$3,000 US	4.50%	5.25%	6.25%
$1–$3,900 CAD			
$3,001–12,000 US	1.75%	2.00%	2.25%
$3,901–$15,600 CAD			
OVER $12,001 US	FREE	FREE	FREE
OVER $15,601 CAD			

All LOS Workstations, Tops, & LOS Section Specific Accessories

Total Order List Price	Zone 1	Zone 2	Zone 3
$1–$15,000 US	5.00%	4.50%	4.25%
$1–$19,500 CAD			
$15,001–30,000 US	3.25%	2.75%	2.50%
$19,501–39,000 CAD			
OVER $30,001 US	$950	$800	$750
OVER $39,001 CAD	$1,300	$1,235	$1,040



Zone 1 **US:** California, Oregon, Nevada, Washington, Idaho, Utah, Arizona, Montana, Wyoming, Colorado, New Mexico
Canada: British Columbia

Zone 2 **US:** North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Texas, Minnesota, Iowa, Missouri, Arkansas, Louisiana, Wisconsin, Illinois, Michigan, Ohio, Indiana, Kentucky, Tennessee, Mississippi, Alabama
Canada: Alberta, Saskatchewan, Manitoba, Ontario

Zone 3 **US:** Maine, New Hampshire, Vermont, New York, Massachusetts, Rhode Island, Connecticut, Pennsylvania, New Jersey, Washington DC, West Virginia, Maryland, Delaware, Virginia, North Carolina, Georgia, South Carolina, Florida
Canada: Quebec, New Brunswick, Newfoundland, Labrador, Nova Scotia, Prince Edward Island

RETURN AUTHORIZATION POLICY

Authorization is required for the return of any merchandise to Workrite and can only be requested by the dealer of record for the original order. The dealer of record is defined as the person or business that placed the original order with Workrite and from whom payment for the order was received by Workrite. Dealers must contact Workrite Customer Service at the number or e-mail listed below and provide the following information:

- Workrite branded products: (800) 959-9675 or customerservice@workriteergo.com
- Your name, company name, phone number, e-mail address, quantity and description of product to be returned, Workrite's invoice number (or your PO number) and reason for returning the product.

A Customer Service Representative will take your request, furnish you with an RMA number, and provide instructions for the return of the product. A credit memo will be issued upon inspection and approval of the returned product. Upon receipt and inspection, Workrite will determine credit amount and notify you of any discrepancies. Please DO NOT make any financial adjustments to your account prior to Workrite issuing a credit memo for returned goods. We will credit or refund the value of the product total and any taxes you were charged, less applicable fees (excluding delivery charges). Refunds will be given in the same form of payment. Adjustments to credit cards should appear within two billing cycles.

Please allow a minimum of 30 days for us to receive and process your return. Requests for return authorization must be made within sixty (60) days of the invoice date.

Authorized returns are subject to a 20% restocking fee.

Returns are not allowed on any custom products or made to order products including the Tranquility Panel program, the 945 series Modesty Panels, or our laminated worksurface and modesty panel programs.

Once an RMA number is issued, returned product must be received at the designated Workrite facility within 30 days. Credit can only be given if the product is in new, re-saleable condition. Custom products and special configurations are non-returnable.

Unauthorized product returned on the RMA number will not be credited.

Claims for product damaged on the return shipment are the responsibility of the shipper. The customer is required to pay the return freight costs.

REPLACEMENT ORDERS

Any replacement orders will be charged to your account and a credit memo will be issued for returned products that have been approved.

ORDER CANCELLATION POLICY

Purchase orders may not be changed or canceled, in whole or part, without prior written consent of Workrite Ergonomics. If an order is canceled before production begins, Workrite will halt processing of the order at no charge. If the order is already in production, cancellation is subject to a cancellation fee of 10% of the net invoice or for reasonable cancellation charges as established by Workrite. Special Products (customs) cannot be canceled once in production and are non-refundable.

PAYMENT TERMS

Terms of payment will be established based on the credit rating and credit information provided by and for specific customers. Orders are invoiced at time of shipment. Standard payment terms are net 30 days. A 10% deposit may be required for orders totaling $100,000 or more.

CREDIT CARD PAYMENTS

A 3% convenience fee may be added to all orders paid for by credit card.

MINIMUM ADVERTISED PRICE (MAP)

Workrite's MAP policy is designed to protect our authorized dealer partners and prohibits authorized dealers from advertising prices below 40% off of our current catalog list price. Any dealer whose advertising includes pricing that fails to display a price equal to or greater than the MAP price, or contains a price lower than the MAP, will have 2 business days from receipt of written notice of violation to bring their advertising into compliance. Failure to comply within the allotted time could result in an interruption of shipments for a period of up to 30 days. A second violation may result in a 60 day suspension and repeat violations will result in termination of the reseller agreement for a period of 1 year. To download a copy of our complete MAP, please visit our website workriteergo.com.

TERMS + CONDITIONS

WARRANTY

Workrite warrants to the original purchaser that the products it manufactures are free from defects in design, material and workmanship for the length of time listed below for each product in its original installation. With prompt written notice, Workrite will repair or replace (at our discretion), free of charge, any product, part or component which fails under normal use as a result of such defect.

Limited Lifetime Warranty:

- Sierra HX Height Adjustable Work Center Table Bases
- Sentinel Height Adjustable and Fixed Height Work Center Table Bases
- Keyboards Trays & Arms

10 Year Warranty:

- Fundamentals Height Adjustable Work Center Table Bases
- All Monitor Arm Products

7 Year Warranty:

- Ascent4 Height Adjustable Work Center Table Bases

5 Year Warranty:

- Laminated Worksurfaces and Modesty Panels (when attached to Workrite Table Bases)
- Sierra HXL Crank Height Adjustable Work Center Table Bases
- Cascade Height Adjustable Work Center Table Bases
- LOS Computer Desks
- Sonoma Mobile Tables
- Solace 2 & Solace Single Clamp-On Standing Desk Converters
- LED and Fluorescent Lighting Fixtures
- riteBEAM Power & Data Distribution Beam

2 Year Warranty:

- Solace Desktop Standing Desk Converters
- Fabrics, Modesty Panels, Custom Products, and Special Order Items
- All Mobile Pedestals & Hanging Pedestals
- Palm Supports, CPU Holders, Power Supplies, Cable Managers, & Anti-Fatigue Mats
- All Accessories Not Previously Listed

1 Year Warranty:

- Mousing Surfaces
- Lighting Transformers

Requests for replacements under the terms of the applicable warranty ***must be initiated by the original purchaser.*** Original purchaser is defined as the person or business from whom payment for the product was received by Workrite. Workrite's obligation under this warranty is limited to first repair, or second replace any product or part that it determines to be defective ***after inspection by its authorized representative, following receipt of written notice of the defect from purchaser within the warranty period.***

Workrite Ergonomics will offer products that are appropriate for use as intended until such application for the product is no longer appropriate for the marketplace. While the products may evolve through changes to fit, form or function due to technological and other advances, Workrite Ergonomics will supply products that provide similar use and equivalent functionality as an alternative to the original product.

This warranty shall apply to ***the original purchaser only, and original installation only,*** is non-transferable, and is not applicable outside the United States, Canada, Puerto Rico and Mexico. This warranty is based on normal installation in a commercial office environment and use of the product during any and all shifts.

This warranty does not apply to:

- Labor charges
- Damage in shipment caused by a carrier
- Defects caused by improper installation
- Products subject to improper use and conditions
- Customer modifications to the product
- Normal wear and tear
- COM or third party materials applied to the products
- Any product that has been modified, altered, tampered with, or repaired by any person other than an authorized representative of Workrite.
- Damage incurred in the installation, repair, or replacement of any products is excluded

THE WARRANTY SET FORTH ABOVE IS IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION.

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE.

IN NO EVENT SHALL WORKRITE BE RESPONSIBLE FOR ANY INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES, HOWEVER CAUSED.

ANSI/BIFMA Ergonomic Requirements: © International Organization for Standardization (ISO). This material is reproduced from ISO9241-5:1998 with permission of the American National Standards Institute on behalf of ISO. No part of this material may be copied or reproduced in any form, electronic, retrieval system or otherwise made available on the Internet, a public network, by satellite or otherwise without the prior written consent of the American National Standards Institute (ANSI) 25 West 43rd St. New York, NY 10036. Copies of this standard may be purchased from ANSI, (212)-642-4900, http://webstore.ansi.org.

The following are federally registered trademarks of Workrite Ergonomics: Banana-Board®, Line of Sight® and Workrite Ergonomics®

The following are trademarks of Workrite Ergonomics:

920 CPU Holder™, Angle FootRester™, Ciglio 2™, Classic™, Gemini™, Height and Angle FootRester™, Lift-n-Lock™, Mouse-Forward™, Mouse-Over™, Mouse-Under™, Optimizer™, Pinnacle 2™, Revo™, Rite-In-Line™, Willow™, Workrite Sierra™, Workrite Sierra HX™, Workrite Sierra HXL™.

Microsoft® and Natural® are federally registered trademarks of Microsoft Corp. Knoll® Antenna® is a registered trade mark of Knoll, Inc. Wilsonart® is a registered trade mark of Wilsonart, LLC. GREENGUARD® is a registered trade mark and certification is part of UL Environment, a business unit of Underwriters Laboratories. All other trademarks are the property of their respective owners.

Workrite
ergonomics®

WORKRITE ERGONOMICS
2277 PINE VIEW WAY, SUITE 100
PETALUMA, CA 94954-5688

800.959.9675
WWW.WORKRITEERGO.COM

GSA

1400600 REV 07/2025
© 2025 WORKRITE ERGONOMICS
ALL RIGHTS RESERVED