

Sourcewell 

Awarded Contract

Contract # 013020-SKI

CONTRACT #: 013020-SKI
Vehicle Lifts and Garage Associated Equipment
Contract Dates: June 1, 2020 - April 13, 2024



2023 Price List - Edition 1, April 1, 2023

MOBILE LIFTS

Model Number	Description	List 2023 Ed. 1	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
--------------	-------------	--------------------	--------------	-----------------	--------------------

ST1064 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1064-1FSA	Set of 2 - 28,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	Temporarily Unavailable			
ST-1064-2FSA	Set of 4 - 56,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	Temporarily Unavailable			
ST-1064-3FSA	Set of 6 - 84,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	Temporarily Unavailable			

ST1064 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1064-1FBA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	Temporarily Unavailable			
ST-1064-2FBA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	Temporarily Unavailable			
ST-1064-3FBA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	Temporarily Unavailable			

ST1064 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1064E-1FWA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	Not Available			
ST-1064E-2FWA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	Not Available			
ST-1064E-3FWA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	Not Available			

ST1064 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1064-1FWA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 37,125	\$ 26,359	\$ 25,245	\$ 24,688
ST-1064-2FWA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 74,250	\$ 52,718	\$ 50,490	\$ 49,376
ST-1064-3FWA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 111,375	\$ 79,076	\$ 75,735	\$ 74,064

ST1065 MODELS, CABLED AND WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1065-2FSV	Set of 4 - 58,000lbs capacity, 208 to 460 volts, 3 phase, extra wide forks to lift contruction vehicles, one primary column per set of 4	\$ 90,788	\$ 64,460	\$ 61,736	\$ 60,374
ST-1065-2FXV	Set of 4 - 58,000lbs capacity, 24 volts DC, extra wide forks to lift contruction vehicles	\$ 122,002	\$ 86,622	\$ 82,962	\$ 81,132

ST1075 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1075-1FSA	Set of 2 - 33,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$ 32,008	\$ 22,726	\$ 21,766	\$ 21,285
ST-1075-2FSA	Set of 4 - 66,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$ 62,305	\$ 44,237	\$ 42,368	\$ 41,433
ST-1075-3FSA	Set of 6 - 99,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$ 93,459	\$ 66,356	\$ 63,552	\$ 62,150

ST1075 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1075-1FBA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 29,512	\$ 20,954	\$ 20,068	\$ 19,625
ST-1075-2FBA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 59,025	\$ 41,908	\$ 40,137	\$ 39,252
ST-1075-3FBA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 88,539	\$ 62,863	\$ 60,206	\$ 58,878

ST1075 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1075-1FWA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 41,377	\$ 29,378	\$ 28,137	\$ 27,516
ST-1075-2FWA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 82,320	\$ 58,447	\$ 55,978	\$ 54,743
ST-1075-3FWA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 124,131	\$ 88,133	\$ 84,409	\$ 82,547

MOBILE LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1085-1FSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks.	\$ 34,485	\$ 24,484	\$ 23,449	\$ 22,932
ST-1085-2FSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks.	\$ 67,021	\$ 47,585	\$ 45,574	\$ 44,569
ST-1085-3FSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks.	\$ 99,551	\$ 70,681	\$ 67,695	\$ 66,201

ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:

ST-1085-1RSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks	\$ 37,973	\$ 26,961	\$ 25,822	\$ 25,252
ST-1085-2RSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks	\$ 74,008	\$ 52,545	\$ 50,325	\$ 49,215
ST-1085-3RSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks	\$ 110,025	\$ 78,117	\$ 74,817	\$ 73,166

ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1085-1FBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 36,638	\$ 26,013	\$ 24,914	\$ 24,364
ST-1085-2FBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 73,275	\$ 52,025	\$ 49,827	\$ 48,728
ST-1085-3FBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 109,913	\$ 78,038	\$ 74,741	\$ 73,092

ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:

ST-1085-1RBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 39,909	\$ 28,335	\$ 27,138	\$ 26,539
ST-1085-2RBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 79,818	\$ 56,670	\$ 54,276	\$ 53,079
ST-1085-3RBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 119,723	\$ 85,004	\$ 81,412	\$ 79,616

ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS

ST-1085-1FWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 41,399	\$ 29,393	\$ 28,151	\$ 27,530
ST-1085-2FWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 82,796	\$ 58,785	\$ 56,301	\$ 55,059
ST-1085-3FWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 124,194	\$ 88,178	\$ 84,452	\$ 82,589

ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS & EXTRA WIDE FORKS

ST-1085-1VFWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 48,739	\$ 34,605	\$ 33,143	\$ 32,411
ST-1085-2VFWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 97,476	\$ 69,208	\$ 66,284	\$ 64,822
ST-1085-3VFWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 146,214	\$ 103,812	\$ 99,426	\$ 97,232

ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS

ST-1085-1RWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 46,036	\$ 32,686	\$ 31,305	\$ 30,614
ST-1085-2RWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 92,072	\$ 65,371	\$ 62,609	\$ 61,228
ST-1085-3RWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 138,109	\$ 98,057	\$ 93,914	\$ 91,842

MOBILE LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1085-1FRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 46,468	\$ 32,992	\$ 31,598	\$ 30,901
ST-1085-2FRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 92,939	\$ 65,987	\$ 63,198	\$ 61,804
ST-1085-3FRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 139,407	\$ 98,979	\$ 94,797	\$ 92,706

ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS & EXTRA WIDE FORKS

ST-1085-1VFRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 53,808	\$ 38,204	\$ 36,589	\$ 35,782
ST-1085-2VFRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 107,619	\$ 76,409	\$ 73,181	\$ 71,567
ST-1085-3VFRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 161,427	\$ 114,613	\$ 109,770	\$ 107,349

ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS

ST-1085-1RRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 49,997	\$ 35,498	\$ 33,998	\$ 33,248
ST-1085-2RRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 99,995	\$ 70,996	\$ 67,996	\$ 66,497
ST-1085-3RRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 149,992	\$ 106,495	\$ 101,995	\$ 99,745

ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1100-1FSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks.	\$ 36,824	\$ 26,145	\$ 25,040	\$ 24,488
ST-1100-2FSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks.	\$ 71,639	\$ 50,864	\$ 48,714	\$ 47,640
ST-1100-3FSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks.	\$ 106,454	\$ 75,582	\$ 72,389	\$ 70,792

ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:

ST-1100-1RSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$ 41,162	\$ 29,225	\$ 27,990	\$ 27,373
ST-1100-2RSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$ 80,225	\$ 56,959	\$ 54,553	\$ 53,349
ST-1100-3RSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$ 119,281	\$ 84,690	\$ 81,111	\$ 79,322

ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:

ST-1100-1FBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 39,820	\$ 28,272	\$ 27,078	\$ 26,480
ST-1100-2FBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 79,640	\$ 56,545	\$ 54,155	\$ 52,961
ST-1100-3FBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 119,460	\$ 84,817	\$ 81,233	\$ 79,441

ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:

ST-1100-1RBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 44,690	\$ 31,730	\$ 30,389	\$ 29,719
ST-1100-2RBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 89,380	\$ 63,460	\$ 60,778	\$ 59,438
ST-1100-3RBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 134,072	\$ 95,191	\$ 91,169	\$ 89,158

MOBILE LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1100-1FWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 47,012	\$ 33,379	\$ 31,968	\$ 31,263
ST-1100-2FWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 94,022	\$ 66,756	\$ 63,935	\$ 62,525
ST-1100-3FWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 141,035	\$ 100,135	\$ 95,904	\$ 93,788
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS & EXTRA WIDE FORKS					
ST-1100-1VFWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 54,352	\$ 38,590	\$ 36,959	\$ 36,144
ST-1100-2VFWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 108,702	\$ 77,178	\$ 73,917	\$ 72,287
ST-1100-3VFWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 163,055	\$ 115,769	\$ 110,877	\$ 108,432
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS & EXTRA WIDE FORKS					
ST-1100-1VFWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 54,352	\$ 38,590	\$ 36,959	\$ 36,144
ST-1100-2VFWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 108,702	\$ 77,178	\$ 73,917	\$ 72,287
ST-1100-3VFWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 163,055	\$ 115,769	\$ 110,877	\$ 108,432
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1100-1RWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 51,536	\$ 36,591	\$ 35,045	\$ 34,272
ST-1100-2RWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 103,074	\$ 73,183	\$ 70,090	\$ 68,544
ST-1100-3RWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 154,610	\$ 109,773	\$ 105,135	\$ 102,816
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1100-1FRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 49,256	\$ 34,972	\$ 33,494	\$ 32,755
ST-1100-2FRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 98,514	\$ 69,945	\$ 66,989	\$ 65,512
ST-1100-3FRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 147,770	\$ 104,917	\$ 100,483	\$ 98,267
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS & EXTRA WIDE FORKS					
ST-1100-1VFRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 56,596	\$ 40,183	\$ 38,485	\$ 37,636
ST-1100-2VFRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 113,194	\$ 80,368	\$ 76,972	\$ 75,274
ST-1100-3VFRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 169,790	\$ 120,551	\$ 115,457	\$ 112,910
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1100-1RRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 53,783	\$ 38,186	\$ 36,572	\$ 35,766
ST-1100-2RRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 107,563	\$ 76,370	\$ 73,143	\$ 71,529
ST-1100-3RRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 161,347	\$ 114,556	\$ 109,716	\$ 107,296
ST1130 MODELS, CABLED, WIRELESS AND EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1130-2RWF	Set of 4 - 116,000lbs capacity, 24 volts DC, control box on every column. Fixed forks	\$ 275,568	\$ 195,654	\$ 187,387	\$ 183,253
ST-1130-2RRF	Set of 4 - 116,000lbs capacity, 24 volts DC, control box on every column. Fixed forks	\$ 289,839	\$ 205,785	\$ 197,090	\$ 192,743
ST1175 MODELS, CABLED AND WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1175-2RWF	Set of 4 - 160,000lbs capacity, 24 volts DC, control box on every column. Fixed forks	\$ 277,017	\$ 196,682	\$ 188,372	\$ 184,216

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
SKTJ-401	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$ 13,946	\$ 9,902	\$ 9,483	\$ 9,274
SKTJ-401S	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$ 14,700	\$ 10,437	\$ 9,996	\$ 9,775
SKTJ-402	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, pneumatic operation	\$ 13,521	\$ 9,600	\$ 9,195	\$ 8,992
SKWD-500	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, pneumatic operation	\$ 12,680	\$ 9,003	\$ 8,622	\$ 8,432
SKWD-500-74	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 74" lifting height, pneumatic operation	\$ 14,918	\$ 10,592	\$ 10,144	\$ 9,920
SKWD-501	Counter balanced High Lift Wheel Dolly (CBHLWD) with chain guard, 850lb. Capacity, 52" lifting height, pneumatic operation	\$ 17,115	\$ 12,152	\$ 11,638	\$ 11,381
SKTJ-401 Batt.	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$ 15,205	\$ 10,795	\$ 10,339	\$ 10,111
SKTJ-401S-E Batt.	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$ 15,933	\$ 11,312	\$ 10,834	\$ 10,595
SKTJ-402 Batt.	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, battery operation	\$ 14,771	\$ 10,487	\$ 10,044	\$ 9,823
SKWD-500 Batt.	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, battery operation	\$ 14,825	\$ 10,526	\$ 10,081	\$ 9,858
SKWD-501 Batt	Counter balanced High Lift Wheel Dolly (CBHLWD), 850lb. Capacity, 52" lifting height, battery	\$ 19,562	\$ 13,889	\$ 13,302	\$ 13,009
G-BDA	HLWD Adapter for standard wheel drums	\$ 1,154	\$ 819	\$ 785	\$ 767
G-AD	Transmission Jack Adapter for differential assemblies	\$ 2,065	\$ 1,466	\$ 1,404	\$ 1,373
G-AD2-02-2000	Transmission Jack Adapter for clutch assemblies	\$ 845	\$ 600	\$ 575	\$ 562
G-TJ-01-03	Transmission Jack Table/Cradle Screws, balance and retains various transmission housing to table top (price per screw, 4 screws required)	\$ 397	\$ 282	\$ 270	\$ 264
ST575V	575 voltage power option, extra per column when requested at time of original order placement	\$ 919	\$ 652	\$ 625	\$ 611
Upgrade control box	Primary control box exchange (upgrade from secondary control box), when requested at time of original order placement	\$ 2,458	\$ 1,745	\$ 1,672	\$ 1,635
OPVL33200	Drive over 12 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 735	\$ 522	\$ 500	\$ 488
DROVER 21.5M	Drive over 21.5 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 927	\$ 658	\$ 630	\$ 616
OPVL33300	NON drive over 21.5 meter red cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 638	\$ 453	\$ 434	\$ 424
380.00.771	Weight Gauge for ST1085 ebright. Price per column. Price includes part only.	\$ 844	\$ 599	\$ 574	\$ 561
WGI Labor	Weight Gauge installation. Price per column. Price includes labor only.	\$ 200	\$ 142	\$ 136	\$ 133
32737250	Battery Controls Cable Reel. Price per column. Price includes part and labor to install.	\$ 1,166	\$ 828	\$ 793	\$ 775
38000904	Set of 2 (Two) detachable lifting pockets to lift & transport a mobile column with a forklift. Price per	\$ 263	\$ 186	\$ 179	\$ 175

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
34400910	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max. capacity 14,500 lbs per col.) ONLY FOR RETRACTABLE WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS.	\$ 2,397	\$ 1,702	\$ 1,630	\$ 1,594
32710915	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max.capacity 14,500 lbs per col.) ONLY FOR RETRACTABLE WHEELS. OBLIGATORY WHEN USING FORK	\$ 2,397	\$ 1,702	\$ 1,630	\$ 1,594
34200930	Single fork extension with integrated reduction sleeve and lock (right side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs. ONLY FOR FIXED FORKS	\$ 924	\$ 656	\$ 628	\$ 614
34200935	Single fork extension with integrated reduction sleeve and lock (left side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs. ONLY FOR FIXED FORKS	\$ 924	\$ 656	\$ 628	\$ 614
32700930	Set of 2 Fork extensions with locks ST1085 & ST1100 Only For Adjustable Forks (L=500 mm/20"), cap. 14,500 lbs	\$ 1,029	\$ 731	\$ 700	\$ 685
Warning: Fork extension and fork extensions with integrated reduction sleeves may only be used in combination with base frame extensions!					
32790210	Large Wheel Adapter ST1065 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 3,027	\$ 2,149	\$ 2,059	\$ 2,013
38002950	Large Wheel Adapter ST1075 & ST1085 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 3,027	\$ 2,149	\$ 2,059	\$ 2,013
32800910	Large Wheel Adapter ST1175 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 10,284	\$ 7,302	\$ 6,993	\$ 6,839
32700920	Reducer plate with lock (right side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$ 625	\$ 444	\$ 425	\$ 416
32700925	Reducer plate with lock (left side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$ 625	\$ 444	\$ 425	\$ 416
34400920	Reducer plate with lock (right side) for ST1073 & ST1100 (L= 300 mm/12")	\$ 625	\$ 444	\$ 425	\$ 416
34400925	Reducer plate with lock (left side) for ST1073 & ST1100 (L= 300 mm/12")	\$ 625	\$ 444	\$ 425	\$ 416
32790205	Reducer plate for ST1065 price each, not ALI certified	\$ 796	\$ 565	\$ 541	\$ 529
32803100	Reducer plate standard for ST 1175 price each 380mm / 14.95"	\$ 858	\$ 609	\$ 583	\$ 571
32803200	Reducer plate wider for ST 1175 price each 460mm / 18.11"	\$ 1,227	\$ 871	\$ 834	\$ 816
32850460	Reducer plate standard for ST 1130 price each 380mm / 14.95"	\$ 1,235	\$ 877	\$ 840	\$ 821
32850470	Reducer plate wider for ST 1130 price each 460mm / 18.11"	\$ 1,368	\$ 971	\$ 930	\$ 909
38008900	LED lighting -UL approved - Battery operated column, 2 LED lights, brackets & cable set, uses power from the batteries, per column	\$ 1,175	\$ 834	\$ 799	\$ 782
38004900	LED lighting -UL approved - AC operated column, 2 LED lights, brackets & cable set, 230V, per column	\$ 1,868	\$ 1,326	\$ 1,270	\$ 1,242
MLK Labor	Labor for installation of any of the lighting kits listed above, price per column	\$ 586	\$ 416	\$ 399	\$ 390
34007930	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, Not UL Approved, 32' 10" cable	\$ 2,985	\$ 2,119	\$ 2,030	\$ 1,985

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
34007940	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, UL Approved, 32' 10" cable	\$ 5,425	\$ 3,852	\$ 3,689	\$ 3,608
32557930	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, Not UL	\$ 2,985	\$ 2,119	\$ 2,030	\$ 1,985
32557940	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, UL Approved, 32' 10" cable	\$ 5,425	\$ 3,852	\$ 3,689	\$ 3,608
38007755	Remote Control for ebright control mobile column lifts, Not UL Approved, 32' 10" cable	\$ 2,985	\$ 2,119	\$ 2,030	\$ 1,985
38007754	Remote Control for ebright control mobile column lifts, UL Approved, 32' 10" cable	\$ 5,425	\$ 3,852	\$ 3,689	\$ 3,608
38007747	Installation kit to create a plug for a remote control on ebright columns on site (without remote)	\$ 477	\$ 338	\$ 324	\$ 317
32592000	Traverse beam with king-pin adaptor, capacity 16,000 lbs,	\$ 6,956	\$ 4,939	\$ 4,730	\$ 4,626
32591500	Traverse beam with lifting supports, capacity 32,000 lbs.,	\$ 6,956	\$ 4,939	\$ 4,730	\$ 4,626
32591050	Low profile cross beam with supports - capacity 33,000 lbs,	\$ 7,157	\$ 5,081	\$ 4,866	\$ 4,759
32591150	Low profile cross beam with supports, for 130 mm wider fork - capacity 33,000 lbs	\$ 10,042	\$ 7,130	\$ 6,828	\$ 6,678
32591100	Low profile cross beam with supports - capacity 18,800 lbs,	\$ 7,157	\$ 5,081	\$ 4,866	\$ 4,759
32593000	4-wheel forklift adapter kit (10 pieces)	\$ 10,243	\$ 7,273	\$ 6,965	\$ 6,812
32593100	3-wheel forklift adapter kit (12 pieces)	\$ 12,764	\$ 9,063	\$ 8,680	\$ 8,488
32593030	Lifting piece for forklift kit (2 required per kit), price each	\$ 1,266	\$ 899	\$ 861	\$ 842
18-9081A-03	Traverse Beam for vehicles with snow plow mounted (WEB-36-120ST)	\$ 8,955	\$ 6,358	\$ 6,090	\$ 5,955
38000920	Multi-Purpose Adapter ST1075/1085/1100, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051	\$ 10,049	\$ 7,135	\$ 6,834	\$ 6,683
38010920	Multi-Purpose Adapter ST1065, cap. to match column, (2 pieces), incl. two flat sliding adapters	\$ 11,876	\$ 8,432	\$ 8,076	\$ 7,898
38000950	Multi-Purpose Wide Reach Adapter ST1075/1085/1100, cap. to match column 44,000 lbs, (2 pieces), incl. two U-shape sliding adapters 59001091	\$ 11,081	\$ 7,867	\$ 7,535	\$ 7,369
38000970	Multi-Purpose Light Truck Adapter ST1075/1085/1100, cap. 5,500 lbs per column, (2 pieces), incl. two sliding rubber pick up pads	\$ 6,980	\$ 4,956	\$ 4,746	\$ 4,642
38000990	Multi-Purpose Extended Reach Adapter ST1075/1085/1100, (2 pieces), reduced capacity, incl. two U-shape sliding adapters 59001091, requires baseframe extensions (not included)	\$ 11,081	\$ 7,867	\$ 7,535	\$ 7,369
38000930	Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. <u>to match</u>	\$ 2,016	\$ 1,431	\$ 1,371	\$ 1,341
38000955	Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs, only use with 34400910 or 32710915	\$ 2,610	\$ 1,853	\$ 1,775	\$ 1,736
38010930	Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column,	\$ 2,610	\$ 1,853	\$ 1,775	\$ 1,736
38000940	Upper Beam Part of MPA standard version 875mm / 34.44", cap. to match column,	\$ 2,016	\$ 1,431	\$ 1,371	\$ 1,341
38010940	Upper Beam Part of MPA wider version 1250mm / 49.20", cap. to match column,	\$ 2,610	\$ 1,853	\$ 1,775	\$ 1,736
38000975	Upper Beam Part of MPA ultra low version, cap of 5500 lbs.	\$ 2,610	\$ 1,853	\$ 1,775	\$ 1,736
38000921	Adapter pin Ø40 mm / 1.57" (1 standard supplied with 38000920/38010920), <u>per piece</u>	\$ 377	\$ 267	\$ 256	\$ 250
32591051	Flat slideable adapter with anti slip top plate (2 standard supplied with 38000920/38010920), (item number based on physical item inspection, per piece	\$ 638	\$ 453	\$ 434	\$ 424
38000945	Flat slideable adapter with Ø40 mm / 1.57" female pick up point for various pick up adapters (2 standard supplied with 38000950), per piece	\$ 551	\$ 391	\$ 375	\$ 367
38000960	U-shape pick up adapter 74 mm/ 3" wide and 120mm / 4.7" long, with Ø40 mm / 1.57" male pick up point (2 standard supplied with 38000950), per piece	\$ 526	\$ 374	\$ 358	\$ 350
32591020	Vertically adjustable riser, sliding adapter with height adjustment 270-420 mm / 10.63 - 16.53", per	\$ 927	\$ 658	\$ 630	\$ 616

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
38010950	Multi-Purpose Adapter Transport Cart for storage and transportation of maximum2 Multi-Purpose Adapters and various pick up adapters	\$ 6,034	\$ 4,284	\$ 4,103	\$ 4,013

Multi-Purpose Adapters can be used in conjunction with contact adapters and vertical risers available for the Freedom Lifts!

SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
JS-L12	Capacity 26,500 lbs, Low, 3 locking positions, Range 14"-22", fixed flat adapter, weight 41 lbs.	\$ 542	\$ 385	\$ 369	\$ 361
JS-M8F	Capacity18,500 lbs, Medium, 7 locking positions, Range 33"-54" with fine adjustment, weight 95 lbs	\$ 1,618	\$ 1,148	\$ 1,100	\$ 1,076
JS-M12F	Capacity 26,500 lbs, Medium, 7 locking positions, Range 33"-54" with fine adjustment, weight 121 lbs	\$ 1,752	\$ 1,244	\$ 1,191	\$ 1,165
JS-H8F	Capacity 18,500 lbs, High, 10 locking positions, Range 53"-83" with fine adjustment, weight 130 lbs	\$ 1,921	\$ 1,364	\$ 1,306	\$ 1,277
JS-H12F	Capacity 26,500 lbs, High, 10 positions, Range 53"-83" with fine adjustment, weight 176 lbs	\$ 2,510	\$ 1,782	\$ 1,707	\$ 1,669

JS-M8, JS-M12, JS-H8 & JS-H12 comes with flat adapter, U-shape adapter, V-shape adapter, fine

JS-H8-DZ	Capacity 18,000 lbs, High, 10 locking positions, Range 50"-80", weight 130 lbs	\$ 1,536	\$ 1,091	\$ 1,045	\$ 1,022
----------	--	----------	----------	----------	----------

JS-H8-DZ comes with flat adapter, springloaded wheels (set of 3) and spring for inner tube as standard.

Options for the JS-H8-DZ:

39225960	Vertical fine adjuster, adds 3" to minimum and maximum height range	\$ 220	\$ 156	\$ 150	\$ 147
39225940	U-shaped adapter	\$ 139	\$ 99	\$ 95	\$ 93
39225950	V-shaped adapter	\$ 139	\$ 99	\$ 95	\$ 93
SKCP 1220-10	10 tons, no handle or wheels; 12"-20", with pin stop	\$ 799	\$ 567	\$ 543	\$ 531
SKCV 1828-10	10 tons, no handle or wheels, 18"-28", fine adjustment	\$ 1,470	\$ 1,044	\$ 1,000	\$ 978
SKCP 1830-10	10 tons, no handle or wheels, 18"-30"; with pin stop	\$ 903	\$ 641	\$ 614	\$ 600
SKCP 2644-10	10 tons, no handle or wheels, 26"-44";with pin stop	\$ 1,013	\$ 719	\$ 689	\$ 674
SKCP 5278-09	9 tons, with handle & wheels, spring loaded center tube, pin stop, 1 fixed steel head, 52"-78"	\$ 1,430	\$ 1,015	\$ 972	\$ 951
SKCVP 3658-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/36"-58" fine adjustment, 1 fixed wooden head	\$ 2,031	\$ 1,442	\$ 1,381	\$ 1,351
SKCVP 5480-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-80" fine adjustment, 1 fixed wooden head	\$ 2,075	\$ 1,473	\$ 1,411	\$ 1,380
SKCVP 5484-30	30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head	\$ 7,747	\$ 5,500	\$ 5,268	\$ 5,152

FREEDOM LIFT

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
HYDRAULIC TWO POST LIFT, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH					
35072000	SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms	\$42,168	\$29,940	\$ 28,675	\$28,042
35073000	SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic	\$43,645	\$30,988	\$ 29,679	\$29,024
35040000	SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms	\$59,576	\$42,299	\$ 40,512	\$39,618
35041000	SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$63,954	\$45,407	\$ 43,489	\$42,529
35042000	SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms	\$68,332	\$48,516	\$ 46,466	\$45,441
35050000	SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms	\$70,233	\$49,865	\$ 47,758	\$46,705
35051000	SK 2.26-23 Two-post 26,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$80,642	\$57,256	\$ 54,837	\$53,627
35052000	SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms	\$85,145	\$60,453	\$ 57,899	\$56,622
35060000	SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms	\$75,636	\$53,702	\$ 51,433	\$50,298
35061000	SK 2.30-23 Two-post 30,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$86,786	\$61,618	\$ 59,015	\$57,713
35062000	SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms	\$91,289	\$64,816	\$ 62,077	\$60,707

Items being supplied with the SK 2.16 models (all adapters supplied in qty of four pieces or one per arm) :

35000304	Flat low rubber cap slip-in pick-up pad Ø128x26 mm, only for SK 2.16
35000301	Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)
35000306	Support extension 1.5"
37003909	Support extension 3.5"
37003916	Support extension 6.3"
35099012	Set of chemical anchors and shims

Items being supplied with the SK 2.20/26/30 models (all adapters supplied in qty of four pieces or one per arm) :

39225988	Flat rubber cap pick-up pad Ø128x36 mm
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)
35000306	Support extension 1.5"
37003909	Support extension 3.5"
37003916	Support extension 6.3"
35099014	Set of chemical anchors and shims

ACCESSORIES AND OPTIONS FOR FREEDOM LIFT

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
Options for ONLY SK 2.16:					
33003915	Set telescopic threaded pick-up points, height min. 145 mm max. 245 mm (2 pcs), only for SK 2.16	\$ 1,428	\$ 1,014	\$ 971	\$ 949
35000304	Replacement flat low rubber cap for contact Ø128x26 mm (1pc.), only for SK 2.16	\$ 452	\$ 321	\$ 307	\$ 300
35000301	Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16	\$ 452	\$ 321	\$ 307	\$ 300
30003100	Flat rubber capped contact adapter with external threads to provide height adjustment Ø124 mm (1pc.), only for SK 2.16	\$ 452	\$ 321	\$ 307	\$ 300
35099012	Set chemical anchors and shims, only for SK 2.16	\$ 549	\$ 390	\$ 374	\$ 365
Options for SK 2.16 / SK 2.20 / SK 2.26 / SK 2.30					
35000950	LED lighting set -UL-approved- Freedom lift series, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$ 2,546	\$ 1,807	\$ 1,731	\$ 1,693
OPVL08060	Second control box	\$ 3,713	\$ 2,636	\$ 2,525	\$ 2,469
OPVLRAL01	Extra price for 1 different colour	\$ 1,247	\$ 885	\$ 848	\$ 829
OPVLRAL01-2	Extra price for 2 different colors	\$ 1,733	\$ 1,230	\$ 1,178	\$ 1,152
OPVL41041	Analogue weight gauge for Freedom Lift	\$ 1,165	\$ 827	\$ 792	\$ 775
35000918	Set of 2 adapter trays to store 2*4 adapters. To be mounted to the column structure.	\$ 335	\$ 238	\$ 228	\$ 223
35000919	Set of 2 adapter trays to store 2*6 adapters. To be mounted to the column structure.	\$ 388	\$ 276	\$ 264	\$ 258
35000118	Magnetic tool tray, 9.6 x 5.6"	\$ 93	\$ 66	\$ 63	\$ 62
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)	\$ 465	\$ 330	\$ 316	\$ 309
39225988	Flat rubber cap pick-up pad Ø128x36 mm (1pc.)	\$ 548	\$ 389	\$ 373	\$ 365
4310.09.04.00	Flat steel pick-up pad (1 pc)	\$ 125	\$ 89	\$ 85	\$ 83
4310.09.06.00	U-shaped steel pick-up pad (1 pc)	\$ 154	\$ 109	\$ 105	\$ 102
4310.09.05.00	V-shaped steel pick-up pad (1 pc)	\$ 161	\$ 115	\$ 110	\$ 107
35000306	Support extension 1.5"	\$ 119	\$ 84	\$ 81	\$ 79
37003909	Support extension 3.5"	\$ 236	\$ 168	\$ 161	\$ 157
37003916	Support extension 6.3"	\$ 305	\$ 216	\$ 207	\$ 203
37003925	Support extension 10"	\$ 379	\$ 269	\$ 258	\$ 252
37003945	Prism adapter for Sprinter/Crafter, rear side	\$ 312	\$ 222	\$ 212	\$ 208
37003955	Cone adapter for Sprinter/Crafter, front side	\$ 312	\$ 222	\$ 212	\$ 208
35099014	Set chemical anchors and shims for SK 2.20 / SK 2.26 / SK 2.30 (for SK 2.16 see above)	\$ 1,072	\$ 761	\$ 729	\$ 713

LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
ST 4055	12,000 lb. Four post lift, runway length 201 x 25" wide, 118" between columns	\$ 34,994	\$ 24,846	\$ 23,796	\$ 23,271
ST 4055-V	12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$ 36,204	\$ 25,705	\$ 24,618	\$ 24,075
ST 4055-L	12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$ 37,817	\$ 26,850	\$ 25,716	\$ 25,149
ST 4055-LV	12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$ 39,028	\$ 27,710	\$ 26,539	\$ 25,954
ST 4070	16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns	\$ 38,393	\$ 27,259	\$ 26,107	\$ 25,531
ST 4070-S	16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$ 38,393	\$ 27,259	\$ 26,107	\$ 25,531
ST 4070-SV	16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$ 39,969	\$ 28,378	\$ 27,179	\$ 26,580
ST 4070-V	16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$ 39,969	\$ 28,378	\$ 27,179	\$ 26,580
ST 4070-L	16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns	\$ 42,064	\$ 29,865	\$ 28,603	\$ 27,972
ST 4070-LV	16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns	\$ 43,637	\$ 30,983	\$ 29,673	\$ 29,019

ACCESSORIES AND OPTIONS FOR LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
43509600	LED lighting set -UL-approved- ST4055 & ST4070-S, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$ 2,397	\$ 1,702	\$ 1,630	\$ 1,594
44509600	LED lighting set -UL-approved- ST4055-LV & ST4070, 6 LED lights, power transformer, brackets & cable set, 110-220V	\$ 3,041	\$ 2,159	\$ 2,068	\$ 2,022
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$ 390	\$ 277	\$ 265	\$ 259
44509040	Standard drive on/off ramps, 28.7", (2 pieces)	\$ 1,913	\$ 1,358	\$ 1,301	\$ 1,272
OPVL09250	Second control box for ST 4055 and ST 4070	\$ 2,462	\$ 1,748	\$ 1,674	\$ 1,637

HEAVY DUTY 4-POST LIFTS

Model Number	Old Model #	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
ST4.300-4	ST 4120-4	Four post 30,000lbs capacity, 15 ft runway	\$ 51,262	\$ 36,396	\$ 34,858	\$ 34,089
ST4.300-6	ST 4120-6	Four post 30,000lbs capacity, 20 ft runway	\$ 54,969	\$ 39,028	\$ 37,379	\$ 36,554
ST4.300-8	ST 4120-8	Four post 30,000lbs capacity, 26 ft runway	\$ 58,466	\$ 41,511	\$ 39,757	\$ 38,880
ST4.300-10	ST 4120-10	Four post 30,000lbs capacity, 33 ft runway	\$ 62,720	\$ 44,531	\$ 42,649	\$ 41,709
41009060		Synchronization set needed to make any Eight Post version of ST4.300, bridge part 3' 4"	\$ 20,800	\$ 14,768	\$ 14,144	\$ 13,832
41009300		Synchronization set needed to make any Eight Post version of ST4.300, without bridge part and with two roll of protections	\$ 9,550	\$ 6,781	\$ 6,494	\$ 6,351
ST4.500-6	ST 4175-6	Four post 50,000lbs capacity, 20 ft runway	\$ 104,561	\$ 74,238	\$ 71,101	\$ 69,533
ST4.500-8	ST 4175-8	Four post 50,000lbs capacity, 26 ft runway	\$ 110,292	\$ 78,307	\$ 74,999	\$ 73,344
ST4.500-9	ST 4175-9	Four post 50,000lbs capacity, 30 ft runway	\$ 111,313	\$ 79,033	\$ 75,693	\$ 74,023
ST4.500-10	ST 4175-10	Four post 50,000lbs capacity, 33 ft runway	\$ 116,019	\$ 82,373	\$ 78,893	\$ 77,153
ST4.500-11.5	ST 4175-11.5	Four post 50,000lbs capacity, 38 ft runway	\$ 122,976	\$ 87,313	\$ 83,624	\$ 81,779
41609030		Synchronization set needed to make any Eight Post version of ST4.500, bridge part 3' 4"	\$ 14,900	\$ 10,579	\$ 10,132	\$ 9,909
41609040		Synchronization set needed to make any Eight Post version of ST4.500, bridge part 4' 11"	\$ 18,200	\$ 12,922	\$ 12,376	\$ 12,103

HEAVY DUTY 4-POST LIFTS

Model Number	Old Model #	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
ST4.660-6	ST 4250-6	Four post 66,000lbs capacity, 20 ft runway	\$ 158,663	\$ 112,651	\$ 107,891	\$ 105,511
ST4.660-7	ST 4250-7	Four post 66,000lbs capacity, 23 ft runway	\$ 163,706	\$ 116,231	\$ 111,320	\$ 108,864
ST4.660-8	ST 4250-8	Four post 66,000lbs capacity, 26 ft runway	\$ 168,751	\$ 119,813	\$ 114,750	\$ 112,219
ST4.660-9	ST 4250-9	Four post 66,000lbs capacity, 30 ft runway	\$ 173,804	\$ 123,401	\$ 118,187	\$ 115,580
ST4.660-10	ST 4250-10	Four post 66,000lbs capacity, 33 ft runway	\$ 179,495	\$ 127,441	\$ 122,056	\$ 119,364
ST4.660-11.5	ST 4250-11.5	Four post 66,000lbs capacity, 38 ft runway	\$ 188,047	\$ 133,514	\$ 127,872	\$ 125,051
42609030		Synchronization set needed to make any Eight Post version of ST4.660, bridge part 3' 4"	\$ 14,900	\$ 10,579	\$ 10,132	\$ 9,909
42609040		Synchronization set needed to make any Eight Post version of ST4.660, bridge part 4' 11"	\$ 18,200	\$ 12,922	\$ 12,376	\$ 12,103
ST4.1330-9	ST 4600-9	Four post 132,000lbs capacity, 30 ft runway	On request	On request	On request	On request
ST4.1320 VL	ST 4600 VL	Four post 132,000lbs capacity, various lengths and accessories available upon request	On request	On request	On request	On request

ACCESSORIES AND OPTIONS FOR 4-POST LIFTS

Model Number	Old Model #	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
ST4.300 Series						
41209020		Hinged transition plates, length 16.1" (2 pcs)	\$ 2,427	\$ 1,723	\$ 1,651	\$ 1,614
OPVL16165		Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps	\$ (2,496)	\$ (1,772)	\$ (1,697)	\$ (1,660)
41209030		Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120	\$ 4,210	\$ 2,989	\$ 2,863	\$ 2,800
41209100		Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps)	\$ 8,310	\$ 5,900	\$ 5,651	\$ 5,526
41209200		Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps)	\$ 9,237	\$ 6,558	\$ 6,281	\$ 6,143
41209010		Set long drive on/off ramps, length 63"	\$ 7,329	\$ 5,204	\$ 4,984	\$ 4,874
OPVL16165		Extended length access ramps, instead of standard ramps	\$ 1,816	\$ 1,289	\$ 1,235	\$ 1,208
41407151	34007930 4120	Remote Control, Not UL Approved, 32' 10" cable	\$ 2,959	\$ 2,101	\$ 2,012	\$ 1,967
41407150	34007940 4120	Remote Control, UL Approved, 32' 10" cable	\$ 5,378	\$ 3,819	\$ 3,657	\$ 3,576
43599013		Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120	\$ 390	\$ 277	\$ 265	\$ 259
41009350	41229350	LED lighting set, UL approved for ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 3,281	\$ 2,329	\$ 2,231	\$ 2,182
41019350	41219350	LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,157	\$ 2,952	\$ 2,827	\$ 2,765
41029350	41209350	LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,088	\$ 3,613	\$ 3,460	\$ 3,384
41039350	41239350	LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,969	\$ 4,238	\$ 4,059	\$ 3,969
41009355	41309150	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$ 455	\$ 323	\$ 309	\$ 302

ACCESSORIES AND OPTIONS FOR 4-POST LIFTS

Model Number	Old Model #	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
ST4.500 and ST4.660 Series						
41509010		Set standard drive on/off ramps ST4.500/ST4175, length 44" (2 pcs)	\$ 4,713	\$ 3,346	\$ 3,205	\$ 3,134
41509050		Extended length ramps ST4.500/ST4175, length 66" (2 pcs)	\$ 6,644	\$ 4,717	\$ 4,518	\$ 4,418
OPVL16170		Extended length ramps ST4.500/ST4175, length 66" (2 pcs), instead of standard ramps	\$ 800	\$ 568	\$ 544	\$ 532
41509060		Extended length ramps ST4.500/ST4175, length 92" (2 pcs)	\$ 11,458	\$ 8,135	\$ 7,792	\$ 7,620
OPVL16171		Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps	\$ 6,530	\$ 4,636	\$ 4,440	\$ 4,342
41509070		Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs)	\$ 13,843	\$ 9,828	\$ 9,413	\$ 9,205
OPVL16172		Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps	\$ 7,064	\$ 5,016	\$ 4,804	\$ 4,698
42509020		Set short drive-on/off ramps , L = 510 mm / 20" (2 pcs)	\$ 3,038	\$ 2,157	\$ 2,066	\$ 2,020
OPVL15170		Hinged transition plates ST4.500/ST4175 & ST4.660/ST4250, instead of standard ramps	\$ (1,133)	\$ (804)	\$ (770)	\$ (753)
42519010		Set standard drive on/off ramps ST4.660/ST4250, length 55" (2 pcs) for 20, 26 and 30 foot runways	\$ 4,889	\$ 3,471	\$ 3,325	\$ 3,251
42519050		Extended length ramps ST4.660/ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways	\$ 5,993	\$ 4,255	\$ 4,076	\$ 3,986
OPVL16180		Extended length ramps ST4.660/ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways, instead of standard ramps	\$ 690	\$ 490	\$ 469	\$ 459
41407151	34007930 4175/4250	Remote Control, Not UL Approved, 32' 10" cable	\$ 2,959	\$ 2,101	\$ 2,012	\$ 1,968
41407150	34007940 4175/4250	Remote Control, UL Approved, 32' 10" cable	\$ 5,378	\$ 3,818	\$ 3,657	\$ 3,576
42600895	42500895	Height limit switch (set) for ST4.300/ST4120 & ST4.500/ST4175 & ST4.660/ST4250	\$ 1,175	\$ 834	\$ 799	\$ 781
41599013		Set chemical anchors and shims for ST4.500/ST 4175	\$ 828	\$ 588	\$ 563	\$ 551
42599013		Set chemical anchors and shims for ST4.660/ST 4250	\$ 1,005	\$ 713	\$ 683	\$ 668
42639170	42539170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,365	\$ 3,099	\$ 2,968	\$ 2,903
42619170	42519170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,343	\$ 3,793	\$ 3,633	\$ 3,553
42629170	42529170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 6,272	\$ 4,453	\$ 4,265	\$ 4,171
42649170	42549170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 38' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 7,250	\$ 5,147	\$ 4,930	\$ 4,821
42619185	42519185	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$ 886	\$ 629	\$ 603	\$ 589

HEAVY DUTY SKYLIFT

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
<i>Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops.</i>					
41422000	SKY .624 / 200 - 62,400 lbs, platform length 23'	\$ 169,098	\$ 120,060	\$ 114,987	\$ 112,450
41423000	SKY .624 / 200 - 62,400 lbs, platform length 26'	\$ 173,071	\$ 122,881	\$ 117,688	\$ 115,092
41424000	SKY .624 / 200 - 62,400 lbs, platform length 30'	\$ 177,551	\$ 126,061	\$ 120,735	\$ 118,072
41425000	SKY .624 / 200 - 62,400 lbs, platform length 33'	\$ 181,773	\$ 129,059	\$ 123,606	\$ 120,879
41426000	SKY .624 / 200 - 62,400 lbs, platform length 40'	\$ 193,649	\$ 137,491	\$ 131,681	\$ 128,777
41427000	SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 207,545	\$ 147,357	\$ 141,131	\$ 138,018
41402000	SKY .780 / 250 - 78,000 lbs, platform length 23'	\$ 183,628	\$ 130,376	\$ 124,867	\$ 122,112
41403000	SKY .780 / 250 - 78,000 lbs, platform length 26'	\$ 186,516	\$ 132,426	\$ 126,831	\$ 124,033
41404000	SKY .780 / 250 - 78,000 lbs, platform length 30'	\$ 192,162	\$ 136,435	\$ 130,670	\$ 127,788
41405000	SKY .780 / 250 - 78,000 lbs, platform length 33'	\$ 194,986	\$ 138,440	\$ 132,590	\$ 129,666
41406000	SKY .780 / 250 - 78,000 lbs, platform length 40'	\$ 208,175	\$ 147,804	\$ 141,559	\$ 138,437
41407000	SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 223,499	\$ 158,684	\$ 151,979	\$ 148,627
<i>Flush mounted version is equipped with 2 sets of hinged movable boards.</i>					
41432000	SKY .624 / 200 - 62,400 lbs, platform length 23'	\$ 163,367	\$ 115,991	\$ 111,090	\$ 108,639
41433000	SKY .624 / 200 - 62,400 lbs, platform length 26'	\$ 167,677	\$ 119,050	\$ 114,020	\$ 111,505
41434000	SKY .624 / 200 - 62,400 lbs, platform length 30'	\$ 171,773	\$ 121,959	\$ 116,806	\$ 114,229
41435000	SKY .624 / 200 - 62,400 lbs, platform length 33'	\$ 176,084	\$ 125,020	\$ 119,737	\$ 117,096
41436000	SKY .624 / 200 - 62,400 lbs, platform length 40'	\$ 188,758	\$ 134,018	\$ 128,355	\$ 125,524
41437000	SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 202,887	\$ 144,050	\$ 137,963	\$ 134,920
41412000	SKY .780 / 250 - 78,000 lbs, platform length 23'	\$ 177,176	\$ 125,795	\$ 120,480	\$ 117,822
41413000	SKY .780 / 250 - 78,000 lbs, platform length 26'	\$ 180,825	\$ 128,386	\$ 122,961	\$ 120,249
41414000	SKY .780 / 250 - 78,000 lbs, platform length 30'	\$ 186,428	\$ 132,364	\$ 126,771	\$ 123,975
41415000	SKY .780 / 250 - 78,000 lbs, platform length 33'	\$ 189,230	\$ 134,353	\$ 128,676	\$ 125,838
41416000	SKY .780 / 250 - 78,000 lbs, platform length 40'	\$ 202,377	\$ 143,688	\$ 137,617	\$ 134,581
41417000	SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 217,893	\$ 154,704	\$ 148,168	\$ 144,899
SKY.624BA	SKY .624 Buy America, additional price	\$ 17,120	\$ 12,155	\$ 11,642	\$ 11,385
SKY.780BA	SKY .780 Buy America, additional price	\$ 22,882	\$ 16,246	\$ 15,560	\$ 15,216
41409110	LED lighting set, UL approved for SKYLIFT, 23' & 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,597	\$ 3,974	\$ 3,806	\$ 3,722
41409120	LED lighting set, UL approved for SKYLIFT, 30' & 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 6,568	\$ 4,664	\$ 4,467	\$ 4,368
41409130	LED lighting set, UL approved for SKYLIFT, 40' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 7,593	\$ 5,391	\$ 5,163	\$ 5,049
41409145	LED lighting set, UL approved for SKYLIFT, 48' platform, 14 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 9,211	\$ 6,540	\$ 6,263	\$ 6,125
41409135	LED lighting set, UL approved for SKYLIFT platform extension 19.2", 2 LED fixtures, brackets and cable set, 110-220V	\$ 1,621	\$ 1,151	\$ 1,102	\$ 1,078

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
41409150	Optional additional power transformer for supply voltage ranges 400, 460 & 575, for Maximum 12 LED lights	\$ 927	\$ 658	\$ 630	\$ 617
41409160	Second optional additional power transformer for supply voltage ranges 400, 460 & 575, for more than 12 LED lights	\$ 927	\$ 658	\$ 630	\$ 617
OPVL39100	Factory installation of light set on any length SKYLIFT	\$ 1,885	\$ 1,338	\$ 1,282	\$ 1,253
<u>For reversed roll off protection on a Flush Mounted SKYLIFT:</u>					
41310905	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension)	\$ 5,644	\$ 4,007	\$ 3,838	\$ 3,753
41310905-WB	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension) - Washbay	\$ 6,494	\$ 4,611	\$ 4,416	\$ 4,319
OPVL16190	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension)	\$ 2,041	\$ 1,449	\$ 1,388	\$ 1,357
OPVL16190-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension) - Washbay	\$ 2,351	\$ 1,669	\$ 1,599	\$ 1,564
OPVL16191	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension)	\$ 3,924	\$ 2,786	\$ 2,669	\$ 2,610
OPVL16191-WB	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension) - Washbay	\$ 4,539	\$ 3,222	\$ 3,086	\$ 3,018
OPVL16200	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT	\$ 2,041	\$ 1,449	\$ 1,388	\$ 1,357
OPVL16200-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT - Washbay	\$ 2,351	\$ 1,669	\$ 1,599	\$ 1,564
41300966	Set of 2 ramp spacers with chemical anchors to raise approach ramps to same height as the reversed roll off protections. Only for surface mounted lifts	\$ 2,030	\$ 1,441	\$ 1,380	\$ 1,350
42509020	Set short drive-on/off ramps , L = 510 mm / 20" (2 pcs)	\$ 3,038	\$ 2,157	\$ 2,066	\$ 2,020
OPVL15190	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps	\$ (2,271)	\$ (1,612)	\$ (1,544)	\$ (1,510)
OPVL15190-WB	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps - Washbay	\$ (3,702)	\$ (2,629)	\$ (2,518)	\$ (2,462)
OPVL15191	Set short drive-on/off ramps, instead of the standard stop plates	\$ 2,076	\$ 1,474	\$ 1,412	\$ 1,381
41300420	Set fixed, extra long, drive on/off ramps (2 pcs), L = 2660 mm / 104 3/4 "(2 pcs)	\$ 10,736	\$ 7,622	\$ 7,300	\$ 7,139
OPVL16185	Set, extra long, fixed drive-on/off ramps instead of the standard flexible approach ramps	\$ 727	\$ 516	\$ 494	\$ 483
OPVL47185	Set of 2 stop plates for flush mounted SKYLIFT instead of the standard set short drive-on/off ramps	No charge	No charge	No charge	No charge
41407151	Remote control with 32' 10" cable	\$ 2,959	\$ 2,101	\$ 2,012	\$ 1,967
41407153	Remote control with 82' cable	\$ 4,297	\$ 3,051	\$ 2,922	\$ 2,857
41407150	Remote control UL approved with 32' 10" cable	\$ 5,378	\$ 3,818	\$ 3,657	\$ 3,576
41407152	Remote wall control with 30' cable	\$ 3,072	\$ 2,181	\$ 2,089	\$ 2,043
OPVL34180	Intrinsic Barrier For SKY lift to allow surface mounted lift to be installed in flush infloor pit	\$ 6,832	\$ 4,851	\$ 4,646	\$ 4,543
OPVL37185	Stainless steel control box instead of standard painted	\$ 10,382	\$ 7,371	\$ 7,060	\$ 6,904
OPVL50185	Set of four stainless steel floor plates instead of standard hot dip galvanized	\$ 9,111	\$ 6,469	\$ 6,196	\$ 6,059

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
41409161	SKYLIFT circuit breaker & thermal overload kit, SKY200/250 - 208V/230V	\$ 489	\$ 347	\$ 332	\$ 325
41409162	SKYLIFT circuit breaker & thermal overload kit, SKY200/250 - 460V/575V	\$ 489	\$ 347	\$ 332	\$ 325
41409163	SKYLIFT circuit breaker & thermal overload kit, SKY200 - 575V	\$ 489	\$ 347	\$ 332	\$ 325
41409185	SKYLIFT additional E-stop on console	\$ 489	\$ 347	\$ 332	\$ 325
SKY575V	575 voltage power option when ordered from factory.	\$ 3,365	\$ 2,389	\$ 2,288	\$ 2,238
SKY WB-23	Wash bay model 23' (Galvanized runways and stainless steel control box)	\$ 38,434	\$ 27,288	\$ 26,135	\$ 25,559
SKY WB-26	Wash bay model 26' (Galvanized runways and stainless steel control box)	\$ 39,404	\$ 27,977	\$ 26,795	\$ 26,204
SKY WB-30	Wash bay model 30' (Galvanized runways and stainless steel control box)	\$ 40,372	\$ 28,664	\$ 27,453	\$ 26,848
SKY WB-33	Wash bay model 33' (Galvanized runways and stainless steel control box)	\$ 41,340	\$ 29,352	\$ 28,112	\$ 27,491
SKY WB-40	Wash bay model 40' (Galvanized runways and stainless steel control box)	\$ 43,668	\$ 31,004	\$ 29,694	\$ 29,039
SKY WB-48	Wash bay model 48' (Galvanized runways and stainless steel control box)	\$ 46,186	\$ 32,792	\$ 31,407	\$ 30,714
SKY GRW-23	Hot dip galvanized runways instead of painted 23'	\$ 15,295	\$ 10,859	\$ 10,401	\$ 10,171
SKY GRW-26	Hot dip galvanized runways instead of painted 26'	\$ 16,083	\$ 11,419	\$ 10,937	\$ 10,695
SKY GRW-30	Hot dip galvanized runways instead of painted 30'	\$ 16,872	\$ 11,979	\$ 11,473	\$ 11,220
SKY GRW-33	Hot dip galvanized runways instead of painted 33'	\$ 18,291	\$ 12,986	\$ 12,438	\$ 12,163
SKY GRW-40	Hot dip galvanized runways instead of painted 40'	\$ 19,710	\$ 13,994	\$ 13,403	\$ 13,107
SKY GRW-48	Hot dip galvanized runways instead of painted 48'	\$ 21,917	\$ 15,561	\$ 14,904	\$ 14,575
41400960	2 speed lowering, not in combination with synchronisation set	\$ 3,710	\$ 2,634	\$ 2,523	\$ 2,467
41409960	Park positioning system for Jacking Beam (Set), only one possible per lift	\$ 1,935	\$ 1,374	\$ 1,316	\$ 1,287
41400950	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4"	\$ 15,403	\$ 10,936	\$ 10,474	\$ 10,243
41400950-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay	\$ 17,656	\$ 12,536	\$ 12,006	\$ 11,741
41400951	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11"	\$ 18,758	\$ 13,318	\$ 12,755	\$ 12,474
41400951-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay	\$ 21,561	\$ 15,308	\$ 14,662	\$ 14,338
41400953	Synchronization set for connected versions SKYLIFT S.M., without bridge part	\$ 3,451	\$ 2,451	\$ 2,347	\$ 2,295
41410950	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4"	\$ 15,403	\$ 10,936	\$ 10,474	\$ 10,243
41410950-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay	\$ 17,692	\$ 12,561	\$ 12,030	\$ 11,765
41410951	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11"	\$ 18,758	\$ 13,318	\$ 12,755	\$ 12,474
41410951-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay	\$ 21,561	\$ 15,308	\$ 14,662	\$ 14,338
41312955	Set automatic recess coverplates for SKY-FM, 23' (2 pcs)	\$ 26,443	\$ 18,774	\$ 17,981	\$ 17,584
41313955	Set automatic recess coverplates for SKY-FM, 26' (2 pcs)	\$ 32,387	\$ 22,995	\$ 22,023	\$ 21,537
41314955	Set automatic recess coverplates for SKY-FM, 30' (2 pcs)	\$ 38,331	\$ 27,215	\$ 26,065	\$ 25,490
41315955	Set automatic recess coverplates for SKY-FM, 33' (2 pcs)	\$ 44,276	\$ 31,436	\$ 30,107	\$ 29,443
41316955	Set automatic recess coverplates for SKY-FM, 40' (2 pcs)	\$ 56,166	\$ 39,878	\$ 38,193	\$ 37,350
41300448	Set multifunctional flexible approach ramps 77"	\$ 8,711	\$ 6,185	\$ 5,923	\$ 5,793
41300448-WB	Set multifunctional flexible approach ramps 77" - WashBay	\$ 10,017	\$ 7,112	\$ 6,811	\$ 6,661
41300460	One piece middle section "C" length 19.75"	\$ 923	\$ 655	\$ 628	\$ 614

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
41300460-WB	One piece middle section "C" length 19.75" - WashBay	\$ 1,065	\$ 756	\$ 724	\$ 708
41300480	One piece middle section "C" length 10"	\$ 741	\$ 526	\$ 504	\$ 493
41300480-WB	One piece middle section "C" length 10" - WashBay	\$ 844	\$ 600	\$ 574	\$ 562
41300940	Platform Extension 4' (not for 48' version), (2 pcs)	\$ 9,412	\$ 6,682	\$ 6,400	\$ 6,259
41300940-WB	Platform Extension 4' (not for 48' version), (2 pcs) - WashBay	\$ 10,824	\$ 7,685	\$ 7,360	\$ 7,198
41310940	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection	\$ 13,061	\$ 9,273	\$ 8,882	\$ 8,686
41310940-WB	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection - WashBay	\$ 15,048	\$ 10,684	\$ 10,232	\$ 10,007
			\$ -	\$ -	\$ -
OPVLRAL07	Extra price for 1 different color	\$ 3,690	\$ 2,620	\$ 2,509	\$ 2,454
OPVLRAL07-2	Extra price for 2 different colors	\$ 5,787	\$ 4,109	\$ 3,935	\$ 3,848
41300990	Set chemical anchors and shims for SKYLIFT	\$ 1,369	\$ 972	\$ 931	\$ 910
41300992	Set chemical anchors and shims for SKYLIFT, special for Seismic regions incl extra anchors	\$ 2,059	\$ 1,462	\$ 1,400	\$ 1,369
39509105	Air installation kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 11.5' spiral hose	\$ 497	\$ 353	\$ 338	\$ 330
39509100	Air kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 8' air pipe, brackets and one outlet (Depending on length of lift, more than one kit may be needed)	\$ 674	\$ 478	\$ 458	\$ 448
OPVL39200	Factory installation of air kit on any length SKYLIFT, platform lengths up to 12 meter	\$ 1,640	\$ 1,164	\$ 1,115	\$ 1,091
61001022	Cleaner/assembly set for anti-skid aluminum diamond plate	\$ 433	\$ 307	\$ 294	\$ 288
66701106	Anti-skid, ALU diamond plate 23 3/5" x 49 1/5", 30' length platform lift requires a total of 14 plates, (Price per plate)	\$ 547	\$ 388	\$ 372	\$ 364
41302900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 7 mtr. / 23'	\$ 5,856	\$ 4,158	\$ 3,982	\$ 3,894
41303900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 8 mtr. / 26'	\$ 6,938	\$ 4,926	\$ 4,718	\$ 4,614
41304900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 9 mtr. / 30'	\$ 8,030	\$ 5,702	\$ 5,461	\$ 5,340
41305900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 10 mtr. / 33'	\$ 9,113	\$ 6,470	\$ 6,197	\$ 6,060
41306900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 12 mtr. / 40'	\$ 10,203	\$ 7,244	\$ 6,938	\$ 6,785
41307900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 14.5 mtr. / 48'. 4 plates for the extensions and a cleaner set are supplied separately.	\$ 12,368	\$ 8,781	\$ 8,410	\$ 8,225
OPVL44185	Stertil-Guard Anti-skid, applied at the factory for short platforms lengths up to 7 mtr. / 23'	\$ 4,471	\$ 3,175	\$ 3,040	\$ 2,973
OPVL45185	Stertil-Guard Anti-skid, applied at the factory for medium platforms lengths from 8 mtr./ 26' to 9 mtr. / 30'	\$ 5,980	\$ 4,246	\$ 4,066	\$ 3,977
OPVL46185	Stertil-Guard Anti-skid, applied at the factory for longer platforms lengths from 10 mtr. / 33' and longer	\$ 9,209	\$ 6,539	\$ 6,262	\$ 6,124
WP SKY	Wider Platforms 32.68" instead of 29.5"	On request	On request	On request	On request
OPVL31050	6.5' hydraulic hose extension to connect lift to control box	\$ 2,048	\$ 1,454	\$ 1,393	\$ 1,362
OPVL31051	6.5' hydraulic hose extension to connect lift to control box for WashBay	\$ 2,526	\$ 1,793	\$ 1,718	\$ 1,680
OPVL31060	13' hydraulic hose extension to connect lift to control box	\$ 4,095	\$ 2,908	\$ 2,785	\$ 2,723
OPVL31061	13' hydraulic hose extension to connect lift to control box for WashBay	\$ 4,541	\$ 3,224	\$ 3,088	\$ 3,019
OPVL31070	20' hydraulic hose extension to connect lift to control box	\$ 6,059	\$ 4,302	\$ 4,120	\$ 4,029
OPVL31071	20' hydraulic hose extension to connect lift to control box for WashBay	\$ 6,563	\$ 4,659	\$ 4,463	\$ 4,364

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
Tapeswitch Outer Only	Tapeswitch Outer Only, price per foot both runways	\$ 375	\$ 266	\$ 255	\$ 250
Tapeswitch Inner/Outer	Tapeswitch Inner and Outer, price per foot for both runways	\$ 476	\$ 338	\$ 324	\$ 317

ECO LIFTS

Model Number	Old Model #	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
ECO60-00		60,000 lbs capacity with two fixed lifting units	\$ 174,033	\$ 123,563	\$ 118,342	\$ 115,732
ECO60-10		60,000 lbs capacity with 10 ft. (120") travel range	\$ 227,914	\$ 161,819	\$ 154,981	\$ 151,562
ECO60-13		60,000 lbs capacity with 13 ft. (156") travel range	\$ 236,304	\$ 167,776	\$ 160,686	\$ 157,142
ECO60-17		60,000 lbs capacity with 17 ft. (204") travel range	\$ 246,833	\$ 175,252	\$ 167,847	\$ 164,144
ECO 90M-10		90,000 lbs capacity, 1 fixed and 2 movable mechanism, (Price based on 10 ft travel front pit and 10 ft travel rear pit)	\$ 357,250	\$ 253,647	\$ 242,930	\$ 237,571
EL13		Increase box length from 10 ft. to 13 ft (156") in travel range, price per box	\$ 5,401	\$ 3,835	\$ 3,673	\$ 3,592
EL17		Increase box length from 10 ft. to 17 ft (204") in travel range, price per box	\$ 16,203	\$ 11,504	\$ 11,018	\$ 10,775
89400000		Moveable scissor set with short travel range 1'. Without Quick Turn	On request	On request	On request	On request
89500000	39035-00	Moveable scissor set with short travel range 39". Without Quick Turn	On request	On request	On request	On request
OPVL89001	Q2200-00	Quick Turn (Shorter end of one moveable pit box to have Fixed and Moveable closer for tandem axes)	\$ 4,077	\$ 2,895	\$ 2,772	\$ 2,711
89930001	RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 Note: Incl. remote control, 35 ft cable, military style quick disconnect	\$ 7,158	\$ 5,082	\$ 4,868	\$ 4,760
89910001		Automatic Wheel Base Positioning (AWBP) ECO 60	\$ 5,188	\$ 3,683	\$ 3,528	\$ 3,450
89910002		Automatic Wheel Base Positioning (AWBP) ECO 90	\$ 9,339	\$ 6,631	\$ 6,351	\$ 6,211
89010100	ST110-00	Adapter Cart ECO	\$ 2,959	\$ 2,101	\$ 2,012	\$ 1,968
89010101	AS100-00	Adapter Stand	\$ 2,675	\$ 1,899	\$ 1,819	\$ 1,779
Standard with lift: Extruded aluminum (hinged) for moveable mechanism, two each aluminum drop-in covers for fixed and moveable mechanism one 23.5" steel pit cover plate, one bridge bracket, one wall bracket and two end section covers for moveable box. All ECOLIFTS include comprehensive adapter						
Optional Cover Plates for continuous pit:						
89020020		8.75" cover plate, price each	\$ 1,420	\$ 1,008	\$ 966	\$ 945
89020040		12" cover plate, price each	\$ 1,856	\$ 1,318	\$ 1,262	\$ 1,234
89020060		18" cover plate, price each	\$ 2,193	\$ 1,557	\$ 1,491	\$ 1,459
89020080		23.5" cover plate, price each	\$ 2,588	\$ 1,837	\$ 1,760	\$ 1,721
89020028	CW322	Additional wall mount bracket, price each	\$ 2,948	\$ 2,093	\$ 2,005	\$ 1,960
89020029	CB322	Additional bridge bracket, price each	\$ 1,911	\$ 1,357	\$ 1,300	\$ 1,271
575 Voltage		Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per lifting unit/motor	\$ 3,237	\$ 2,298	\$ 2,201	\$ 2,153
89920001		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 60 / DIAMOND 64 / DIAMOND 70	\$ 1,975	\$ 1,402	\$ 1,343	\$ 1,313
89920002		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 90 / DIAMOND 96 / DIAMOND 105	\$ 2,948	\$ 2,093	\$ 2,005	\$ 1,960
89930002	ECO-EHP	External Hand Pump Kit	\$ 4,966	\$ 3,526	\$ 3,377	\$ 3,302

ECO LIFTS

Model Number	Old Model #	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
Shims (Must be ordered with the lift to ship with lift):						
89000105	03112-01	FS1 0.063" thickness, price each	\$ 27	\$ 19	\$ 18	\$ 18
89000106	03112-02	FS2 0.125" thickness, price each	\$ 27	\$ 19	\$ 18	\$ 18
89000107	03112-03	FS4 0.250" thickness, price each	\$ 39	\$ 27	\$ 26	\$ 26
89000108	03112-04	FS8 0.500" thickness, price each	\$ 56	\$ 40	\$ 38	\$ 37
Hose		Add'l field installed hyd. hose over standard length provided (see ECO order form), price per ft. per hose	On request	On request	On request	On request
OPVL89001		Add'l pendant cable length over standard length provided, sold in 5' increments(see ECO order form), price per ft.	On request	On request	On request	On request

DIAMOND LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
DIAMOND 64 MODELS, CASSETTE					
DIAMOND 64-00	64,000 lbs capacity with two fixed lifting units, incl. cassettes	\$ 150,573	\$ 106,907	\$ 102,390	\$ 100,131
DIAMOND 64-10	64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 199,332	\$ 141,526	\$ 135,546	\$ 132,556
DIAMOND 64-13	64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 206,671	\$ 146,736	\$ 140,536	\$ 137,436
DIAMOND 64-17	64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 215,881	\$ 153,276	\$ 146,799	\$ 143,561

DIAMOND 64 MODELS, CASSETTE, CONTINUOUS RECESS

DIAMOND 64CR-10	64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 243,700	\$ 173,027	\$ 165,716	\$ 162,060
DIAMOND 64CR-13	64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 249,823	\$ 177,374	\$ 169,880	\$ 166,132
DIAMOND 64CR-17	64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 261,994	\$ 186,016	\$ 178,156	\$ 174,226

DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION

DIAMOND 64F-00	64,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation	\$ 117,638	\$ 83,523	\$ 79,994	\$ 78,229
DIAMOND 64F-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 145,308	\$ 103,169	\$ 98,810	\$ 96,630
DIAMOND 64F-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 151,556	\$ 107,605	\$ 103,058	\$ 100,785
DIAMOND 64F-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 160,481	\$ 113,942	\$ 109,127	\$ 106,720
DFIFL-64F	Increased frame length, price per ft.	\$ 2,204	\$ 1,565	\$ 1,499	\$ 1,466
DFSF-64F	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,306	\$ 927	\$ 888	\$ 869

DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS

DIAMOND 64FCR-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 183,270	\$ 130,122	\$ 124,624	\$ 121,875
DIAMOND 64FCR-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 194,372	\$ 138,004	\$ 132,173	\$ 129,258
DIAMOND 64FCR-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 210,496	\$ 149,452	\$ 143,137	\$ 139,980
DFCRIFL-64FCR	Increased frame length, price per ft.	\$ 4,096	\$ 2,908	\$ 2,785	\$ 2,724
DFCRSF-64FCR	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,876	\$ 1,332	\$ 1,276	\$ 1,248

DIAMOND 70 MODELS, CASSETTE

DIAMOND 70-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 229,671	\$ 163,067	\$ 156,176	\$ 152,731
DIAMOND 70-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 238,125	\$ 169,068	\$ 161,925	\$ 158,353
DIAMOND 70-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 248,738	\$ 176,604	\$ 169,142	\$ 165,411

DIAMOND 70 MODELS, CASSETTE, CONTINUOUS RECESS

DIAMOND 70CR-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 288,457	\$ 204,804	\$ 196,151	\$ 191,824
DIAMOND 70CR-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 296,019	\$ 210,173	\$ 201,293	\$ 196,852
DIAMOND 70CR-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 310,397	\$ 220,382	\$ 211,070	\$ 206,414

DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION

DIAMOND 70F-00	70,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation	\$ 131,504	\$ 93,368	\$ 89,423	\$ 87,450
DIAMOND 70F-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 167,424	\$ 118,871	\$ 113,848	\$ 111,337
DIAMOND 70F-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 174,622	\$ 123,982	\$ 118,743	\$ 116,124
DIAMOND 70F-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 184,908	\$ 131,285	\$ 125,737	\$ 122,964
DFIFL-70F	Increased frame length, price per ft.	\$ 2,204	\$ 1,565	\$ 1,499	\$ 1,466
DFSF-70F	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,306	\$ 927	\$ 888	\$ 869

DIAMOND LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS					
DIAMOND 70FCR-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 217,505	\$ 154,428	\$ 147,903	\$ 144,641
DIAMOND 70FCR-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 230,027	\$ 163,319	\$ 156,418	\$ 152,968
DIAMOND 70FCR-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 248,221	\$ 176,237	\$ 168,790	\$ 165,067
DFCRIFL-70FCR	Increased frame length, price per ft.	\$ 4,096	\$ 2,908	\$ 2,785	\$ 2,724
DFCRSF-70FCR	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,876	\$ 1,332	\$ 1,276	\$ 1,248

DIAMOND 96 MODELS, CASSETTE

DIAMOND 96-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 312,450	\$ 221,840	\$ 212,466	\$ 207,780
DEL13-96	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 4,376	\$ 3,107	\$ 2,975	\$ 2,910
DEL17-96	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 13,097	\$ 9,299	\$ 8,906	\$ 8,710
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge

DIAMOND 96 MODELS, CASSETTE, CONTINUOUS RECESS

DIAMOND 96CR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 409,511	\$ 290,753	\$ 278,467	\$ 272,325
DIAMOND 96CR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, (10 ft travel for movable cylinder), incl. cassettes	On request	On request	On request	On request
DIAMOND 96CR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On request	On request	On request	On request
DEL13-96CR	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 6,638	\$ 4,713	\$ 4,514	\$ 4,414
DEL17-96CR	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 19,944	\$ 14,160	\$ 13,562	\$ 13,263
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge			

DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION

DIAMOND 96F-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear)	\$ 214,989	\$ 152,642	\$ 146,193	\$ 142,968
DIAMOND 96F-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On request	On request	On request	On request
DIAMOND 96F-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On request	On request	On request	On request
DFIFL-96F	Increased frame length, price per ft.	\$ 2,204	\$ 1,565	\$ 1,499	\$ 1,466
DFSF-96F	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,307	\$ 928	\$ 889	\$ 869

DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS

DIAMOND 96FCR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear)	\$ 287,023	\$ 203,786	\$ 195,176	\$ 190,870
DIAMOND 96FCR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On request	On request	On request	On request
DIAMOND 96FCR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On request	On request	On request	On request
DFCRIFL-96FCR	Increased frame length, price per ft.	\$ 4,095	\$ 2,907	\$ 2,785	\$ 2,723
DFCRSF-96FCR	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,877	\$ 1,333	\$ 1,276	\$ 1,248

DIAMOND LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
DIAMOND 105 MODELS, CASSETTE					
DIAMOND 105-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 360,005	\$ 255,604	\$ 244,803	\$ 239,403
DIAMOND 105-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On request	On request	On request	On request
DIAMOND 105-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On request	On request	On request	On request
DEL13-105	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 4,763	\$ 3,382	\$ 3,239	\$ 3,167
DEL17-105	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 13,842	\$ 9,828	\$ 9,413	\$ 9,205
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge			

DIAMOND 105 MODELS, CASSETTE, CONTINUOUS RECESS

DIAMOND 105CR-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 456,530	\$ 324,136	\$ 310,440	\$ 303,592
DIAMOND 105CR-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On request	On request	On request	On request
DIAMOND 105CR-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On request	On request	On request	On request
DEL13-105CR	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 7,218	\$ 5,125	\$ 4,908	\$ 4,800
DEL17-105CR	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 20,985	\$ 14,899	\$ 14,270	\$ 13,955
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge

All DIAMOND LIFTS include comprehensive adapter package. At time of order specify Transit, School Bus or Truck Adapters

89930001	RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 Note: Including remote control, 35 ft cable, military style quick disconnect	\$ 7,158	\$ 5,082	\$ 4,868	\$ 4,760
89900050	BEACON-00	Red/Green stack light for HOME position for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 3,649	\$ 2,591	\$ 2,482	\$ 2,427

89900010	F40-00	Festoon for remote control, 40 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 8,966	\$ 6,366	\$ 6,097	\$ 5,962
89900020	F60-00	Festoon for remote control, 60 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 12,546	\$ 8,908	\$ 8,532	\$ 8,343
89900030	T12312-00	Remote Control Bracket for use with festoon, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 1,229	\$ 873	\$ 836	\$ 817

79900001	Automatic Wheel Base Positioning (AWBP) for Cassette with 1 moveable piston	\$ 5,188	\$ 3,683	\$ 3,528	\$ 3,450
79900002	Automatic Wheel Base Positioning (AWBP) for Cassette with 2 moveable pistons	\$ 9,339	\$ 6,631	\$ 6,351	\$ 6,211
79900005	Automatic Wheel Base Positioning (AWBP) for Frame with 1 moveable piston	\$ 5,188	\$ 3,683	\$ 3,528	\$ 3,450
79900006	Automatic Wheel Base Positioning (AWBP) for Frame with 2 moveable pistons	\$ 9,339	\$ 6,631	\$ 6,351	\$ 6,211
79900009	Automatic Wheel Base Positioning (AWBP) for CR Cassette with 1 moveable piston	\$ 5,188	\$ 3,683	\$ 3,528	\$ 3,450
79900010	Automatic Wheel Base Positioning (AWBP) for CR Cassette with 2 moveable pistons	\$ 9,339	\$ 6,631	\$ 6,351	\$ 6,211

575 Voltage	Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per lifting unit/motor	\$ 3,237	\$ 2,298	\$ 2,201	\$ 2,153
89920001	Factory Installed Circuit Breaker & Thermal Overload Kit ECO 60 / DIAMOND 64 / DIAMOND 70	\$ 1,975	\$ 1,402	\$ 1,343	\$ 1,313
89920002	Factory Installed Circuit Breaker & Thermal Overload Kit ECO 90 / DIAMOND 96 / DIAMOND 105	\$ 2,948	\$ 2,093	\$ 2,005	\$ 1,960

79990000	5 Gallons of Panolin Oil Biodegradable Oil	\$ 1,159	\$ 823	\$ 788	\$ 771
----------	--	----------	--------	--------	--------

DIAMOND LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
79990001	D663P-00 Assembly Sump Pump DIA64 / DIA70 / DIA96 / DIA105. One Sump Pump per cassette. Price is for each Sump Pump.	\$ 5,755	\$ 4,086	\$ 3,913	\$ 3,827
79010100	ST130-00 Adapter Cart Diamond	\$ 2,959	\$ 2,101	\$ 2,012	\$ 1,968
89010101	AS100-00 Adapter Stand	\$ 2,675	\$ 1,899	\$ 1,819	\$ 1,779

DIAMOND AND ECO LIFT ADAPTERS

Model Number	Old Model #	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
Adapter Kits (One kit included with purchase of lift):						
89001001		Transit Bus Adapter Package (2x89010002, 2x89010035 & 2x89010034)	\$ 4,408	\$ 3,130	\$ 2,997	\$ 2,931
89001002		School Bus & Truck Adapter Package (2x89010002, 2x89010015 & 2x89010022)	\$ 3,707	\$ 2,632	\$ 2,520	\$ 2,465
89001003		Universal Vehicle Adapter Package (2x89010001, 2x89010009 & 2x89010017)	\$ 2,977	\$ 2,113	\$ 2,024	\$ 1,979
Pick-Up Adapters:						
89010001	A06122-00	Adapter 4" extension, price each	\$ 587	\$ 417	\$ 399	\$ 390
89010002	A08122-00	Adapter 6" extension, price each	\$ 600	\$ 426	\$ 408	\$ 399
89010003	A09222-00	Adapter Tall Vertical 9 x 3.7", price each	\$ 851	\$ 604	\$ 579	\$ 566
89010004	A09222-00R1	Adapter Tall Vertical 9 x 4.23", price each	\$ 1,807	\$ 1,283	\$ 1,229	\$ 1,201
89010005	A09222-00R2	Adapter Tall Vertical, centered, 9 x 4.23", price each	\$ 1,807	\$ 1,283	\$ 1,229	\$ 1,202
89010006	A10122-00	Adapter 7" Extension, price each	\$ 681	\$ 484	\$ 463	\$ 453
89010007	A11122-00	Adapter 9" extension, price each	\$ 700	\$ 497	\$ 476	\$ 466
89010008	A15252-00	Adapter wide 14 x 11.77", price each	\$ 1,265	\$ 898	\$ 861	\$ 842
89010009	A16122-00	Adapter Cradle 3.7 x 6", price each	\$ 342	\$ 243	\$ 233	\$ 228
89010041	A17122-00	Adapter Wide Cradle 6" x 10", price each	\$ 1,610	\$ 1,143	\$ 1,095	\$ 1,070
89010042	A17132-00	Adapter Flat Accessory 6" x 10"(use with A17122), price each	\$ 1,428	\$ 1,014	\$ 971	\$ 950
89010010	A18122-00	Adapter Swivel Cradle 3.7 x 6", price each	\$ 372	\$ 264	\$ 253	\$ 247
89010011	A20122-00	Adapter swivel cradle, 6"x6", price each	\$ 914	\$ 649	\$ 621	\$ 608
89010012	A21122-00	Adapter vertical axle 9 x 3.7", price each	\$ 653	\$ 464	\$ 444	\$ 434
89010013	A22122-00	Adapter Vertical Centered Low 3.7 x 4", price each	\$ 719	\$ 511	\$ 489	\$ 478
89010014	A23122-00	Adapter vertical wider axle 9 x 7.7", price each	\$ 988	\$ 701	\$ 672	\$ 657
89010015	A24122-00	Adapter vertical wider axle 9 x 6.2", price each	\$ 871	\$ 619	\$ 593	\$ 579
89010016	A25122-00	Adapter low vertical 4 x 3.7", price each	\$ 617	\$ 438	\$ 420	\$ 410
89010017	A26122-00	Adapter Low Vertical Wide 6.2 x 4", price each	\$ 746	\$ 529	\$ 507	\$ 496
89010018	A27122-00	Adapter Front Orion 3.7 x 5.5", price each	\$ 617	\$ 438	\$ 420	\$ 410
89010019	A28122-00	Adapter vertical low wide 6.2 x 4", price each	\$ 791	\$ 562	\$ 538	\$ 526
89010020	A29122-00	Adapter vertical 3 x 7.8", price each	\$ 791	\$ 562	\$ 538	\$ 526
89010021	A30122-00	Adapter Flip-Up, 8.6" x 6", price each	\$ 1,594	\$ 1,131	\$ 1,084	\$ 1,060
89010022	A31122-00	Adapter Flat Top Block 3 x 6 x 2.75", price each	\$ 586	\$ 416	\$ 398	\$ 389
89010023	A32122-00	Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each	\$ 1,082	\$ 768	\$ 736	\$ 719
89010024	A32132-00	Adapter Flat Base, 6 x 10", price each	\$ 1,400	\$ 994	\$ 952	\$ 931
89010025	A32142-00	Adapter Flat Base, 6 x 10", price each	\$ 1,400	\$ 994	\$ 952	\$ 931
89010026	A32152-00	Adapter Centering Block, price each	\$ 1,427	\$ 1,013	\$ 970	\$ 949
89010027	A33122-00	Adapter vertical wider axle 9 x 7.7" SP pin, price each	\$ 1,003	\$ 712	\$ 682	\$ 667
89010028	A34122-00	Differential Adapter (only for DIAMOND LIFT)	\$ 4,891	\$ 3,472	\$ 3,326	\$ 3,252

DIAMOND AND ECO LIFT ADAPTERS

Model Number	Old Model #	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
89010029	A35122-00	Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$ 713	\$ 506	\$ 485	\$ 474
89010030	A38122-00	Adapter Vertical 6 x 7.9", price each	\$ 975	\$ 692	\$ 663	\$ 648
89010031	A41122-00	Adapter Vertical Narrow 7.1 x 3.7", price each	\$ 700	\$ 497	\$ 476	\$ 466
89010032	A43122-00	Adapter crown top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$ 593	\$ 421	\$ 404	\$ 395
89010033	A45110-00	Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each	\$ 791	\$ 562	\$ 538	\$ 526
89010034	A50122-00	Adapter NOVA Rear 7.5 x 8.25", price each	\$ 958	\$ 680	\$ 651	\$ 637
89010035	A51122-00	Adapter Rear Transit 7.5 x 8.25", price each	\$ 995	\$ 707	\$ 677	\$ 662
89010036	A52122-00	Adapter New Flyer Rear 5 x 7.75", price each	\$ 958	\$ 680	\$ 651	\$ 637
89010037	A53142-00	Cradle Adapter Weldment	\$ 374	\$ 265	\$ 254	\$ 248
89010038	A56122-00	Adapter Vertical 0.75 x 4 x 9", price each	\$ 719	\$ 511	\$ 489	\$ 478
89010039	A57122-00	Adapter Pocket 7.75" x 10", price each	\$ 1,032	\$ 732	\$ 701	\$ 686
89010043	A67122-00	Adapter Cradle 6" x 6", price each	\$ 1,045	\$ 742	\$ 711	\$ 695
89010044	A71112-00	Adapter Flat, 5" x 5", with pad, for Protera	\$ 1,519	\$ 1,078	\$ 1,033	\$ 1,010

JACKING BEAMS FOR HEAVY DUTY LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
The JB series is standard equipped with two cylinders. On request the JB series is also available with only one cylinder. The JB is standard equipped with two flat adapters and two 4" extensions.					
39617160	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$16,621	\$11,801	\$11,302	\$ 11,053
39617110	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$16,621	\$11,801	\$11,302	\$ 11,053
39617010	Set support arms for ST 4120	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39615250	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$16,621	\$11,801	\$11,302	\$ 11,053
39615140	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$16,621	\$11,801	\$11,302	\$ 11,053
39615040	Set support arms for ST 4175 new style (for lifts manufactured from July 2015)	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39616160	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$18,328	\$13,013	\$12,463	\$ 12,188
39616110	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$18,328	\$13,013	\$12,463	\$ 12,188
39616010	Set support arms for ST 4250 20'/26'/30' platforms	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39616020	Set support arms for ST 4250 33'/38' platforms	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39618160	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$18,328	\$13,013	\$12,463	\$ 12,188
39618110	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$18,328	\$13,013	\$12,463	\$ 12,188
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,961	\$ 1,393	\$ 1,334	\$ 1,304

JACKING BEAMS FOR HEAVY DUTY LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
Options for JB-80-2 / JB-120-2 / JB-160-2 / JB-200-2:					
9114300	LB 20T differential beam allows use of both rams to lift at one point	\$ 735	\$ 522	\$ 500	\$ 489
5866600	T4-2 Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 29.50", only for tandem piston versions	\$ 1,762	\$ 1,251	\$ 1,198	\$ 1,172
5866055	T6-2 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for tandem piston versions	\$ 4,164	\$ 2,957	\$ 2,832	\$ 2,769
9114100	FG100 4" metal extension adapter, capacity 22,000 lbs.	\$ 90	\$ 64	\$ 61	\$ 60
9114200	FG200 8" metal extension adapter, capacity 22,000 lbs.	\$ 113	\$ 81	\$ 77	\$ 75
9112700	FW2 V-shape adapter, capacity 22,000 lbs., width 4.00"	\$ 114	\$ 81	\$ 78	\$ 76
9112710	FW2-130 V-shape adapter, capacity 13,200 lbs., width 5.125"	\$ 130	\$ 92	\$ 89	\$ 87

JACKING BEAMS FOR HEAVY DUTY LIFTS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
9113210	US U-saddle adapter, large model, capacity 22,000 lbs., width 4.00"	\$ 130	\$ 92	\$ 89	\$ 87
9113240	US-130 U-saddle adapter, capacity 13,200 lbs., width 5.125"	\$ 171	\$ 122	\$ 116	\$ 114
5836700	Trolley for JB-80-2 - JB-200-2	\$ 628	\$ 446	\$ 427	\$ 418
5866340	VB1 Wall bracket for storage of up to 4 adapters	\$ 71	\$ 51	\$ 49	\$ 47
5866380	VB2 Wall bracket for storage of up to 8 adapters	\$ 114	\$ 81	\$ 78	\$ 76
4311.70.91.00	Air-cleaning/greasing/reducing unit for jacking beams	\$ 1,241	\$ 881	\$ 844	\$ 825

AIR-HYDRAULIC PIT JACKS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
5876410	MPJ-100-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms,	\$ 11,918	\$ 8,462	\$ 8,104	\$ 7,925
5877410	MPJ-100-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms,	\$ 11,918	\$ 8,462	\$ 8,104	\$ 7,925
5876415	MPJ-150-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms,	\$ 13,158	\$ 9,342	\$ 8,947	\$ 8,750
5877415	MPJ-150-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms,	\$ 13,158	\$ 9,342	\$ 8,947	\$ 8,750
5876420	MPJ-200-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms,	\$ 14,186	\$ 10,072	\$ 9,646	\$ 9,433
5877420	MPJ-200-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms,	\$ 14,186	\$ 10,072	\$ 9,646	\$ 9,433

The support arms have to be ordered separately from the pit jack.

39630010	Set support arms for pit jacks (always fill out pit specification form and send with order)	\$ 1,298	\$ 922	\$ 883	\$ 863
5900000	FPJ-150 F, Floor moving air hydraulic pit jack, single ram, with telescopic fixed cylinder, capacity 33,000 lbs., height 36' 0.25" - 86' 0.875", platform 33' 0.25" x 39' 0.50"	\$ 13,779	\$ 9,783	\$ 9,370	\$ 9,163
5901500	FPJ-150 U, Floor moving air hydraulic pit jack, single ram, with telescopic and sideways movable cylinder, capacity 33,000 lbs., height 36' 0.25" - 86' 0.875", platform 33' 0.25" x 42' 0.25"	\$ 14,420	\$ 10,238.20	\$ 9,806	\$ 9,589

Options for air-hydraulic pit jacks:

5867010	AB, Support bridge, capacity 44,000 lbs., usable in combination with various adapters	\$ 2,864	\$ 2,033	\$ 1,947	\$ 1,904
5867500	ABT, Variable Support bridge, capacity 33,000 lbs., usable in combination with various adapters	\$ 3,581	\$ 2,543	\$ 2,435	\$ 2,382
5866500	T4-1 Crossbeam adapter, capacity 44,000 lbs., height 4.00", adjustable 7.80" - 29.50", only for single	\$ 1,761	\$ 1,251	\$ 1,198	\$ 1,171
5866550	T4-1W Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 33.50", only	\$ 2,025	\$ 1,438	\$ 1,377	\$ 1,347
5866600	T4-2 Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 29.50", only for tandem	\$ 1,761	\$ 1,251	\$ 1,198	\$ 1,171
5866650	T4-2W Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 33.50", only for tandem	\$ 2,025	\$ 1,438	\$ 1,377	\$ 1,347
5866700	T5-1 Crossbeam adapter, capacity 33,000 lbs. to 25,300 lbs, height 4.74", adjustable 36" - 59", only for single	\$ 3,224	\$ 2,289	\$ 2,192	\$ 2,144
5866800	T5-2 Crossbeam adapter, capacity 33,000 lbs. to 25,300 lbs, height 4.74", adjustable 36" - 59", only for twin	\$ 3,224	\$ 2,289	\$ 2,192	\$ 2,144
5866050	T6-1 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only	\$ 4,164	\$ 2,956	\$ 2,831	\$ 2,769
5866000	T6-1W Crossbeam adapter, capacity 28,600 lbs., adjustable 39.37" - 63.00" with wheel, height 3.54", only	\$ 4,402	\$ 3,126	\$ 2,994	\$ 2,928
5866055	T6-2 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only	\$ 4,164	\$ 2,956	\$ 2,831	\$ 2,769
5866010	T6-2 W Crossbeam adapter, capacity 28,600 lbs., adjustable 44.10" - 67.72" with wheel, height 3.54",	\$ 4,402	\$ 3,126	\$ 2,994	\$ 2,928
5900500	AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units)	\$ 1,790	\$ 1,271	\$ 1,217	\$ 1,191
9114100	FG100 4" metal extension adapter, capacity 22,000 lbs.	\$ 90	\$ 64	\$ 61	\$ 60

AIR-HYDRAULIC PIT JACKS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
Options for air-hydraulic pit jacks:					
9114200	FG200 8" metal extension adapter, capacity 22,000 lbs.	\$ 113	\$ 80	\$ 77	\$ 75
9112700	FW2 V-shape adapter, capacity 22,000 lbs., width 4.00"	\$ 114	\$ 81	\$ 78	\$ 76
9112710	FW2-130 V-shape adapter, capacity 13,200 lbs., width 5.125"	\$ 130	\$ 92	\$ 88	\$ 86
9113210	US U-saddle adapter, large model, capacity 22,000 lbs., width 4.00"	\$ 130	\$ 92	\$ 88	\$ 86
9113240	US-130 U-saddle adapter, capacity 13,200 lbs., width 5.125"	\$ 171	\$ 122	\$ 117	\$ 114
5866340	VB1 Wall bracket for storage of up to 4 adapters	\$ 72	\$ 51	\$ 49	\$ 48
5866380	VB2 Wall bracket for storage of up to 8 adapters	\$ 114	\$ 81	\$ 78	\$ 76
9114300	LB 20T differential beam allows use of both rams to lift at one point	\$ 735	\$ 522	\$ 500	\$ 489
5863400	GR Extra handle	\$ 124	\$ 88	\$ 84	\$ 82

HYDRAULIC TRANSMISSION JACK

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
9085000	SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77"	\$ 836	\$ 594	\$ 569	\$ 556
9086500	SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max	\$ 4,462	\$ 3,168	\$ 3,034	\$ 2,967
9065000	SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max	\$ 3,448	\$ 2,448	\$ 2,345	\$ 2,293
Options for hydraulic transmission jacks:					
9058800	AS1 660 lbs. light duty gearbox saddle	\$ 1,003	\$ 712	\$ 682	\$ 667
5900500	AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units)	\$ 1,790	\$ 1,271	\$ 1,217	\$ 1,191
9059500	S Black steel universal adapter without rubber pad	\$ 58	\$ 41	\$ 40	\$ 39
3601400	GS1 Rubber cushion for black steel mount	\$ 50	\$ 35	\$ 34	\$ 33

WHEEL DOLLIES

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
6005000	WDA-500 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23"	\$ 2,986	\$ 2,120	\$ 2,030	\$ 1,986
6007000	WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP	\$ 351	\$ 249	\$ 239	\$ 233
6102300	WD-1500 NTB 3,300 lbs. capacity Wheel Dolly with 2 swivel casters with brake	\$ 7,079	\$ 5,026	\$ 4,814	\$ 4,708

AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
4480000	SKB-25-2 Portable 25/10T air/hydraulic jack	\$ 3,520	\$ 2,499	\$ 2,394	\$ 2,341
4487000	SBB Transport locking device and wall bracket (only for SKB-25)	\$ 297	\$ 211	\$ 202	\$ 198
4402000	F250 non-stackable adapter - extends the maximum height by 9.80" (B25-2 Only)	\$ 277	\$ 197	\$ 188	\$ 184
4563000	SK25-1 25T single-stage air/hydraulic floor jack for trucks/buses min collapsed height 7.10"	\$ 3,874	\$ 2,751	\$ 2,634	\$ 2,576
4560000	SK25-1H 25T single-stage air/hydraulic floor jack for high clearance vehicles, min. height 14.21"	\$ 4,787	\$ 3,399	\$ 3,255	\$ 3,183
4540000	SK25-2 25/10T 2-stage air/hydraulic floor jack, min. height 7.20"	\$ 3,800	\$ 2,698	\$ 2,584	\$ 2,527
4515000	SK40-4 40/27/16/10T 4-stage air/hydraulic jack for vehicles with extra low clearance, min. height of 3.90"	\$ 6,630	\$ 4,707	\$ 4,508	\$ 4,409

AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
4520000	SK50-3 50/25/10T 3-stage air/hydraulic jack for vehicles with low clearance of 5.90"	\$ 5,490	\$ 3,898	\$ 3,733	\$ 3,651
4520020	SK65-1 65T Capacity air/hydraulic jack for ultra heavy-duty machinery, min. height 9.65"	\$ 5,610	\$ 3,983	\$ 3,815	\$ 3,731
4525000	SK65-1H 65T Capacity air/hydraulic jack for ultra heavy-duty machinery, long-stroke, min. height 16.65"	\$ 7,994	\$ 5,676	\$ 5,436	\$ 5,316
4402100	FW Round, black adapter with no rubber pad designed for lifting under bolts, differential gear etc.	\$ 174	\$ 124	\$ 118	\$ 116
6323100	FW1 Adapter for lifting under different types of axles	\$ 115	\$ 82	\$ 78	\$ 76

MANUAL FLOOR JACKS & ACCESSORIES

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
3604500	SKMFJ100 Manual Floor Jack, 10T capacity, lifting. range 5.875" - 23"	\$ 2,775	\$ 1,970	\$ 1,887	\$ 1,845
3606500	SKMFJ120 Manual Floor Jack, 12T capacity, lifting. range 5.875" - 23"	\$ 3,063	\$ 2,175	\$ 2,083	\$ 2,037
3605500	SKG4 pneumatic tires for Manual Floor Jacks	\$ 325	\$ 231	\$ 221	\$ 216
3601700	SKFDK2 Height Extension, 4 in.	\$ 146	\$ 104	\$ 99	\$ 97

HEAVY DUTY SHOP CRANES

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
2001000	SKWN20 4,400 lbs. HD Hydraulic workshop crane	\$ 5,057	\$ 3,590	\$ 3,439	\$ 3,363
2101000	SKWN25 5,500 lbs. HD Hydraulic workshop crane	\$ 5,937	\$ 4,215	\$ 4,037	\$ 3,948

AIRCRAFT APPLICATIONS

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
4591000	SK25-2AP 25T Air/hydraulic aircraft jack	\$ 5,914	\$ 4,199	\$ 4,022	\$ 3,933
4593000	SK65-1AP 65T Air/hydraulic aircraft jack	\$ 7,999	\$ 5,680	\$ 5,440	\$ 5,320
4594000	SK65-1APH 65T, Air/hydraulic aircraft jack with extra long stroke	\$ 9,216	\$ 6,544	\$ 6,267	\$ 6,129
6005300	WTA-500AP 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23", Aircraft Service	\$ 3,453	\$ 2,452	\$ 2,348	\$ 2,296
6007000	WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP	\$ 351	\$ 249	\$ 238	\$ 233

COMMERCIAL WASTE OIL EQUIPMENT

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
30120	SK30120 31 gallon HD waste oil drain with standard funnel	\$ 1,301	\$ 924	\$ 885	\$ 865
30370	SK30370 31 gallon waste oil drain with cantilever tray	\$ 1,705	\$ 1,210	\$ 1,159	\$ 1,134
30475	SK30475 18.5 gallon waste oil drain with wash basin	\$ 1,048	\$ 744	\$ 713	\$ 697
31210	SK31210 Low Profile Oil Drain for Platform Lifts and Pits, Adjustable Sliding Rods w. Casters (35.43" - 51.57"), 29 Gal. Capacity	\$ 874	\$ 621	\$ 594	\$ 581
31125	SK31125 Low profile waste oil drain, 33 gallon capacity	\$ 987	\$ 701	\$ 671	\$ 657
92000	SK92000 Portable wash down system	\$ 1,203	\$ 854	\$ 818	\$ 800

ALIGNMENT ACCESSORIES

Model Number	Description	List Price	29% 1 set	32% 2-7 Sets	33.5% 8-up Sets
CS-DT-069	Stertil Koni portable alignment kit with drive through feature (does NOT include turnplates)	\$ 5,089	\$ 3,613	\$ 3,460	\$ 3,384
CS-360	Stertil Koni portable alignment kit with wheel stop, drive on back off (does NOT include turnplates)	\$ 4,580	\$ 3,251	\$ 3,114	\$ 3,045
25-24-S	Stainless steel turnplates	\$ 4,427	\$ 3,143	\$ 3,010	\$ 2,944
WB-200-30	Deluxe Storage Cabinet for portable alignment kit	\$ 2,446	\$ 1,737	\$ 1,663	\$ 1,627
SKALIGN	Permanently installed, surface mounted alignment deck. Call for custom quote	On demand	On demand	On demand	On demand